






Neck and shoulder shapings are not shown on the chart



Key for chart

 Bubbles

● Persimmon

Measurements

To fit snugly bust sizes 81-86 (91-97) (102-107) (112-117) (122-127) cm/32-34 (36-38) (40-42) (44-46) (48-50) in.

Actual measurements 84 (94) (106) (118) (132) cm/33 (37) (41 $\frac{3}{4}$) (46 $\frac{1}{2}$) (52) in.

Side seam 22 (23) (24) (25) (26) cm/8 $\frac{3}{4}$ (9) (9 $\frac{1}{2}$) (9 $\frac{3}{4}$) (10 $\frac{1}{4}$) in.

Length to shoulder 40 (42) (44) (46) (48) cm/15 $\frac{3}{4}$ (16 $\frac{1}{2}$) (17 $\frac{1}{4}$) (18) (19) in.

Sleeve seam All sizes 22cm/8 $\frac{3}{4}$ in.

Materials

5 (5) (6) (7) (7) 50g (115m) balls of Rowan Cotton Glace (100% cotton) in Bubbles (724); 4 (5) (5) (6) (7) balls in Persimmon (832) and 1 ball in Ochre (833). Pair of 3 $\frac{1}{4}$ mm (No. 10) knitting needles.

To buy this yarn, call 0800 024 1212. Lines open Mon-Fri, 10am-4pm, but closed bank holidays.*

Back

With 3 $\frac{1}{4}$ mm needles and Bubbles, cast on 99 (111) (127) (141) (159) sts.

K 4 rows.

Using separate small balls of yarn for each coloured area, twisting yarns together on wrong side and reading chart from right to left on right side (k) rows and from left to right on wrong side (p) rows, and beginning with a k row, work in ss and pattern from chart until 12th row of chart has been worked.

Continue working in pattern from chart, inc 1 st at each end of next row and 2 following 20th rows – 105 (117) (133) (147) (165) sts.

Pattern another 21 (23) (27) (31) (35) rows.

Shape armholes: Keeping pattern correct, cast off 4 sts at beginning of next 2 rows.

Dec 1 st at each end of next row and 5 following alternate rows – 85 (97) (113) (127) (145) sts.

Continue straight in pattern until armholes measure 18 (19) (20) (21) (22) cm, ending with a right side row.

Shape neck and shoulders: Next row:

Pattern 19 (25) (32) (39) (47), cast off next 47 (47) (49) (49) (51) sts, pattern to end.

Work on last set of 19 (25) (32) (39) (47) sts for right side.

Right side: Next row: Cast off 4 (5) (7) (9) (11) sts, pattern to last 2 sts, k2tog.

Dec 1 st at beginning of next row.

Repeat last 2 rows, once more – 7 (11) (14) (17) (21) sts.

Cast off 4 (5) (7) (9) (11) sts at beginning of next row – 3 (6) (7) (8) (10) sts.

Work 1 row. Cast off.

Left side neck: With right side facing, rejoin yarn to remaining 19 (25) (32) (39) (47) sts and pattern to end.

Next row: Cast off 4 (5) (7) (9) (11) sts, pattern to last 2 sts, p2tog.

Tension

25 stitches and 35 rows, to 10 x 10cm, over pattern, using 3 $\frac{1}{4}$ mm needles.

Abbreviations

K, knit; **p**, purl; **st**, stitch; **tog**, together; **ss**, stocking st (k on right side and p on wrong side); **dec**, decrease (by working 2 sts tog); **inc**, increase (by working twice into same st).

Note

Yarn amounts are based on average requirements and are therefore approximate. Instructions are given for small size. Where they vary, work figures in round brackets for larger sizes. Instructions in square brackets are worked as stated after 2nd bracket.

Dec 1 st at beginning of next row.

Repeat last 2 rows, once more – 7 (11) (14) (17) (21) sts.

Cast off 4 (5) (7) (9) (11) sts at beginning of next row – 3 (6) (7) (8) (10) sts.

Work 1 row. Cast off.

Left front

With 3 $\frac{1}{4}$ mm needles and Bubbles, cast on 49 (55) (63) (70) (79) sts.

K 4 rows.

Beginning with a k row, work in ss and pattern from chart until 12th row of chart has been worked.

Continue working in pattern from chart, inc 1 st at beginning of next row and 2 following 20th rows – 52 (58) (66) (73) (82) sts.

Pattern another 21 (23) (27) (31) (35) rows.

Shape armhole: Keeping pattern correct, cast off 4 sts at beginning of next row.

Work 1 row.

Dec 1 st at beginning of next row and 5 following alternate rows – 42 (48) (56) (63) (72) sts.

Pattern another 2 (4) (4) (8) (8) rows.

Shape neck: Cast off 10 (10) (11) (11) (12) sts at beginning of next row.

Dec 1 st at neck edge on next 9 rows and 5 following alternate rows, then on 3 following 4th rows – 15 (21) (28) (35) (43) sts. Continue straight until front measures same as back to beginning of shoulder shaping, ending with a wrong side row.

Shape shoulder: Cast off 4 (5) (7) (9) (11) sts at beginning of next row and 2 following alternate rows – 3 (6) (7) (8) (10) sts.

Work 1 row. Cast off.

Right front

With 3 $\frac{1}{4}$ mm needles and Bubbles, cast on 49 (55) (63) (70) (79) sts.

K 4 rows.

Beginning with a k row, work in ss and pattern from chart until 12th row of chart has been worked.

Continue working in pattern from chart, inc 1 st at end of next row and 2 following 20th rows – 52 (58) (66) (73) (82) sts.

Pattern another 22 (24) (28) (32) (36) rows.

Shape armhole: Keeping pattern correct, cast off 4 sts at beginning of next row.

Dec 1 st at end of next row and 5 following alternate rows – 42 (48) (56) (63) (72) sts.

Pattern another 3 (5) (5) (9) (9) rows.

Shape neck: Cast off 10 (10) (11) (11) (12) sts at beginning of next row.

Dec 1 st at neck edge on next 10 rows and 4 following alternate rows, then on 3 following 4th rows – 15 (21) (28) (35) (43) sts.

Continue straight until front measures same as back to beginning of shoulder shaping, ending with a right side row.

Shape shoulder: Cast off 4 (5) (7) (9) (11) sts at beginning of next row and 2 following alternate rows – 3 (6) (7) (8) (10) sts.

Work 1 row. Cast off.

Sleeves (both alike)

With 3 $\frac{1}{4}$ mm needles and Bubbles, cast on 75 (81) (85) (91) (95) sts.

K 4 rows.

Beginning with a k row, work in ss and pattern from chart until 4th row of chart has been worked.

Continue working in pattern from chart, inc 1 st at each end of next row and 6 following 8th rows – 89 (95) (99) (105) (109) sts.

Pattern another 21 rows.

Shape top: Keeping pattern correct, cast off 4 sts at beginning of next 2 rows.

Dec 1 st at each end of next row and 4 following alternate rows, then on following row – 69 (75) (79) (85) (89) sts. Cast off.

Front bands (both alike)

With right side facing, using 3 $\frac{1}{4}$ mm needles and Bubbles, pick up and k61 (65) (67) (72) (74) sts evenly along straight front edge of one front.

K 2 rows. Cast off kwise.

Neckband

Join shoulder seams.

With right side facing, using 3 $\frac{1}{4}$ mm needles and Bubbles, pick up and k49 (49) (52) (52) (56) sts up right front neck including front band, 55 (55) (57) (57) (59) sts around back neck, then 49 (49) (52) (52) (56) sts down left front neck including front band – 153 (153) (161) (161) (171) sts.

K 2 rows. Cast off kwise.

To make up

Sew in sleeve tops then join side and sleeve seams. Using Ochre, outline randomly some of the pattern shapes with back stitch.



Жакет Grimaud, Rowan 51.

Дизайнер: Brandon Mably.

Размер: S (M, L, XL, XXL).

Обхват груди: 81-86 (91-97, 102-107, 112-117, 122-127) см.

Материалы:

- Пряжа Cotton Glace по 50 г:
A: Bubbles 724 – 5 (5, 6, 7, 7) мотков
B: Persimmon 832 – 4 (5, 5, 6, 7) мотка
C: Ochre 833 – 1 моток для всех размеров.
- Спицы 3.25 мм

Плотность вязания:

25 п. и 35 р. = 10 см, узорной лиц. гладью,
спицы 3.25 мм.

СПИНКА.

Спицами 3.25 мм и цветом А набрать 99 (111, 127, 141, 159) п.

Вязать плат. вязкой 4 р., закончив в ИР.

Начиная и заканчивая ряды, как указано, и используя технику интарсия, продолжить узором по схеме лиц. гладью, начав с ЛР, след. образом:

Провязать 12 р., закончив в ИР.

Прибавить 1 п. с каждого конца в след. ряду и 2 раза в каждом 20-м р., вводя прибавляемые петли в узор, = 105 (117, 133, 147, 165) п.

Продолжить прямо, до завершения 74 (76,

80, 84, 88)-го р. схемы, закончив в ИР (Длина спинки около 22 (23, 24, 25, 26) см.).

Проймы.

Сохраняя узор, закрыть 4 п. в начале следующих 2-х рядов, = 97 (109, 125, 139, 157) п.

Убавить 1 п. с каждого конца в след. р. и 5 раз в каждом 2-м р., = 85 (97, 113, 127, 145) п.

Продолжить прямо, пока пройма составит 18 (19, 20, 21, 22) см, закончив в ИР.

Плечи и горловина спинки.

След. р. (ЛР): закрыть 3 (5, 7, 8, 10) п., вязать по узору пока на правой спице станет 16 (20, 25, 31, 37) п. и повернуть, отложив остальные петли на держатель петель (ДП).

Вязать каждую сторону от горловины раздельно.

(Примечание: плечи и горловина на схеме не показаны).

Сохраняя узор, убавить 1 п. со стороны горловины в следующих 4-х рядах и ОДНОВРЕМЕННО закрыть 4 (5, 7, 9, 11) п. в начале 2-го р. и след. 2-го р.

Провязать 1 р.

Закрыть оставшиеся 4 (6, 7, 9, 11) п.

С лиц. стороны работы присоединить нить к оставшимся петлям, закрыть средние 47 (47, 49, 49, 51) п., по узору до конца р.

Закончить симметрично первой стороне.

ЛЕВАЯ ПОЛОЧКА.

Спицами 3.25 мм и цветом А набрать 49 (55, 63, 70, 79) п.

Провязать плат. вязкой 4 р., закончив в ИР.

Начиная и заканчивая ряды, как указано, продолжить узором по схеме след. образом: Провязать 12 р., закончив в ИР.

Прибавить 1 п. в начале след. ряда и 2 раза в каждом 20-м р., вводя прибавляемые петли в узор, = 52 (58, 66, 73, 82) п.

Продолжить прямо, до завершения 74 (76, 80, 84, 88)-го р. схемы, закончив в ИР.

Пройма.

Сохраняя узор, закрыть 4 п. в начале след.

ряда, = 48 (54, 62, 69, 78) п.

Провязать 1 р.

Убавить 1 п. со стороны проймы в след. ряду и 5 раз в каждом 2-м р., = 42 (48, 56, 63, 72) п.

Провязать 2 (4, 4, 8, 8) р., закончив в ИР.

Горловина.

Сохраняя узор, закрыть 10 (10, 11, 11, 12) п. в начале след. ряда, = 32 (38, 45, 52, 60) п.

(Примечание: формирование горловины на схеме не показано).

Убавить 1 п. со стороны горловины в следующих 11-ти рядах, затем 4 раза в каждом 2-м р., затем в след. 4-м р., затем в след. 6-м р., = 15 (21, 28, 35, 43) п.

Продолжить прямо, пока левая полочка достигнет той же высоты, что и спинка перед началом плечевых скосов, закончив в ИР.

Плечо.

Закрыть 3 (5, 7, 8, 10) п. в начале след. ряда, затем 4 (5, 7, 9, 11) и 2 раза в начале каждого 2-го р.

Провязать 1 р.

Закрыть оставшиеся 4 (6, 7, 9, 11) п.

ПРАВАЯ ПОЛОЧКА.

Спицами 3.25 мм и цветом А набрать 49 (55, 63, 70, 79) п.

Провязать 4 р. плат. вязкой, закончив в ИР.

Начиная и заканчивая ряды, как указано, продолжить узором по схеме след. образом:

Провязать 12 р., закончив в ИР.

Прибавить 1 п. в конце след. р. и 2 раза в каждом 20-м р., вводя прибавляемые петли в узор, = 52 (58, 66, 73, 82) п.

Закончить симметрично левой полочке.

РУКАВА.

Спицами 3.25 мм и цветом А набрать 75 (81, 85, 91, 95) п.

Провязать плат. вязкой 4 р., закончив в ИР.

Начиная и заканчивая ряды, как указано, продолжить узором по схеме след. образом:

Прибавить 1 п. с каждого конца в 5-м р. и в каждом след. 8-м р. до 89 (95, 99, 105,

109) п., вводя прибавляемые петли в узор.

Продолжить прямо, до завершения 74-го р. схемы, закончив в ИР. (Длина рукава около 22 см).

Окат рукава.

Сохраняя узор, закрыть 4 п. в начале следующих 2-х рядов, = 81 (87, 91, 97, 101) п.

Убавить 1 п. с каждого конца в след. ряду и 4 раза в каждом 2-м р., затем в следующем ряду, закончив в ИР.

Закрыть оставшиеся 69 (75, 79, 85, 89) п.

СБОРКА.

Провести ВТО деталей.

Выполнить плечевые швы.

Планки полочек (обе одинаковые).

С лиц. стороны работы спицами 3.25 мм и цветом А поднять равномерно 61 (65, 67, 72, 74) п. вдоль борта полочки, между краем начала работы и краем начала горловины.

Провязать 2 р. плат. вязкой, закончив в ИР.

Закрыть петли лицевыми (в ИР).

Бейка горловины.


С лиц. стороны работы, спицами 3.25 мм и цветом А, начиная и заканчивая у краев закрытия петель планок полочек, поднять 49 (49, 52, 52, 56) п. вверх по правой стороне горловины, 55 (55, 57, 57, 59) п. по спинке, затем 49 (49, 52, 52, 56) п. п. вниз по левой стороне горловины, = 153 (153, 161, 161, 171) п.

Провязать 2 р. плат. вязкой, закончив в ИР.

Закрыть петли лицевыми (в ИР).







Выполнить швы.

Используя фото, в качестве руководства, и используя цвет С, вышить швом «назад иголка» по внешнему контуру некоторые формы (« пятна») схемы.