



MILES SHIRT-JACKET

MILES SHIRT-JACKET DETAILS

The Miles shirt-jacket is worked from the top down. It features dropped shoulders and back shaping with minimal details at the shoulders for a classic shape. It is finished with a fold-over collar, a curved hem created by short rows, and pockets. An oversized woolen shirt-jacket, designed to be worn almost any day of the year.

Sizes - XS (S) M (L) XL (2XL) 3XL (4XL) 5XL

Finished Bust Circumference - 43 (45½) 48 (52) 56 (60½) 64½ (67) 71" [109 (116) 122 (132) 142 (154) 164 (170) 180 cm]

Length - 26½ (27) 28 (28½) 29½ (31) 32 (33) 33" [67 (69) 71 (72) 75 (79) 81 (84) 84 cm] as measured from mid back, not including collar

Gauge - 15 sts and 24 rows = 4 x 4" [10 x 10 cm] in stockinette st, both flat and in the round on larger needles, blocked

Tip: Make a "pocket swatch" - refer to pocket section

Needle Size -

6 mm (US Size 10) 16" and 32-40", or the required needles to obtain gauge (main needles - used for body, sleeves, and pockets)

5 mm (US Size 8) 16", or two sizes down from main needles (used for hem, collar, cuffs, button band, and pocket ribbing)

Yarn - Aran Weight -

917 (992) 1162 (1238) 1427 (1475) 1662 (1739) 1923 yds
839 (907) 1063 (1132) 1305 (1349) 1520 (1590) 1758 m
400 (400) 500 (500) 600 (600) 700 (700) 800 g

Suggested Yarn - Wooldreamers Manchelopis (100% wool, 100 g = 253 yds) in colorway Natural Light Grey, 4 (4) 5 (5) 6 (6) 7 (7) 8 plates

Note: *Manchelopis* comes double-stranded in one plate. They are knit as presented in order to achieve aran weight*. If using other unspun yarn, you will need to double the strands and consider this when figuring the amount of plates needed

Buttons - Four measuring 1" or 23 mm (the back of mother of pearl buttons were used for sample)

Notions - 6 removable stitch markers, tapestry needle, row counter, thread for attaching buttons, spare plied yarn for sewing pockets (if using unspun yarn)

Techniques - Knitting flat, knitting in the round, long tail cast-on, knitted cast-on*, increasing, decreasing*, German Short Rows*, holding stitches, picking up stitches*, buttonholes*, sewn tubular bind off*, attaching pockets*, wet blocking

*Video support may be found on Page 13

All measurements and yardage are approximations and are rounded.



Notes on the Miles Shirt-Jacket

Abbreviations

approx. - Approximately
BOR - Beginning of round
CO - Cast on
ds - Double stitch
est - Established
K - Knit
K2tog - Knit 2 together
K2tog-L - Knit 2 together left
M1L - Make 1 left
M1R - Make 1 right

M1LP - Make 1 left purlwise
M1RP - Make 1 right purlwise
P - Purl
PM - Place marker
RS - Right side
SI - Slip (all slip sts will be slipped purlwise)
SM - Slip marker
st(s) - Stitch(es)
WS - Wrong side
wyib - With yarn in back
wyif - With yarn in front

The right front is the right side of chest. The left front is the left side of chest.

Choosing Size

The Miles Shirt-Jacket has around 11-12" [28-30 cm] of positive ease built into the pattern. Sizes XS (S) M (L) XL (2XL) 3XL (4XL) 5XL correspond to a bust circumference of 32 (34) 36 (40) 45 (49) 53 (56) 60" [81 (86) 91 (102) 114 (124) 135 (142) 152 cm] (the final size of garment will be an additional 11-12" [28-30 cm]). This means that if you measure a 34" [86 cm] bust you will make size (S) with a finished bust circumference of 45½" [116 cm]. Sample shown modeled is 5' 2" [157 cm] tall wearing size (S) with approx. 11" [28 cm] positive ease. Refer to Page 14 for additional details on final measurements.

Increases (video support on Page 13 for M1RP and M1LP)

Increases are worked so that they lean to the right (M1R) or to the left (M1L). Work the increases as follows:

M1R (RS) - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and K normally (into the front leg of the stitch).

M1RP (WS) - insert the left hand needle under the bar formed by the stitch you just purled and the stitch you're about to purl from back to front and P normally (into the front leg of the stitch).

M1L (RS) - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from front to back and K through the back loop.

M1LP (WS) - insert the left hand needle under the bar formed by the stitch you just purled and the stitch you're about to purl from front to back and P through the back loop.

German Short Rows (video support on Page 13)

ds/make ds - Double stitch

With yarn in front, slip the first st. Pull working yarn over top of right needle from front to back, rotating the stitch so that the two legs of stitch stretch over the top of the needle and look like two stitches.

ozette

Back

You will shape the back of the shirt-jacket by working increases on both the RS and WS. You will work flat in stockinette st.

CO 25 (25) 25 (25) 27 (27) 27 (27) 27 sts on US 10 (6 mm)/32-40" circular needles using the long tail cast-on method. P across 1 row. You are now at RS.

Row 1 (RS) - K4, M1L, K across until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS) - P4, M1LP, P across until 4 sts remain, M1RP, P4. (2 sts increased).

Repeat Rows 1 and 2, 12 (13) 14 (16) 18 (20) 22 (23) 25 **more** times, for a total of 26 (28) 30 (34) 38 (42) 46 (48) 52 rows, ending with a WS row. The back now measures approx. 4 $\frac{1}{4}$ (4 $\frac{1}{2}$) 5 (5 $\frac{1}{2}$) 6 $\frac{1}{4}$ (7) 7 $\frac{1}{2}$ (8) 8 $\frac{1}{2}$ " [11 (12) 13 (14.5) 16 (18) 19.5 (20.5) 22 cm], as measured from center back cast-on edge. 77 (81) 85 (93) 103 (111) 119 (123) 131 sts.

You will continue working back and forth in stockinette st across **all** back sts without increases as follows:

Row 1 (RS) - K across.


Row 2 (WS) - P across.

Repeat Rows 1 and 2, 19 (20) 21 (21) 22 (24) 26 (27) 26 **more** times, for a total of 40 (42) 44 (44) 46 (50) 54 (56) 54 rows, until back measures approx. 11 (11 $\frac{1}{2}$) 12 $\frac{1}{4}$ (13) 14 (15 $\frac{1}{4}$) 16 $\frac{1}{2}$ (17 $\frac{1}{4}$) 17 $\frac{1}{2}$ " [28 (29.5) 31.5 (33) 35.5 (39) 42.5 (44) 45 cm], as measured from center back cast-on edge. End by working a WS row.

You are now at RS. Break yarn and let sts rest on cable or scrap yarn.

Right Front (video support on Page 13 for picking up sts along right front)

With RS of back piece facing and CO sts on top, pick up and knit 27 (29) 31 (35) 39 (43) 47 (49) 53 sts beginning from right slanted edge. Note: To maintain the decorative stitch detail along the shoulder, you will pick up and K in between the first and second stitch of each row along the slanted edge.



Work back and forth as follows:

Row 1 (WS) - P across.

Row 2 (RS) - K across.

Repeat Rows 1 and 2, 6 (6) 6 (6) 7 (7) 7 (7) 7 more times, for a total of 14 (14) 14 (14) 16 (16) 16 (16) 16 rows, then work one more repeat of Row 1 only. Right front measures approx. $2\frac{1}{2}$ ($2\frac{1}{2}$) $2\frac{1}{2}$ ($2\frac{1}{2}$) 3 (3) 3 (3) 3" [6 (6) 6 (6) 7 (7) 7 (7) 7 cm] as measured from the picked up sts. You are now at RS.

Next, work increases to shape the neck edge as follows:

Row 1 (RS) - K across until 1 st remains, M1R, K1. (1 st increased).

Row 2 (WS) - P across.

Repeat Rows 1 and 2, 10 more times, for a total of 22 rows. 38 (40) 42 (46) 50 (54) 58 (60) 64 sts.

Tip: Place a removable st marker on the last row worked. This will later indicate where to stop picking up sts for your button band.

You will now work back and forth without increases as follows:

Row 1 (RS) - K across.


Row 2 (WS) - P across.

Repeat Rows 1 and 2, 17 (19) 21 (23) 25 (29) 33 (35) 36 more times, for a total of 36 (40) 44 (48) 52 (60) 68 (72) 74 rows. Right front measures approx. $12\frac{1}{4}$ (13) $13\frac{1}{2}$ (14 $\frac{1}{4}$) $15\frac{1}{4}$ (16 $\frac{1}{2}$) 18 (18 $\frac{1}{2}$) 19" [31 (33) 34 (36) 39 (42) 46 (47) 48 cm] as measured from the picked up sts. You are now at RS.

Break yarn and let sts rest on cable or scrap yarn while working Left Front.

Left Front

With RS of back piece facing and CO sts on top, pick up and knit 27 (29) 31 (35) 39 (43) 47 (49) 53 sts along left slanted edge, beginning at center back. Note: To maintain the decorative stitch detail along the shoulder, you will pick up and K in between the first and second stitch of each row along the slanted edge.



Work back and forth as follows:

Row 1 (WS) - P across.

Row 2 (RS) - K across.

Repeat Rows 1 and 2, 6 (6) 6 (6) 7 (7) 7 (7) 7 more times, for a total of 14 (14) 14 (14) 16 (16) 16 (16) 16 rows, then work one more repeat of Row 1 only. Left front measures approx. $2\frac{1}{2}$ ($2\frac{1}{2}$) $2\frac{1}{2}$ ($2\frac{1}{2}$) 3 (3) 3 (3) 3" [6 (6) 6 (6) 7 (7) 7 (7) 7 cm] as measured from the picked up sts. You are now at RS.

ozette

Next, work increases to shape the neck edge as follows:

Row 1 (RS) - K1, M1L, K across. (1 st increased).

Row 2 (WS) - P across.

Repeat Rows 1 and 2, 10 **more** times, for a total of 22 rows. 38 (40) 42 (46) 50 (54) 58 (60) 64 sts.

Tip: Place a removable st marker on the last row worked. This will later indicate where to stop picking up sts for your button band.

You will now work back and forth without increases as follows:

Row 1 (RS) - K across.

Row 2 (WS) - P across.

Repeat Rows 1 and 2, 17 (19) 21 (23) 25 (29) 33 (35) 36 **more** times, for a total of 36 (40) 44 (48) 52 (60) 68 (72) 74 rows. Left front measures approx. 12 $\frac{1}{4}$ (13) 13 $\frac{1}{2}$ (14 $\frac{1}{4}$) 15 $\frac{1}{4}$ (16 $\frac{1}{2}$) 18 (18 $\frac{1}{2}$) 19" [31 (33) 34 (36) 39 (42) 46 (47) 48 cm] as measured from the picked up sts. You are now at RS.

Do not break yarn.

Body

Join the fronts to back and form the armholes as follows:

K across left front 38 (40) 42 (46) 50 (54) 58 (60) 64 sts, PM, CO 1 (2) 3 (2) 1 (1) 1 (1) 1 sts using the knitted cast-on method, place back sts on needles and K across 77 (81) 85 (93) 103 (111) 119 (123) 131 sts, CO 1 (2) 3 (2) 1 (1) 1 (1) 1 sts using the knitted cast-on method, PM, place right front sts on needles and K across 38 (40) 42 (46) 50 (54) 58 (60) 64 sts. 155 (165) 175 (189) 205 (221) 237 (245) 261 sts.

Next, work back and forth as follows:

Row 1 (WS) - P across.

Row 2 (RS) - K across.

Repeat Rows 1 and 2 until the body measures approx. 9 $\frac{1}{2}$ " [24 cm] measured from underarm or until the body of your shirt-jacket measures 6" [15 cm] less than your desired length. *Note:* Adding additional length will require more yardage. If you would like the shirt-jacket shorter, you will work less than the suggested 9 $\frac{1}{2}$ " [24 cm]. End by working a WS row.

Shaping Left Front Hem

You will shape the left front hem of the shirt-jacket by using German Short Rows. You will work flat in stockinette st.

ozette

Work the set-up rows as follows:

Row 1 (RS) - K across until 2 sts before first body marker, turn, make ds. PM.

Row 2 (WS) - P across.

Next, work back and forth as follows:

Row 1 (RS) - K across until marker, remove marker, turn, make ds. PM.

Row 2 (WS) - P across.

Repeat Rows 1 and 2, 12 **more** times, for a total of 28 rows. With RS facing, you now have 16 sts (14 ds and 2 regular sts) on the left side of st marker.

You will now resolve all ds. Work as follows:

RS - K across left front sts, remove marker, resolve 14 ds by knitting, K2, SM.

Shaping Back Hem

You will shape the back hem of the shirt-jacket by using German Short Rows. You will work flat in stockinette st.

Work the set-up rows as follows:

Row 1 (RS) - K across until 2 sts before body marker, turn, make ds. PM.

Row 2 (WS) - P across until 2 sts before body marker, turn, make ds. PM.

Next, work back and forth as follows:

Row 1 (RS) - K across until marker, remove marker, turn, make ds. PM.

Row 2 (WS) - P across until marker, remove marker, turn, make ds. PM.

Repeat Rows 1 and 2, 12 **more** times, for a total of 28 rows. With RS facing, you now have 16 sts (14 ds and 2 regular sts) on the left and right side of st markers.

You will now resolve the ds on the RS **only**. Work as follows:

RS - Beginning from last turn, K across back sts, remove marker, resolve 14 ds by knitting, K2, SM.

Shaping Right Front Hem

You will shape the right front hem of the shirt-jacket by using German Short Rows. You will work flat in stockinette st.

Work the set-up rows as follows:

Row 1 (RS) - K across.

Row 2 (WS) - P across until 2 sts before body marker, turn, make ds. PM.

Next, work back and forth as follows:

Row 1 (RS) - K across.

Row 2 (WS) - P across until marker, remove marker, turn, make ds. PM.

Repeat Rows 1 and 2, 12 more times, for a total of 28 rows, then work one more repeat of Row 1 only. With RS facing, you now have 16 sts (14 ds and 2 regular sts) on the right side of st marker.

You will now resolve all remaining ds, work as follows:

WS - P across right front sts, remove marker, resolve 14 ds by purling, P2, remove marker, P across back sts until marker, remove marker, resolve 14 ds by purling, P2, remove marker, P across left front sts. You are now at RS. 155 (165) 175 (189) 205 (221) 237 (245) 261 sts.

Hem

With US 8 (5mm)/32-40" circular needles, you will now work the hem as follows:

Row 1 (RS) - *P1, K1* repeat *-* until 1 st remains, P1.

Row 2 (WS) - *K1, P1* repeat *-* until 1 st remains, K1.

Repeat Rows 1 and 2, 1 more time, for a total of 4 rows.

Note: If using a different cast-off method, work Rows 1 and 2, 1 more time, for a total of 6 rows.

If using tubular cast-off method, work the set-up rows as follows:

Tubular cast-off Row 1 (RS) - *Sl 1 wyif, K1* repeat *-* until 1 st remains, Sl 1 wyif.

Tubular cast-off Row 2 (WS) - *K1, Sl 1 wyif* repeat *-* until 1 st remains, K1.

Cast-off by using the tubular cast-off method or your favorite cast-off technique. If using the tubular cast-off method, the first two sts and last two sts of the hem should be treated as one st.

Note: In order for your garment to lay correctly where the German Short Rows were worked, the shirt-jacket must be wet blocked.

Sleeves (same for both) (video support on Page 13 for K2tog-L)

The sleeves are worked in the round with US 10 (6 mm)/16" circular needles. Beginning at the bottom of the armhole opening in the middle of the cast-on underarm sts, attach yarn and pick up and knit 72 (76) 78 (80) 86 (94) 102 (106) 106 sts. You will pick up approx. 2 sts every 3 rows or until sts are spread evenly. Place st marker at underarm to mark BOR. Work in the round in stockinette st for 6 (10) 10 (5) 2 (4) 15 (12) 12 rounds.

ozette

Next, work a decrease round as follows:

Decrease round - K1, K2tog, K in stockinette st until 3 sts remain before marker, K2tog-L, K1. (2 sts decreased).

Continue to work in the round in stockinette st while at the same time working a decrease round as est on every 6 (5) 5 (5) 5 (4) 3 (3) 3 rounds for a total of 14 (16) 16 (17) 19 (23) 27 (28) 28 decrease rounds (including the first decrease round). At the conclusion of your final decrease round, you should have 44 (44) 46 (46) 48 (48) 48 (50) 50 sts remaining.

At this point, you may move on to knitting the sleeve cuff or continue working in stockinette until your sleeve measures 2" [5 cm] less than your desired final length. *Note:* Adding additional length will require more yardage.

Sleeve Cuffs (same for both)

With US 8 (5 mm)/16" circular needles, finish your sleeve by working the cuff as follows:

K1, P1 repeat *-* until cuff measures approx. 2" [5 cm].

If using tubular cast-off method, work the set-up rows as follows:

Tubular cast-off Round 1 - *K1, Sl 1 wyif* repeat *-*.

Tubular cast-off Round 2 - *Sl 1 wyib, P1* repeat *-*.

Cast-off all sts using the tubular cast-off method or your favorite cast-off technique.

Button Band (right side) (video support on Page 13 for picking up sts on right side of button band)

With US 8 (5 mm)/32-40" circular needles, beginning at the lower right front with RS facing, pick up and knit 98 (100) 104 (106) 110 (116) 122 (124) 126 sts. You will pick up approx. 3 sts every 4 rows or until sts are spread evenly. The last stitch picked up will be where you placed the removable st marker at neck edge. *Note:* The stitch counts for the button band are suggestions. Just be sure you have picked up an even number of stitches before moving forward so that you are able to correctly maintain the pattern in the following rows.

Beginning at the lower right front, place a st marker after every 22 (23) 24 (24) 25 (27) 28 (29) 29 sts indicating where a buttonhole will be made. (4 st markers have been placed).

Next, work back and forth as follows:

Row 1 (WS) - *K1, P1* repeat *-* until 2 sts remain, K1, Sl 1 wyif.

Row 2 (RS) - *K1, P1* repeat *-* across.

Repeat Row 1 **only**. You are now at RS.

ozette

You will now add a buttonhole to the ribbed band over the next two rows as follows:

Buttonhole Row 1 (RS) - *Work in est pattern until marker, remove marker, work next st, cast-off previous st, work next st, cast-off previous st* repeat *-* 3 times, work in est pattern until end of row.

Buttonhole Row 2 (WS) - *Work in est pattern until you reach the 2 sts you cast-off, CO 2 sts using the knitted cast-on method over the sts you cast-off in the previous row* repeat *-* 3 times, work in est pattern until end of row. You now have 4 buttonholes.

Continue by working back and forth in est pattern as follows:

Row 1 (RS) - *K1, P1* repeat *-* across.

Row 2 (WS) - *K1, P1* repeat *-* until 2 sts remain, K1, Sl 1 wyif.

Note: If using a different cast-off method, repeat Rows 1 and 2, 1 more time, for a total of 4 rows.

You are now at RS. If using the tubular cast-off method, work the set-up rows as follows:

Tubular cast-off Row 1 (RS) - *K1, Sl 1 wyif* repeat *-* across.

Tubular cast-off Row 2 (WS) - *K1, Sl 1 wyif* repeat *-* across.

Cast-off all sts using the tubular cast-off method or your favorite cast-off technique.

Button Band (left side)

Beginning at st marker at the upper left front with RS facing, pick up and knit 98 (100) 104 (106) 110 (116) 122 (124) 126 sts. You will pick up approx. 3 sts every 4 rows or until sts are spread evenly. Note: A total of 9 rows were worked on right button band, be sure to work the left button band with the same amount of rows.

Next, work back and forth as follows:

Row 1 (WS) - Sl 1 wyif, *K1, P1* repeat *-* across until 1 st remains, K1.

Row 2 (RS) - *P1, K1* repeat *-* across.

Repeat Rows 1 and 2, 2 more times, for a total of 6 rows, then work one more repeat of Row 1 only.

Note: If using a different cast-off method, repeat Rows 2 and 1, 1 more time, for a total of 9 rows.

You are now at RS. If using the tubular cast-off method, work the set-up rows as follows:

Tubular cast-off Row 1 (RS) - *Sl 1 wyif, K1* repeat *-* across.

Tubular cast-off Row 2 (WS) - *Sl 1 wyif, K1* repeat *-* across.

Cast-off all sts using the tubular cast-off method or your favorite cast-off technique.

ozette

Folded Collar (video support on Page 13 for casting off and seaming sides of collar)

With US 8 (5 mm)/16" circular needles and with RS facing, pick up 5 sts along top of right side of button band, 27 (27) 27 (27) 29 (29) 29 (29) 29 sts up the right neckline (2 sts every 3 rows along the neckline edge of the Right Front panel), 25 (25) 25 (25) 27 (27) 27 (27) 27 sts along the back (one in each initial cast-on stitch, including the decorative detail), 27 (27) 27 (27) 29 (29) 29 (29) 29 sts down the left neckline (2 sts every 3 rows along the neckline edge of the Left Front panel), and 5 sts along top of left side of button band. 89 (89) 89 (89) 95 (95) 95 (95) 95 sts. *Tip:* Leave a long tail when picking up sts and casting off to seam sides of collar later.

Note: The stitch counts for the collar are suggestions. You may choose to pick up less stitches for a closely fitting collar or more stitches for a loosely fitting collar. Just be sure you have picked up an odd number of stitches before moving forward so that you are able to correctly maintain the pattern in the following rows.

Row 1 (WS) - SI 1 wyib, P1, *K1, P1* repeat *-* until 3 sts remain, K1, SI 1 wyif, P1.

Row 2 (RS) - SI 1 wyib, K1, *P1, K1* repeat *-* until 3 sts remain, P1, SI 1 wyib, P1.

Repeat Rows 1 and 2 until collar measures approx. 6" [15 cm]. End by working a WS row.

You will now create the folded collar. Keeping the stitches on your needles, fold the collar in half so that the live stitches are on the inside of the shirt-jacket's neckline. You will attach these stitches to the inner base of the collar (where you picked up stitches to create the collar) by picking up and casting off sts to the inside of the shirt-jacket.

Cast-off all collar sts as follows:

Step 1 - Pick up one st at the base of the neckline, directly below the first live st on your left needle. K2tog the picked up st and the first live st (i.e. K2tog the first two sts now on your left needle).

Step 2 - Like in step 1, pick up next st at the base of the neckline and K2tog that st and the next live st.

Step 3 - On your right needle, pull sts 2 and 3 over st 1. One st is now cast-off, one st remains on right needle.

Repeat steps 2 and 3 until all sts are cast-off. Using the tail from casting off sts, seam the left side of collar to close. Repeat for right side.

Pockets (same for both) (video support on Page 13 for tubular cast-off)

With US 10 (6 mm)/16" circular needles CO 27 (27) 29 (29) 31 (31) 33 (33) 33 using the long tail cast-on method.

Row 1 (WS) - P across.

Row 2 (RS) - K across.



Repeat Rows 1 and 2, 16 (16) 18 (18) 19 (19) 22 (22) 22 **more** times, for a total of 34 (34) 38 (38) 40 (40) 46 (46) 46 rows, then work **one more** repeat of Row 1 **only**. Pocket measures approx. 6 (6) 6½ (6½) 7 (7) 7¾ (7¾) 7¾" [15 (15) 16.5 (16.5) 17.5 (17.5) 20 (20) 20 cm]. You are now at RS.

With US 8 (5 mm)/16" circular needles, work your pocket hem as follows:

Row 1 (RS) - *K1, P1* repeat *-* until 1 st remains, K1.

Row 2 (WS) - *P1, K1* repeat *-* until 1 st remains, P1.

Repeat Rows 1 and 2, 1 **more** time, for a total of 4 rows. Pocket measures approx. 7 (7) 7½ (7½) 8 (8) 8¾ (8¾) 8¾" [18 (18) 19 (19) 20.5 (20.5) 22 (22) 22 cm].

Note: If using a different cast-off method, work Rows 1 and 2, 1 **more** time, for a total of 6 rows.

You are now at RS. If using the tubular cast-off method, work the set-up rows as follows:

Tubular cast-off Row 1 (RS) - *K1, Sl 1 wyif* repeat *-* across.

Tubular cast-off Row 2 (WS) - *Sl 1 wyif, K1* repeat *-* across.

Cast-off all sts using the tubular cast-off method or your favorite cast-off technique.

Place Pockets (video support on Page 13 for pocket placement)

You will now begin placing 6 st markers on left front of shirt-jacket. This will indicate where the pocket will be sewn. The temporary marker will be placed and removed in step 1.

Step 1 - Beginning at left front of shirt-jacket where the button band and the 1 x 1 ribbing ends, count 19 (20) 21 (23) 25 (27) 29 (30) 32 sts, place temporary marker. Beginning at the st where you placed temporary marker, count 31 rows, place center marker. Remove temporary marker placed near ribbing.

Note: The pocket placement is a suggestion. If you adjusted the length of the body, the position of the pockets may vary in rows. Place pockets according to the adjustment you made regarding length.

Step 2 - At st left of center marker - count 13 (13) 14 (14) 15 (15) 16 (16) 16 sts from right to left and place second marker (marks bottom left corner).

Step 3 - At st marked by second marker - count 41 (41) 45 (45) 47 (47) 53 (53) 53 rows and place third marker (marks top left corner).

Step 4 - At st right of center marker - count the same amount of sts as Step 2 from left to right and place fourth marker (marks bottom right corner).

Step 5 - At st marked by fourth marker - count the same amount of rows as Step 3 and place fifth marker (marks top right corner).



Step 6 - Place pocket where markers indicate on each of the 4 corner sts by pinning the markers to the pocket and shirt-jacket front. Remove center marker. Note: A running st is used as a guide for sewing on the pocket. This tip is demonstrated in video support on page 13.

Repeat steps 1-6 for placing the pocket on right front of shirt-jacket.

Attaching Pockets (video support on Page 13 for attaching pockets)

Sew pocket to the front of the shirt-jacket as follows:

At bottom right corner of pocket, begin sewing from right to left. Continue sewing the pocket from bottom left corner to top left corner. Repeat for right side of pocket beginning from bottom right corner to top right corner. Secure top corners of pocket to shirt-jacket.

Repeat for second pocket.

Finishing

Weave in all loose ends. Sew 4 buttons along left front side of button band that correspond with each buttonhole. Block your #MilesShirtJacket to measurements. Wear forever.



ozette

Video Support for the Miles Shirt-Jacket

Knitting with Wooldreamers Manchelopis - <https://bit.ly/3u3H3R1>

M1RP and M1LP (used to shape the back) - <https://bit.ly/3TBYPpJ>

Picking up sts along right front (same method is used for picking up sts along left front, but you will begin where the pattern indicates instead) - <https://bit.ly/3i7q7Dj>

Tubular Cast-Off (used on hem, sleeve cuffs, button band, and pocket hems) - <https://bit.ly/2B4PKmG>

Knitted Cast-On (used at underarm and buttonholes) - <https://bit.ly/3zfS4QT>

German Short Rows and Resolving the ds - <https://bit.ly/3wniHRY>

Picking up sts along right side for button band (same method for left side, but you will begin where the pattern indicates instead) - <https://bit.ly/3JejF9I>

K2tog-L (used on sleeve decreases) - <https://bit.ly/2S8uFAa>

Casting off to create a fold-over collar and seaming sides of collar - <https://bit.ly/3J4NLN6>


Pocket placement - <https://bit.ly/360BUkF>

Sewing Pockets onto fronts -

Part 1, <https://bit.ly/3laEjX2>

Part 2, (time stamp 2:08 for sides of pockets), <https://bit.ly/3q6MBJw>

Miles Shirt-Jacket Schematic



A - Bust Circumference

43 (45½) 48 (52) 56 (60½) 64½ (67) 71"
 [109 (116) 122 (132) 142 (154) 164 (170) 180 cm]

D - Sleeve Length From Underarm

17 (17) 17 (17) 18 (18) 18 (18) 18"
 [43 (43) 43 (43) 46 (46) 46 (46) 46 cm]

B - Total Length

26½ (27) 28 (28½) 29½ (31) 32 (33) 33"
 [67 (69) 71 (72) 75 (79) 81 (84) 84 cm]
 as measured from mid back, not including collar

E - Cuff Circumference

11¾ (11¾) 12½ (12½) 13 (13) 13 (13½) 13½"
 [30 (30) 32 (32) 33 (33) 33 (34) 34 cm]

C - Underarm To Hem Body Length

16" [41 cm]

F - Upper Sleeve Circumference

19 (20) 21 (21½) 23 (25) 27 (28) 28"
 [48 (51) 53 (55) 59 (64) 69 (71) 71 cm]

Pattern + images are the property of © Ozetta. Unauthorized reproduction in whole or in part is illegal.

Distribution of patterns or content is not allowed.

Wear Cozy. Stay Warm.

xx

ozetta