


legend

aran

3775
PRICE CODE C

76-112cm. (30-44ins.)



Easy Knit

HIS AND HER JACKET WITH SHAWL COLLAR in Wendy Aran

Instructions given for 76 cm. (30 inch) Bust/Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

The photograph shows the 86 cm. and 102 cm. garments on models with an 86 cm. Bust and a 102 cm. Chest.

To Fit Bust/Chest Sizes	76 30	81 32	86 34	91 36	97 38	102 40	107 42	112 44	cm. ins.
Actual Measurements	89 35	92.5 36½	99 39	103.5 40¾	110 43¼	114.5 45	118.5 46¾	125 49¼	cm. ins.
Wendy Family Choice Aran Tweed (50g.)	11	12	12	13	13	14	14	15	Balls.
Wendy Family Choice Aran (50g.)	12	13	13	14	14	15	15	16	Balls.
Wendy Kintyre (50g.)	15	16	16	17	18	19	19	20	Balls.
2 — 3¼ mm. (U.K.9 — U.S.A.5), 2 — 4 mm. (U.K.8 — U.S.A.6) and 2 — 4½ mm. (U.K.7 — U.S.A.7) Milward Knitting Needles. Stitch Holder. 6 Buttons.									
Length from Shoulder	63.5 25	63.5 25	64.5 25½	66 26	68.5 27	68.5 27	70 27½	70 27½	cm. ins.
Sleeve Seam	45.5 18	47 18½	47 18½	48 19	48 19	49.5 19½	49.5 19½	51 20	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Wendy yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. — Knit; P. — Purl; st(s). — stitch(es); st.st. — stocking stitch (1 row knit, 1 row purl); rept. — repeat; inc. — increase; dec. — decrease; alt. — alternate; tog. — together; beg. — beginning; sl. — slip; sl.1 — slip one; y.fwd. — yarn forward; cm. — centimetres; ins. — inches.

TENSION

It is important to check your tension before commencing the garment.

19 sts. and 24 rows to 10 cm. (4 ins.) over st.st. on 4½ mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to

10 cm., then your tension is loose and you will need to change your needle to a smaller size.

LEFT FRONT

Using 3¼ mm. Needles, cast on 29 (31, 33, 35, 37, 39, 43, 45) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.

Rept. the last 2 rows for 7.5 cm. (3 ins.) finishing on a 1st Row.

Next Row (Inc. Row) — Rib 2 (2, 1, 2, 2, 3, 2, 1), inc. in next st., * rib 11 (12, 9, 9, 7, 7, 18, 13), inc. in next st., rept. from * to last 2 (2, 1, 2, 2, 3, 2, 1) sts., rib to end. 32 (34, 37, 39, 42, 44, 46, 49) sts. Change to 4½ mm. Needles and st.st.

Continue in st.st. until work measures 28 cm. (11 ins.) from commencement finishing on a P. row.

Shape Front

Dec. 1 st. at end (beg. for Right Front) of the next and every following 6th row until 28 (30, 29, 31, 34, 36, 34, 37) sts., then on every following 8th row until 21 (23, 25, 27, 29, 31, 32, 35) sts. remain.

EASY
KNIT

No. 3775

Knitted in Family Choice Aran Tweed
Shades 593 Braeside
592 Lochnager

Continue without further dec. until work measures 63.5 (63.5, 64.5, 66, 68.5, 68.5, 70, 70) cm. 25 (25, 25½, 26, 27, 27, 27½, 27½) ins. from commencement finishing on a P. row.

Shape Shoulder

Cast off remaining 21 (23, 25, 27, 29, 31, 32, 35) sts.

RIGHT FRONT

Work exactly as instructions given for Left Front.

BACK

Using 3¼ mm. Needles, cast on 77 (81, 85, 91, 95, 99, 105, 109) sts. Work 7.5 cm. (3 ins.) in rib as given for Left Front finishing on a 1st Row.

Next Row (Inc. Row) — Rib 3 (5, 3, 2, 1, 3, 2, 1), inc. in next st., * rib 13 (13, 10, 16, 12, 12, 19, 14), inc. in next st., rept. from * to last 3 (5, 4, 3, 2, 4, 2, 2) sts., rib to end. 83 (87, 93, 97, 103, 107, 111, 117) sts.

Change to 4½ mm. Needles and st.st.

Continue in st.st. until Back is 7 rows less than Left Front to shoulder finishing on a K. row.

Shape Back Neck

Next Row — P.56 (58, 62, 64, 68, 70, 73, 76), sl. the last 29 (29, 31, 31, 33, 33, 35, 35) sts. just worked onto a st. holder, P. to end.

Continue on the last set of sts. as follows:—

Dec. 1 st. at neck edge on the next 6 rows.

Shape Shoulder

Cast off remaining 21 (23, 25, 27, 29, 31, 32, 35) sts.

With right side facing, rejoin yarn to remaining sts. at neck edge.

Work as instructions given for other side.

SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 37 (37, 39, 43, 43, 45, 45, 47) sts. Work 7.5 cm. (3 ins.) in rib as given for Left Front finishing on a 1st Row.

Next Row (Inc. Row) — Rib 4 (4, 6, 3, 2, 5, 5, 8), inc. in next st., * rib 2 (2, 1, 3, 1, 1, 1, 1), inc. in next st., rept. from * to last 5 (5, 6, 3, 2, 5, 5, 8) sts., rib to end. 47 (47, 53, 53, 63, 63, 63, 63) sts. Change to 4½ mm. Needles and st.st.

Continue in st.st., inc. 1 st. at each end of the needle on the 5th and every following 4th row until 75 (71, 71, 87, 91, 87, 105, 105) sts. are on the needle.

76 (81, 86, 91, 97, 102) cm. 30 (32, 34, 36, 38, 40) inch sizes only

Inc. 1 st. at each end of the needle on every following 6th row until 81 (81, 85, 91, 99, 99) sts. are on the needle.

All Sizes

Continue without further inc. until Sleeve measures 45.5 (47, 47, 48, 48, 49.5, 49.5, 51) cm. 18 (18½, 18½, 19, 19, 19½, 19½, 20) ins. from commencement finishing on a P. row. Cast off loosely.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Join shoulder seams by backstitching. Mark centre st. of back neck with a coloured thread.

HIS DESIGN

Left Front Band and Collar

With right side facing, using 4mm. Needles and commencing in marked st., K.15 (15, 16, 16, 17, 17, 18, 18) sts. from back neck st. holder, pick up and K.6 sts. up left back neck, 79 (79, 80, 84, 89, 89, 90, 90) sts. down left front to commencement of front shaping and 65 sts. to lower edge. 165 (165, 167, 171, 177, 177, 179, 179) sts.

Commencing on a 2nd Row, work 3 rows in rib as given for Left Front.

**** Next Row** — Rib 99 (99, 101, 105, 111, 111, 113, 113), turn.

Next Row — Sl.1, rib to end.

Next Row — Rib 91 (91, 93, 97, 103, 103, 105, 105), turn.

Next Row — Sl.1, rib to end.

Next Row — Rib 83 (83, 85, 89, 95, 95, 97, 97), turn.

Next Row — Sl.1, rib to end.

Next Row — Rib 75 (75, 77, 81, 87, 87, 89, 89), turn.

Next Row — Sl.1, rib to end.

Continue in this manner working 8 sts. less on the next and every following alt. row until the following row has been worked:— Rib 19 (19, 21, 25, 23, 23, 25, 25), turn.

Next Row — Sl.1, rib to end. **

Work a further 2 rows in rib across all 165 (165, 167, 171, 177, 177, 179, 179) sts.

Next Row (Buttonhole Row) — Rib to last 51 sts., [K.2tog., y.fwd., rib 20] twice, K.2tog., y.fwd., rib 5.

Work a further 25 rows in rib working buttonholes as before on the 20th row.

Cast off in rib.

Right Front Band and Collar

With right side facing, using 4mm. Needles and commencing at lower edge, pick up and K.65 sts. to commencement of front shaping, 79 (79, 80, 84, 89, 89, 90, 90) sts. up right front to shoulder, 6 sts. down right back neck and K.15 (15, 16, 16, 17, 17, 18, 18) sts. from back neck st. holder ending in marked st. 165 (165, 167, 171, 177, 177, 179, 179) sts.

Commencing on a 2nd Row, work 2 rows in rib as given for Left Front.

Work from ** to ** of Left Front Band and Collar.

Work a further 29 rows in rib across all 165 (165, 167, 171, 177, 177, 179, 179) sts.

Cast off in rib.

HER DESIGN

Left Front Band and Collar

With right side facing, using 4mm. Needles and commencing in marked st., K.15 (15, 16, 16, 17,

17, 18, 18) sts. from back neck st. holder, pick up and K.6 sts. up left back neck, 79 (79, 80, 84, 89, 89, 90, 90) sts. down left front to commencement of front shaping and 65 sts. to lower edge. 165 (165, 167, 171, 177, 177, 179, 179) sts.

Commencing on a 2nd Row, work 3 rows in rib as given for Left Front.

Work from ** to ** of His Design.

Work a further 28 rows in rib across all 165 (165, 167, 171, 177, 177, 179, 179) sts.

Cast off in rib.

Right Front Band and Collar

With right side facing, using 4mm. Needles and commencing at lower edge, pick up and K.65 sts. to commencement of front shaping, 79 (79, 80, 84, 89, 89, 90, 90) sts. up right front to shoulder, 6 sts. down right back neck and K.15 (15, 16, 16, 17, 17, 18, 18) sts. from back neck st. holder ending in marked st. 165 (165, 167, 171, 177, 177, 179, 179) sts.

Commencing on a 2nd Row, work 2 rows in rib as given for Left Front.

Work from ** to ** of His Design.

Work a further 3 rows in rib across all 165 (165, 167, 171, 177, 177, 179, 179) sts.

Next Row (Buttonhole Row) — Rib 5, [y.fwd., K.2tog., rib 20] twice, y.fwd., K.2tog., rib to end.

Work a further 25 rows in rib working buttonholes as before on the 20th row.

Cast off in rib.

BOTH DESIGNS

Join collar at back neck by top sewing reversing seam for turnback.

Mark depth of armholes 21.5 (21.5, 23, 24, 26.5, 26.5, 28, 28) cm. 8½ (8½, 9, 9½, 10½, 10½, 11, 11) ins. from shoulder seams. Join side seams to markers and sleeve seams by backstitching omitting rib, join rib by top sewing.

Pin sleeves into position, sew in by backstitching. Sew on buttons.

Press seams.