


Wendy double knitting

4741

PRICE CODE C

81-107 cm.

32-42 ins.



CABLED SWEATER WITH ROLLED EDGINGS OR CREW NECK in Wendy D.K.

4741
Knitted in Wendy Velvet Ice D.K.
Shades:
1820 Cream
1821 Burgundy

Instructions given for 81 cm. (32 inch) Bust, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Bust Sizes	81 32	86 34	91 36	97 38	102 40	107 42	cm. ins.
Actual Measurements	93 36½	99 39	105 41¼	110 43½	116 45¾	122 48	cm. ins.
SWEATER WITH ROLLED EDGINGS							
Wendy Velvet Ice D.K. (50g.)	7	7	8	8	8	9	Balls
Wendy Gold Award D.K. (50g.)	9	9	9	10	10	11	Balls
Wendy Merino D.K. (50g.)	9	9	9	10	10	11	Balls
Wendy Lustre D.K. (100g.)	4	4	4	4	4	4	Balls
Wendy D.K. with Wool (100g.)	4	4	4	4	5	5	Balls
Robin Columbine D.K. (100g.)	4	5	5	5	5	5	Balls
Robin Cotton Look D.K. (100g.)	4	4	4	4	4	5	Balls
Wendy Chenille D.K. (50g.)	7	8	8	8	8	9	Balls
Wendy Beachcomber D.K. (200g.)	2	2	2	2	2	3	Balls
Wendy Beachcomber Fancy D.K. (200g.)	2	2	2	3	3	3	Balls
Wendy Cotton D.K. (50g.)	10	10	10	11	11	12	Balls
Wendy Courtelle D.K. (100g.)	4	4	4	4	4	4	Balls
SWEATER WITH CREW NECK							
Wendy Velvet Ice D.K. (50g.)	7	7	8	8	8	9	Balls
Wendy Gold Award D.K. (50g.)	9	9	9	10	10	11	Balls
Wendy Merino D.K. (50g.)	9	9	9	10	10	11	Balls
Wendy Lustre D.K. (100g.)	4	4	4	4	4	4	Balls
Wendy D.K. with Wool (100g.)	4	4	4	4	5	5	Balls
Robin Columbine D.K. (100g.)	4	5	5	5	5	5	Balls
Robin Cotton Look D.K. (100g.)	4	4	4	4	4	5	Balls
Wendy Chenille D.K. (50g.)	7	8	8	8	8	9	Balls
Wendy Beachcomber D.K. (200g.)	2	2	2	2	2	3	Balls
Wendy Beachcomber Fancy D.K. (200g.)	2	2	2	3	3	3	Balls
Wendy Cotton D.K. (50g.)	10	10	10	11	11	12	Balls
Wendy Courtelle D.K. (100g.)	4	4	4	4	4	4	Balls
2 – 4 mm. (U.K. 8 – U.S.A. 6) Wendy Knitting Needles. Stitch Holders. Cable Needle.							
Length from Back Neck	56 22	56.5 22½	57 22½	58 22¾	59 23¼	59.5 23½	cm. ins.
Sleeve Seam	43 17	43 17	44 17½	44 17¼	44 17¼	45 17¾	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Wendy yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. – Knit; **P.** – Purl; **st(s).** –

stitch(es); **st.st.** – stocking stitch (1 row knit, 1 row purl); **rept.** – repeat; **beg.** – beginning; **inc.** – increase; **sl.** – slip; **tog.** – together; **p.s.s.o.** – pass slipped stitch over; **t.b.l.** – through back of loops; **C.6B.** – slip next 3 sts. onto cable needle and leave at back of work, K.3, then K.3 from cable needle; **C.6F.** – slip next 3 sts. onto cable needle and leave at front of work, K.3, then K.3 from cable needle; **Cr.4R.** – slip next st. onto cable needle and leave at back of work, K.3, then P.1 from cable needle; **Cr.4L.** – slip next 3 sts. onto cable needle and leave at front of work, P.1, then K.3 from cable needle; **patt.** – pattern; **0** – no stitches,

rows or times to be worked in that particular size; **cm.** – centimetres; **ins.** – inches.

TENSION

It is important to check your tension before commencing the garment.

21 sts. and 28 rows to 10 cm. (4 ins.) over st.st. on 4 mm. Needles.

Cable panel (20 sts.) measures 7 cm. (2¾ ins.).

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

BACK

Using 4 mm. Needles cast on 98 (102, 110, 114, 122, 126) sts.

Sweater with Rolled Edgings Only

Commencing with a K. row, work 8 rows in st.st.

Both Sweaters

1st Row (Right Side) – K.2, *P.2, K.2, rept. from * to end.

2nd Row – P.2, *K.2, P.2, rept. from * to end.

1st and 2nd Rows form rib.

Work a further 10 rows in rib, inc. 0 (1, 0, 1, 0, 1) sts. at each end of last row and thus finishing on a wrong side row. 98 (104, 110, 116, 122, 128) sts.

Commencing with a K. row, now work in st.st. until Back measures 35 cm. (13¾ ins.) from cast on edge, finishing on a wrong side row.

Shape Raglan Armholes

Cast off 3 sts. at beg. of next 2 rows. 92 (98, 104, 110, 116, 122) sts.

Next Row (Right Side) – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Next Row – Purl.

Rept. last 2 rows 22 (21, 20, 20, 19, 18) times more. 46 (54, 62, 68, 76, 84) sts.

Next Row (Right Side) – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Next Row – P.1, P.2tog., P. to last 3 sts., P.2tog.t.b.l., P.1.

Rept. last 2 rows 4 (6, 8, 9, 11, 13) times more.

Leave remaining 26 (26, 26, 28, 28, 28) sts. on a st. holder.

FRONT

Using 4 mm. Needles cast on 98 (102, 110, 114, 122, 126) sts.

Sweater with Rolled Edgings Only

Commencing with a K. row, work 8 rows in st.st.

Both Sweaters

Work 11 rows in rib as given for Back, thus finishing on a right side row.

12th Row (Wrong Side) – [Inc. in first st.] 0 (1, 0, 1, 0, 1) time, rib 43 (44, 49, 50, 55, 56), [inc. in next st., rib 1] 3 times, [rib 1, inc. in next st.] 3 times, rib 43 (44, 49, 50, 55, 56), [inc. in last st.] 0 (1, 0, 1, 0, 1) time. 104 (110, 116, 122, 128, 134) sts.

Commence Cable Patt.

1st Row (Right Side) – K.42 (45, 48, 51, 54, 57), P.4, K.12, P.4, K.42 (45, 48, 51, 54, 57).

2nd Row – P.42 (45, 48, 51, 54, 57), K.4, P.12, K.4, P.42 (45, 48, 51, 54, 57).

3rd Row – K.42 (45, 48, 51, 54, 57), P.4, C.6B., C.6F., P.4, K.42 (45, 48, 51, 54, 57).

4th Row – P.42 (45, 48, 51, 54, 57), K.4, P.3, K.6, P.3, K.4, P.42 (45, 48, 51, 54, 57).

5th Row – K.42 (45, 48, 51, 54, 57), P.3, Cr.4R., P.6, Cr.4L., P.3, K.42 (45, 48, 51, 54, 57).

6th Row – P.42 (45, 48, 51, 54, 57), K.3, P.3, K.8, P.3, K.3, P.42

(45, 48, 51, 54, 57).

7th Row – K.42 (45, 48, 51, 54, 57), P.2, Cr.4R., P.8, Cr.4L., P.2, K.42 (45, 48, 51, 54, 57).

8th Row – P.42 (45, 48, 51, 54, 57), K.2, P.3, K.10, P.3, K.2, P.42 (45, 48, 51, 54, 57).

9th Row – K.42 (45, 48, 51, 54, 57), P.2, K.3, P.10, K.3, P.2, K.42 (45, 48, 51, 54, 57).

10th Row – As 8th Row.

11th Row – As 9th Row.

12th Row – As 8th Row.

13th Row – K.42 (45, 48, 51, 54, 57), P.2, Cr.4L., P.8, Cr.4R., P.2, K.42 (45, 48, 51, 54, 57).

14th Row – As 6th Row.

15th Row – K.42 (45, 48, 51, 54, 57), P.3, Cr.4L., P.6, Cr.4R., P.3, K.42 (45, 48, 51, 54, 57).

16th Row – As 4th Row.

17th Row – As 3rd Row.

18th Row – As 2nd Row.

19th Row – As 1st Row.

20th Row – As 2nd Row.

21st Row – As 3rd Row.

22nd Row – As 2nd Row.

These 22 rows form patt.

Continue in patt. as now set until Front matches Back to start of raglan armhole shaping, finishing on a wrong side row.

Shape Raglan Armholes

Cast off 3 sts. at beg. of next 2 rows. 98 (104, 110, 116, 122, 128) sts.

Next Row (Right Side) – K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

Next Row – P.2, patt. to last 2 sts., P.2.

Rept. last 2 rows 17 (18, 19, 20, 19, 18) times more. 62 (66, 70, 74, 82, 90) sts.

5th and 6th sizes only

Next Row (Right Side) – K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

Next Row – P.1, P.2tog., patt. to last 3 sts., P.2tog.t.b.l., P.1.

Rept. last 2 rows (1, 3) times more. 74 sts.

All Sizes

Shape Neck

Next Row (Right Side) – K.1, sl.1, K.1, p.s.s.o., patt. 19 (21, 23, 24, 24, 24) sts. and turn, leaving remaining sts. on a st. holder.

**Working all raglan decreases as now set and as given for Back, continue on this set of 21 (23, 25, 26, 26, 26) sts. only for first side as follows:-

1st, 2nd and 3rd sizes only

Work 1 row.

Dec. 1 st. at each end on next and following 4 (2, 0) alt. rows. 11 (17, 23) sts.

2nd, 3rd, 4th, 5th and 6th sizes only

Dec. 1 st. at raglan edge on next (4, 8, 10, 10, 10) rows **and at same time** dec. 1 st. at neck edge on 2nd and every following alt. row. 11 sts.

All Sizes

Dec. 1 st. at raglan edge **only** on next 9 rows.

Next Row (Right Side) – K.2tog. and fasten off.

Return to sts. left on st. holder for second side and sl. centre 18 (18, 18, 20, 20, 20) sts. onto another st. holder. Rejoin yarn to remaining sts. with right side facing and proceed as follows:-

Next Row (Right Side) – Patt. to last 3 sts., K.2tog., K.2.

Complete to match first side from **.

~~50~~ ~~50~~ - ~~56~~

SLEEVES (Both Alike)

Using 4 mm. Needles cast on 50 (50, 50, 54, 54, 54) sts.

Sweater with Rolled Edgings Only

Commencing with a K. row, work 8 rows in st.st.

Both Sweaters

Commencing with 1st Row, work 14 rows in rib as given for Back, finishing on a wrong side row.

Commencing with a K. row, now work in st.st., shaping sides by inc. 1 st. at each end of 7 (5, 5, 7, 5, 5)th and every following 6 (4, 4, 6, 4, 4)th row until there are 78 (54, 56, 86, 58, 64) sts.

1st, 2nd, 3rd, 5th and 6th sizes only

Inc. 1 st. at each end of every following 8 (6, 6, 6, 6)th row to 80 (82, 84, 88, 90) sts.

Inches	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
CM	2.5	5.0	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5	35.0	37.5	40.0	42.5	45.0	47.5	50.0	52.5	55.0	57.5	60.0	62.5	65.0	67.5	70.0

All Sizes

Continue without further shaping until Sleeve measures 43 (43, 44, 44, 44, 45) cm., 17 (17, 17 $\frac{1}{4}$, 17 $\frac{1}{4}$, 17 $\frac{1}{4}$, 17 $\frac{3}{4}$) ins., from cast on edge, finishing on a wrong side row.

Shape Raglan

Cast off 3 sts. at beg. of next 2 rows. 74 (76, 78, 80, 82, 84) sts.

Next Row (Right Side) - K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Next Row - Purl.

Rept. last 2 rows 27 (28, 29, 30, 31, 32) times more.

Leave remaining 18 sts. on a st. holder.

PRESSING

With wrong side facing, pin out all pieces to measurements given.

Press as instructions given on ball band.

MAKING UP

Join both front and right back raglan seams by top sewing.

NECK BORDER

With right side facing and using 4 mm. Needles, K. across 18 sts. left on left sleeve st. holder, pick up and K.16 sts. down left side of neck, K. across 18 (18, 18, 20, 20, 20) sts. left on front st. holder as follows:-

K.0 (0, 0, 1, 1, 1), [K.2tog., K.1] 3 times, [K.1, K.2tog.] 3 times, K.0 (0, 0, 1, 1, 1), pick up and K.16 sts. up right side of neck, K. across 18 sts. left on right sleeve st. holder, then 26 (26, 26, 28, 28, 28) sts. left on back neck st. holder. 106 (106, 106, 110, 110, 110) sts.

Sweater with Rolled Edging

Only

Commencing with 2nd Row, work 7 rows in rib as given for

Back.

Commencing with a K. row, work 8 rows in st.st.

Cast off loosely.

Join left back raglan and Neck Border seam by top sewing, reversing seam for st.st. roll.

Join side and sleeve seams by top sewing, reversing seams for st.st. rolls.

Press seams.

Sweater with Crew Neck

Only

Commencing with 2nd Row, work 19 rows in rib as given for Back.

Cast off loosely in rib.

Join left back raglan and Neck Border seam by top sewing.

Join side and sleeve seams by top sewing.

Press seams.

For Washing instructions see ball band.



5 015832 447416

Our Knitting Bureau will gladly give any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.

A Member of the Thomas Ramsden Group

Prices apply to Great Britain and Northern Ireland.