

Zinnia CARDIGAN

Designed by
Martin Storey

Yarn used
Rowan Summerlite 4-ply

About the yarn
4-ply; 175m per 50g ball;
100% cotton

Tension
31 sts and 31 rows to
10 cm measured over
patterned st st using 3mm
(US 2/3) needles.

Needles used
1 pair 2¾mm (no 12) (US 2)
1 pair 3mm (no 11) (US 2/3)

Other supplies
Buttons - 4 x RW5004 (Shell
2 cm, used showing reverse
of button) from Bedecked.
Please see information
page for contact details.

Abbreviations
See page 66 for
all abbreviations



Start knitting...

BACK

Using 2¾mm (US 2) needles and yarn A cast on 148 [163: 178: 193: 208: 223: 238: 253: 273] sts.

Row 1 (RS): *K3, P2, rep from * to last 3 sts, K3.

Row 2: P3, *K2, P3, rep from * to end.

These 2 rows form rib.

Cont in rib until back meas 6 cm, inc 1 [2: 1: 2: 3: 4: 3: 4: 0] sts evenly across last row and ending with RS facing for next row. 149 [165: 179: 195: 211: 227: 241: 257: 273] sts.

Change to 3mm (US 2/3) needles.

Beg and ending rows as indicated, using the **Fair Isle** technique as described on the information page, repeating the **180 row patt repeat (see chart note above)** throughout, cont in patt from chart, which is worked entirely in st st beg with a K row, as folls:
Cont straight for 74 [78: 78: 78: 80: 80: 80: 84: 84] rows, ending with RS facing for next row. (Back should meas approx 30 [31: 31: 31: 32: 32: 32: 33: 33] cm.)

Shape armholes

Keeping patt correct, cast off 4 [5: 5: 6: 8: 8: 9: 11: 12] sts at beg of next 2 rows, then 3 [4: 4: 5: 5: 5: 6: 7: 8] sts at beg of foll 2 [2: 2: 2: 4: 4: 4: 4: 4] rows. 135 [147: 161: 173: 175: 191: 199: 207: 217] sts.
Dec 1 st at each end of next 3 [7: 11: 17: 15: 15: 15: 17: 17]

rows, then on foll 4 [3: 3: 1: 1: 1: 1: 1: 3] alt rows. 121 [127: 133: 137: 143: 159: 167: 171: 177] sts.

Cont straight for a further 41 [41: 41: 43: 45: 49: 51: 53: 51] rows, ending with RS facing for next row.

Shape shoulders and back neck

Cast off 7 [8: 9: 8: 9: 11: 11: 12: 13] sts at beg of next 2 rows, then 7 [8: 9: 9: 9: 11: 11: 12: 12] sts at beg of foll 4 rows. 79 [79: 79: 85: 89: 93: 101: 99: 103] sts.

Next row (RS): Cast off 8 [8: 8: 9: 10: 10: 12: 11: 12] sts, patt until there are 9 [9: 9: 10: 11: 11: 13: 12: 13] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next row.

Cast off rem 8 [8: 8: 9: 10: 10: 12: 11: 12] sts.

With RS facing, rejoin yarns and cast off centre 45 [45: 45: 47: 47: 51: 51: 53: 53] sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 2¾mm (US 2) needles and yarn A cast on 80 [85: 95: 100: 110: 115: 125: 130: 140] sts.

Row 1 (RS): *K3, P2, rep from * to last 10 sts, (K1 tbl, P1) 4 times, K1 tbl, K1 (10 sts twisted rib for front band).

Row 2: (K1, P1) 5 times (10 sts twisted rib for front band),

*K2, P3, rep from * to end. These 2 rows form rib.

Cont in rib until left front meas 6 cm, inc 0 [3: 0: 3: 1: 4: 1: 4: 2] sts across last row (do not inc in the 10 sts of twisted rib) and ending with RS facing for next row. 80 [88: 95: 103: 111: 119: 126: 134: 142] sts.

Change to 3mm (US 2/3) needles.

Beg and ending rows as indicated, repeating the **180 row patt repeat (see chart note above)** throughout, cont in patt from chart, which is worked entirely in st st beg with a K row, as folls:

Next row (RS): Work 70 [78: 85: 93: 101: 109: 116: 124: 132] sts in patt as row 1 of chart, turn and leave rem 10 sts on a holder (for button band).

Cont straight on these 70 [78: 85: 93: 101: 109: 116: 124: 132] sts until 18 [18: 18: 14: 10: 10: 6: 6: 6] rows less have been worked than on back to beg of armhole shaping, ending with RS facing for next row.

Shape front slope

Next row (RS): Patt to last 3 sts, K2tog, K1.

Working all front slope decreases as set by last row, dec 1 st at end of foll 0 [0: 0: 0: 0: 2: 2: 2: 2] alt rows, then on 4 [4: 4: 3: 2: 1: 0: 0: 0] foll 4th rows. 65 [73: 80: 89: 98: 105: 113: 121: 129] sts.

Work 1 row, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off

4 [5: 5: 6: 8: 8: 9: 11: 12] sts at beg of next row and 3 [4: 4: 5: 5: 5: 6: 7: 8] sts at beg of foll 1 [1: 1: 1: 2: 2: 2: 2: 2] alt rows **and at the same time** dec 1 st at front slope edge of 3rd [3rd: 3rd: 3rd: 3rd: next: next: 3rd] and 0 [0: 0: 0: 0: 0: 1: 1: 0] foll 4th rows. 57 [63: 70: 77: 79: 86: 90: 94: 100] sts.

Work 1 row, ending with RS facing for next row.

Dec 1 st at armhole edge of next 3 [7: 11: 17: 15: 15: 15: 17: 17] rows, then on foll 4 [3: 3: 1: 1: 1: 1: 3] alt rows **and at same time** dec 1 st at front slope edge of 3rd [3rd: 3rd: 3rd: 3rd: next: next: 3rd: 3rd: next] and 2 [2: 3: 4: 4: 4: 3: 4: 5] foll 4th rows. 47 [50: 52: 54: 58: 65: 70: 71: 74] sts.
Dec 1 st at front slope edge **only** of 4th [2nd: 2nd: 4th: 4th: 4th: 2nd: 4th: 2nd] and 9 [8: 5: 8: 10: 11: 12: 12: 12] foll 4th rows, then on 0 [1: 3: 1: 0: 0: 0: 0: 0] foll 6th rows. 37 [40: 43: 44: 47: 53: 57: 58: 61] sts.
Work 1 row, ending with RS facing for next row.

Shape shoulder

Cast off 7 [8: 9: 8: 9: 11: 11: 12: 13] sts at beg of next and foll 2 [3: 2: 0: 2: 2: 2: 2: 3] alt rows, then 8 [0: 8: 9: 10: 10: 12: 11: 0] sts at beg of foll 1 [0: 1: 3: 1: 1: 1: 1: 0] alt rows.
Work 1 row.
Cast off rem 8 [8: 8: 9: 10: 10: 12: 11: 12] sts.


RIGHT FRONT

Using 2¾mm (US 2) needles and yarn A cast on 80 [85: 95: 100: 110: 115: 125: 130: 140] sts.

Finished Measurements

SIZE	XS	S	M	L	XL	2XL	3XL	4XL	5XL
To fit chest (cm)	71-76	81-86	91-97	102-107	112-117	122-127	132-137	142-147	152-157
To fit chest (in)	28-30	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62
Summerlite 4-ply x 50gm									
A: Pepper Pot 431	5	6	6	7	7	8	8	9	9
B: Duck Egg 419	2	2	2	2	2	2	2	3	3
C: Blushes 420	2	2	2	2	2	2	2	2	2
D: Seashell 437	1	1	1	1	1	1	1	2	2

Chart



Row 1 (RS): K1, (K1 tbl, P1) 4 times, K1 tbl (10 sts twisted rib for front band), *P2, K3, rep from * to end.

Row 2: *P3, K2, rep from * to last 10 sts, (P1, K1) 5 times (10 sts twisted rib for front band).

These 2 rows form rib.

Cont in rib until right front meas 3 cm, ending with RS facing for next row.

Buttonhole row (RS): K1, K1 tbl, cast off 5 sts (to make a buttonhole – cast on 5 sts over these cast-off sts on next row), rib to end.

Cont in rib until right front meas 6 cm from cast-on edge, inc 0 [3: 0: 3: 1: 4: 1: 4: 2] sts across last row (do not inc in the 10 sts of twisted rib) and ending with RS facing for next row. 80 [88: 95: 103: 111: 119: 126: 134: 142] sts.

Change to 3mm (US 2/3) needles.

Beg and ending rows as indicated, repeating the **180 row patt repeat (see chart**

note above) throughout, cont in patt from chart, which is worked entirely in st st beg with a K row, as folls:

Next row (RS) Rib 10 sts and slip these 10 sts onto a holder (for buttonhole band), work across rem 70 [78: 85: 93: 101: 109: 116: 124: 132] sts in patt as row 1 of chart.

Cont straight on these 70 [78: 85: 93: 101: 109: 116: 124: 132] sts until 18 [18: 18: 14: 10: 10: 6: 6: 6] rows less have been worked than on back to beg of armhole shaping, ending with RS facing for next row.

Shape front slope

Next row (RS): K1, sl 1, K1, psso, patt to end. Working all front slope decreases as set by last row, dec 1 st at end of foll 0 [0: 0: 0: 0: 2: 2: 2: 2] alt rows, then on 4 [4: 4: 3: 2: 1: 0: 0: 0] foll 4th rows. 65 [73: 80: 89: 98: 105: 113: 121: 129] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 2¾mm (US 2) needles and yarn A, cast on 68 [73: 73: 73: 78: 78: 78: 78] sts.

Work in rib as given for back until sleeve meas 6 cm, inc 3 [4: 4: 4: 3: 3: 3: 3] sts evenly across last row and ending with RS facing for next row. 71 [77: 77: 77: 81: 81: 81: 81] sts.

Change to 3mm (US 2/3) needles.

Beg and ending rows as indicated, repeating the **180 row patt repeat (see chart note above)** throughout, cont in patt from chart, which is worked entirely in st st beg with a K row **and at the same time** shape as folls:

Inc 1 st at each end of 7th [7th: 5th: 5th: 5th: 3rd: 3rd: 3rd: 3rd] and every foll 6th [6th: 4th: 4th: 4th: 4th: alt: alt: alt] row to 107 [115: 101: 113: 123: 139: 95: 107: 119] sts, then on every foll - [-: 6th: 6th: 6th: -: 4th: 4th: 4th] row until there are - [-: 123: 127: 133: -: 145: 151: 157] sts, taking inc sts into patt.

Cont straight until sleeve meas 45 cm, ending with RS facing for next row.

Shape top

Cast off 4 [5: 5: 6: 8: 8: 9: 11: 12] sts at beg of next 2 rows. 99 [105: 113: 115: 117: 123: 127: 129: 133] sts.

Next row (RS): K3tog, patt to last 3 sts, K3tog. 2 sts decreased each side.

Work 1 row.

Rep last 2 rows 1 [3: 5: 3: 2: 1: 0: 0: 0] times more. 91 [89: 89: 99: 105: 115: 123: 125: 129] sts.

Next row (RS): K2tog, patt to last 2 sts, K2tog — 1 st decreased each side.

Work 1 row.

Rep last 2 rows 4 [3: 3: 5: 7: 8: 9: 10: 12] times more, ending with RS facing for next row. Cast off rem 81 [81: 81: 87: 89: 97: 103: 103: 103] sts.


Making up

Press as described on the information page.

Join shoulder seams using back stitch, or mattress stitch if preferred.

Button band

Slip 10 sts on left front holder



onto 2¾mm (US 2) needles and rejoin yarn A with RS facing.

Row 1 (RS): Inc knitwise in first st, (P1, K1 tbl) 4 times, K1. 11 sts.

Row 2: K1, (P1, K1) 5 times.

Row 3: K1, (K1 tbl, P1) 4 times, K1 tbl, K1.

Last 2 rows form rib.

Cont in rib until band, when slightly stretched, fits up left front opening edge, up left front slope and across to centre back neck, ending with RS facing for next row.

Cast off in rib.

Neatly sew buttonband in place.

Mark positions for 4 buttons on this band – first button to come level with buttonhole already worked in right front, last button to come level with beg of front slope shaping, and rem 2 buttons evenly spaced between.

Buttonhole band

Slip 10 sts on right front holder onto 2¾mm (US 2) needles and rejoin yarn A with **WS** facing.

Row 1 (WS): Inc knitwise in first st, (K1, P1) 4 times,

K1. 11 sts.

Row 2: K1, (K1 tbl, P1) 4 times, K1 tbl, K1.

Row 3: K1, (P1, K1) 5 times. Last 2 rows form rib.

Cont in rib and complete to match button band with the addition of a further 3 buttonholes worked to correspond with positions marked for buttons on button band as follows:

Buttonhole row (RS): K1, K1 tbl, cast off 5 sts (to make a buttonhole – cast on 5 sts over these cast-off sts on next row), rib to end.

Neatly sew buttonhole band in place, then join cast-off edges of bands at centre back neck. See information page for finishing instructions, setting in sleeves using the set-in method.



КАРДИГАН "ЦИННИЯ"

ДИЗАЙН: Martin Storey

Пряжа: Rowan Summerlite 4Ply 100% хлопок 175м/50г;

Плотность: 31 петля и 31 ряд на 10 см, измеренные по глади, связанной по узору спицами 3 мм.

Спицы: 1 пара 2,75 мм, 1 пара 3 мм

Другие материалы: пуговицы 2 см — 4 шт.

СПИНКА

Спицами 2,75 мм и пряжей А набрать 148 [163: 178: 193: 208: 223: 238: 253: 273] пет.

Ряд 1 (ЛС): *3 лиц, 2 изн, повторять от * до последних 3 петель, 3 лиц.

Ряд 2: 3 изн, *2 лиц, 3 изн, повторять от * до конца. Эти 2 ряда образуют резинку. Продолжайте вязать резинкой, пока высота спинки не составит 6 см, прибавьте 1 [2: 1: 2: 3: 4: 3: 4: 0] пет. равномерно в последнем ряду и закончите изнаночным рядом. = 149 [165:179:195:211:227:241:257:273] пет.

Перейдите на спицы 3 мм.

Со следующего ряда продолжайте вязать по схеме, начиная и заканчивая ряды, как указано, повторяя 180-рядный раппорт узора на всем протяжении. Вязите прямо 74 [78: 78: 78: 80: 80: 80: 84: 84] р., последний ряд изнаночный.

Спинка должна быть примерно 30 [31: 31: 31: 32: 32: 32: 33: 33] см.

Формирование пройм

Сохраняя узор, закройте 4 [5: 5: 6: 8: 8: 9: 11: 12] пет. в начале следующих 2 рядов, затем 3 [4: 4: 5: 5: 5: 6: 7: 8] пет. в начале следующих 2 [2: 2: 2: 4: 4: 4: 4: 4] рядов. = 135 [147:161:173:175:191:199:207:217] пет.

Убавляйте по 1 петле с каждой стороны в следующих 3 [7: 11: 17: 15: 15: 15: 17: 17] рядах, затем в каждом следующем 4 [3:3:1:1:1:1:3] ряду. = 121 [127: 133: 137: 143: 159: 167: 171: 177] пет.

Продолжайте вязать прямо еще 41 [41, 41, 43, 45, 49, 51, 53, 51] ряд(ов), закончив изнаночным рядом.

Формирование плеч и выреза горловины

Закройте 7 [8: 9: 8: 9: 11: 11: 12: 13] пет. в начале следующих 2 рядов, затем 7 [8: 9: 9: 9: 11: 11: 12: 12] пет. в начале каждого второго ряда 4 раза. 79 [79: 79: 85: 89: 93: 101: 99: 103] пет.

Следующий ряд (ЛС): закройте 8 [8: 8: 9: 10: 10: 12: 11: 12] пет., далее по рисунку, пока не останется 9 [9: 9: 10: 11: 11: 13: 12: 13] петель на правой спице, и поверните, отложив оставшиеся петли на держатель. Работайте с каждой частью отдельно. Убавьте по 1 пет. по краю горловины в следующем ряду.

Закройте оставшиеся 8 [8: 8: 9:10:10:12:11:12] пет. С лицевой стороны присоедините нить и закройте центральные 45 (45: 45: 47: 47: 51: 51: 53: 53) пет., далее вяжите узором до конца.

Завершите симметрично противоположной стороне.

ЛЕВАЯ ПОЛОЧКА

Спицами 2,75 мм и пряжей А набрать 80 [85: 95: 100: 110: 115: 125: 130: 140] пет.

Ряд 1 (ЛС): *3 лиц., 2 изн., повторять от * до последних 10 петель, (1 лиц. скрещ., 1 изн.) 4 раза, 1 лиц. скрещ., 1 лиц (10 пет. скрещенной резинки для передней планки).

Ряд 2: (1 лиц., 1 изн.) 5 раз (10 пет. скрещ. резинки для передней планки), *2 лиц., 3 изн., повторять от * до конца.

Эти 2 ряда образуют резинку. Продолжать резинкой до высоты 6 см, прибавив 0 [3: 0: 3: 1: 4: 1: 4: 2] пет. в последнем ряду (не прибавляйте на участке 10 пет. скрещ. резинки) и закончив изнаночным рядом = 80 [88: 95: 103: 111: 119: 126: 134: 142] пет. Перейдите на спицы 3 мм.

Со следующего ряда продолжайте вязать по схеме, начиная и заканчивая ряды, как указано, повторяя 180-рядный раппорт узора на всем протяжении.

Следующий ряд (ЛС): провяжите 70 [78: 85: 93: 101: 109: 116: 124: 132] пет. по рисунку, как ряд 1 схемы, поверните и отложите оставшиеся 10 пет. на держателе (для планки).

Продолжайте вязать прямо на этих 70 [78: 85: 93: 101: 109: 116: 124: 132] петлях на 18 [18: 18: 14: 10: 10: 6: 6: 6] рядов меньше, чем на спинке до начала формирования пройм, закончив изнаночным рядом.

Формирование скоса выреза горловины переда.

Следующий ряд (ЛС): вязать до последних 3 пет, 2 вместе лиц, 1 лиц.

Провязывая все убавки, как описано выше, продолжайте убавлять по 1 петле в конце каждого

второго ряда 0 [0: 0: 0: 0: 2: 2: 2: 2] раз, затем 4 [4: 4: 3: 2: 1: 0: 0: 0] раз в каждом 4-м ряду. = 65 [73: 80: 89: 98: 105: 113: 121: 129] пет.

Провяжите 1 изнаночный ряд.

Формирование проймы

Сохраняя узор, закройте 4 [5: 5: 6: 8: 8: 9: 11: 12] пет. в начале следующего ряда, затем 3 [4: 4: 5: 5: 5: 6: 7: 8] пет. в начале каждого второго ряда 1 [1: 1: 1: 2: 2: 2: 2] раз и одновременно убавьте 1 пет. по краю горловины в 3 [3: 3: 3: 3: 3: след: след: 3] ряду и 0 [0: 0: 0: 0: 1: 1: 0] раз в каждом 4-м ряду. = 57 [63: 70: 77: 79: 86: 90: 94: 100] пет.

Связать 1 изнаночный ряд.

Убавляйте по 1 петле по краю проймы в следующих 3 [7: 11: 17: 15: 15: 17: 17] рядах, затем в каждом втором ряду 4 [3: 3: 1: 1: 1: 1: 3] раза и одновременно убавьте по 1 пет по краю горловины в 3 [3: 3: 3: след: след: 3: 3: след] ряду, затем 2 [2: 3: 4: 4: 4: 3: 4: 5] раза в каждом 4-м ряду. = 47 [50: 52: 54: 58: 65: 70: 71: B74] пет.

Убавляйте по 1 пет. по краю горловины в 4 [2, 2, 4, 4, 4, 2, 4, 2] ряду и 9 [8, 5, 8, 10, 11, 12, 12, 12] раз в каждом 4-м ряду, затем 0 [1:3:1:0:0:0:0:0] раз в каждом 6-м ряду. = 37 [40: 43: 44: 47: 53: 57: 58: 61] пет. Провяжите 1 изнаночный ряд.

Формирование плеча

Закройте 7 [8: 9: 8: 9: 11: 11: 12: 13] пет. в начале следующего и далее 2 [3:2:0:2:2:2:3] раза через ряд, затем 8 [0: 8: 9: 10: 10: 12: 11: 0] пет. в начале каждого следующего 1 [0: 1: 3: 1: 1: 1: 1: 0] ряда. Провяжите 1 ряд. Закройте оставшиеся 8 [8: 8: 9: 10: 10: 12: 11:12] пет.

ПРАВАЯ ПОЛОЧКА

Спицами 2,75 мм и пряжей А набрать 80 [85: 95: 100: 110: 115: 125: 130: 140] пет.

Ряд 1 (ЛС): 1 лиц., (1 лиц. скрещ., 1 изн.) 4 раза, 1 лиц. скрещ. (10 петель скрещ. резинкой для планки), *2 изн., 3 лиц., повторять от * до конца.

Ряд 2: *3 изн., 2 лиц., повторять от * до последних 10 петель, (1 изн., 1 лиц.) 5 раз (10 петель скрученной резинкой для передней планки).

Эти 2 ряда образуют резинку. Продолжайте вязать резинкой, пока правая полочка не составит 3 см, закончите изнаночным рядом.

Ряд петли (ЛС): 1 лиц., 1 лиц. скрещ., закройте 5 петель (в следующем ряду наберите 5 петель над закрытыми), вяжите резинку до конца.

Продолжайте вязать резинкой, пока правая полочка не будет высотой 6 см от наборного края, прибавив 0 [3: 0: 3: 1: 4: 1: 4: 2] пет. в последнем ряду (не прибавляйте на участке из 10 пет. планки) и закончив изнаночным рядом. = 80 [88:95:103:111:119:126:134:142] пет.

Перейдите на спицы 3 мм.

Со следующего ряда продолжайте вязать по схеме, начиная и заканчивая ряды, как указано, повторяя 180-рядный раппорт узора на всем протяжении.

Следующий ряд (ЛС): Провяжите 10 петель резинкой и перенесите их на держатель (для планки), вяжите на оставшихся 70 [78, 85, 93, 101, 109, 116, 124, 132] пет узором, как ряд 1 схемы.

Продолжайте прямо на этих 70 [78: 85: 93: 101: 109: 116: 124: 132] пет на 18 [18: 18: 14: 10: 10: 6: 6: 6] рядов меньше, чем на спинке, до начала формирования проймы, закончив изнаночным рядом.

Формирование скоса выреза горловины

Следующий ряд (ЛС): 1 лиц., 1 пет. снять, не провязывая, 1 лиц., протянуть через снятую петлю провязанную п., далее по узору до конца.

Вяжите все убавки, как описано выше, продолжайте убавлять по 1 петле в конце каждого второго ряда 0 [0: 0: 0: 0: 2: 2: 2: 2] раз, затем 4 [4: 4: 3: 2: 1: 0: 0: 0] раз в каждом 4-м ряду. = 65 [73: 80: 89: 98: 105: 113: 121: 129] пет.

Закончите деталь симметрично левой полочке.

РУКАВА

Спицами 2,75 мм и пряжей А наберите 68 [73: 73: 73: 78: 78: 78: 78: 78] пет.

Вяжите резинкой, как описано для спинки, до высоты рукава 6 см, равномерно прибавив 3 [4:4:4:3:3:3:3:3] петли в последнем ряду и закончив изнаночным рядом. = 71 [77: 77: 77: 81: 81: 81: 81: 81] пет.

Перейдите на спицы 3 мм.

Со следующего ряда продолжайте вязать по схеме, начиная и заканчивая ряды, как указано, повторяя 180-рядный раппорт узора на всем протяжении.

Прибавляйте по 1 петле с каждой стороны в 7 [7: 5: 5: 5: 3: 3: 3: 3] ряду и далее в каждом 6 [6: 4: 4: 4: 4: 2:

2: 2] ряду до 107 [115: 101: 113: 123: 139: 95: 107: 119] пет., затем в каждом -[-: 6-м: 6-м: 6-м: 4-м: 4-м: 4-м] ряду, пока на спицах не будет -[: 123: 127: 133 : 145: 151: 157] пет.

Продолжайте вязать прямо, пока длина рукава не составит 45 см, последний ряд изнаночный.

Окат рукава

Закройте 4 [5: 5: 6: 8: 8: 9: 11: 12] пет в начале следующих 2 рядов. = 99 [105: 113: 115: 117: 123: 127: 129: 133] пет.

Следующий ряд (ЛС): 3 вместе лиц., вяжите узор до последних 3 петель, 3 вместе лиц. Провяжите 1 ряд.

Повторяйте последние 2 ряда еще 1 [3: 5: 3: 2: 1: 0: 0: 0] раз. = 91 [89: 89: 99: 105: 115: 123: 125: 129] пет.

Следующий ряд (ЛС): 2 лиц. вместе, вяжите узор до последних 2 петель, 2 лиц. вместе. Провяжите 1 ряд.

Повторить последние 2 ряда еще 4 [3: 3: 5: 7: 8: 9: 10: 12] раз, закончив изнаночным рядом. Закройте оставшиеся 81 [81: 81: 87: 89: 97: 103: 103: 103] пет.

СБОРКА

Соедините плечевые швы.

Планка для пуговиц

Поместите 10 пет. планки левой полочки на спицы 2,75 мм и присоединить нить А с лицевой стороны.

Ряд 1 (ЛС): сделайте прибавку в первую лицевую петлю, (1 изн., 1 лиц. скрещ.) 4 раза, 1 лиц. = 11 пет.

Ряд 2: 1 лиц., (1 изн., 1 лиц.) 5 раз.

Ряд 3: 1 лиц., (1 лиц. скрещ., 1 изн.) 4 раза, 1 лиц. скрещ., 1 лиц.

Последние 2 ряда образуют резинку.

Продолжайте вязать резинкой до тех пор, пока резинка, с небольшим растяжением, не совпадет с краем полочки, со скосом горловины и с половиной выреза горловины спинки, закончив лицевым рядом. Закройте по рисунку.

Отметьте места для 4 пуговиц на планке - первая пуговица должна быть на уровне уже провязанной петли правой полочки, последняя пуговица должна быть на уровне начала формирования скоса горловины полочки, а оставшиеся 2 пуговицы должны быть на одном расстоянии между ними.

Планка для петель

Поместите 10 петель планки правой полочки на спицы 2,75 мм и присоединить нить А с изнаночной стороны.

Ряд 1 (ИС): сделайте прибавку в первую петлю, (1 лиц., 1 изн.) 4 раза, 1 лиц. = 11 пет.

Ряд 2: 1 лиц., (1 лиц. скрещ, 1 изн.) 4 раза, 1 лиц. скрещ., 1 лиц.

Ряд 3: 1 лиц., (1 изн., 1 лиц.) 5 раз.

Последние 2 ряда образуют резинку.

Продолжайте вязать резинку такой же длины как планка для пуговиц, выполнив еще 3 петли для пуговиц, чтобы их положение соответствовало пуговицам, следующим образом:

Вязание петель (ЛС): 1 лиц., 1 лиц. скрещ., закройте 5 пет. (в следующем ряду набрать 5 петель над закрытыми петлями), вяжите резинку до конца.

Аккуратно пришейте планки, затем соедините их края по центру выреза горловины спинки. Вшейте рукава.

Размеры готового изделия

Размер	XS	S	M	L	XL	2XL	3XL	4XL	5XL
Обхват груди (см)	71-76	81-86	91-97	102-107	112-117	122-127	132-137	142-147	152-157
Обхват груди (дюйм)	28-30	32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62
Расход пряжи - Rowan Summerlite 4Ply 100% хлопок 175м/50г									
A: цвет 431	5	6	6	7	7	8	8	9	9
B: цвет 419	2	2	2	2	2	2	2	3	3
C: цвет 420	2	2	2	2	2	2	2	2	2
D: цвет 437	1	1	1	1	1	1	1	2	2

Схема

