



# Augustins Cables No x

By Anne-Sophie Nørby Velling



# Dictionary

*Please note that this is a general dictionary,  
applicable for all Augustins patterns.*

**st(s)** // stitch(es)  
**r** // row  
**rnd(s)** // round(s)  
**BOR** // beginning of round/row

**k** // knit  
**p** // purl  
**k tbl** // knit through back loop  
**p tbl** // purl through back loop  
**sl st** // slip st  
**s1wyif** // slip 1 st with yarn held in front  
**pssso** // pass the slipped st over

**k2tog** // knit 2 sts together  
**k2tog tbl** // knit 2 sts together through the back loop  
**p2tog** // purl 2 sts together  
**p2tog tbl** // purl 2 sts together through the back loop

**dec** // decrease  
**inc** // increase  
**yo** // yarn over  
**m1L** // make 1 left inc, knitwise  
**m1R** // make 1 right inc, knitwise  
**m1P** // make 1 left inc, purlwise

**M** // marker  
**cM** // chart marker  
**rM** // raglan marker  
**sM** // side marker  
**sl M** // slip marker

**RS** // right side  
**WS** // wrong side  
**CF** // center front  
**CB** // center back



## About

**Size:** a (b) c (d) e (f) g (h).

**Your bust circumference:** 80 (90) 100 (110) 120 (130) 140 (150) cm.

**The circumference of the sweater:** Ca. 100 (110) 120 (130) 140 (150) 160 (170) cm.

**Positive ease:** This sweater has a positive ease at approximately 20 cm, depending on your bust circumference. When deciding which size to knit, choose the one which corresponds to your own actual bust circumference.

**Full length, measured from the edge of the shoulder seam and downwards:**

48 (50) 52 (54) 56 (58) 60 (62) cm.

**Gauge:** 24 sts x 30 rows = 10 x 10 cm at needle 4 mm, following *Chart 1* (after washing).

**Needle size(s):** 3 different needle sizes are used, whilst knitting the sweater.

- Circular needle 3 mm (the length 60 cm is recommended).
- Circular needle 3,5 mm (the lengths 40 and 60 cm are recommended).
- Circular needle 4 mm (the lengths 60 and 80 cm are recommended).

**Yarn:** The sweater is knitted with 2 threads held together.

- *1st thread:* "Önling No 20 - Shetlandsuld", Önling (225 m per 50g).

- *2nd thread:* "Önling No 10 - Silk Mohair", Önling (210 m per 25g).

**Amount:**

- *1st thread:* 350 (350) 400 (450) 500 (550) 600 (650)g.

- *2nd thread:* 200 (200) 225 (250) 275 (300) 325 (350)g.

**Other:** 4 mm cable needle.

**Method:** The sweater is knitted bottom-up, first in the round, and then back and forth whilst making the front- and back piece of the yoke. Throughout the whole work, the sweater is knitted following a series of charts, to create its laced and cabled structure. The upper part of the yoke, as well as the high neckline, is knitted in rib, and to shape the shoulders, the method German Short Rows is used.

### Before you begin

- Please read the entire pattern before casting on.
- Be sure to make a swatch before beginning, to ensure the right gauge.
- In this pattern, the following methods are used: Left- and right leaning increases, Seed Stitch, 1x1 rib, Italian Bind Off and Cast On, and cables.

## Pattern

### Body

With needle size 3 mm, cast on 240 (264) 288 (312) 336 (360) 384 (408) sts, using the method Italian Cast On.

Join the work in the round, and place a M between the first and last st = sM1 and BOR.

Now, knit \*k 1, p 1\* in the rnd, until the rib edge measures 5 cm.

Change to circular needle 4 mm, and place 4 pM's and 1 sM on the following rnd, to mark the sides and panels of the body. Let the placed M's follow up along the work, whilst knitting the body, to make the chart knitting more simple.

Place the M's whilst at the same time knitting the first rnd in the following way:

- Start at sM1, which is BOR.
- Repeat *Chart 1* over the next 18 (24) 30 (36) 42 (48) 54 (60) sts.
- Place pM1.
- Knit *Chart 2*, which is 84 sts in width, then place pM2.
- Repeat *Chart 1* over the next 18 (24) 30 (36) 42 (48) 54 (60) sts.
- Place sM2.
- Repeat *Chart 1* over the next 18 (24) 30 (36) 42 (48) 54 (60) sts.
- Place pM3.
- Knit *Chart 2*, which is 84 sts in width, then place pM4.
- Repeat *Chart 1* over the next 18 (24) 30 (36) 42 (48) 54 (60) sts.
- You are now back at sM1.

The work has now been divided into its panels, and from this point onwards, the body is knitted following *Chart 1* and *2*.

*Chart 1* is 4 rows in height, and 2 sts in width. The chart is repeated in width in accordance to the listed stitch count for your chosen size, and is repeated in its height throughout the body and yoke.

*Chart 2* is 24 rows in height, and 84 sts in width. The chart is repeated in its height throughout the body and yoke.

Now, follow the instructions below:

The body must be knitted following the instructions below, by repeating *Chart 1* and *2* in the height, until the body is 25 (27) 28 (30) 31 (33) 34 (36) cm, measured from the cast on row and upwards (or is 23 (23) 24 (24) 25 (25) 26 (26) cm from being the preferred length):

- Start at sM1, which is BOR.
- Repeat *Chart 1* over the next 18 (24) 30 (36) 42 (48) 54 (60) sts.
- Knit *Chart 2*, which is 84 sts in width.
- Repeat *Chart 1* over the next 36 (48) 60 (72) 84 (96) 108 (120) sts.
- Knit *Chart 2*, which is 84 sts in width.
- Repeat *Chart 1* over the next 18 (24) 30 (36) 42 (48) 54 (60) sts.
- You are now back at sM1.

Let the last knitted rnd be either row 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, or 24 from *Chart 2*.

At the next rnd, the body must be divided for the front- and back pieces of the yoke.

This is done in the following way:

- Start at sM1, which is BOR.
- Bind off 4 (4) 6 (6) 8 (8) 10 (10) sts, and then repeat *Chart 1* over the next 13 (19) 23 (29) 33 (39) 43 (49) sts.
- Knit *Chart 2*, which is 84 sts in width (front piece).
- Repeat *Chart 1* over the next 14 (20) 24 (30) 34 (40) 44 (50) sts, and then bind off the next 8 (8) 12 (12) 16 (16) 20 (20) sts.
- Repeat *Chart 1* over the next 14 (20) 24 (30) 34 (40) 44 (50) sts.
- Knit *Chart 2*, which is 84 sts in width (back piece).
- Repeat *Chart 1* over the next 14 (20) 24 (30) 34 (40) 44 (50) sts, and then bind off the next 4 (4) 6 (6) 8 (8) 10 (10) sts.



You are now back at sM1.

There is now a total of 224 (248) 264 (288) 304 (328) 344 (368) sts on the needle - 112 (124) 132 (144) 152 (164) 172 (184) sts for the front piece, and 112 (124) 132 (144) 152 (164) 172 (184) sts for the back piece.

Break the yarn, and place the 112 (124) 132 (144) 152 (164) 172 (184) sts of the back piece on a thread to rest, whilst the front piece is being knitted.

Mark the last knitted rnd in *Chart 1* and 2, to know from which row to begin, when later knitting the back piece.

### Front piece

The front piece, which is knitted back and forth after *Chart 1* and 2, must now be knitted.

Knit the first establishing row in the following way:

- Join the yarn to the work from the RS.
- p 2 (= edge sts).
- Starting from the 2nd row of *Chart 1*, repeat the chart over the next 12 (18) 22 (28) 32 (38) 42 (48) sts.
- Starting at either row 2, 4, 6 8, 10, 12, 14, 16, 18, 20, 22 or 24 (depending on whether your last knitted rnd of the body was row 1, 3, 5, 7, 9, 11, 13, 15, 17, 19 or 21 from *Chart 2*), knit the 84 sts of *Chart 2*.
- Starting from the 2nd row of *Chart 1*, repeat the chart over the next 12 (18) 22 (28) 32 (38) 42 (48) sts.
- p 2 (= edge sts).

The front piece has now been established.

Now, knit the front piece back and forth after the instructions below:

\*1st row (WS):

- k 2 (= edge sts).
- Repeat *Chart 1* over the next 12 (18) 22 (28) 32 (38) 42 (48) sts.
- Knit the 84 sts of *Chart 2*.
- Repeat *Chart 1* over the next 12 (18) 22 (28) 32 (38) 42 (48) sts.
- k 2 (= edge sts).

2nd row (RS):

- p 2 (= edge sts).
- Repeat *Chart 1* over the next 12 (18) 22 (28) 32 (38) 42 (48) sts.
- Knit the 84 sts of *Chart 2*.
- Repeat *Chart 1* over the next 12 (18) 22 (28) 32 (38) 42 (48) sts.
- p 2 (= edge sts).\*

Repeat \*-\* in height, until the armhole is 17 (17) 18 (18) 19 (19) 20 (20) cm, measured from the armhole bind off row and upwards.

Let the last knitted st be from the RS.

At the next row, the rib panel of the upper part of the yoke must be knitted, to form the shoulders and neckline.

This is done in the following way:

1st row (WS): k 2, \*k 1, p 1\*, and repeat \*-\* until 2 sts remain, k 2.

2nd row (RS): p 2, \*k 1, p 1\*, and repeat \*-\* until 2 sts remain, p 2.

Knit the 1st-2nd row in a total of 5 times.

Break the yarn, and move the BOR of the row in the following way:

Starting from the RS, move the first 56 (62) 66 (72) 76 (82) 86 (92) sts of the row to the right side needle, and place a M = M1, which is CF and the new BOR.

To shape the shoulders, a series of German Short Row turns must now be knitted.

The shoulders must be knitted back and forth in rib, as the sts indicate, whilst at the same time creating the turns.

This is done in the following way:

Starting at M1 from the RS, knit 54 (60) 64 (70) 74 (80) 84 (90) sts of rib, turn the work, and place the first st purlwise onto the right side needle with the yarn in front of the work.

Pull the thread backwards (double st), and then knit rib until reaching M1.

Knit 54 (60) 64 (70) 74 (80) 84 (90) sts of rib, turn the work, and place the first st purlwise onto the right side needle with the yarn in front of the work.

Pull the thread backwards (double st), and then knit rib until reaching M1.

\*Starting at M1 from the RS, knit rib until 3 sts before the last made double st, turn the work, and place the first st purlwise onto the right side needle with the yarn in front of the work.

Pull the thread backwards (double st), and then knit rib until reaching M1.

Knit rib until 3 sts before the last made double st, turn the work, and place the first st purlwise onto the right side needle with the yarn in front of the work.

Pull the thread backwards (double st), and then knit rib until reaching M1.\*

Knit \*-\* until there have been turned a total of 7 (8) 9 (10) 11 (12) 13 (14) times on each side of M1. Now, the double sts must be knitted together, one after one:

- Starting at M1 from the RS, knit 54 (60) 64 (70) 74 (80) 84 (90) sts of rib (as the sts indicate), p 2, turn the work to its WS and k 2.

- Then, knit rib (as the st indicate) until reaching M1.

- Now, knit 54 (60) 64 (70) 74 (80) 84 (90) sts of rib (as the st indicate), k 2, turn the work to its WS and p 2.

- Then, knit rib (as the st indicate) until reaching M1.

Each of the 7 (8) 9 (10) 11 (12) 13 (14) double sts on each side of M1, have now been knitted, and you are back at M1 at the RS = BOR. #

Break the yarn.

Now, the front piece must be divided into shoulders and neckline in the following way:

Starting from the RS, place the first 33 (38) 41 (46) 49 (54) 57 (62) sts on a thread to rest (1st shoulder of the front piece).

Place the next 46 (48) 50 (52) 54 (56) 58 (60) sts on a thread to rest (neckline of the front piece).

Place the remaining 33 (38) 41 (46) 49 (54) 57 (62) sts on a thread to rest (2nd shoulder of the front piece).

The front piece has now been divided.



*Now, knit the back piece of the yoke, by following the instructions of the front piece until reaching the marking “#”.*

Then, without breaking the yarn, the back piece of the yoke must be divided into shoulders and neckline in the following way:

Starting from the RS, place the first 33 (38) 41 (46) 49 (54) 57 (62) sts on a thread to rest (1st shoulder of the back piece).

Place the next 46 (48) 50 (52) 54 (56) 58 (60) sts on circular needle 3,5 mm (neckline of the back piece), and place a M1 after the 23. (24.) 25. (26.) 27. (28.) 29. (30.) st - M1 is CB as well as BOR, when the neckline is knitted next.

Place the remaining 33 (38) 41 (46) 49 (54) 57 (62) sts on a thread to rest (2nd shoulder of the back piece).

The back piece has been divided, and the neckline must now be knitted.

### Neckline

Now, the double layered neckline must be knitted in rib in the round.

Start by establishing its sts in the following way:

With circular needle 3,5 mm, and starting at M1 from the RS, knit rib as the sts indicate, over the first 23 (24) 25 (26) 27 (28) 29 (30) sts of the neckline back piece.

In continuation hereof, place the 46 (48) 50 (52) 54 (56) 58 (60) sts of the neckline front piece onto the right side needle, and knit the 46 (48) 50 (52) 54 (56) 58 (60) sts in rib as the sts indicate. In continuation hereof, knit the remaining 23 (24) 25 (26) 27 (28) 29 (30) sts of the neckline back piece, as the sts indicate.

The neckline has been established, and there is now a total of 92 (96) 100 (104) 108 (112) 116 (120) st on the needle.

Continue to knit rib in the rnd, until the neck measures 16 cm.

Break the yarn, and bind off all sts using the method Italian Bind Off.

Fold the neck to the RS, so that it becomes double layered.

### Shoulders

Now, the shoulders must be knitted together in each side, using the method 3-needle bind off.

This is done in the following way:

With a circular needle 4 mm, place the 33 (38) 41 (46) 49 (54) 57 (62) sts of the “1st shoulder, front piece” onto the needle.

With a new circular needle 4 mm, place the 33 (38) 41 (46) 49 (54) 57 (62) sts of the “2nd shoulder, back piece” onto the needle.

Place the 2 needles with their RS facing each other, so that the shoulder is knitted together from the WS of the work.

From the WS, join the yarn to the work, in the side of the work where the neckline is, so that the shoulder seam will be knitted from the neckline and out towards the armhole edge.

Now, knit the shoulders together in the following way:

Knit k2tog (1 st from each of the 2 needles) \*k2tog (1 st from each of the 2 needles), bind off 1 st\*, and repeat \*-\* throughout the row.





Break the yarn.

*Knit the 2nd shoulder in the same way as the 1st.*

### Sleeves

Now, the first of the 2 sleeves must be knitted.

Start by establishing its sts in the following way:

With circular needles 4 mm, and starting from the RS at sM1, pick up 115 (115) 123 (123) 131 (131) 139 (139) sts evenly round along the armhole edge. Make sure to pick up 57 (57) 61 (61) 65 (65) 69 (69) sts along the back piece, and 58 (58) 62 (62) 66 (66) 70 (70) sts along the front piece, to correctly center the sleeve.

Place a M between the first and the last picked up st = sM1 and BOR.

Now, the sleeve must be knitted in the round, following instructions below:

Place 2 pM's must be placed, to mark the laced panel of the sleeve. Let the 2 pM's follow down along the work, whilst knitting the sleeve.

Place the 2 pM's, whilst knitting the first establishing round in the following way:

- Start at sM1, which is BOR.
- Repeat *Chart 1* over the next 38 (38) 42 (42) 46 (46) 50 (50) sts.
- Place pM1.
- Knit *Chart 3*, which is 39 sts in width, and then place pM2.
- Repeat *Chart 1* over the next 38 (38) 42 (42) 46 (46) 50 (50) sts.
- You are now back at sM1.

The work has now been divided into its panel, and from this point onwards, the sleeve is knitted following *Chart 1* and 3.

*Chart 1* is 4 rows in height, and 2 sts in width. The chart is repeated in width in accordance to the listed stitch count for your knitted size, and is repeated in its height down along the whole sleeve. *Chart 3* is 8 rows in height, and 39 sts in width. The chart is repeated in its height down along the whole sleeve.

The sleeve must be knitted following the instructions below, by repeating *Chart 1* and 3 in the height, until the sleeve is 41 (41) 42 (42) 43 (43) 44 (44) cm, measured from the armhole bind off row and downwards (or is 5 cm from being the preferred length):

- Start at sM1, which is BOR.
- Repeat *Chart 1* over the next 38 (38) 42 (42) 46 (46) 50 (50) sts.
- Knit *Chart 3*, which is 39 sts in width.
- Repeat *Chart 1* over the next 38 (38) 42 (42) 46 (46) 50 (50) sts.
- You are now back at sM1.

Let the last knitted rnd be either row 2, 4, 6 or 8 from *Chart 3*.

Change to circular needle 3 mm, and decrease the stitch count on the next rnd in the following way:

K throughout the rnd, whilst at the same time decreasing 21 sts evenly, using the method "k2tog".





There is now a total of 94 (93) 102 (102) 110 (110) 118 (118) sts on the needle.  
Now, knit the finishing rib edge of the sleeve following the instructions below:

*1st rnd:* Knit \*k 1, p 1\*, and repeat \*-\* throughout the rnd.

Repeat the *1st rnd* until the rib edge measures 6 cm.

Break the yarn and bind off all sts, using the method Italian Bind Off.

*Knit the 2nd sleeve in the same way as the first.*

### Finishing

- Weave in all ends.
- Rinse the sweater in lukewarm water with wool soap, lay it into shape, and let it dry laying flat.
- If there in each side is a little hole between the shoulder seam and neckline, then sew each of the holes together discreetly from the WS of the sweater.



# Charts





	R på RS, vr på VS // k on the RS, p on the WS.
	Vr på RS, r på VS // p on the RS, k on the WS.
	dr r på RS, dr vr på VS / k tbl on RS, p tbl on WS.
	træk den 3. m over de 2 m til højre for denne, strik 1 dr r, slå om, 1 dr r // slip the 3rd st over the 2 sts to the right, k 1 tbl, yo, k 1 tbl.
	sæt 1 m på snoningspind bag arb, 2 r, strik 1 m fra snoningspinden vr // place 1 st on a cable needle behind the work, k 2, p 1 st from the cable needle.
	sæt 2 m på snoningspind foran arb, 1 vr, strik de 2 m fra snoningspinden r // place 2 sts on a cable needle in front of the work, p 1, k 2 sts from the cable needle.
	sæt 1 m på snoningspind bag arbejdet, strik 3 r, strik 1 vr fra snoningspinden // place 1 st on a cable needle behind the work, k 3, p 1 from the cable needle.
	sæt 3 m på snoningspind foran arbejdet, strik 1 vr, strik 3 r fra snoningspinden // place 3 st on a cable needle in front of the work, p 1, k 3 from the cable needle.
	sæt 2 m på snoningspind bag arbejdet, strik 2 r, strik 2 r fra snoningspinden // place 2 sts on a cable needle behind the work, k 2, k 2 from the cable needle.
	sæt 3 m på snoningspind foran arbejdet, strik 3 r, strik 3 r fra snoningspinden // place 3 sts on a cable needle in front of the work, k 3, k 3 from the cable needle.
	sæt 3 m på snoningspind bag arbejdet, strik 3 r, strik 3 r fra snoningspinden // place 3 sts on a cable needle behind the work, k 3, k 3 from the cable needle.

Chart 1

	2	1	
4	●		4
3	●		3
2		●	2
1		●	1
	2	1	

Chart 3





Chart 2



## Notes

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*This pattern is designed  
by Augustins, Anne-Sophie Nørby Velling*

The pattern is for private use only. Do not reproduce, resell or share the pattern in any way. Please notice that you are not allowed to sell any items knitted from the pattern either.

© Copyright Augustins, 2025  
[www.augustins.dk](http://www.augustins.dk) // [@augustins.dk](https://www.instagram.com/augustins.dk) // [#augustinscablesno3](https://www.facebook.com/augustins.dk)