

COCO AMOUR KNITWEAR

CAMBERSANDS SWEATER



Share your version of the Cambersands Sweater on social media with hashtags

#cambersandssweater #cocoamourknitwear

© Coco Amour Knitwear 2024 – all rights reserved.
Pattern and items knitted using this pattern are for personal use only.

Version 1.0 (English)

Sizes:

1 (2, 3, 4, 5, 6)

Sizes 1 (2, 3, 4, 5, 6) are intended to fit an approximate actual bust circumference of 75-85 (90-100, 105-115, 120-130, 135-145, 150-160) cm.

Bust circumference of finished garment:

122.5 (137.5, 153, 168, 183.5, 199) cm

Recommended length of finished garment:

58.5 (58.5, 58.5, 64.5, 64.5, 64.5) cm (measured from mid-back cast-on edge)

Recommended length of finished sleeve:

36 cm (measured from underarm cast-on edge)

Yoke depth:

25 (26.5, 29, 30.5, 31, 32.5) cm (measured from mid-back to underarm edge)

Upper arm circumference of finished garment:

46 (53.5, 53.5, 61, 69, 76.5) cm

Gauge

17 sts x 27 rows in stockinette stitch on 5mm needles = 10 x 10 cm after blocking

Needles

Circular needles: 3.5mm (40-120 cm) and 5mm (40-120 cm)

Materials

350 (400, 400, 450, 500, 550) g Tweed by Isager (100g = 400 m) held together with 175 (200, 200, 225, 250, 275) g Silk Mohair by Isager (25g = 212 m)

** Yarn used in the pictures is:*

Version 1 – Tweed by Isager in shade Sand held together with Silk Mohair by Isager in shade E0

Version 2 - Tweed by Isager in shade Topaz held together with Silk Mohair by Isager in shade E0

Size guide

Cambersands Sweater is designed to have approximately 37-47 cm of positive ease, meaning it is designed to be approximately 37-47 cm larger in circumference than your bust measurement.

Cambersands Sweater features a simple cable pattern throughout, creating a subtle texture similar to ripples on the sand paired with an oversized fit that drapes perfectly.

The sweater is worked from the top down. The neck is worked first in the round with a classic rib stitch; the yoke continues to be worked in the round with increases at each shoulder for shaping. The front and back are then worked separately back and forth, then joined at the underarms to work in the round. Sleeve stitches are then picked up at each armhole and worked in the round. Sizes 4, 5 and 6 feature decreases on the sleeve providing a better fit towards the wrist. Short row shaping at both the neck and sleeves creates the perfect fit for this oversized silhouette. All edging is worked in a classic rib stitch.

Abbreviations

BOR = beginning of round

k = knit

p = purl

RS = right side

WS = wrong side

M = marker

CM = cable marker

cn = cable needle

k2tog = knit two stitches together

k3tog = knit three stitches together

sk = slip 1 stitch knit-wise, return stitch back to the left needle

s1 = slip stitch purl-wise

st(s) = stitch(es)

tbl = through the back loop

wyb = with yarn behind

wyf = with yarn held in front

M1L = Make 1 Left; work an increase by inserting the left needle under the strand between the stitches from front to back and knitting it through the back loop.

M1Lp = Make 1 Left purl; work an increase by inserting the left needle under the strand between the stitches from front to back and purling it through the back loop.

M1R = Make 1 Right; work an increase by inserting the left needle under the strand between the stitches from back to front and knitting it through the front loop.

M1Rp = Make 1 Right purl; work an increase by inserting the left needle under the strand between the stitches from back to front and purling it through the front loop.

CDD = Center double decrease; work a decrease by slipping two stitches together from the left to the right needle, knit the next stitch, pass the two slipped stitches over the knit stitch.

German short rows

Work to turning point. Turn the work, bring the working yarn in front of the work and slip the first stitch purl-wise, bringing the working yarn up and over the needle, pulling it tightly so that it pulls both “legs” of the slipped stitch over the needle.

Continue as the pattern describes. When working across the turning stitch, work both “legs” of the stitch as one stitch.

Cable Crossover

The rows/rounds with cable crossover are always worked on the RS whether working in the round or working back and forth, as follows:

Slip 3 sts onto cn behind the work, knit 4 sts from left needle, knit 3 sts from cn.

Once the first cable crossover row/round has been established, it is repeated every 16th row/round.

Detailed instructions of how and when to work the cable crossovers are provided in the pattern.

Pattern

Alternately cast on 1 knit stitch and 1 purl stitch using the Italian cast-on method with a 3.5mm 40 cm circular needle and with one strand of each yarn held together until you have 106 (106, 106, 114, 114, 122) sts on the needle, cast on 1 more knit stitch, then cast on 1 last st using the backwards-loop method. There are now 108 (108, 108, 116, 116, 124) sts on the needle.

Row 1 (RS): K1, *sl wyf, k1 tbl*, repeat between * to * until the last stitch remains, k1.

Row 2 (WS): K1, *sl wyf, k1 tbl*, repeat between * to * until the last stitch remains, k1 tbl.

Join to work in the round and place a marker for the BOR.

Work in rib: *K1, p1*, repeat from * to * to end of round.

Work a total of 7.5 cm in ribbing.

Change to a 5mm 40 cm circular needle. Knit one round whilst placing stitch markers and working raglan increases, as follows:

Knit 26 (26, 26, 28, 28, 30) sts (*right back*), M1R, **place marker 1**, k2 sts (*right shoulder*), **place marker 2**, M1L, knit 52 (52, 52, 56, 56, 60) sts (*front*), M1R, **place marker 3**, k2 sts (*left shoulder*), **place marker 4**, M1L, knit 26 (26, 26, 28, 28, 30) sts (*left back*), **BOR**. You are now at the marker for the beginning of the round. (4 sts increased) There are now 112 (112, 112, 120, 120, 128) sts on the needle.

Yoke

German Short rows are now worked to shape the neck whilst working shoulder increases either side of the shoulder stitches on both the RS and WS rows.

Nb) Do not work the shoulder stitches or shoulder increases too tightly or it may distort the shoulder drape of the sweater.

Row 1 (RS): Knit to M1, **M1R**, slip M1, k2, slip M2, **M1L**, k2, turn work. (2 sts increased)

Row 2 (WS): Purl to M2, **M1Lp**, slip M2, p2, slip M1, **M1Rp**, purl to M4, **M1Lp**, slip M4, p2, slip M3, **M1Rp**, p2, turn work. (4 sts increased)

Row 3 (RS): Knit to M3, **M1R**, slip M3, k2, slip M4, **M1L**, knit to M1, **M1R**, slip M1, k2, slip M2, **M1L**, k2 past last turn, turn work. (4 sts increased)

Row 4 (WS): Purl to M2, **M1Lp**, slip M2, p2, slip M1, **M1Rp**, purl to M4, **M1Lp**, slip M4, p2, slip M3, **M1Rp**, p2 past last turn, turn work. (4 sts increased)

Work rows 3 and 4 a total of 5 times, changing to a longer circular needle as required to accommodate the growing number of stitches.

Row 5 (RS): Knit to M3, **M1R**, slip M3, k2, slip M4, **M1L**, knit to BOR. (2 sts increased)

You have now worked a total of 12 short rows and 48 stitch increases.

There are a total of 160 (160, 160, 168, 168, 176) sts on the needle. 39 (39, 39, 41, 41, 43) sts (*right back*), 2 sts (*right shoulder*), 78 (78, 78, 82, 82, 86) sts (*front*), 2 sts (*left shoulder*), 39 (39, 39, 41, 41, 43) sts (*left back*).

You will now work in the round, whilst continuing to work shoulder increases either side of the shoulder stitches every round, as follows:

Round 1: Knit to M1, **M1R**, slip M1, k2, slip M2, **M1L**, knit to M3, **M1R**, slip M3, k2, slip M4, **M1L**, knit to BOR. (4 sts increased)

Work round 1 a total of 5 times.

There are a total of 180 (180, 180, 188, 188, 196) sts on the needle. 44 (44, 44, 46, 46, 48) sts (*right back*), 2 sts (*right shoulder*), 88 (88, 88, 92, 92, 96) sts (*front*), 2 sts (*left shoulder*), 44 (44, 44, 46, 46, 48) sts (*left back*).

You will now work the first cable crossover round as follows:

Round 2 cable crossover: K3, *slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6*, repeat between * to * 2 times in total, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k8 (8, 8, 10, 10, 12), **M1R**, slip M1, k2, slip M2, **M1L**, k8 (8, 8, 10, 10, 12), *slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6*, repeat between * to * 5 times in total, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k8 (8, 8, 10, 10, 12), **M1R**, slip M3, k2, slip M4, **M1L**, k8 (8, 8, 10, 10, 12), *slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6*, repeat between * to * 2 times in total, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k3, BOR. (4 sts increased)

There are a total of 184 (184, 184, 192, 192, 200) sts on needle. 45 (45, 45, 47, 47, 49) sts (*right back*), 2 sts (*right shoulder*), 90 (90, 90, 94, 94, 98) sts (*front*), 2 sts (*left shoulder*), 45 (45, 45, 47, 47, 49) sts (*left back*).

A cable crossover will now be worked every 16th row/round from the first cable crossover resulting in a total of 9 (9, 9, 10, 10, 10) cable crossovers, counted on the back of the sweater.

Work round 1, another 7 (9, 11, 11, 11, 11) times.

There are a total of 212 (220, 228, 236, 236, 244) sts on the needle. 52 (54, 56, 58, 58, 60) sts (*right back*), 2 sts (*right shoulder*), 104 (108, 112, 116, 116, 120) sts (*front*), 2 sts (*left shoulder*), 52 (54, 56, 58, 58, 60) sts (*left back*).

Break the yarn and remove the BOR marker.

The work is now split to work the back and front of the sweater separately back and forth.

Slip 52 (54, 56, 58, 58, 60) sts (*right back*) from the left needle to the right needle, slip 1 st (*right shoulder*) from the left needle to the right needle, place the next 106 (110, 114, 118, 118, 122) sts on hold (this includes 104 (108, 112, 116, 116, 120) sts (*front*) and 1 st from each shoulder). Remove all markers.

Back

You will now work back and forth across the 106 (110, 114, 118, 118, 122) sts on the needle, in stockinette stitch, **while working a cable crossover row every 16th row from your first cable crossover**. Begin with the RS facing.

Row 1 (RS): Knit across row.

Row 2 (WS): Purl across row.

Work rows 1 and 2 a total of 4 (3, 2, 2, 2, 2) times.

You will now work your next cable crossover row, as follows:

Row 3 (RS) cable crossover: K4 (6, 8, 10, 10, 12), *slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6*, repeat between * to * 7 times in total, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k4 (6, 8, 10, 10, 12).

Row 4 (WS): Purl across row.

Continue working in stockinette stitch, while incorporating cable crossovers every 16th row until you have worked a total of 40 (40, 40, 40, 40, 40) rows, counted from the split of the sweater between the front and back.

Nb) If you met row gauge listed at the beginning of the pattern your work should measure 15 cm from the split of the sweater between front and back.

Size 1 only:

You will now work underarm decreases, as follows:

Row 5 (RS): K2, **sk k2tog tbl**, work across row until 4 sts left, k2tog, k2. (2 sts decreased)

Nb) Row 5 should be a cable crossover row.

Row 6 (WS): Purl across row.

Work rows 5 and 6 a total of 1 (x, x, x, x, x) time.

There are now a total of 104 (x, x, x, x, x) sts on the needle and you have worked a total of 42 (x, x, x, x, x) rows, counted from the split of the sweater between the front and the back.

Break the yarn and put the stitches on hold.

Sizes 2, 3, 4, and 6 only:

You will now work underarm increases, as follows:

Row 5 (RS): K3, **M1L**, work across row until 3 sts left, **M1R**, k3. (2 sts increased)

Row 6 (WS): Purl across row.

Work rows 5 and 6 a total of x (2, 3, 3, x, 1) time(s).

There are now a total of x (114, 120, 124, x, 124) sts on the needle and you have worked a total of x (44, 46, 46, x, 42) rows, counted from the split of the sweater between the front and back.

Size 2 only: Break the yarn and put the stitches on hold.

Sizes 3, 4, and 6 will need to work some additional increases every row.

Sizes 3, 4, 5, and 6 only:

You will now work underarm increases every row, as follows:

Please note: for size 5 there are no rows 5 and 6.

Row 7 (RS): K3, **M1L**, work across row until 3 sts left, **M1R**, k3. (2 sts increased)

Row 8 (WS): P3, **M1Rp**, purl across row until 3 sts left, **M1Lp**, p3. (2 sts increased)

Work rows 7 and 8 a total of x (x, 1, 3, 7, 8) time(s).

There are now a total of x (x, 124, 136, 146, 156) sts on the needle and you have worked a total of x (x, 48, 52, 54, 58) rows, counted from the split of the sweater between the front and the back.

Break the yarn and put the stitches on hold.

Front

All sizes:

Place the 106 (110, 114, 118, 118, 122) sts previously put on hold for the front on 5mm 80 cm circular needle.

Repeat the 'Back' section; however, do not break the yarn upon completion.

Body

The front is now joined with the back to work in the round.

Round 1: Work across the 104 (114, 124, 136, 146, 156) sts for the front, cast on 0 (3, 6, 7, 10, 13) sts using the backwards-loop method, work across the 104 (114, 124, 136, 146, 156) sts for the back, cast on 0 (3, 6, 7, 10, 13) sts using the backwards-loop method.

Nb) Size 4 will be working a cable crossover round here.

There are now a total of 208 (234, 260, 286, 312, 338) sts on the needle.

Sizes 1, 2, 5, and 6 only:

Break the yarn and slip 3 (2, x, x, 5, 3) sts from the left needle to the right needle. Place BOR marker.

Re-join new yarn and work in the round knitting across all sts.

Sizes 3 and 4 only:

Place BOR marker and work in the round knitting all sts.

All sizes:

Continue working in the round until the sweater measures 56.5 (56.5, 56.5, 62.5, 62.5, 62.5) cm measured from the mid-back at the transition between the neck edge and sweater, while working a cable crossover every 16th round from the last cable crossover. The cable crossover rounds are worked, as follows:

Sizes 1, 3, and 6 only: *Slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6*, repeat between * to * 16 (x, 20, x, x, 26) times.

Sizes 2, 4, and 5 only: *K6, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn*, repeat between * to * x (18, x, 22, 24, x) times.

All sizes:

It is recommended to try on your sweater here and lengthen the sweater if that is your preference. You may require more yarn. Please note the cables looks best with at least 7 rounds worked after the final cable crossover before the ribbing begins; you may wish to factor this in if adjusting your sweater length.

Change to a 3.5mm circular needle, and knit one round

Work 8 rounds in *k1, p1* rib.

Work 2 rounds of double knitting before binding off using the Italian bind-off technique:

Round 1: *K1, sl1 wyf*, repeat between * to *, until end of round.

Round 2: *Sl1 wyb, p1*, repeat between * to *, until end of round.

Bind-off using the Italian bind-off technique.

Sleeves

Pick up and knit a total of 78 (91, 91, 104, 117, 130) sts with 5mm 40 cm circular needle along the armhole edge, which equates to 1 st for every row and in each of the underarm cast-on sts as follows:

Pick up 39 (44, 43, 49, 54, 59) sts on the front, 39 (44, 42, 48, 53, 58) sts on the back and 0 (3, 6, 7, 10, 13) sts in the underarm cast-on sts (1 st for each cast-on stitch).

Nb) For a smoother drape at the top of the shoulder and a neater underarm finish - you may wish to pick up an extra stitch at either side of the underarm cast-on stitches. To counter these 2 extra stitches picked up at the underarm, pick up 2 sts out of the last 3 rows on the front and back either side of the shoulder seam. You should then end up with the same number of total stitches as detailed in the pattern.

Break the yarn.

Size 1 only: Place one marker at the center of the underarm (**BOR**), and another marker splitting the sts in half at the top of the shoulder (**shoulder marker**) as follows: 39 (x, x, x, x, x) on the front and 39 (x, x, x, x, x) on the back.

Sizes 2, 3, and 5 only: Place two markers **framing the center underarm cast-on stitch picked up (BOR markers)** and another marker splitting the sts in half at the top of the shoulder (**shoulder marker**) as follows: x (45, 45, x, 58, x) on the front, x (45, 45, x, 58, x) on the back, and 1 framed st at the center of the underarm.

Sizes 4 and 6 only: Place one marker in the center of the underarm cast-on stitches (**BOR**) and another marker splitting the sts in half at the top of the shoulder (**shoulder marker**) as follows: x (x, x, x, 52, x, 65) on the front and x (x, x, x, 52, x, 65) on the back.

All sizes:

Short rows are now worked to shape the shoulders.

Slip sts from the left needle to the right needle until 9 (10, 10, 12, 13, 15) sts after the **shoulder marker**.

Re-join new yarn and begin with the WS facing as follows:

Row 1 (WS): Purl to 9 (10, 10, 12, 13, 15) sts after the **shoulder marker**, turn work.

Row 2 (RS): Knit to 5 sts after where you re-joined the yarn, turn work.

Row 3 (WS): Purl to 5 sts after last WS row turn, turn work.

Row 4 (RS): Knit to 5 sts after last RS row turn, turn work.

Row 5 (WS): Purl to 5 sts after last WS row turn, turn work.

Work rows 1 to 5 once, then work rows 4 and 5 a total of 4 (5, 5, 6, 7, 8) more times. On the last WS row you will turn at the BOR marker(s).

Sizes 2, 4, and 6 only: On the last RS row, continue to knit to the end of the row until you reach the first marker framing the center underarm stitch/ BOR.

Sizes 1, 3, and 5 only: On the last RS row, continue to knit to the end of the row until you reach the marker at the center of the underarm sts/ BOR.

All sizes:

The short rows are now complete. Remove all marker(s).

You will knit the sleeve differently depending on size. The larger sizes will work decreases to shape the sleeve.

Sizes 1, 2, and 3 only:

Break the yarn and slip 3 sts from the left needle to the right needle and place a new BOR marker.

Re-join new yarn and knit in the round across all sts for 5 rounds.

You will now work the first cable crossover round on the sleeves, as follows:

K6, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, repeat between * to * 6 (7, 7, x, x, x) times.

Continue working in the round until the sleeve measures 34 cm, measured from the underarm cast-on edge, **while working a cable crossover row every 16th round from your first cable crossover.** If you have met the pattern gauge, this is a total of 92 rounds, including the 5 rounds before the first cable crossover round.

It is recommended to try on your sweater here and lengthen the sleeves if that is your preference. You may require more yarn. Please note the cables looks best with at least 7 rounds worked after the final cable crossover before the ribbing begins; you may wish to factor this in if adjusting your sleeve length.

Size 1 only:

Change to a 3.5mm circular needle and knit one round.

Sizes 2 and 3 only:

Change to a 3.5mm circular needle and knit one round with a **k2tog** somewhere on the round.

Sizes 1, 2, and 3 only:

There are now a total of 78 (90, 90, x, x, x) sts on the needle.

Work 8 rounds in *k1, p1* rib.

Work 2 rounds of double knitting before binding off using the Italian bind-off technique:

Round 1: *K1, sl1 wyf*, repeat between * to *, until end of round.

Round 2: *Sl1 wyb, p1*, repeat between * to *, until end of round.

Bind-off using the Italian bind-off technique.

Repeat for the second sleeve.

Size 4 only:

You will need to place two additional stitch markers framing the 19 stitches where your underarm decreases will happen.

Place marker 1 9 sts before the end of your last row. Slip 10 sts from the left needle to the right needle and **place marker 2**. You should have 19 sts between these two markers. M2 is the new BOR marker.

Re-join new yarn and knit in the round across all sts for 5 rounds.

You will now work the first cable crossover round on the sleeves, as follows:

Round 6: *Slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6*, repeat between * to * 8 times.

Continue working in the round until the sleeve measures 34 cm, measured from the underarm cast on edge, while at the same time working decreases at the underarm as follows:

Rounds 7 to 13: Knit across round.

Round 14 (decrease round): Knit until M1, slip M1, k4, **sk k2tog tbl, k7, k2tog, k4.** (2 sts decreased)

Rounds 15 to 21: Knit across round.

Round 22: *Slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6 *, repeat between * to * 6 times, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, slip M1, k5, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k5.

Rounds 23 to 27: Knit across round.

Round 28 (decrease round): Knit until M1, slip M1, k4, **sk k2tog tbl, k5, k2tog, k4.** (2 sts decreased)

Rounds 29 to 37: Knit across round.

Nb) From this point forward, the cable crossover between M1 and M2 will get narrower.

Round 38: *Slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6 *, repeat between * to * 6 times, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, slip M1, k5, slip 2 sts onto cn behind the work, k3 sts from left needle, k2 sts from cn, k5.

Rounds 39 to 41: Knit across round.

Round 42 (decrease round): Knit until M1, slip M1, k3, **sk k2tog tbl**, k5, **k2tog**, k3. (2 sts decreased)

Round 43 to 53: Knit across round.

Round 54: *Slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6 *, repeat between * to * 6 times, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, slip M1, k4, slip 3 sts onto cn behind the work, k2 sts from left needle, k3 sts from cn, k4.

Round 55: Knit across round.

Round 56 (decrease round): Knit to M1, slip M1, k3, **sk k2tog tbl**, k3, **k2tog**, k3. (2 sts decreased)

Rounds 57 to 69: Knit across round.

Round 70 (decrease round): *Slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6 *, repeat between * to * 6 times, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, slip M1, k1, **sk k2tog tbl**, slip 3 sts onto cn behind the work, k2 sts from left needle, k3 sts from cn, **k2tog**, k1. (2 sts decreased)

Rounds 71 to 83: Knit across round.

Round 84 (decrease round): Knit to M1, slip M1, k3, CDD, k3. (2 sts decreased)

Round 85: Knit across round.

Round 86: *Slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k6 *, repeat between * to * 6 times, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, slip M1, knit to M2.

Round 87: Knit across round.

Round 88: Knit until M1, slip M1, k2, **k2tog**, k3. (1 st decreased)

Rounds 89 to 93: Knit across round.

You have now decreased 13 sts and have 91 sts on the needle.

It is recommended to try on your sweater here and lengthen the sleeves if that is your preference. You may require more yarn. Please note the cables looks best with at least 7 rounds worked after the final cable crossover before the ribbing begins; you may wish to factor this in if adjusting your sleeve length.

Change to a 3.5mm circular needle and knit one round with a **k2tog** somewhere on the round.

There are now a total of 90 sts on the needle.

Work 8 rounds in *k1, p1* rib.

Work 2 rounds of double knitting before binding off using the Italian bind-off technique:

Round 1: *K1, sl1 wyf*, repeat between * to *, until end of round.

Round 2: *Sl1 wyb, p1*, repeat between * to *, until end of round.

Bind-off using the Italian bind-off technique.

Repeat for the second sleeve.

Sizes 5 and 6 only: You will need to place two additional stitch markers framing the 33 stitches where your underarm decreases will happen. **Place marker 1** 16 sts before the end of your last row. Slip 17 sts from the LHN to the RHN and **place marker 2**.

You should have 33 sts between these two markers. M2 is the new BOR marker.

Re-join new yarn and knit in the round across all sts for 5 rounds.

You will now work the first cable crossover round on the sleeves, as follows:

Round 6: *K6, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn*, repeat between * to * x (x, x, x, 9, 10) times.

Round 7: Knit across round.

Round 8 (decrease round): Knit until M1, slip M1, k11, **sk k2tog tbl**, k7, **k2tog**, k11. (2 sts decreased)

Rounds 9 to 15: Knit across round.

Round 16 (decrease round): Knit until M1, slip M1, k11, **sk k2tog tbl, k5, k2tog, k11.** (2 sts decreased)

Rounds 17 to 21: Knit across round.

Nb) From this point forward, cable crossovers between M1 and M2 will get narrower, starting with the central crossover.

Round 22: *K6, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn*, repeat between * to * x (x, x, x, 6, 7) times, k6, slip M1, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k5, slip 2 sts onto cn behind the work, k3 sts from left needle, k2 sts from cn, k5, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn needle.

Round 23: Knit across round.

Round 24 (decrease round): Knit to M1, slip M1, k10, **sk k2tog tbl, k5, k2tog, k10.** (2 sts decreased)

Rounds 25 to 31: Knit across round.

Round 32 (decrease round): Knit to M1, slip M1, k10, **sk k2tog tbl, k3, k2tog, k10.** (2 sts decreased)

Rounds 33 to 37: Knit across round.

Round 38: *K6, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn*, repeat between * to * x (x, x, x, 6, 7) times, k6, slip M1, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k11, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn.

Round 39: Knit across round.

Round 40 (decrease round): Knit to M1, slip M1, k11, **CDD, k11.** (2 sts decreased)

Rounds 41 to 45: Knit across round.

Round 46 (decrease round): Knit to M1, slip M1, k6, **sk k2tog tbl, k7, k2tog, k6.** (2 sts decreased)

Rounds 47 to 51: Knit across round.

Round 52 (decrease round): Knit to M1, slip M1, k6, **sk k2tog tbl, k5, k2tog, k6.** (2 sts decreased)

Round 53: Knit across round.

Nb) From this point forward, the two remaining cable crossovers between M1 and M2 will begin to narrow.

Round 54: *K6, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn*, repeat between * to * x (x, x, x, 6, 7) times, k6, slip M1, slip 3 sts onto cn behind the work, k3 sts from left needle, k3 sts from cn, k7, slip 3 sts onto cn behind the work, k3 sts from left needle, k3 sts from cn.

Rounds 55 to 57: Knit across round.

Round 58 (decrease round): Knit to M1, slip M1, k5, **sk k2tog tbl, k5, k2tog, k5.** (2 sts decreased)

Rounds 59 to 63: Knit across round.

Round 64 (decrease round): Knit to M1, slip M1, k4, **sk k2tog tbl, k5, k2tog, k4.** (2 sts decreased)

Rounds 65 to 69: Knit across round.

Round 70: *K6, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn*, repeat between * to * x (x, x, x, 6, 7) times, k6, slip M1, slip 2 sts onto cn behind the work, k3 sts from left needle, k2 sts from cn, k5, slip 2 sts onto cn behind the work, k3 sts from left needle, k2 sts from cn.

Round 71: Knit across round.

Round 72 (decrease round): Knit to M1, slip M1, k4, **sk k2tog tbl, k3, k2tog, k4.** (2 sts decreased)

Rounds 73 to 77: Knit across round.

Round 78 (decrease round): Knit to M1, slip M1, k3, **sk k2tog tbl, k3, k2tog, k3.** (2 sts decreased)

Rounds 79 to 83: Knit across round.

Round 84 (decrease round): Knit to M1, slip M1, k5, **CDD, k5.** (2 sts decreased)

Round 85: Knit across round.

Round 86: *K6, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn*, repeat between * to * x (x, x, x, 6, 7) times, k6, slip M1, k1, slip 3 sts onto cn behind the work, k4 sts from left needle, k3 sts from cn, k1.

Rounds 87 to 89: Knit across round.

Round 90 (decrease round): Knit to M1, slip M1, **sk k2tog tbl, k5, k2tog.** (2 sts decreased)

You have now decreased 26 sts and have x (x, x, x, 91, 104) sts on the needle.

It is recommended to try on your sweater here and lengthen the sleeves if that is your preference. You may require more yarn. Please note the cables look best with at least 7 rounds worked after the final cable crossover before the ribbing begins; you may wish to factor this in if adjusting your sleeve length.

Size 5 only: Change to a 3.5mm circular needle and knit one round with a **k2tog** somewhere on the round.

Size 6 only: Change to a 3.5mm circular needle and knit one round.

Sizes 5 and 6 only:

There are now a total of x (x, x, x, 90, 104) sts on the needle.

Work 8 rounds in *k1, p1* rib.

Work 2 rounds of double knitting before binding off using the Italian bind-off technique:

Round 1: *K1, sl1 wyf*, repeat between * to *, until end of round.

Round 2: *Sl1 wyb, p1*, repeat between * to *, until end of round.

Bind-off using the Italian bind-off technique.

Repeat for the second sleeve.



Finishing

Weave in all ends.