



HANNA Sweater

The HANNA sweater is a wide-cut sweater in a simple cable pattern. A true classic that is easy to combine and belongs in everyone's closet.

The sweater is worked in cable pattern from the top down. The back is worked first, followed by the left and right front. The back and front parts are worked back and forth, down to the bottom of the armholes. The two parts are then joined together and the body is continued in the round. For the sleeves, stitches are picked up from the side edges of front- and back part and they are worked in cable pattern in the round. Finally, stitches are picked up along the neckline and the neckband is worked in the round in ribbing.

Techniques used: Left- and right crossing cables (cable pattern), left- and right leaning increases (purlwise and knitwise), binding off according to the 'Italian BO Method'. All techniques used are explained in the instructions or under 'Terms & explanations' on page 16.

The instructions are very detailed, as some of the sizes are listed individually. A little tip for handling: Simply mark all the details for the corresponding size and, if necessary, only print out the relevant pages so as not to lose the overview.

PATTERN

HANNA Sweater



SIZES

1 (2) 3 (4)

No standard sizes are given because the sweater is very loose fitting. It should have a positive ease of at least 15 cm/6" up to a maximum of 45 cm/17.7" (very oversized). The model in the photos is wearing a size 1 with a height of 1.76 cm and a chest circumference of 89 cm.

MEASUREMENTS

Chest circumference:

114 (124) 132 (141) cm / 45 (49) 52 (55,5)"

Total length (mid back, without neckband): 66 (68) 70 (70) cm / 26 (26.8) 27.6 (27.6)"

Underarm length: 44 (45) 45 (46) cm / 17.3 (17.7) 17.7 (18)"

NOTIONS

Tapestry needle, stitch markers, crochet hook size 4-5 mm (US 6-8/UK 8-6) and elastic thread or thin elastic band for the neckband.

YARN

The sweater is worked double stranded:

550 (600) 650 (700) g 'Como Grande' by Lamana (100 % Pure Wool; 120 m/ 50 g), here in color. 28 together with

125 (125) 150 (150) g 'Premia' by Lamana (60 % Mohair, 40 % Silk; 300 m/ 25 g), here in color 28 or

550 (600) 650 (700) g 'Jensen Yarn' by Isager (100 % Pure Wool; 125 m/ 50 g) together with

175 (175-200) 200 (225) g 'Silk Mohair' by Isager (70 % Mohair, 40 % Silk; 212 m/ 25 g).

Please note, that the yarn quantities given here should be seen as a guideline. The sweater can be adjusted in length and the yarn requirement may vary accordingly.

NEEDLES

80 – 100 cm/32 - 40" and 40 – 50 cm/16 – 20" (for the sleeves) circular ndls size 5.0 mm (US 8/UK 6)

80 – 100 cm/32 - 40" circular ndl size 4.0 mm (US 6/UK 8) (for bottom border)

50 – 60 cm/20 – 24" circular ndl size 4.0 mm (US 6/UK 8) (for neckband)

40 cm/16" circular ndl size 4.0 mm (US 6/UK 8) or dpns size 4.0 mm (US 6/UK 8) (for sleeve cuffs)

MAIN PATTERN

Cable pattern: pattern repeat over 8 rows and 21 sts + 2 selvedge-sts (**for swatching**):

Row 1 (WS): k1 (ES), k1, p1, k2, p6, k1, p6, k2, p1, k1, k1 (ES).

Row 2 (RS): k1 (ES), p1, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p1, k1 (= ES).

Rows 3 and 4: as rows 1 and 2.

Row 5: as row 1.

Row 6 (RS, cable): k1 (ES), p1, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p1, k1 (= ES).

Rows 7 and 8: as rows 1 and 2.

GAUGE/TENSION

Worked in cable pattern using ndl size 5.0 mm: 21 sts x 24 rows = 10 x 10 cm/4" square, not stretched, measured after washing.

PATTERN

HANNA Sweater



For swatching, work pattern repeat described above once in width and 3 times in height. Please adjust needle size if necessary, to obtain correct gauge.

METHOD

BACK

CO 31 (31) 31 (31) sts using ndl size 5.0 mm and work first row (= WS row) as follows:

Row 1 (WS): p2 (= ES), k1, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k1, p2 (= ES).

In next RS row, start working inc's to shape the back. Work left- and right leaning inc's (knitwise and purlwise) after the first 2 sts and before the last 2 sts of each RS- and WS row. An explanation of these increase techniques can be found on page 16. Work as follows:

Row 2 (RS): k2, M1L purlwise, p1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p1, M1R purlwise, k2 (= 33 (33) 33 (33) sts).

Row 3 (WS): p2, M1R purlwise, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, M1L purlwise, p2 (= 35 (35) 35 (35) sts).

Row 4 (RS): k2, M1L knitwise, k1, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k1, M1R knitwise, k2 (= 37 (37) 37 (37) sts).

Row 5 (WS): p2, M1R purlwise, p2, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p2, M1L purlwise, p2 (= 39 (39) 39 (39) sts).

Row 6 (RS): k2, M1L knitwise, k3, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st knitwise (wyib), p2, sl 1 st knitwise (wyib), p2, k3, M1R knitwise, k2 (= 41 (41) 41 (41) sts).

Row 7 (WS): p2, M1R purlwise, p4, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p4, M1L purlwise, p2 (= 43 (43) 43 (43) sts).

In next RS row, work **left- and right crossing cables**. An explanation of this can be found on page 17.

Row 8 (RS, cable): k2, M1L knitwise, k5, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k5, M1R knitwise, k2 (= 45 (45) 45 (45) sts).

Row 9 (WS): p2, M1R knitwise, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, M1L knitwise, p2 (= 47 (47) 47 (47) sts).

Row 10 (RS): k2, M1L knitwise, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, M1R knitwise, k2 (= 49 (49) 49 (49) sts).

Row 11 (WS): p2, M1R purlwise, p1, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p1, M1L purlwise, p2 (= 51 (51) 51 (51) sts).

Row 12 (RS): k2, M1L knitwise, k2, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k2, M1R knitwise, k2 (= 53 (53) 53 (53) sts).

Row 13 (WS): p2, M1R purlwise, p3, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p3, M1L purlwise, p2 (= 55 (55) 55 (55) sts).

Row 14 (RS): k2, M1L knitwise, k4, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k4, M1R knitwise, k2 (= 57 (57) 57 (57) sts).

Row 15 (WS): p2, M1R purlwise, p5, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p5, M1L purlwise, p2 (= 59 (59) 59 (59) sts).

Row 16 (RS, cable): k2, M1L purlwise, *3/3 LC p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * once more, 3/3 LC, p1, 3/3 RC, M1R purlwise, k2 (= 61 (61) 61 (61) sts).

Row 17 (WS): p2, M1R knitwise, k1, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * once more, p6, k1, p6, k1, M1L knitwise, p2 (= 63 (63) 63 (63) sts).

Row 18 (RS): k2, M1L knitwise, p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise

(wyib), p2, rep from * once more, k6, p1, k6, p2, M1R knitwise, k2 (= 65 (65) 65 (65) sts).

Row 19 (WS): p2, M1R knitwise, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * once more, p6, k1, p6, k2, p1, M1L knitwise, p2 (= 67 (67) 67 (67) sts).

Row 20 (RS): k2, M1L purlwise, p1, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * once more, k6, p1, k6, p2, sl 1 st knitwise (wyib), p1, M1R knitwise, k2 (= 69 (69) 69 (69) sts).

Row 21 (WS): p2, M1R purlwise, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * once more, p6, k1, p6, k2, p1, k2, M1L purlwise, p2 (= 71 (71) 71 (71) sts).

Row 22 (RS): k2, M1L purlwise, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * once more, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), M1R purlwise, k2 (= 73 (73) 73 (73) sts).

Row 23 (WS): p2, M1R knitwise, k1, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * once more, p6, k1, p6, k2, p1, k2, p1, k1, M1L knitwise, p2 (= 75 (75) 75 (75) sts).

Row 24 (RS, cable): k2, M1L knitwise, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 2 more times, M1R knitwise, k2 (= 77 (77) 77 (77) sts).

Row 25 (WS): p2, M1R purlwise, p1, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 2 more times, p1, M1L purlwise, p2 (= 79 (79) 79 (79) sts).

Row 26 (RS): k2, M1L knitwise, k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 2 more times, k2, M1R knitwise, k2 (= 81 (81) 81 (81) sts).

Row 27 (WS): p2, M1R purlwise, p3, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 2 more times, p3, M1L purlwise, p2 (= 83 (83) 83 (83) sts).

Row 28 (RS): k2, M1L knitwise, k4, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 2 more times, k4, M1R knitwise, k2 (= 85 (85) 85 (85) sts).

Row 29 (WS): p2, M1R purlwise, p5, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 2 more times, p5, M1L purlwise, p2 (= 87 (87) 87 (87) sts).

Row 30 (RS): k2, M1L purlwise, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 2 more times, k6, M1R purlwise, k2 (= 89 (89) 89 (89) sts).

Row 31 (WS): p2, M1R purlwise, k1, p6, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 2 more times, p6, k1, M1L purlwise, p2 (= 91 (91) 91 (91) sts).

Row 32 (RS, cable): k2, M1L knitwise, k1, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 2 more times, 3/3 LC, p1, k1, M1R knitwise, k2 (= 93 (93) 93 (93) sts).

Row 33 (WS): p2, M1R purlwise, p2, k1, p6, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 2 more times, p6, k1, p2, M1L purlwise, p2 (= 95 (95) 95 (95) sts).

Row 34 (RS): k2, M1L knitwise, k3, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 2 more times, k6, p1, k3, M1R knitwise, k2 (= 97 (97) 97 (97) sts).

Row 35 (WS): p2, M1R purlwise, p4, k1, p6, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 2 more times, p6, k1, p4, M1L purlwise, p2 (= 99 (99) 99 (99) sts).

Row 36 (RS): k2, M1L knitwise, k5, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 2 more times, k6, p1, k5, M1R knitwise, k2 (= 101 (101) 101 (101) sts).

Row 37 (WS): p2, M1R knitwise, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 3 more times, p6, k1, p6, M1L knitwise, p2 (= 103 (103) 103 (103) sts).

Row 38 (RS): k2, M1L purlwise, p1, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 3 more times, k6, p1, k6, p1, M1R purlwise, k2 (= 105 (105) 105 (105) sts).

Row 39 (WS): p2, M1R purlwise, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 3 more times, p6, k1, p6, k2, M1L purlwise, p2 (= 107 (107) 107 (107) sts).

Row 40 (RS, cable): k2, M1L purlwise, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 3 more times, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), M1R purlwise, k2 (= 109 (109) 109 (109) sts).

Row 41 (WS): p2, M1R knitwise, k1, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 3 more times, p6, k1, p6, k2, p1, k1, M1L knitwise, p2 (= 111 (111) 111 (111) sts).

For size 1, the inc's are now completed. From now on, the individual sizes are listed separately.

Size 1

For a better orientation when picking up the sts at the shoulders later on, pM around **first and last st of Row 41**. Cont. working in cable pattern without inc's:

Row 42 (RS): k2, p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 3 more times, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, k2.

Row 43 (WS): p2, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 3 more times, p6, k1, p6, k2, p1, k2, p2.

Rows 44 and 45: as rows 42 and 43.

46. **Rows 46 and 47** as rows 42 and 43.

Row 48 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 3 more times, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, k2.

Row 49 (WS): as row 43.

Rep **rows 42 - 49 two more times**, then rep **rows 42 - 47 once more**, i.e.: end with a WS row. A total of **71 rows** are now worked. Work should now measure approx. 27 cm/10.6", measured from CO edge mid back. This measurement serves more as a guideline, the specified row-number should absolutely be strictly followed so that the cable pattern fits together when the front and back sections are later joined together. Cut yarn and place sts on hold.

Size 2

Row 42 (RS): k2, M1L knitwise, p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 3 more times, k6, p1, k6, p2, sl 1 st knitwise (wyib), p2, M1R knitwise, k2 (= (113) sts).

Row 43 (WS): p2, M1R knitwise, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 3 more times, p6, k1, p6, k2, p1, k2, p1, M1L knitwise, p2 (= (115) sts).

Row 44 (RS): k2, M1L purlwise, p1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 3 more times, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p1, M1R purlwise, k2 (= (117) sts)

The inc's are now completed. For a better orientation when picking up the sts at the shoulders later on, pM around **first and last sts of row 44**. Cont. working in cable pattern without inc's:

Row 45 (WS): p2, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 4 more times, p2.

Row 46 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, k2.

Row 47 (WS): as row 45.

Row 48 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, k2.

Rows 49 and 50: as rows 45 and 46.

Rows 51 and 52: as rows 45 and 46.

Rep **rows 45 - 52 two more times**, then rep **rows 45 - 49 once more**, i.e.: end with a WS row. A total of 73 rows are now worked. Work should now measure approx. 27 cm/10.6", measured from CO edge mid back. This measurement serves more as a guideline, the specified row-number should absolutely be strictly followed so that the cable pattern fits together when the front and back sections are later joined together. Cut yarn and place sts on hold.

Sizes 3 and 4

Row 42 (RS): k2, M1L knitwise, p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 3 more times, k6, p1, k6, p2, sl 1 st knitwise (wyib), p2, M1R knitwise, k2 (= 113 (113) sts).

Row 43 (WS): p2, M1R knitwise, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 3 more times, p6, k1, p6, k2, p1, k2, p1, M1L knitwise, p2 (= 115 (115) sts).

Row 44 (RS): k2, M1L purlwise, p1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 3 more times, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p1, M1R purlwise, k2 (= 117 (117) sts).

Row 45 (WS): p2, M1R purlwise, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 4 more times, M1L purlwise, p2 (= 119 (119) sts).

Row 46 (RS): k2, M1L purlwise, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), M1R purlwise, k2 (= 121 (121) sts)

Row 47 (WS): p2, M1R knitwise, k1, p1, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 4 more times, p1, k1, M1L knitwise, p2 (= 123 (123) sts).

The inc's are now completed. For a better orientation when picking up the sts at the shoulders later on, pM around **first and last st of row 47 (47)**. Cont. working in cable pattern without inc's:

Row 48 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k2.

Row 49 (WS): p2, k2, p1, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 4 more times, k2, p1, k2.

Row 50 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k2.

Rows 51 and 52: as rows 49 and 50.

Rows 53 and 54: as rows 49 and 50.

Row 55: as row 49.

Rep **rows 48 - 55 for 2 (2) more times**, then rep **rows 48 - 51 (rows 48 - 49) once more**, i.e.: end with a WS row. A total of **75 (73) rows** are now worked. Work should now measure approx. 28 (27) cm/11 (10.6)", measured from CO edge mid back. This measurement serves more as a guideline, the specified row-number should absolutely be strictly followed so that the cable pattern fits together when the front and back sections are later joined together. Cut yarn and place sts on hold.

FRONTS

Left front

Hold back part with RS facing you and with CO edge facing upwards (*Pic. 1, page 9*) and work **left front** first. Using circ. ndl size 5.0 mm, PUK **43 (46) 49 (49) sts** along left shoulder of back part, starting from neckline. PUK sts in the ratio „1 st per 1 row“, i.e.: PUK 1 st from every row. **PUK 41 (44) 44 (47) sts** to M that marks the last inc-row, then PUK **2 more sts** after the M = **43 (46) 49 (49) sts**.

Size 1

Work across the **43 sts** as follows:

Row 1 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k1 p1.

Row 2 (RS): k1, p1, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, k2.

Rows 3 and 4: as rows 1 and 2.

Row 5 (WS): as row 1.

Row 6 (RS, cable): k1, p1, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, k2.

Rows 7 and 8: as rows 1 and 2.

Rep **rows 1 - 8 once more**, then rep **rows 1 - 3 once more**. A total of **19 rows** are now worked, ending with a WS row. In next RS row, start working inc's for neckline shaping, as follows:

Row 20 (RS): k1, M1L purlwise, p1, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, k2 = 44 sts.

Row 21 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1.

Row 22 (RS, cable): k1, M1L knitwise, p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, k2 = 45 sts.

Row 23 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p2.

Row 24 (RS): k1, M1L purlwise, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, k2 = 46 sts.

Row 25 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k1, p1.

Row 26 (RS): k1, M1L purlwise, p1, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, k2 = 47 sts.

Row 27 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1.

Row 28 (RS): k1, M1L knitwise, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, k2 = 48 sts.

Row 29 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 30 (RS, cable): k1, M1L purlwise, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, k2 = 49 sts.

Row 31 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k1, p1.

There are now **49 sts** on the ndl. end with a WS row. Cut yarn and place sts on hold (**Pic.2, page 9**). Cont. working **right front** on page 9.

Size 2

Work across the **46 sts** as follows:

Row 1 (WS): p2, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k1 p1.

Row 2 (RS): k1, p1, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2.

Rows 3 and 4: as rows 1 and 2.

Row 5 (WS): as row 1.

Row 6 (RS, cable): k1, p1, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st knitwise (wyib), p2, k2.

Rows 7 and 8: as rows 1 and 2.

Rep **rows 1 - 8 once more**, then rep **rows 1 - 3 once more**. A total of **19 rows** are now worked, ending with a WS row. In next RS row, start working inc's for neckline shaping, as follows:

Row 20 (RS): k1, M1L purlwise, p1, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 47 sts.

Row 21 (WS): p2, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1.

Row 22 (RS, cable): k1, M1L knitwise, p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 48 sts.

Row 23 (WS): p2, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p2.

Row 24 (RS): k1, M1L purlwise, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 49 sts.

Row 25 (WS): p2, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k1, p1.

Row 26 (RS): k1, M1L purlwise, p1, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 50 sts.

Row 27 (WS): p2, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1.

Row 28 (RS): k1, M1L knitwise, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 51 sts.

Row 29 (WS): p2, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 30 (RS, cable): k1, M1L purlwise, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 52 sts.

Row 31 (WS): p2, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k1, p1.

There are now **52 sts** on the ndl. end with a WS row. Cut yarn and place sts on hold (**Pic.2, page 9**). Cont. working **right front** on page 9.

Sizes 3 and 4

Work across the **49 sts** as follows:

Row 1 (WS): p2, k2, p1, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k1 p1.

Row 2 (RS): k1, p1, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2.

Rows 3 and 4: as rows 1 and 2.

Row 5 (WS): as row 1.

Row 6 (RS, cable): k1, p1, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st knitwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2.

Rows 7 and 8: as rows 1 and 2.

Rep **rows 1 - 8 once more**, then rep **rows 1 - 3 once more**. A total of **19 rows** are now worked, ending with a WS row. In next RS row, start working inc's for neckline shaping, as follows:

Row 20 (RS): k1, M1L purlwise, p1, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 50 sts.

Row 21 (WS): p2, k2, p1, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1.

Row 22 (RS, cable): k1, M1L knitwise, p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 51 sts.

Row 23 (WS): p2, k2, p1, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p2.

Row 24 (RS): k1, M1L purlwise, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 52 sts.

Row 25 (WS): p2, k2, p1, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k1, p1.

Row 26 (RS): k1, M1L purlwise, p1, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 53 sts.

Row 27 (WS): p2, k2, p1, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1.

Row 28 (RS): k1, M1L knitwise, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 54 sts.

Row 29 (WS): p2, k2, p1, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 30 (RS, cable): k1, M1L purlwise, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2 = 55 sts.

Row 31 (WS): p2, k2, p1, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k1, p1.

There are now **55 sts** on the ndl. end with a WS row. Cut yarn and place sts on hold (**Pic.2**). Cont. working **right front** on page 9.

PATTERN

HANNA Sweater

Paula 



Pic. 1:

Hold back part with Rs facing towards you and with CO edge facing upwards. PUK sts from left shoulder, starting from neckline



Pic. 2:

Left front is finished. For right front, PUK sts from right shoulder, starting at armhole

Right front

Using circ. ndl size 5.0 mm, PUK **43 (46) 49 (49)** sts along right shoulder of back part, to form the **right front (Pic. 2)**. Starting at the armhole, PUK 2 sts before the M that marks the last inc-row. PUK sts in the ratio „1 st per row“, i.e.: PUK 1 st from every row. PUK **2 sts** before M and **41 (44) 44 (47)** sts after M = **43 (46) 49 (49)** sts.

Size 1

Work across the **43 sts** as follows:

Row 1 (WS): p1, k1, p6, k1, p6, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 2 (RS): k2, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k1.

Rows 3 and 4: as rows 1 and 2.

Row 5 (WS): as row 1.

Row 6 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p1, k1. 7. R and 8. R: as rows 1 and 2.

Rep **rows 1 - 8 once more**, then rep **rows 1 - 3 once more**. A total of **19 rows** are now worked, ending with a WS row. In next RS row, start working inc's for neckline shaping, as follows:

Row 20 (RS): k2, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p1, M1R purlwise, k1 = 44 sts.

Row 21 (WS): p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 22 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, M1R knitwise, k1 = 45 sts.

Row 23 (WS): p2, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 24 (RS): k2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), M1R purlwise, k1 = 46 sts.

Row 25 (WS): p1, k1, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 26 (RS): k2, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p1, M1R purlwise, k1 = 47 sts.

Row 27 (WS): p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 28 (RS): k2, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, M1R knitwise, k1 = 48 sts.

Row 29 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

Row 30 (RS, cable): k1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), M1R purlwise, k1 = 49 sts.

Row 31 (WS): p1, k1, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p2.

There are now **49 sts** on the ndl. end with a WS row. Do not cut yarn.

In next RS row, join right- and left front together and CO sts for the bottom of the neckline, mid front (**Pic. 3, page 12**). Start with right front, as follows:

Row 32 (RS): k2, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2 (= right front), CO 13 new sts for the bottom of the neckline mid front, work across left front as follows: p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, k2.

There are now **111 sts** on the ndl, the same number of sts as for the back.

Row 33 (WS): p2, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 3 more times, p6, k1, p6, k2, p1, k2, p2.

Cont. working the **front** on page 12 (for all sizes).

Size 2

Work across the **46 sts** as follows:

Row 1 (WS): p1, k1, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p2.

Row 2 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k1.

Rows 3 and 4: as rows 1 and 2.

Row 5 (WS): as row 1.

Row 6 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p1, k1.

Rows 7 and 8: as rows 1 and 2.

Rep **rows 1 – 8 once more**, then rep **rows 1 - 3 once more**. A total of **19 rows** are now worked, ending with a WS row. In next RS row, start working inc's for neckline shaping, as follows:

Row 20 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p1, M1R purlwise, k1 = 47 sts.

Row 21 (WS): p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p2.

Row 22 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, M1R knitwise, k1 = 48 sts.

Row 23 (WS): p2, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p2.

Row 24 (RS): k2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), M1R purlwise, k1 = 49 sts.

Row 25 (WS): p1, k1, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p2.

Row 26 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p1, M1R purlwise, k1 = 50 sts.

Row 27 (WS): p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p2.

Row 28 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, M1R knitwise, k1 = 51 sts.

Row 29 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p2.

Row 30 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), M1R purlwise, k1 = 52 sts.

Row 31 (WS): p1, k1, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p2.

There are now **52 sts** on the ndl. end with a WS row. Do not cut yarn.

PATTERN

HANNA Sweater



In next RS row, join right- and left front together and CO sts for the bottom of the neckline, mid front (**Pic. 3, page 12**). Start with right front, as follows:

Row 32 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2 (= right front), CO 13 new sts for bottom of neckline mid front, then work across left front, as follows: p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k2.

There are now 117 sts on the ndl, the same number of sts as for the back.

Row 33 (WS): p2, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 4 more times, p2.

Cont. working **front** on page 12 (for all sizes).

Sizes 3 and 4

Work across the **49 sts** as follows:

Row 1 (WS): p1, k1, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p1, k2, p2.

Row 2 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k1.

Rows 3 and 4: as rows 1 and 2.

Row 5 (WS): as row 1.

Row 6 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p1, k1.

Rows 7 and 8: as rows 1 and 2.

Rep **rows 1 - 8 once more**, then rep **rows 1 - 3 once more**. A total of **19 rows** are now worked, ending with a WS row. In next RS row, start working inc's for neckline shaping, as follows:

Row 20 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p1, M1R purlwise, k1 = 50 sts.

Row 21 (WS): p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p1, k2, p2.

Row 22 (RS, cable): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, M1R knitwise, k1 = 51 sts.

Row 23 (WS): p2, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p1, k2, p2.

Row 24 (RS): k2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), M1R purlwise, k1 = 52 sts.

Row 25 (WS): p1, k1, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p1, k2, p2.

Row 26 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), M1R purlwise, k1 = 53 sts.

Row 27 (WS): p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p1, k2, p2.

Row 28 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), M1R knitwise, k1 = 54 sts.

Row 29 (WS): p2, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p1, k2, p2.

Row 30 (RS, cable): k1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), M1R purlwise, k1 = 55 sts.

Row 31 (WS): p1, k1, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p6, k1, p6, k2, p1, k2, p1, k2, p1, k2, p2.

There are now **55 sts** on the ndl. end with a WS row. Do not cut yarn.

In next RS row, join right- and left front together and CO sts for the bottom of the neckline, mid front (**Pic. 3, page 12**). Start with right front, as follows:

Row 32 (RS): k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2 (= right front), CO 13 new sts for bottom of neckline mid front, then work across left front, as follows: p2, sl 1 st purlwise

PATTERN

HANNA Sweater

Paula 

(wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, k2.

There are now 123 sts on the ndl, the same number of sts as for the back.

Row 33 (WS): p2, k2, p1, k2, p1, k2, p1, k2, *p6, k1, p6, k2, p1, k2, p1, k2, rep from * 4 more times, p1, k2, p2. Cont. working front on page [12 \(for all sizes\)](#).

All sizes

Work **44 (46) 48 (46) more rows** in pattern across the **111 (117) 123 (123) sts** of front part. Work the cable pattern to match the row repeat for the different sizes, i.e. always work the sts between the cable rows over **7 rows** as they appear or are specified in the pattern repeat. End with a WS row.

A total of **77 (79) 81 (79) rows** have now been worked from the picking up of sts for the front parts and front now measures approx. 29 (29) 30 (29) cm/11.4 (11.4) 11.8 (11.4)", measured from shoulderline where the sts for front parts were picked up. This measurement serves more as a guideline, the specified row-number should absolutely be strictly followed so that the cable pattern fits together when the front and back sections are joined together.



Pic. 3:

Left- and right front are completed and are joined together with 13 new CO sts mid front.



Pic. 4:

Join front and back together and cont. working body in pattern in the round.

BODY

In next RS row, join together **front** and **back**, starting with front, as follows:

Size 1

Rnd 1 (cable): p1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, rep from * 3 more times, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p1, work across back-sts, as follows: p1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, rep from * 3 more times, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p1 = 222 sts.

Join for working in the round, pM to indicate beg of rnd. Rnd starts with a purl st.

Rnd 2: p1, k1, p2, k1, p2, k6, p1, k6, *p2, k1, p2, k1, p2, k6, p1, k6 rep from * 3 more times, p2, k1, p2, k1, p2, k1, p2, k6, p1, k6, *p2, k1, p2, k1, p2, k6, p1, k6, rep from * 3 more times, p2, k1, p2, k1, p1.

Rnd 3: p1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, rep from * 3 more times, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, rep from * 3 more times, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p1.

Rnds 4 and 5: as rnds 2 and 3.

Rnds 6 and 7: as rnds 2 and 3.

Rnd 8: as rnd 2.

Keep repeating **rnds 1 – 8**, until work, measured from CO edge mid back, measures approx. **59 cm/23.2"** or the desired length (minus approx. 6 cm/2.4" for bottom border) is reached. End with rnd 2 of patt rep. Subsequently, work 1 dec-rnd, as follows:

Decrease-rnd: p1, k1, p2tog, k1, p2, k6, p1, k6, *p2, k1, p2tog, k1, p2,

k6, p1, k6 rep from * 3 more times, p2, k1, p2tog, k1, p2tog, k1, p2, k6, p1, k6, *p2, k1, p2tog, k1, p2, k6, p1, k6, rep from * 3 more times, p2, k1, p2tog, k1, purl tog the last purl st of this rnd and the first purl st of next rnd, remove beg-of-rnd-M, k1 and replace beg-of-rnd-M = 208 sts. Cont. working **bottom border** on page [14 \(for all sizes\)](#).

Size 2

Rnd 1: k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, k2, CO 2 new sts (left armhole), work across back-sts, as follows: k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, k2, CO 2 new sts (right armhole) = 238 sts.

Join for working in the round, k2, pM to indicate beg of rnd. Rnd starts with a purl st.

Rnd 2: p2, k1, p2, k1, p2, *k6, p1, k6, p2, k1, p2, rep from * 4 more times, k6, p2, k1, p2, k1, p2, *k6, p1, k6, p2, k1, p2, rep from * 4 more times, k6.

Rnd 3: p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, k6.

Rnds 4 and 5: as rnds 2 and 3.

Rnd 6: as rnd 2.

Rnd 7 (cable): p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, 3/3 LC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, 3/3 RC.

Rnds 8 and 9: as as rnds 2 and 3.

Keep repeating **rnds 2 - 9**, until work, measured from CO edge mid back, measures approx. **61 cm / 24"** or the desired length (minus approx. 6 cm/2.4" for bottom border) is reached. End with rnd 8 of patt rep. Subsequently, work 1 dec-rnd, as follows:

Decrease-rnd: p2tog, k1, p2tog, k1, p2, *k6, p1, k6, p2, k1, p2tog, k1, p2, rep from * 4 more times, k6, p2tog, k1, p2tog, k1, p2, *k6, p1, k6, p2, k1, p2tog, k1, p2, rep from * 4 more times, k6 = 224 sts. Cont. working **bottom border** on page [14 \(for all sizes\)](#).

Size 3

Rnd 1: k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k2, CO 2 new sts (left armhole), work across back-sts, as follows: k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k2, CO 2 new sts (right armhole) = 250 sts.

Join for working in the round, k2, pM to indicate beg of rnd. Rnd starts with a purl st.

Rnd 2: p2, k1, p2, k1, p2, *k6, p1, k6, p2, k1, p2, rep from * 4 more times, k1, p2, k6, p2, k1, p2, k1, p2, *k6, p1, k6, p2, k1, p2, rep from * 4 more times, k1, p2, k6.

Rnd 3: p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k6, p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k6.

Rnd 4: as rnd 2.

Rnd 5 (cable): p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, 3/3 LC, p2, sl 1 st

purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, 3/3 RC.

Rnds 6 and 7: as as rnds 2 and 3.

Rnds 8 and 9: as as rnds 2 and 3.

Keep repeating **rnds 2 - 9**, until work, measured from CO edge mid back, measures approx. **63 cm / 24.8"** or the desired length (minus approx. 6 cm/2.4" for bottom border) is reached. End with rnd 6 of patt rep. Subsequently, work 1 dec-rnd, as follows:

Decrease-rnd: p2tog, k1, p2tog, k1, p2tog, k1, p2, *k6, p1, k6, p2, k1, p2tog, k1, p2, rep from * 3 more times, k6, p1, k6, p2, k1, p2tog, k1, p2tog, k1, p2, k6, p2tog, k1, p2tog, k1, p2 *k6, p1, k6, p2, k1, p2tog, k1, p2, rep from * 3 more times, k6, p1, k6, p2, k1, p2tog, k1, p2tog, k1, p2, k6. = 232 sts. Cont. working **bottom border** (for all sizes).

Size 4

Rnd 1: k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k2, CO 9 new sts (left armhole), work across backsts, as follows: k2, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k2, CO 9 new sts (right armhole) = 264 sts.

Join for working in the round, k2, pM to indicate beg of rnd. Rnd starts with a purl st.

Rnd 2: p2, k1, p2, k1, p2, k1, p2, *k6, p1, k6, p2, k1, p2, k1, p2, rep from * 4 more times, k1, p2, k6 p1 k6, p2, k1, p2, k1, p2, k1, p2, *k6, p1, k6, p2, k1, p2, k1, p2, rep from * 4 more times, k1, p2, k6 p1, k6.

Rnd 3: p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *k6, p1, k6, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, k6, p1, k6.

Rnds 4 and 5: as as rnds 2 and 3.

Rnd 6: as rnd 2.

Rnd 7 (cable): p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, *3/3 LC, p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, rep from * 4 more times, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC.

Rnds 8 and 9: as as rnds 2 and 3.

Keep repeating **rnds 2 - 9**, until work, measured from CO edge mid back, measures approx. **63 cm / 24.8"** or the desired length (minus approx. 6 cm/2.4" for bottom border) is reached. End with rnd 6 of patt rep. Subsequently, work 1 dec-rnd, as follows:

Decrease-rnd: p2, k1, p2tog, k1, p2tog, k1, p2, *k6, p1, k6, p2, k1, p2tog, k1, p2, rep from * 3 more times, k6, p1, k6, p2, k1, p2tog, k1, p2tog, k1, p2, k6, p1, k6, p2, k1, p2tog, k1, p2tog, k1, p2 *k6, p1, k6, p2, k1, p2tog, k1, p2, rep from * 3 more times, k6, p1, k6, p2, k1, p2tog, k1, p2tog, k1, p2, k6 p1, k6 = 248 M. Cont. working **bottom border** (for all sizes).

All sizes

To work the **bottom border**, change to circ. ndl size 4.0 mm and work approx. **6 cm/2.4"** in 1/1 ribbing across all **208 (224) 232 (246) body sts (alternately p1, k1)**. Please note that rnd starts with a purl st.

After completing last rnd, purl 1 more st, so the next rnd will start with a knit st. The beg of rnd is now moved 1 st. Then BO bottom border acc to the 'Italian BO method'. Work 2 set-up rnds first:

Set-up rnd 1: * k1, sl 1 st purlwise with yarn in front of work), rep from * to end of rnd

Set-up rnd 2: *sl 1 st purlwise (with yarn in back of work), rep from * to end of rnd.

Then loosely BO all sts acc to the Italian BO method'

Here is a helpful tutorial on this method: <https://www.youtube.com/watch?v=IhIGkzaUIFY>

SLEEVES

Using circ. ndl size 5.0 mm PUK a total of **78 (82) 82 (84) sts** from side edges of back and front as well as from the underarm CO edge. PUK sts from back and front side edges in the ratio „3 sts from 4 rows“, i.e.: PUK 3 sts out of every 4 rows, always skip the 4th row.

Join working yarn at the center of underarm CO edge and PUK sts for **left sleeve** as follows: **0 (1) 1 (4) sts** from underarm CO edge, **57 (60) 60 (58) sts** from side edge of front, **21 (20) 20 (17) sts** from side edge of back and **0 (1) 1 (5) sts** from underarm CO edge.

For **right sleeve**: **0 (1) 1 (4) sts** from underarm CO edge, **21 (20) 20 (17) sts** from side edge of back, **57 (60) 60 (58) sts** from side edge of front and **0 (1) 1 (4) sts** from underarm CO edge.

Join for working in the round, pM at the center of underarm CO edge, to indicate beg of rnd and work across the **78 (82) 82 (84) sts** for different sizes in cable pattern, as follows:

Size 1

Rnd 1: p1, k6, p2, k1, p2, k6, p1, k6, *p2, k1, p2, k1, p2, k6, p1, k6, rep from * once more, p2, k1, p2, k6.

Rnd 2: p1, k6, p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, rep from * once more, p2, sl 1 st purlwise (wyib), p2, k6.

Rnds 3 and 4: as rnds 1 and 2.

Rnd 5: as rnd 1.

Rnd 6 (cable): p1, 3/3 RC, p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, rep from * once more, p2, sl 1 st purlwise (wyib), p2, 3/3 LC.

Rnds 7 and 8: as rnds 1 and 2.

Keep repeating **rnds 1 - 8**, until sleeve, measured from underarm, measures approx. **36 cm/14.2"** or the desired length (minus 6 cm/2.4" for sleeve cuff) is reached. End with rnd 7 of patt rep. Subsequently, work 1 dec-rnd, as follows: **Decrease-rnd:** p1, k6, p2tog, k1, p2tog, k6, p1, k6, *p2tog, k1, p2tog, k1, p2tog, k6, p1, k6, rep from * once more, p2tog, k1, p2tog, k6 = 68 sts. Cont. working **sleeve cuff** on page 16 (for all sizes).

Sizes 2 and 3

Rnd 1: p1, k6, p1, k1, p2, k1, p2, k6, p1, k6, *p2, k1, p2, k1, p2, k6, p1, k6, rep from * once more, p2, k1, p2, k1, p1, k6.

Rnd 2: p1, k6, p1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, rep from * once more, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p1, k6.

Rnds 3 and 4: as rnds 1 and 2.

Rnd 5: as rnd 1.

Rnd 6 (cable): p1, 3/3 RC, p1, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, rep from * once more, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p1, 3/3 LC.

Rnds 7 and 8: as rnds 1 and 2.

Keep repeating **rnds 1 - 8**, until sleeve, measured from underarm, measures approx. **37 cm/14.6"** or the desired length (minus approx. 6 cm/2.4" for bottom border) is reached. End with rnd 7 of patt rep. Subsequently, work 1 dec-rnd, as follows:

Decrease-rnd: p1, k6, p1, k1, p2tog, k1, p2tog, k6, p1, k6, *p2tog, k1, p2tog, k1, p2tog, k6, p1, k6, rep from * once more, p2tog, k1, p2tog, k1, p1, k6 = 72 (72) sts. Cont. working **sleeve cuff** on page 16 (for all sizes).

Size 4

Rnd 1: p1, k6, *p2, k1, p2, k1, p2, k6, p1, k6, rep from * 2 more times, p2, k1, p2, k1, p2, k6.

Rnd 2: p1, k6, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6, p1, k6, rep from * 2 more times, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, k6.

Rnds 3 and 4: as rnds 1 and 2.

Rnd 5: as rnd 1.

Rnd 6 (cable): p1, 3/3 RC, *p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC, p1, 3/3 RC, rep from * 2 more times, p2, sl 1 st purlwise (wyib), p2, sl 1 st purlwise (wyib), p2, 3/3 LC.

Rnds 7 and 8: as rnds 1 and 2.

Keep repeating **rnds 1 - 8**, until sleeve, measured from underarm, measures approx. **38 cm/15"** or the desired length (minus 6 cm/2.4" for sleeve cuff) is reached. End with rnd 7 of patt rep. Subsequently, work 1 dec-rnd, as follows:

Decrease-rnd: p1, k6, *p2tog, k1, p2tog, k1, p2tog, k6, p1, k6, ab * **two more times**, p2tog, k1, p2tog, k1, p2tog, k6 = 72 sts. Cont. working **sleeve cuff** for all sizes.

All sizes

Tip: „The sleeves will grow by around 2 - 3 cm/0.8 – 1.2" after washing. I like to place the sleeve stitches on hold, using a piece of scrap yarn, before I knit the final cuff. I only finish the sleeves after the sweater has been washed. That way I can adjust the length perfectly.“

To work the sleeve cuff, change to circ. ndl size 4.0 mm and work approx. **6 cm/2.4"** in 1/1 ribbing across all **78 (82) 82 (84) sleeve-sts (alternately p1, k1)**. Please note that the rnd starts with a purl st. Then BO all sts acc to the “Italian BO method” as described for bottom border (page 14).

NECKBAND

Tip: „Before I PUK sts for the neckband along the neckline, I stabilize the neckline with a row of crocheted slip stitches. This compensates for stitches around the neckline that are too loose and results in a nice and even transition to the neckband. How to stabilize the neckline with slip stitches is explained in more detail on page 17 under “Terms & Explanations”.

Using circ. ndl size 4.0 mm, PUK a total of **90 (90) 90 (90) sts** along neckline. Join yarn at the RH side of back part and PUK sts as follows:

31 (31) 31 (31) sts from back, **23 (23) 23 (23) sts** from LH side edge of front neckline (in the ratio „3 sts from 4 rows“), **13 (13) 13 (13) sts** from newly CO center sts, **23 (23) 23 (23) sts** from RH side of front neckline.

Join for working in the round, pM to indicate beg of rnd and work in 1/1 ribbing for approx. **7 cm/2.8" (alternately k1, p1)**. Then fold neckband double and sew the live sts to the inside of the work using the overcast stitch.

Here is a helpful tutorial on the overcast stitch: <https://youtu.be/ML-Ea7DAI0Q>

If you prefer a single rather than a double neckband, then BO the ribbing after 3.5 cm/1.4". The 'Italian BO method', which has already been described for the body, is also recommended here for a beautiful finished edge.

FINISHING

Weave in all yarn ends. Wash the sweater once completely, block it to the specified measurements and leave it to dry flat. This will make it a little smoother and the stitches will be nice and even. If necessary, thread a thin elastic band or elastic thread through the neckband, so that it stays in shape and does not “sag”.

TERMS & EXPLANATIONS

Right leaning knitted increase from the bar between 2 sts (M1R knitwise)

Using LH ndl tip, pick up the bar between 2 stitches, from back to front and knit this st.

Here you can find a good tutorial: https://youtu.be/PXesQ_kn6sg?si=L6Rw1Nq2iS5mHyAf

Left leaning knitted increase from the bar between 2 sts (M1L knitwise)

Using LH ndl tip, pick up the bar between 2 stitches, from front to back and knit this st through the back loop.

Here you can find a good tutorial: <https://youtu.be/US-J9J4qtZQ?si=kcbDElpokdRWQ6sm>

Right leaning purled increase from the bar between 2 sts (M1R purlwise)

Using LH ndl tip, pick up the bar between 2 stitches, from back to front and purl this st.

Here you can find a good tutorial: <https://www.youtube.com/watch?v=bNA02PqBUDY>

Left leaning purled increase from the bar between 2 sts (M1L purlwise)

PATTERN

HANNA Sweater

Using LH ndl tip, pick up the bar between 2 stitches, from front to back and purl this st through back loop.

Here you can find a good tutorial: <https://www.youtube.com/watch?v=jX8bB73mhAY>

Left crossing cable over 6 sts (3/3 left cross – 3/3 LC)

Slip 3 sts onto cable needle and hold in front of work, k3, k3 from cable needle.

Here you can find a good tutorial: <https://youtu.be/DV-7KwmwBsl?si=D8uvLlbdbPjOsA53>

Right crossing cable over 6 sts (3/3 right cross - 3/3 RC)

Slip 3 sts onto cable needle and hold in back of work, k3, k3 from cable needle.

Here you can find a good tutorial: <https://youtu.be/GHUfIT1TIWw?si=EbqNBUpGuOFCeAFm>

Crochet slip sts and PUK sts along edge of work



Insert crochet hook size 4-5 mm into edge sts, as if to pick up new stitches, and crochet slip stitches. Crochet loosely, not too tight, so that the slip stitches can be recognized easily later on. For a better illustration, the slip stitches here are shown in a contrasting-colored yarn.

As with the classic “picking up stitches from the side,” you crochet the slip stitches in a certain ratio, in this case in the ratio “3 stitches out of 4 rows”.

Then, using a circ. knitting ndl, pick up and knit the stitches through the back loops of the crocheted slip stitches. This produces a beautiful, stable edge.

ABBREVIATIONS

acc = according

beg = begin(ning)

BO = bind off

circ. = circular

CN = cable needle

CO = cast on

cont. = continue

dpn(s) = double pointed needle(s)

dec(`s) = decrease(s)

ES = (selv-)edge stitch

inc(`s) = increase(s)

k = knit

LH = left hand

M = marker

M1L knitwise = make 1 left leaning increase knitwise

PATTERN

HANNA Sweater



M1L purlwise = make 1 left leaning increase purlwise

M1R kknitwise = make 1 right leaning increase knitwise

M1R purlwise = make 1 right leaning increase purlwise

ndl(s) = needle(s)

p = purl

p2tog = purl 2 sts together

patt = pattern

pM = place marker

PUK = pick up and knit

rep = repeat

RH = right hand

rnd(s) = round(s)

RS = right side

sl = slip

st(s) = stitch(es)

tog = together

wyib = with yarn in back

wyif = with yarn in front

WS = wrong side

* = Repeat the instructions after the asterisk as many times as indicated