



The Montrealer

V.2.0

Sizes



1 (2, 3, 4, 5)(6, 7, 8, 9)

Finished chest circumference: 32 (36, 40, 44, 48)(52, 56, 60, 64) in

80 (90, 100, 110, 120)(130, 140, 150, 160) cm

Choose a size that allows for 2 to 4 in (5 to 10 cm) of positive ease around the chest. Please refer to the Techniques section for other measurements and instructions on how to choose the right size.

TECHNIQUE: Choosing the right size

Materials

Weight: Worsted



Yarn

- MC: 6 (6, 7, 8, 8)(9, 10, 11, 12) skeins*
1,075 (1,185, 1,305, 1,435, 1,580)(1,740, 1,915, 2,105, 2,315) yd
995 (1,085, 1,195, 1,310, 1,445)(1,590, 1,750, 1,925, 2,115) m
- CC1: 2 (2, 2, 2, 2)(3, 3, 3, 3) skeins*
255 (280, 310, 340, 375)(415, 455, 500, 550) yd
235 (255, 285, 310, 345)(380, 415, 455, 505) m
- CC2: 14 (16, 18, 20, 22)(24, 27, 30, 33) g
28 (31, 35, 39, 43)(48, 53, 59, 65) yd
26 (29, 33, 36, 40)(44, 49, 54, 60) m

Sample shown in Madelinetosh Tosh Vintage:

MC (Toner Cartridge), CC1 (Antler), CC2 (Copper Pink)

*Each skein should have at least 200 yd (180 m).

● Circular needles, in two sizes:

- Size A (or gauge size): US #7 (4.5 mm)
- Size B: US #6 (4 mm), or one size smaller than size A

● Sets of DPN needles in the same two sizes for the sleeves, if you're not using the magic-loop method



Needles



Gauge

20 sts and 30 rounds = 4 in (10 cm) in stockinette stitch with size A needles



Tools

- Five markers (incl. one to distinguish beginning of round, and two removable)
- Crochet hook (of the same size as the size B needles)
- Drawstring measuring at least 40 in (100 cm)
- Tapestry needle
- Stitch holders or waste yarn


Vincent Deslandes © 2019-20 // Instagram: [@designsbydelz](#)

Photos and graphic design by Maxim Cyr [@maxtheknitter](#) This pattern is for private use only. This pattern may not be copied, sold or otherwise distributed. Products made systematically from this pattern may not be sold. Enjoy!

Abbreviations

BO	bind off
BOR	beginning of round
CC	contrasting colour
CO	cast on
DEC	decrease
K	knit
K2TOG	knit two stitches together
K3TOG	knit three stitches together
INC	increase
M	marker
MC	main colour
M1L	make one left-leaning stitch
M1LP	make one left-leaning stitch purlwise
M1R	make one right-leaning stitch
M1RP	make one right-leaning stitch purlwise
P	purl
PM	place marker
P2TOG	purl two stitches together
RS	right side
RND(S)	round(s)
SL	slip purlwise
SM	slip marker
SSK	slip, slip, knit
SSP	slip, slip, purl
SSSP	slip, slip, slip, purl
ST(S)	stitch(es)
WS	wrong side
WYIF	with yarn in front

Show your progress on Instagram using the hashtag **#themontrealer**.



Navigating this pattern



This is a note. Read it as it contains important information regarding the next steps.

TECHNIQUE:

The technique identified by this symbol is described in a special section at the end of the pattern.

Rep.

The instructions contained in this box will be repeated a specific number of times.

Raglan

Cast-on and setup

TECHNIQUE: Provisional cast-on

Using a provisional cast-on and size A needles, CO 96 (96, 100, 100, 104)(104, 108, 108, 108) sts.

Setup row 1: K16 (16, 17, 20, 21)(23, 23, 24, 24), pm, k16 (16, 16, 10, 10)(6, 8, 6, 6), pm, k32 (32, 34, 40, 42)(46, 46, 48, 48), pm, k16 (16, 16, 10, 10)(6, 8, 6, 6), pm, k16 (16, 17, 20, 21)(23, 23, 24, 24).

Setup round 2: Join to work in the round, being careful not to twist your stitches. Place a marker to indicate BOR. (This is centre back)

Sizes 1 to 6

Knit one round.

Size 7

K3, [m1r, k5] 4 times, sm, k to marker, sm, k6 [m1r, k5] 8 times, sm, k to marker, sm, k3, [m1r, k5] 4 times. (16 inc)

Size 8

[K4, m1r] 6 times, sm, k to marker, sm, [k4, m1r] 12 times, sm, k to marker, sm, [k4, m1r] 6 times. (24 inc)

Size 9

[K3, m1r] 8 times, sm, k to marker, sm, [k3, m1r] 16 times, sm, k to marker, sm, [k3, m1r] 8 times. (32 inc)

All sizes

Setup round 3: Knit one round.

You should have 96 (96, 100, 100, 104)(104, 124, 132, 140) sts on your needles

Back shaping

TECHNIQUE: German short rows

Row 1 (RS): [K to 1 st before m, m1r, k1, sm, k1, m1] twice, k8, turn the work. (4 inc)

Row 2 (WS): Make a doubled stitch, [p to m, sm] five times, p8, turn the work.

Row 3: Make a doubled stitch, [k to 1 st before m, m1r, k1, sm, k1, m1] twice, k to BOR marker, sm, [k to 1 st before m, m1r, k1, sm, k1, m1] twice, k to 2 sts before the doubled stitch, turn the work. (8 inc)

Row 4: Make a doubled stitch, p to 2 sts before the doubled stitch, slipping markers as you go, turn the work.

Row 5: Repeat row 3. (8 inc)

Row 6: Repeat row 4.

Row 7: Make a doubled stitch, [k to 1 st before m, m1r, k1, sm, k1, m1] twice, k to end of round. (4 inc)

You should have 120 (120, 124, 124, 128)(128, 148, 156, 164) sts on your needles, divided like so: 38 (38, 40, 46, 48)(52, 60, 66, 70) sts for each front and back, and 22 (22, 22, 16, 16)(12, 14, 12, 12) sts for each sleeve.

Raglan shaping



All sizes: In this section, you will be starting the stripe pattern while working the raglan increases. Make sure to read the notes for your size to know when to join your first contrasting colour. The stripe pattern is as follows: 4 rounds of contrasting colour and 8 rounds of main colour. To ensure the colour change is completely invisible, you will be moving the BOR behind the right shoulder. For round-by-round instructions on doing jogless stripes during raglan increases, please refer to the **Techniques** section.

Rep. R1

Increase rnd: [K to 1 st before m, m1r, k1, sm, k1, m1] four times. K to end of rnd. (8 inc.)

Next rnd: K to end of rnd.

Work **repetition R1** a total of 13 (14, 13, 23, 23)(29, 30, 33, 30) times. On the first increase rnd, work the doubled stitches as a single stitch.



Sizes 1, 4, 6, 7 & 8: To reproduce the stripes exactly as shown on the sample, join CC1 on the last round of the 13th (–, –, 23rd, –)(29th, 30th, 32nd, –) repetition R1.

Rep. R2

Full increase rnd: [K to 1 st before m, m1r, k1, sm, k1, m1] four times, k to end of rnd. (8 inc.)

Next rnd: K to end of rnd.

Body increase rnd: [K to 1 st before m, m1r, k1, sm, k to m, sm, k1, m1] twice, k to end of rnd. (4 inc.)

Next rnd: K to end of rnd.

Work **repetition R2** a total of 3 (5, 7, 3, 5)(3, 3, 2, 5) times.



Sizes 2, 3, 5 & 9: To reproduce the stripes exactly as shown on the sample, join CC1 on the last round of the – (2nd, 4th, –, 2nd)(–, –, –, 2nd) repetition R2.

You should have 260 (292, 312, 344, 372)(396, 424, 444, 464) sts on your needles, divided like so: 76 (86, 94, 104, 114)(122, 132, 140, 150) sts for each front and back, and 54 (60, 62, 68, 72)(76, 80, 82, 82) sts for each sleeve.

Knit 4 rnds even.



All sizes: Before separating the body and the sleeves, measure the raglan length (one of the diagonal lines formed by the stitches between the increases) in front of the work. The raglan should measure 8 (9, 10½, 11, 12)(13, 13½, 14, 15) in or 20 (22.5, 26.25, 27.5, 30)(32.5, 33.75, 35, 37.5) cm. Knit even rounds up to measurement, if needed, and ensure the fit is adequate on you or the person to whom The Montrealer is intended.

Separation of body and sleeves

Remove BOR marker. K to first marker. Remove marker.

Sl the next 54 (60, 62, 68, 72)(76, 80, 82, 82) sts onto a stitch holder or scrap yarn. Remove marker.

TECHNIQUE: Cable cast-on

Using the cable cast-on method, CO 2 (2, 3, 3, 3)(4, 4, 5, 5) sts. Place BOR marker. Using the cable cast-on method, 2 (2, 3, 3, 3)(4, 4, 5, 5) sts. K to next marker. Remove marker.

Sl the next 54 (60, 62, 68, 72)(76, 80, 82, 82) sts onto a stitch holder or scrap yarn. Remove marker.

Using the cable cast-on method, 4 (4, 6, 6, 6)(8, 8, 10, 10). K to end of round.

You should have 160 (180, 200, 220, 240)(260, 280, 300, 320) sts on your needles.

Knit 30 (36, 42, 50, 56)(62, 62, 62, 62) rounds (while continuing the stripe pattern).

K22 (25, 28, 31, 34)(37, 40, 43, 46), place first removable marker around the last stitch you knitted, k37 (41, 45, 49, 53)(57, 61, 65, 69), place second removable marker around the last stitch you knitted, k to end of round.

Work 52 rounds even (continuing the stripe pattern). At this point, the body should measure at least 12½ (13½, 14½, 15½, 16½)(17½, 17½, 17½, 17½) in or 31.5 (34, 36.5, 39, 41.5)(44, 44, 44, 44) cm from the underarm to your needles. Work even rounds to measurement, if needed, or 2½ in (6 cm) shorter than desired length. Break CC1. Place body stitches on hold.



All sizes: Keep MC attached to body, as you will be using it to do the ribbing at the bottom of the sweater. You will need a different ball or skein of MC to knit the pocket.

Pocket



All sizes: If you worked more than 52 rounds after placing the pocket markers, lower the markers the appropriate number of rounds to position them 52 rounds above where you stopped the body (i.e., before the ribbing). For example, if you knitted 62 rounds after placing the pocket markers, lower them 10 rounds. Alternatively, you can knit extra even rows at the end of the pocket (making the pocket deeper).

TECHNIQUE: Picking up stitches through the fabric

Starting at the first pocket marker and using a crochet hook, pick up 36 (40, 44, 48, 52)(56, 60, 64, 68) sts, through the fabric, between the two pocket markers (one picked-up stitch per knitted stitch).

Place the picked-up stitches of size A needles. Purl one row. Remove the markers.

Rep. P1

K1, m1r, k to last st, m1l, k1. (2 inc)
Work 2 rows in stockinette stitch.

Rep. P2

P1, m1lp, p to last st, m1rp, p1. (2 inc)
Work 2 rows in stockinette stitch.

Work **repetitions P1** and **P2** a total of 6 times.

Work **repetition P1** one more time.



TECHNIQUE: Cable cast-on

Next row (WS): Using the cable cast-on method, CO 6 sts. P to end of row.

Next row (RS): Using the cable cast-on method, CO 6 sts. K to end of row.

Work 9 more rows even in stockinette stitch.

You should have 74 (78, 82, 86, 90)(94, 98, 102, 106) sts for the pocket.

Break MC and CC1. Transfer the pocket sts on size B needles.

Closing the pocket and finishing the body

Place the held sts for the body on size A needles. K3 (6, 9, 12, 15)(18, 21, 24, 27) sts, k the next 74 (78, 82, 86, 90)(94, 98, 102, 106) sts together with one pocket st. K to end of round.

TECHNIQUE: Sewn bind-off

Switch to size B needles. Work in [k1, p1] ribbing for 2½ in (6 cm). BO all sts with a sewn bind-off.

Pocket trims

With size B needles and MC, pick up and knit 36 sts (or about 3 sts for every 4 rows) along the **left** slanted edge of the pocket, from **top to bottom**.

Rep. P3

P2tog, p to end of row. (1 dec)

Work 3 rows in stockinette stitch.

Work **repetition P3** a total of 3 times.

You should have 33 sts on your needles.

BO all sts. Break the yarn, leaving a tail about three times longer than the pocket trim.

With size B needles and MC, pick up and knit 36 sts (or about 3 sts for every 4 rows) along the **right** slanted edge of the pocket, from **bottom to top**.

Rep. P4

P to 2 sts before end of row, p2tog (1 dec)

Work 3 rows in stockinette stitch.

Work **repetition P4** a total of 3 times.

You should have 33 sts on your needles.

BO all sts. Break the yarn, leaving a tail about three times longer than the pocket trim.

Finishing the pocket

TECHNIQUE: Mattress stitch

Fold one pocket trim in two. Thread a tapestry needle with the yarn tail. Sew the bound-off edge to the inside of the pocket using the mattress stitch. Secure the sides of the trim as well as the bottom corner of the pocket using the same technique.

Repeat for the other trim.

Sleeves

Place the 54 (60, 62, 68, 72)(76, 80, 82, 82) held sts for one sleeve on size A needles.

Pick up and knit 3 (3, 4, 4, 4)(5, 5, 6, 6) sts from the body at the underarm, place BOR marker, pick up and knit 3 (3, 4, 4, 4)(5, 5, 6, 6) sts.

You should have 60 (66, 70, 76, 80)(86, 90, 94, 94) sts on your needles.

Knit in the round for 4 (4, 4, 3, 3)(3, 2, 2, 2) in or 10 (10, 10, 7.5, 7.5)(7.5, 5, 5, 5) cm.

Rep. S1

Decrease round: K2, ssk, k to 3 sts before marker, k2tog, k1. (2 dec)
Knit 5 rounds.

Work **repetition S1** a total of 10 (11, 11, 12, 14)(14, 16, 16, 16) times.

You should have 40 (44, 48, 52, 52)(58, 58, 62, 62) sts on your needles.

Knit in the round until sleeve measures 13½ (14½, 15½, 16½, 16½)(16½, 17½, 17½, 17½) in or 34 (36.5, 39, 41.5, 41.5)(41.5, 44, 44, 44) cm from the underarm, or 2½ in (6 cm) shorter than the desired length.

TECHNIQUE: Sewn bind-off

Switch to size B needles. Work in [k1, p1] ribbing for 2½ in (6 cm). Bind off loosely in pattern or with a sewn bind-off.

Work the other sleeve the same way.

Hood

Right pane, setup

Turn the work so the back of the sweater is facing you. Starting from the initial BOR (where you first joined to work in the round) and going right, place 48 (48, 50, 50, 52)(52, 54, 54, 54) held sts on size A needles. Leave the remaining sts on hold.

Setup row: Purl, from back to front, to end of row, decreasing 0 (0, 2, 2, 4)(4, 6, 6, 6) sts evenly along the way, every – (–, 16, 16, 10)(10, 7, 7, 7) sts. Turn the work.

TECHNIQUE: German short rows

Short rows

Row 1 (RS): BO 7 sts, k20, turn the work.

You should have 20 stitches on your right needle and 21 stitches on your left needle.

Row 2 (WS): Make a doubled stitch, p to end of row.

Row 3: K to 3 sts before the doubled stitch, turn the work.

Row 4: Repeat row 2.

Row 5: Repeat row 3.

Row 6: Repeat row 2 one more time.

Shaping

Rep. H1

K to 2 sts before end of row, m1r, k2. (1 inc)

Work 7 rows in stockinette stitch.

Work **repetition H1** a total of 6 times. On the first row of the first repetition, work the doubled stitches as a single stitch.

You should have 47 sts on your needles.

Work 8 rows in stockinette stitch.



All sizes: At this point, the hood should be about 8½ inches (21 cm) long, measured in the back. Work even rows to measurement, if needed, or add extra rows if you want a deeper hood.

Rep. H2

K to 4 sts before end of row, ssk, k2.
(1 dec)

Work 5 rows in stockinette stitch.

Work **repetition H2** a total of 3 times.

You should have 44 sts on your needles.

Rep. H3

K to 4 sts before end of row, ssk, k2.
(1 dec)

Work 2 rows in stockinette stitch.

P2, ssp, p to end of row. (1 dec)

Work 2 rows in stockinette stitch.

Work **repetition H3** twice.

You should have 40 sts on your needles.

Rep. H4

K to 4 sts before end of row, ssk, k2.
(1 dec)

Ssp, p to end of row. (1 dec)

Work **repetition H4** twice.

You should have 36 sts on your needles.

K to 4 sts before end of row, ssk, k2. (1 dec)

Sssp, purl to end of row. (2 dec.)

You should have 33 sts on your needles.

Break the yarn. Put the remaining sts on hold on a stitch holder or scrap yarn.

Left pane, setup

Place the remaining 48 (48, 50, 50, 52)(52, 54, 54) held sts on size A needles.

Setup row: K, from the back of the sweater to the front, to end of row, decreasing 0 (0, 2, 2, 4, 4) sts evenly along the way, every – (–, 16, 16, 10)(10, 7, 7) sts. Turn the work.

Short rows

TECHNIQUE: German short rows

Row 1 (WS): BO 7 sts, p20, turn the work.

You should have 20 sts on the right needle and 21 sts on the left needle.

Row 2 (RS): Make a doubled st, k to end of row. Turn the work.

Row 3: P to 3 sts before the doubled st, turn the work.

Row 4: Repeat row 2.

Row 5: Repeat row 3.

Row 6: Repeat row 2 one more time.

Shaping

Rep. H5

P to 2 sts before end of row, m1lp, p2.

(1 inc)

Work 7 rows even, in stockinette stitch.

Work **repetition H5** a total of 6 times. On the first row of the first repetition, you will need to work the doubled stitches as a single stitch.

You should have 47 sts on your needles.

Work 8 rows in stockinette stitch.



All sizes: Work the same number of rows you added to the right pane, if needed

Rep. H6

P to 4 sts before end of row, p2tog, p2.

(1 dec.)

Work 5 rows even, in stockinette stitch.

Work **repetition H6** a total of 3 times.

You should have 44 sts on your needles.

Rep. H7

P to 4 sts before end of row, p2tog, p2.

(1 dec.)

Work 2 rows even, in stockinette stitch.

K2, k2tog, k to end of row. (1 dec)

Work 2 rows even, in stockinette stitch.

Work **repetition H7** twice.

You should have 40 sts on your needles.

Rep. H8

P to 4 sts before end of row, p2tog, p2.

(1 dec.)

K2tog, k to end of row. (1 dec)

Work **repetition H8** twice.

You should have 36 sts on your needles.

P to 4 sts before end of row, p2tog, p2. (1 dec)

K3tog, k to end of row. (2 dec)

You should have 33 sts on your needles.



Seaming

TECHNIQUE: Three-needle bind-off

Turn your work inside out so that the wrong sides of your hood panes are facing out. Put the stitches on hold back on your empty needle. Holding both needles parallel, do a three-needle bind-off. You can use size B needles as a third needle to bind off.

TECHNIQUE: Edge-to-edge seam

Break the yarn, leaving a tail about three times longer than the hood height. Lay the hood panes side-by-side, wrong sides facing up. Thread a tapestry needle with the yarn tail. Seam both panes together with an edge-to-edge seam, carefully aligning your decreases and increases.



Drawstring band

With size B needles, starting at the bottom of the right pane, pick up and knit 142 sts (or about 3 sts for every 4 rows) along the edge of the hood.

Starting with a purl row, work 3 rows even, in stockinette stitch.

K4, work a **drawstring hole** (see below), k to the last 8 sts, work a **drawstring hole**, k4.

Hole

Sl1 wyif, take the yarn back between the needles, [sl1, pass the 2nd st on the right needle over the 1st as if to bind off], four times.

Slip the 1st stitch on the right needle back to the left needle. Turn the work.

(WS) Take the yarn back between the needles. Using the cable cast-on method, CO 5 sts. Turn the work.

(RS) Sl1, pass the 2nd stitch on the right needle over the 1st as if to bind off. Slip the 1st stitch on the right needle back to the left needle.

Work 9 rows in stockinette stitch.

Bind off. Break the yarn, leaving a 60-inch (150 cm) tail.

Insert the drawstring into the drawstring holes.

TECHNIQUE: Mattress stitch

Thread a tapestry needle with the yarn tail. Seam the bound-off edge of the drawstring band to the inside of the hood with the mattress stitch, making sure to encase the drawstring.

Finishing touches

Weave in the ends.

Block to measurements.

TECHNIQUES:


Cable cast-on

- Step 1:** Insert the right needle between the first two stitches on the left needle.
- Step 2:** Wrap yarn as if to knit. Draw yarn through the stitches on the left needle to form a new stitch.
- Step 3:** Rotate the new stitch and slip it on the left needle.
- Step 4:** Repeat steps 1 to 3 until you have cast on the required number of stitches.

Video instructions: https://www.youtube.com/watch?v=M0EX-1pMY_0

Choosing the right size

	1	2	3	4	5	6	7	8	9
A Chest/bust circumference	32	36	40	44	48	52	56	60	64
in	80	90	100	110	120	130	140	150	160
B Raglan depth	8	9	10½	11	12	13	13½	14	15
in	20	22.5	26.25	27.5	30	32.5	33.75	35	37.5
C Hem to underarm	15	16	17	18	19	20	20	20	20
in	37.5	40	42.5	45	47.5	50	50	50	50
D Sleeve circ. at underarm	13	14	15	16	17	17	18	18½	18½
in	32.5	35	37.5	40	42.5	42.5	45	46.25	46.25
E Sleeve length	16	17	18	19	19	19	20	20	20
in	40	42.5	45	47.5	47.5	47.5	50	50	50
F Hood height	15	15	15	15	15	15	15	15	15
in	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5
cm									



- Step 1:** Measure your upper (or high) bust. Wrap the tape measure under your arms, pulling it as close as you can to your armpits. Pull the tape measure snugly, then read the measurement.
- Step 2:** Determine how much ease you want. The Montrealer is designed to fit with two to four inches of positive ease around the bust. Take your upper bust measurement and add (or subtract) the determined ease. For example, if your upper bust measures 37 inches and you want 2 inches of positive ease, then your finished garment needs to measure 39 inches.
- Step 3:** Find your size according to the pattern. Take the number at which you arrived in step 2, and look for the closest size. For example, for the Montrealer, if you arrived at 39 inches in the previous step, the closest size would be size 3, at 40 inches around the bust.
- Step 4:** Plan adjustments, if needed. Because the size is chosen based on the upper bust, and because The Montrealer is what is known as a boxy sweater (same width around the bust and around the waist), you might want to do some waist or hip shaping. Please note, however, that the pattern contains no instructions for such adjustments.



Edge-to-edge seam

Scroll to the bottom of the page to find instructions on how to do an edge-to-edge seam. You could also use an overcast seam. The seam is meant to be visible.

Written instructions: https://www.vogueknitting.com/pattern_help/how-to/beyond_the_basics/seaming

German short rows (making a doubled stitch)

Step 1: Knit or purl to the stitch specified in the pattern. Turn the work as instructed in the pattern.

Step 2: Bring your yarn to the front and slip one stitch purlwise.

Step 3: To make a doubled stitch, pull the yarn over the top of the right needle, towards the back of the work, to distort the stitch. It will look as if there are 2 stitches instead of 1, because the two legs of the stitch below will come up on the needle.

Step 4: If you are on the wrong side

Keeping some tension on the yarn to keep the stitch distorted, bring the yarn to the front between the needles to begin purling.

If you are on the right side

Keeping some tension on the yarn to keep the stitch distorted, begin knitting.

Step 5: Repeat steps 1 to 4 until you have made the required number of doubled stitches.

Step 6 When you need to work the doubled stitches, knit or purl them as a single stitch (like a k2tog or a p2tog).

Video instructions: <https://www.youtube.com/watch?v=3GM4guKpUJs>

Jogless stripes during raglan increases

MC

On the last increase round of MC before your first stripe, knit to BOR marker, remove marker, k to 3 sts before the first raglan marker, place BOR marker. This will be your new temporary BOR.

CC1

Round 1 Join CC1. Knit round in pattern. (This should be an even round.)

Round 2 Slip first st (to eliminate the jog to create jogless stripes), then knit to end of round in pattern. (This should be an increase round.)

Round 3 Knit round in pattern. (This should be an even round.)

Round 4 Knit final round with CC1 in pattern. (This should be an increase round.) When you get to BOR marker, remove marker, knit to 3 sts before the first raglan marker, then place BOR marker.

MC

Round 1 With MC, knit one round in pattern. (This should be an even round.)

Round 2 Slip first st (to eliminate the jog to create jogless stripes), then knit to end of round in pattern. (This should be an increase round.)

Round 3 Knit round in pattern. (This should be an even round.)

Round 4 Knit round in pattern. (This should be an increase round.)

Round 5 Knit round in pattern. (This should be an even round.)

Round 6 Knit round in pattern. (This should be an increase round.)

Round 7 Knit round in pattern. (This should be an even round.)

Round 8 Knit final round with MC in pattern. (This should be an increase round.) When you get to BOR marker, remove marker, knit to 3 sts before the first raglan marker, then place BOR marker.

CC2

Round 1 Join CC2. Knit round in pattern. (This should be an even round.)

Round 2 Slip first st (to eliminate the jog), then knit to end of round in pattern. (This should be an even round.)

Round 3 Knit round in pattern. (This should be an even round.)

Round 4 Knit final round with CC1 in pattern. (This should be an even round.)

MC

Round 1 With MC, knit one round in pattern. (This should be the last even round.)

Round 2 Slip first st (to eliminate the jog to create jogless stripes), then work the round according to the pattern. (This should be the separation round.)



Mattress stitch


Video instructions: <https://www.youtube.com/watch?v=46IUyefCkXA>

Picking up stitches through the fabric

Step 1: Figure out which colour to use to pick up the pocket stitches. You need to use the colour of the round below the one where you placed your pocket markers. For example, if you placed your pocket markers on the last round of MC, use CC1 to pick up the pocket stitches.



Using the colour identified in step 1, thread the yarn tail between the last stitch of the pocket and the following stitch (the one around which your second removable marker is). The yarn should be going through the fabric between the two "V's", where indicated by a red dot. The yarn tail needs to be under your fabric (inside the sweater) whereas your working yarn (your ball of yarn) needs to be on top of your work. Under the fabric, pull the yarn tail to where the first removable marker is.



With the crochet hook, go down through the center of the first pocket stitch (between the two legs of the "V") where indicated by a red dot. With the crochet hook, grab the yarn from underneath the fabric and pull it through. Keep that stitch on the crochet hook. Pick your crochet hook through the center of the next stitch (the second red dot), grab the yarn from underneath the fabric with the crochet hook and pull it through. Repeat this until you have picked up the correct numbers of stitches for the size you are knitting. (If you have too many stitches on your crochet hook, you can transfer them to the needles you will use to knit the pocket.)

Step 4: Once you have picked up the correct number of stitches, you can remove the markers and continue with the pattern.

Video instructions: <https://www.youtube.com/watch?v=7ZDgIpAVfTA>



Provisional cast-on

There are numerous techniques to do a provisional cast-on. Please find below links to videos explaining two methods that I tested and recommend. The provisional cast-on with a crochet chain is easier to achieve but takes longer to make. The method with waste yarn is faster, but more difficult.

Provisional cast-on with a crochet chain: <https://www.youtube.com/watch?v=3OGG0AiJ3XE>

Provisional cast-on with waste yarn: <https://www.youtube.com/watch?v=ihtbcLNGFBw>

Sewn bind-off

Thread the tail of your yarn through a tapestry needle.

Step 1: Insert the tapestry needle purlwise through the first two stitches and pull the yarn through, keeping both stitches on the needle.

Step 2: Insert the tapestry needle knitwise through the first stitch, pull the yarn through and slip this stitch off the needle.

Step 3: Repeat steps 1 and 2 until you have only one stitch left on your needles.

Step 4: Insert the tapestry needle purlwise through the stitch, pull the yarn through and slip this stitch off the needle.

Video instructions: <https://www.youtube.com/watch?v=lbN-01lxpg>

Three-needle bind-off

Step 1: Place the stitches to bind off on two needles, and hold those needles parallel, with the wrong sides of the knitting facing out.

Step 2: Insert a third needle in the first stitch on each of the other two needles and knit them together as one stitch.

Step 3: Knit the next stitch on each needle the same way.

Step 4: Pass the second stitch on the third needle over the first stitch to bind it off.

Step 5: Repeat steps 3 and 4 until one stitch remains on the third needle. Break the yarn and pull the tail through the last stitch.

Video instructions: <https://www.youtube.com/watch?v=Ph93jWSzTa0>

Vincent Deslandes © 2019-20 // Instagram: [@designsbydelz](https://www.instagram.com/designsbydelz)

Photos and graphic design by Maxim Cyr [@maxtheknitter](https://www.instagram.com/maxtheknitter) This pattern is for private use only. This pattern may not be copied, sold or otherwise distributed. Products made systematically from this pattern may not be sold. Enjoy!