




DK379

Roslyn

Graceful Cable Cardigan



Designed by
Cheryl Beckerich



Roslyn

Graceful Cable Cardigan

Designed by Cheryl Beckerich

Skill Level:

Intermediate

Sizes:

XS (S, M, L, XL, XXL)

Finished Measurements:

Bust: 33" (36, 39, 42, 45, 48)"

Length: 25" (25.5, 26, 27, 27, 28)"

Materials:

Cascade Yarns® Roslyn
 65% Wool / 35% Silk
 100 g (3.5 oz) /382 yds (350 m)
 3 (4, 4, 4, 5, 5) skeins Color #13 (Olive)
 US 7 (4.5mm)/29" Circular Knitting Needle,
 or size needed to obtain gauge
 Cable needle
 Stitch markers
 6 Stitch holders
 Tapestry needle
 (6 or 7) 1" buttons

Gauge:

18.75 sts x 25.75 rows = 4" in Reverse Stockinette stitch

Abbreviations:

BO	= Bind Off
CO	= Cast On
CN	= Cable needle
C4B	= Slip 2 sts to CN and hold in back. K2, K2 from CN
C4F	= Slip 2 sts to CN and hold in front. K2, K2 from CN.
C3BP	= Slip 1 st to CN and hold in back. K2, P1 from CN.
C3FP	= Slip 2 sts to CN and hold in front. P1, K2 from CN.
C4BP	= Slip 2 sts to CN and hold in back. K2, P2 from CN.
C4FP	= Slip 2 sts to CN and hold in front. P2, K2 from CN.
K	= Knit
K2tog	= Knit 2 together
K3tog	= Knit 3 together.
KFB	= Increase 1 by knitting into the front and the back of the st.
M	= Marker
P	= Purl
P2tog	= Purl 2 together
P3tog	= Purl 3 together
PFB	= Increase 1 by purling into the front and the back of the st.

PM	= Place marker
RS	= Right side
SM	= Slip marker
St(s)	= Stitch(es)
WS	= Wrong Side

Stitch Patterns:

4 St Cable, worked over 6 rows:

Rows 1, 3, & 5 (WS): P4.

Row 2: C4F.

Rows 4 & 6: K4.

8 St Cable, worked over 10 rows:

Rows 1 & 3 (WS): K2, P4, K2.

Row 2: P2, C4B, P2.

Row 4: C4BP, C4FP.

Rows 5, 7, & 9: P2, K4, P2.

Rows 6 & 8: K2, P4, K2.

Row 10: C4FP, C4BP.

40 St Cable, worked over 20 rows:

Rows 1 & 3 (WS): K2, [P4, K4] 4 times, P4, K2.

Row 2: P2, [C4B, P4] 4 times, C4B, P2.

Row 4: P1, C3BP, [C4FP, C4BP] 4 times, C3FP, P1.

Row 5: K1, P2, K3, [P4, K4] 3 times, P4, K3, P2, K1.

Row 6: C3BP, P3, [C4F, P4] 3 times, C4F, P3, C3FP.

Row 7: P2, [K4, P4] 4 times, K4, P2.

Row 8: K2, P3, [C3BP, C3FP, P2] 4 times, P1, K2.

Row 9: P2, K3, [P2, K2] 8 times, K1, P2.

Row 10: K2, P3, K2, [P2, C3FP, C3BP] 3 times, P2, K2, P3, K2.

Rows 11 & 13: [P2, K3] twice, [P4, K4] twice, P4, [K3, P2] twice.

Row 12: [K2, P3] twice, [C4B, P4] twice, C4B. [P3, K2] twice.

Row 14: K2, P3, K2, [P2, C3BP, C3FP] 3 times, P2, K2, P3, K2.

Row 15: P2, K3, [P2, K2] 8 times, K1, P2.

Row 16: K2, P3, [C3FP, C3BP, P2] 4 times, P1, K2.

Row 17: P2, [K4, P4] 4 times, K4, P2.

Row 18: C3FP, P3, [C4F, P4] 3 times, C4F, P3, C3BP.

Row 19: K1, P2, K3, [P4, K4] 3 times, P4, K3, P2, K1.

Row 20: P1, C3FP, [C4BP, C4FP] 4 times, C3BP, P1.

Stockinette Stitch:

St st –Knit on the RS, purl on the WS.

Reverse Stockinette Stitch:

Reverse St st –Purl on the RS, Knit on the WS.

Garter Stitch:

Knit every row.

Pattern:

Back:

CO 78 (84, 92, 98, 106, 112).

Begin with a WS row, work 7 rows in St st.

Next row K7 (10, 12, 15, 17, 18), PM, K2, KFB, PM, K4 (4, 5, 5, 6, 7), PM, [K2, KFB] twice, PM, K4 (4, 5, 5, 6, 7), PM, [K2, KFB] 10 times, PM, K4 (4, 5, 5, 6, 7), PM, [K2, KFB] twice, PM, K4 (4, 5, 5, 6, 7), PM, K2, KFB, PM, K7 (10, 12, 15, 17, 18). - 94 (100, 108, 114, 122, 128) sts

Begin Cables:

Begin on row 1 (WS) of charts or cable st patterns as follows:

Work 7 (10, 12, 15, 17, 18) sts in Reverse St st, row 1 of 4 st cable, 4 (4, 5, 5, 6, 7) sts in Reverse St st, row 1 of 8 st cable, 4 (4, 5, 5, 6, 7) sts in Reverse St st, row 1 of 40 st cable, 4 (4, 5, 5, 6, 7) sts in Reverse St st, row 1 of 8 st cable, 4 (4, 5, 5, 6, 7) sts in Reverse St st, row 1 of 4 st cable, Reverse St st 7 (10, 12, 15, 17, 18).

Continue working in Reverse St st and cable patterns until sweater measures 17" (17, 17.25, 17.75, 17.5, 18)" from bottom, allowing hem to roll.

Shape Armholes:

BO 6 (8, 10, 11, 13, 15) sts at beginning of the next 2 rows for armholes.

Continue working in Reverse St st and cable patterns until sweater measures 6.5" (7, 7.25, 7.75, 8, 8.5)" from armhole BO, ending on a WS row. 82 (84, 88, 92, 96, 98) sts.

Shape Neck:

Work 29 (30, 32, 34, 36, 37) sts in pattern, over the next 24 sts, decrease 6 sts *from 24 to 18 sts* maintaining pattern as much as possible, work 29 (30, 32, 34, 36, 37) sts in pattern.

Next row, work 29 (30, 32, 34, 36, 37) sts in pattern, BO 18, work 29 (30, 32, 34, 36, 37) sts in pattern.

Working each side separately in pattern, decrease 2 sts by K3tog or P3tog on each neck edge on the next 2 rows, then decrease 1 st by K2tog or P2tog on each neck edge on the next 5 (6, 6, 6, 7, 8) rows.

Decrease 3 sts from 20 (20, 22, 24, 25, 25) sts to 17 (17, 19, 21, 22, 22) sts on remaining shoulder sts maintaining pattern as much as possible. Place remaining sts on st holder to join with front later.

Left Front:

CO 46 (49, 53, 56, 60, 63) sts.

Begin with a WS row, work 7 rows in St st.

Next row, K7 (10, 14, 15, 19, 22), PM, [K2, KFB] 10 times, PM, K2 (2, 2, 4, 4, 4), PM, K7 for the button band. - 56 (59, 63, 66, 70, 73) sts.

K7 for button band, K2 (2, 2, 4, 4, 4), row 1 of 40 st cable, K7 (10, 14, 15, 19, 22).

Continue working button band in Garter st, work sts before and after 40 st cable in Reverse St st, and the 40 st cable pattern until sweater measures 17" (17, 17.25, 17.75, 17.5, 18)" from bottom, allowing hem to roll, ending on a WS row.

Shape Armhole and Neck:

On the next RS row, BO 6 (8, 10, 11, 13, 15) sts, work in pattern while beginning V-neck decreases in the section between the 40 st cable and the button band.

Decrease every 2 rows on RS rows 7 (7, 7, 5, 6, 6) times, then every 4 rows 9 (10, 10, 12, 12, 13) times.

Decreases are P2tog, but every other decreases *while above the cable section* will be a P3tog.

Maintain cable pattern as much as possible, but as the decrease begin in the cable section, work sts needed for the decreases, and any adjacent sts that are a part of the same cable branch in Reverse St st. Work even until armhole measures 8" (8.5, 8.75, 9.25, 9.5, 10)".

Decrease evenly in remaining shoulder sts, not including button band, to 17 (17, 19, 21, 22, 22) sts.

Place the shoulder sts on a holder, but continue to work the button band, which now becomes the neck band, in Garter st, increase 1 st on the edge adjacent to the shoulder sts.

Work until neck band is 3.25" (3.5, 3.5, 3.5, 3.75, 4)" from shoulder.

Place the neck band sts on a holder to join to Right Front neck band sts later.

Buttons:

Mark the locations of 6-7 buttons on Left Front, noting where the first button is place and the distance between subsequent buttons. This information will be used to place the buttonholes on the Right Front.

Right Front:

CO 46 (49, 53, 56, 60, 63) sts.

Begin with a WS row, work 7 rows in St st.

Next row, K7 for the button band, PM, K2 (2, 2, 4, 4, 4), PM, [K2, KFB] 10 times, PM, K7 (10, 14, 15, 19, 22). - 56 (59, 63, 66, 70, 73) sts.

K7 (10, 14, 15, 19, 22), row 1 of 40 st cable, K2 (2, 2, 4, 4, 4), K7 for button band.

Continue working button band in Garter st, sts before and after 40 st cable in Reverse St st, and the 40 st cable pattern.

Place the button holes in desired locations, by BO 2 in the center of button band then CO 2 in the next row above the BO sts.

Work in this manner until sweater measures 17" (17, 17.25, 17.75, 17.5, 18)" from bottom, allowing hem to roll, ending on a RS row.

Shape Armhole and Neck:

On the next WS row, BO 6 (8, 10, 11, 13, 15) sts, work in pattern while beginning V-neck decreases in the section between the 40 st cable and the button band.

Decrease every 2 rows on RS rows 7 (7, 7, 5, 6, 6) times, then every 4 rows 9 (10, 10, 12, 12, 13) times.

Decreases are P2tog, but every other decreases *while above the cable section* will be a P3tog.

Maintain cable pattern as much as possible, but as the decrease begin in the cable section, work sts needed for the decreases, and any adjacent sts that are a part of the same cable branch in Reverse St st. Work even until armhole measures 8" (8.5, 8.75, 9.25, 9.5, 10)".

Decrease evenly in remaining shoulder sts, not including button band, to 17 (17, 19, 21, 22, 22) sts.

Place the shoulder sts on a holder, but continue to work the button band, which now becomes the neck band, in Garter st, increase 1 st on the edge adjacent to the shoulder sts.

Work until neck band is 3.25" (3.5, 3.5, 3.5, 3.75, 4)" from shoulder.

Place the neck band sts on a holder to join to Left Front neck band sts later.

Sleeves (make 2):

CO 38 (38, 38, 42, 42, 42) sts.

Begin with a WS row, work 7 rows in St st.

K11 (11, 11, 13, 13, 13), PM, K2, KFB, PM, K2, PM, [K2, KFB] twice, K2, PM, K2, KFB, PM, K11 (11, 11, 13, 13, 13). - 42 (42, 42, 46, 46, 46) sts.

Begin with a WS row, work 7 rows in St st.

K11 (11, 11, 13, 13, 13), PM, K2, KFB, PM, K2, PM, [K2, KFB] twice, PM, K2, KFB, PM, K11 (11, 11, 13, 13, 13). - 42 (42, 42, 46, 46, 46) sts.

Next row (WS), K11 (11, 11, 13, 13, 13), row 1 of 4 st cable, K2, row 1 of 8 st cable, K2, row 1 of 4 st cable, K11 (11, 11, 13, 13, 13).

Continue working in Reverse St st and cable patterns, *at the same time* increase 1 st before the first 4 st cable and 1 st after the second 4 st cable by PFB, every 4 rows 0 (8, 11, 10, 13, 21) times then every 6 rows 18 (13, 11, 12, 10, 5) times. 78 (84, 86, 90, 92, 98)

Work even until sleeve measures 18.25" (19, 19.5, 20, 20.5, 21.5)" from bottom, letting the hem roll.

Finishing:


Join the shoulders and neck band using a 3 needle BO.

Sew the sleeves into the armholes, then sew the sleeve seams and side seams.


Sew neck band to back, then sew on buttons. Work in any loose ends.

Dampen with cool water then lay flat to specified dimension to dry.


Schematic:




Graceful 4 Stitch Cable Chart






Graceful 8 Stitch Cable Chart



Graceful 40 Stitch Cable Chart



Graceful Cable Charts Key

-  Knit on the RS, purl on the WS.
-  Purl on the RS, knit on the WS.
-  C4b - Slip 2 sts to CN and hold in back. K2, k2 from CN.
-  C4f - Slip 2 sts to CN and hold in front. K2, k2 from CN.
-  C3bp - Slip 1 st to CN and hold in back. K2, p1 from CN.
-  C3fp - Slip 2 sts to CN and hold in front. P1, k2 from CN.
-  C4bp - Slip 2 sts to CN and hold in back. K2, p2 from CN.
-  C4fp - Slip 2 sts to CN and hold in front. P2, k2 from CN.