



CONTAINS 2 PATTERNS
2
CONTAINS 2 PATTERNS

Sara & Chloe

PBN0000-05352 Diploma Gold DK

Free Knitting Pattern

Copyright © MEZ Crafts UK Ltd., 2018.





Sara

by Patons

SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127 cm
32-34	36-38	40-42	44-46	48-50 in

Actual bust measurement of garment

80	91	101	111	121 cm
31½	36	40	43½	47½ in

YARN

Patons Diploma Gold DK

9 10 11 12 13 50 gram balls

(photographed in Lilac Pink 06308)

NEEDLES & ACCESSORIES

1 pair 3¼mm (no 10) (US 3) needles

1 pair 4mm (no 8) (US 6) needles

Cable needle

Stitch holders

TENSION

28 sts and 30 rows to 10 cm measured over rib patt (when slightly stretched) and 4mm (US 6) needles

SPECIAL ABBREVIATIONS

Cr2L = slip next st onto cable needle and leave at front of work, P1, then K1 from cable needle; **Cr2R** = slip next st onto cable needle and leave at back of work, K1, then P1 from cable needle; **Tw2L** = K into back of 2nd st on left needle, then K into front of first st and slip both sts off needle together.

BACK

Using 4mm (US 6) needles, cast on 106 [122: 136: 150: 164] sts.

Beg rib patt.

Row 1 (RS): KO [0: 0: 2: 1], P2 [2: 1: 2: 2], (K2, P2) to last 0 [0: 3: 2: 1] sts, KO [0: 2: 2: 1], PO [0: 1: 0: 0].

Row 2: P0 [0: 0: 2: 1], K2 [2: 1: 2: 2], (P2, K2) to last 0 [0: 3: 2: 1] sts, P0 [0: 2: 2: 1], KO [0: 1: 0: 0].

These 2 rows form rib patt.

Cont in rib patt for a further 10 rows, ending with RS facing for next row.

Beg cable twist border.

Row 1 (RS): K1 [1: 0: 1: 0], (Cr2L) 0 [0: 0: 1: 1] time, (Cr2R, Cr2L) to last 1 [1: 0: 3: 2] sts, (Cr2R) 0 [0: 0: 1: 1] time, K1 [1: 0: 1: 0].

Row 2: KO [0: 0: 2: 1], P2 [2: 1: 2: 2], (K2, P2) to last 0 [0: 3: 2: 1] sts, KO [0: 2: 2: 1], PO [0: 1: 0: 0].

Row 3: K2 [2: 1: 0: 0], P2 [2: 2: 2: 1], (Tw2L, P2) to last 2 [2: 1: 0: 3] sts, (Tw2L) 0 [0: 0: 0: 1] time, P0 [0: 0: 0: 1], K2 [2: 1: 0: 0].

Row 4: As row 2.

Row 5: K1 [1: 0: 1: 0], (Cr2R) 0 [0: 0: 1: 1] time, (Cr2L, Cr2R) to last 1 [1: 0: 3: 2] sts, (Cr2L) 0 [0: 0: 1: 1] time, K1 [1: 0: 1: 0].

Row 6: K2 [2: 1: 0: 0], P2 [2: 2: 2: 1], (K2, P2) to last 2 [2: 1: 0: 3] sts, K2 [2: 1: 0: 2], P0 [0: 0: 0: 1].

These 6 rows complete cable twist border.

Cont in **rib patt** as set by last row of cable twist border for 2 [4: 4: 6: 8] rows, ending with RS facing for next row. (Back should meas approx 6.5 [7.5: 7.5: 8: 8.5] cm).

Shape side seams

Keeping rib patt correct, dec 1 st at each end of next and 2 foll 12th rows. 100 [116: 130: 144: 158] sts.

Work 13 rows straight, ending with RS facing for next row.

Inc 1 st at each end of next and 5 foll 8th rows, taking inc sts into patt.

112 [128: 142: 156: 170] sts.

Work straight until Back meas 36.5 [37: 37.5: 38: 38.5] cm, ending with RS facing for next row.

Shape armholes

Keeping rib patt correct, cast off 4 [4: 7: 6: 9] sts at beg of next 2 rows.

104 [120: 128: 144: 152] sts.

Sizes 91-97 cm, 102-107 cm, 112-117 cm and 122-127 cm only

Next row (RS): K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.

Next row: K1, P2, K2, P1, P2tog, patt to last 8 sts, P2tog tbl, P1, K2, P2, K1.

Rep last 2 rows [0: 0: 1: 1] time more, ending with RS facing for next row. [116: 124: 136: 144] sts.

All sizes

Next row (RS): K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.

Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.

Rep last 2 rows 1 [4: 3: 5: 5] times more, ending with RS facing for next row.

100 [106: 116: 124: 132] sts.

Next row: K3, P2, K2, patt to last 7 sts, K2, P2, K3.

Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.

Next row: K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.

Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.

Rep last 4 rows 1 [0: 1: 1: 1] time more, ending with RS facing for next row. 96 [104: 112: 120: 128] sts.

Next row: K3, (P2, K2) to last st, K1.

Next row: K1, P2, (K2, P2) to last st, K1.

Last 2 rows set patt for remainder of Back, and incorporate the 7 sts used in the armhole shaping at each side into the rib patt as previously set.

Rep last 2 rows until armholes meas 18.5 [20: 21.5: 23: 24.5] cm, ending with RS facing for next row.

Divide for back neck

Next row (RS): Patt 26 [30: 34: 34: 38] sts and turn, leaving rem 70 [74: 78: 86: 90] sts on a holder.

Work each side of back neck separately.

Shape right back neck

Keeping patt correct, dec 1 st at right back neck edge on next 3 rows, ending with RS facing for next row. 23 [27: 31: 31: 35] sts.

Shape right shoulder

Cast off 7 [8: 9: 9: 11] sts at beg of next and foll alt row, **and at the same time**, dec 1 st at right back neck edge on next 3 rows. 6 [8: 10: 10: 10] sts.

Work 1 row straight, ending with RS facing for next row.

Cast off rem 6 [8: 10: 10: 10] sts in patt.

Shape left back neck

With RS facing, rejoin yarn to rem 70 [74: 78: 86: 90] sts, cast off centre 44 [44: 44: 52: 52] sts, patt to end. 26 [30: 34: 34: 38] sts.

Keeping patt correct, dec 1 st at left back neck edge on next 4 rows, ending with **WS** facing for next row. 22 [26: 30: 30: 34] sts.

Shape left shoulder

Cast off 7 [8: 9: 9: 11] sts at beg of next and foll alt row, **and at the same**



Simple

time, dec 1 st at left back neck edge on next 2 rows. 6 [8: 10: 10: 10] sts.
Work 1 row straight, ending with **WS** facing for next row.
Cast off rem 6 [8: 10: 10: 10] sts in patt on **WS**.

FRONT

Work as given for Back until 6 rows less have been worked than on Back before start of armhole shaping, ending with RS facing for next row.
112 [128: 142: 156: 170] sts.

Divide for front neck

Next row (RS): Patt 48 [56: 63: 70: 77], K2tog, K1, P2, K3, turn and leave rem 56 [64: 71: 78: 85] sts on a holder. 55 [63: 70: 77: 84] sts.
Work each side of front neck separately.

Shape left front neck

Next row (**WS**): K1, P2, K2, P2, patt to end.
Next row: Patt to last 8 sts, K2tog, K1, P2, K3.
Rep last 2 rows once more, then first of these 2 rows again, ending with RS facing for next row. 53 [61: 68: 75: 82] sts.

Shape left armhole and left front neck

Next row (RS): Cast off 4 [4: 7: 6: 9] sts, patt to last 8 sts, K2tog, K1, P2, K3. 48 [56: 60: 68: 72] sts.
Next row: K1, P2, K2, P2, patt to end.

Sizes 91-97 cm, 102-107 cm, 112-117 cm and 122-127 cm only

Next row (RS): K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P2, patt to last 8 sts, P2tog tbl, P1, K2, P2, K1.
Rep last 2 rows [0: 0: 1: 1] time more, ending with RS facing for next row. [53: 57: 62: 66] sts.

All sizes

Next row (RS): K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.
Rep last 2 rows 1 [4: 3: 5: 5] times more, ending with RS facing for next row. 44 [43: 49: 50: 54] sts.
Next row: K3, P2, K2, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.
Next row: K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.
Rep last 4 rows 1 [0: 1: 1: 1] time more, ending with RS facing for next row. 38 [40: 43: 44: 48] sts.
Armhole shaping is now complete.
Next row (RS): K1, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P2, patt to last st, K1.
Rep last 2 rows 15 [11: 7: 10: 8] times more, ending with RS facing for next row. 22 [28: 35: 33: 39] sts.
Next row: K1, patt to last 7 sts, K2, P2, K3.
Next row: K1, P2, K2, P2, patt to last st, K1.
Next row: K1, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P2, patt to last st, K1.
Rep last 4 rows 1 [3: 6: 4: 6] times more, ending with RS facing for next row. 20 [24: 28: 28: 32] sts.
Work straight as set (with a K st at each end of every row) until Front matches Back to start of shoulder shaping, ending with RS facing for next row.

Shape left shoulder

Keeping patt correct, cast off 7 [8: 9: 9: 11] sts at beg of next and foll alt row. 6 [8: 10: 10: 10] sts.
Work 1 row straight, ending with RS facing for next row.

Cast off rem 6 [8: 10: 10: 10] sts in patt.

Shape right front neck

With RS facing, rejoin yarn to rem 56 [64: 71: 78: 85] sts, K3, P2, K1, sl 1, K1, pssso, patt to end. 55 [63: 70: 77: 84] sts.
Next row (**WS**): Patt to last 7 sts, P2, K2, P2, K1.
Next row: K3, P2, K1, sl 1, K1, pssso, patt to end.
Rep last 2 rows twice more, ending with **WS** facing for next row. 52 [60: 67: 74: 81] sts.

Shape right armhole and right front neck

Next row (**WS**): Cast off 4 [4: 7: 6: 9] sts, patt to last 7 sts, P2, K2, P2, K1. 48 [56: 60: 68: 72] sts.

Sizes 91-97 cm, 102-107 cm, 112-117 cm and 122-127 cm only

Next row (RS): K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P1, P2tog, patt to last 7 sts, P2, K2, P2, K1.
Rep last 2 rows [0: 0: 1: 1] time more, ending with RS facing for next row. [53: 57: 62: 66] sts.

All sizes

Next row (RS): K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.
Rep last 2 rows 1 [4: 3: 5: 5] times more, ending with RS facing for next row. 44 [43: 49: 50: 54] sts.
Next row: K3, P2, K1, sl 1, K1, pssso, patt to last 7 sts, K2, P2, K3.
Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.
Next row: K3, P2, K1, sl 1, K1, pssso, patt to last 8 sts, K2tog, K1, P2, K3.
Next row: K1, P2, K2, P2, patt to last 7 sts, P2, K2, P2, K1.
Rep last 4 rows 1 [0: 1: 1: 1] time more, ending with RS facing for next row. 38 [40: 43: 44: 48] sts.
Armhole shaping is now complete.
Next row (RS): K3, P2, K1, sl 1, K1, pssso, patt to last 7 sts, K2, P2, K3.
Next row: K1, patt to last 7 sts, P2, K2, P2, K1.
Rep last 2 rows 15 [11: 7: 10: 8] times more, ending with RS facing for next row. 22 [28: 35: 33: 39] sts.
Next row: K3, P2, K2, patt to last st, K1.
Next row: K1, patt to last 7 sts, P2, K2, P2, K1.
Next row: K3, P2, K2, sl 1, K1, pssso, patt to last st, K1.
Next row: K1, patt to last 7 sts, P2, K2, P2, K1.
Rep last 4 rows 1 [3: 6: 4: 6] times more, ending with RS facing for next row. 20 [24: 28: 28: 32] sts.
Work straight as set (with a K st at each end of every row) until Front matches Back to start of shoulder shaping, ending with **WS** facing for next row.

Shape right shoulder

Keeping patt correct, cast off 7 [8: 9: 9: 11] sts at beg of next and foll alt row. 6 [8: 10: 10: 10] sts.
Work 1 row straight, ending with **WS** facing for next row.
Cast off rem 6 [8: 10: 10: 10] sts in patt on **WS**.

SLEEVES

Using 4mm (US 6) needles, cast on 46 [50: 52: 56: 60] sts.

Beg rib patt.

Row 1 (RS): K2 [0: 1: 0: 1], P2 [2: 2: 1: 2], (K2, P2) to last 2 [0: 1: 3: 1] sts, K2 [0: 1: 2: 1], P0 [0: 0: 1: 0].
Row 2: P2 [0: 1: 0: 1], K2 [2: 2: 1: 2], (P2, K2) to last 2 [0: 1: 3: 1] sts, P2 [0: 1: 2: 1], K0 [0: 0: 1: 0].
These 2 rows form rib patt.



Cont in patt for 6 more rows, ending with RS facing for next row.
Inc 1 st at each end of next row, taking inc sts into patt.
48 [52: 54: 58: 62] sts.
Work 3 rows straight, ending with RS facing for next row.

Beg cable twist border.

Row 1 (RS): K0 [0: 1: 1: 1], (Cr2L) 0 [1: 1: 0: 1] time, (Cr2R, Cr2L) to last 0 [2: 3: 1: 3] sts, (Cr2R) 0 [1: 1: 0: 1] time, K0 [0: 1: 1: 1].
Row 2: K0 [1: 2: 0: 2], P1 [2: 2: 2: 2], (K2, P2) to last 3 [1: 2: 0: 2] sts, K2 [1: 2: 0: 2], P1 [0: 0: 0: 0].
Row 3: K1 [0: 0: 0: 0], P2 [1: 2: 0: 2], (Tw2L, P2) to last 1 [3: 0: 2: 0] sts, (Tw2L) 0 [1: 0: 1: 0] time, P0 [1: 0: 0: 0], K1 [0: 0: 0: 0].
Row 4: As row 2.
Row 5: K0 [0: 1: 1: 1], (Cr2R) 0 [1: 1: 0: 1] time, (Cr2L, Cr2R) to last 0 [2: 3: 1: 3] sts, (Cr2L) 0 [1: 1: 0: 1] time, K0 [0: 1: 1: 1].
Row 6: K1 [0: 0: 2: 0], P2 [1: 2: 2: 2], (K2, P2) to last 1 [3: 0: 2: 0] sts, K1 [2: 0: 2: 0], P0 [1: 0: 0: 0].
These 6 rows complete cable twist border.

Cont in **rib patt** as set by last row of cable twist border, shaping sides by inc 1 st at each end of next and every foll 10th [8th: 6th: 6th: 6th] row until there are 70 [64: 66: 78: 98] sts, then on every foll - [10th: 8th: 8th: -] row until there are - [76: 84: 90: -] sts, taking inc sts into patt.

Work straight on these 70 [76: 84: 90: 98] sts until Sleeve meas 43 [43: 44: 44: 44] cm, ending with RS facing for next row.

Shape sleeve top

Keeping patt correct, cast off 4 [4: 7: 6: 9] sts at beg of next 2 rows.
62 [68: 70: 78: 80] sts.
Dec 1 st at each end of next 3 rows, then on 4 foll alt rows, then on 6 [5: 7: 5: 7] foll 4th rows. 36 [44: 42: 54: 52] sts.
Work 1 row straight, ending with RS facing for next row.
Dec 1 st at each end of next and every foll alt row until 28 [28: 28: 28: 32] sts rem, then dec 1 st at each end of next 3 [3: 3: 3: 5] rows, ending with RS facing for next row. 22 sts.
Cast off rem 22 sts in patt.

MAKING UP


Press lightly following instructions on the ball band.
Join right shoulder seam.

Neck edging

With RS facing and using 3¼mm (US 3) needles, beg at left front shoulder and taking in one full st along each edge, pick up and knit 63 [67: 71: 75: 79] sts down left side of front neck to division for front neck, 63 [67: 71: 75: 79] sts up right side of front neck, 6 sts down right side of back neck, 35 [35: 35: 41: 41] sts across back neck, then 6 sts up left side of back neck. 173 [181: 189: 203: 211] sts.
Cast off knitways on **WS**.

Join left shoulder seam and neck edging.
Join side and sleeve seams. Matching side and sleeve seams and placing centre of cast-off sts at top of sleeve at shoulder seams, sew Sleeves into armholes, taking in one full st into seam around armholes.

Weave in ends and block to measurements.





Chole

by Patons

Intermediate

SIZE

To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual bust measurement of garment					
90	101	112	123	134	cm
35½	40	44	48½	53	in

YARN

Patons Diploma Gold DK
 8 9 11 12 13 50 gram balls
 (photographed in Natural 06143)

NEEDLES & ACCESSORIES

1 pair 3¼mm (no 10) (US 3) needles
 1 pair 4mm (no 8) (US 6) needles
 Cable needle
 Stitch holders

5 x BN1556 buttons from Bedecked. Please see information page for contact details.

TENSION

22 sts and 30 rows to 10 cm measured over st st and 4mm (US 6) needles
 30 sts and 33 rows to 10 cm measured over cable yoke patt and 4mm (US 6) needles

SPECIAL ABBREVIATIONS

C2B = slip next st onto cable needle and leave at back of work, K1, then K1 from cable needle; **C2F** = slip next st onto cable needle and leave at front of work, K1, then K1 from cable needle.

BACK

Using 3¼ mm (US 3) needles, cast on 99 [111: 123: 135: 147] sts.
 Row 1 (RS): K1, (P1, K1) to end.
 Row 2: P1, (K1, P1) to end.
 These 2 rows form 1x1 rib.

Cont in 1x1 rib for a further 18 rows, ending with RS facing for next row.

Change to 4mm (US 6) needles.

Beg with a K row, work straight in st st until Back meas 36 [36.5: 37: 37.5: 38] cm, ending with RS facing for next row.

Shape raglan armholes

Cast off 4 [5: 6: 7] sts at beg of next 2 rows, ending with RS facing for next row. 91 [101: 113: 123: 133] sts.
 Next row (RS): K1, sl 1, K1, pssso, K to last 3 sts, K2tog, K1. 89 [99: 111: 121: 131] sts.
 Next row: Purl.
 Rep last 2 rows 9 [11: 14: 16: 18] times more, ending with RS facing for next row. 71 [77: 83: 89: 95] sts.

Shape right back neck

Next row (RS): K1, sl 1, K1, pssso, K18 [20: 22: 24: 26], wrap next st by bringing yarn to front, slip next st on left needle onto right needle, take yarn to back and slip same st back onto left needle, turn.

Next row: P20 [22: 24: 26: 28].
 Next row: K1, sl 1, K1, pssso, K11 [12: 13: 14: 15], wrap next st, turn.
 Next row: P13 [14: 15: 16: 17].
 Next row: K1, sl 1, K1, pssso, K4, wrap next st, turn.
 Next row: P6.
 Next row: K1, sl 1, K1, pssso, K across all sts to last 3 sts, K2tog, K1. 66 [72: 78: 84: 90] sts.

Shape left back neck

Next row: P20 [22: 24: 26: 28], wrap next st, turn.
 Next row: K17 [19: 21: 23: 25], K2tog, K1.
 Next row: P13 [14: 15: 16: 17], wrap next st, turn.
 Next row: K10 [11: 12: 13: 14], K2tog, K1.
 Next row: P6, wrap next st, turn.
 Next row: K3, K2tog, K1.
 Next row: P across all 63 [69: 75: 81: 87] sts.
 Leave rem 63 [69: 75: 81: 87] sts on a holder.

LEFT FRONT

Using 3¼ mm (US 3) needles, cast on 54 [60: 66: 72: 78] sts.
 Row 1 (RS): (K1, P1) to last 2 sts, K2.
 Row 2: (K1, P1) to end.
 These 2 rows form 1x1 rib.

Cont in 1x1 rib for a further 17 rows, ending with **WS** facing for next row.
 Next row (**WS**): Rib 7 sts and leave these sts on a holder for button band, M1, rib to end. 48 [54: 60: 66: 72] sts.

Change to 4mm (US 6) needles.

Beg with a K row, work straight in st st until Left Front matches Back to start of raglan armhole shaping, ending with RS facing for next row.

Shape raglan armhole

Cast off 4 [5: 6: 7] sts at beg of next row. 44 [49: 55: 60: 65] sts.
 Work 1 row straight, ending with RS facing for next row.
 Next row (RS): K1, sl 1, K1, pssso, K to end. 43 [48: 54: 59: 64] sts.
 Next row: Purl.
 Rep last 2 rows 1 [3: 6: 8: 10] times more, ending with RS facing for next row. 42 [45: 48: 51: 54] sts.

Shape front neck

Next row (RS): K1, sl 1, K1, pssso, K33 [34: 35: 36: 37], wrap next st, turn.
 Next row: P35 [36: 37: 38: 39].
 Next row: K1, sl 1, K1, pssso, K29 [30: 31: 32: 33], wrap next st, turn.
 Next row: P31 [32: 33: 34: 35].
 Next row: K1, sl 1, K1, pssso, K25 [26: 27: 28: 29], wrap next st, turn.
 Next row: P27 [28: 29: 30: 31].
 Next row: K1, sl 1, K1, pssso, K22 [22: 23: 24: 25], wrap next st, turn.
 Next row: P24 [24: 25: 26: 27].
 Next row: K1, sl 1, K1, pssso, K19 [19: 19: 20: 21], wrap next st, turn.
 Next row: P21 [21: 21: 22: 23].
 Next row: K1, sl 1, K1, pssso, K16 [16: 16: 16: 17], wrap next st, turn.
 Next row: P18 [18: 18: 18: 19].
 Next row: K1, sl 1, K1, pssso, K13, wrap next st, turn.
 Next row: P15.
 Next row: K1, sl 1, K1, pssso, K10, wrap next st, turn.
 Next row: P12.
 Next row: K1, sl 1, K1, pssso, K7, wrap next st, turn.
 Next row: P9.
 Next row: K1, sl 1, K1, pssso, K4, wrap next st, turn.
 Next row: P6.



Next row: K1, sl 1, K1, pssso, K1, wrap next st, turn.
 Next row: P3.
 Next row: K1, sl 1, K1, pssso, K across all sts on needle. 30 [33: 36: 39: 42] sts.
 Next row: P30 [33: 36: 39: 42].
 Leave rem 30 [33: 36: 39: 42] sts on a holder.

RIGHT FRONT

Using 3¼ mm (US 3) needles, cast on 54 [60: 66: 72: 78] sts.
 Row 1 (RS): K2, (P1, K1) to end.
 Row 2: (P1, K1) to end.
 These 2 rows form 1x1 rib.

Cont in 1x1 rib for 2 more rows, ending with RS facing for next row.
 Next row (buttonhole): K2, K2tog, yfrn, rib to end.
 Work a further 14 rows, ending with **WS** facing for next row.
 Next row (**WS**): Rib to last 7 sts, M1, turn and leave rem 7 sts on a holder for buttonhole band. 48 [54: 60: 66: 72] sts.

Change to 4mm (US 6) needles.

Beg with a K row, work straight in st st until Right Front matches Back to start of raglan armhole shaping, ending with RS facing for next row.

Shape raglan armhole

Work 1 row straight, ending with **WS** facing for next row.
 Cast off 4 [5: 5: 6: 7] sts at beg of next row. 44 [49: 55: 60: 65] sts.
 Next row (RS): K to last 3 sts, K2tog, K1. 43 [48: 54: 59: 64] sts.
 Next row: Purl.
 Rep last 2 rows 1 [3: 6: 8: 10] times more, then first of these 2 rows again, ending with **WS** facing for next row. 41 [44: 47: 50: 53] sts.

Shape front neck

Next row (**WS**): P35 [36: 37: 38: 39], wrap next st, turn.
 Next row: K32 [33: 34: 35: 36], K2tog, K1.
 Next row: P31 [32: 33: 34: 35], wrap next st, turn.
 Next row: K28 [29: 30: 31: 32], K2tog, K1.
 Next row: P27 [28: 29: 30: 31], wrap next st, turn.
 Next row: K24 [25: 26: 27: 28], K2tog, K1.
 Next row: P24 [24: 25: 26: 27], wrap next st, turn.
 Next row: K21 [21: 22: 23: 24], K2tog, K1.
 Next row: P21 [21: 21: 22: 23], wrap next st, turn.
 Next row: K18 [18: 18: 19: 20], K2tog, K1.
 Next row: P18 [18: 18: 18: 19], wrap next st, turn.
 Next row: K15 [15: 15: 15: 16], K2tog, K1.
 Next row: P15, wrap next st, turn.
 Next row: K12, K2tog, K1.
 Next row: P12, wrap next st, turn.
 Next row: K9, K2tog, K1.
 Next row: P9, wrap next st, turn.
 Next row: K6, K2tog, K1.
 Next row: P6, wrap next st, turn.
 Next row: K3, K2tog, K1.
 Next row: P3, turn.
 Next row: K2tog, K1.
 Next row: P across all 30 [33: 36: 39: 42] sts on needle.
 Leave rem 30 [33: 36: 39: 42] sts on a holder.

SLEEVES

Using 3¼mm (US 3) needles, cast on 35 [37: 39: 41: 43] sts.

Beg with row 1, work 16 rows in 1x1 rib as for Back, ending with RS facing for next row.
 (Sleeve should meas approx 5 cm.)

Change to 4mm (US 6) needles.

Beg with a K row, work in st st, shaping sides by inc 1 st at each end of 7th [7th: 7th: 7th: 5th] and every foll 6th [6th: 6th: 6th: 4th] row until there are 43 [53: 69: 79: 55] sts, then on every foll 8th [8th: 8th: -: 6th] row until there are 65 [69: 75: -: 85] sts.

Cont straight on these 65 [69: 75: 79: 85] sts until Sleeve meas 46 [46: 47: 47: 47] cm, ending with RS facing for next row.

Shape sleeve raglan

Cast off 4 [5: 5: 6: 7] sts at beg of next 2 rows, ending with RS facing for next row. 57 [59: 65: 67: 71] sts.
 Next row (RS): K1, sl 1, K1, pssso, K to last 3 sts, K2tog, K1.
 Next row: Purl.
 Rep last 2 rows 12 [12: 15: 15: 17] times more, ending with RS facing for next row. 31 [33: 33: 35: 35] sts.
 Work 2 rows straight, ending with RS facing for next row.

Sizes 91-97 cm, 102-107 cm, 112-117 cm and 122-127 cm only

Next row (RS): K1, sl 1, K1, pssso, K to last 3 sts, K2tog, K1. [31: 31: 33: 33] sts.
 Work 3 rows straight, ending with RS facing for next row.
 Rep last 4 rows [0: 0: 1: 1] time more. 31 sts.

All sizes

Leave rem 31 sts on a holder.

YOKE

With RS facing and using 4mm (US 6) needles, K first 29 [32: 35: 38: 41] sts on holder for Right Front, K tog last st on Right Front with first st on holder for first sleeve, K next 29 sts on holder for first sleeve, K tog last st on first sleeve with first st on holder for Back, K next 61 [67: 73: 79: 85] sts on holder for Back, K tog last st on Back with first st on holder for second sleeve, K next 29 sts on holder for second sleeve, K tog last st on second sleeve with first st on holder for Left Front, then K rem 29 [32: 35: 38: 41] sts on holder for Left Front. 181 [193: 205: 217: 229] sts.
 Next row (**WS**): Purl.
 Next row: Purl.

Sizes 81-86 cm and 91-97 cm only

Next row (**WS**): P2 [1], M1, *(P3, M1) 2 [3] times, P4, M1, rep from * to last 9 [10] sts, (P3, M1) 2 [3] times, P3 [1]. 235 [253] sts.

Sizes 102-107 cm and 112-117 cm only

Next row (**WS**): P [5: 2], M1, (P3, M1) to last [5: 2] sts, P [5: 2]. [271: 289] sts.

Size 122-127 cm only

Next row (**WS**): P1, M1, (P3, M1) 14 times, P2, M1, *(P3, M1) 15 times, P2, M1, rep from * twice more, (P3, M1) 14 times, P1. 307 sts.

All sizes

Cont on these 235 [253: 271: 289: 307] sts and beg cable yoke patt.
 Row 1 (RS): K1, P2, C2B, C2F, P2, (sl 1 wyib, P2, C2B, C2F, P2) to last st, K1.
 Row 2: K3, P4, K2, (P1, K2, P4, K2) to last st, K1.
 Row 3: K1, P2, C2F, C2B, P2, (sl 1 wyib, P2, C2F, C2B, P2) to last st, K1.
 Row 4: As row 2.





These 4 rows form cable yoke patt.

Work 19 rows more in patt, ending with row 3 of patt and **WS** facing for next row.

Shape yoke

Next row (**WS**): K1, K2tog, P4, K2tog, (P1, K2tog, P4, K2tog) to last st, K1. 183 [197: 211: 225: 239] sts.

Next row (RS): K1, P1, C2B, C2F, P1, (sl 1 wyib, P1, C2B, C2F, P1) to last st, K1.

Next row: K2, P4, K1, (P1, K1, P4, K1) to last st, K1.

Next row: K1, P1, C2F, C2B, P1, (sl 1 wyib, P1, C2F, C2B, P1) to last st, K1.

Next row: K2, P4, K1, (P1, K1, P4, K1) to last st, K1.

Rep last 4 rows once more, then first 2 of these 4 rows again, ending with RS facing for next row.

Next row (RS): K1, P1, sl 1, K1, pss0, K2tog, P1, (sl 1 wyib, P1, sl 1, K1, pss0, K2tog, P1) to last st, K1. 131 [141: 151: 161: 171] sts.

Next row: K2, K2tog, (K3, K2tog) to last 2 sts, K2.

105 [113: 121: 129: 137] sts.

Change to 3¼ mm (US 3) needles.

Neckband

Row 1 (RS): K1, (P1, K1) to end.

Row 2: K2, (P1, K1) to last st, K1.

These 2 rows form 1x1 rib for neckband.

Cont in 1x1 rib for 4 more rows, ending with RS facing for next row.

Cast off in rib.

MAKING UP

Press lightly following instructions on the ball band.

Button band

With RS facing and using 3¼mm (US 3) needles, rejoin yarn to 7 sts on holder for button band on Left Front.

Row 1 (RS): K2, (P1, K1) twice, K1.

Row 2: K1, (P1, K1) 3 times.

These 2 rows form 1x1 rib for button band.

Cont in 1x1 rib until button band, when slightly stretched, fits up left front opening to cast-off edge of neckband, ending with RS facing for next row. Cast off in rib.

Sew button band to left front opening edge.

Mark position of 5 buttons on button band, first to come level with buttonhole already made on Right Front, last to come in centre of neckband, and remaining 3 buttons spaced evenly between.

Buttonhole band

With **WS** facing and using 3¼mm (US 3) needles, rejoin yarn to 7 sts on holder for buttonhole band on Right Front.

Beg with row 2, work in 1x1 rib as for button band until buttonhole band, when slightly stretched, fits up right front opening edge to cast-off edge of neckband, making 4 buttonholes to correspond with markers for buttons on button band, and ending with RS facing for next row.


Buttonhole row (RS): K2, K2tog, yfrn, P1, K2.

Cast off in rib.

Sew buttonhole band to right front opening edge.

Join raglan seams. Join side and sleeve seams. Sew on buttons.

Weave in ends and block to measurements.



First published in Great Britain in 2018 by **MEZ Crafts UK Ltd.**
17F Brooke's Mill, Armitage Bridge, Huddersfield, West Yorkshire, England, HD4 7NR.

British Library Cataloguing in Publication Data **Patons Loose Leaflet Pattern PBN0000-05352**
© **MEZ Crafts UK Ltd., 2018**



All rights reserved. Reproduction in whole or any part of all material, including illustrations, in this publication/leaflet is strictly forbidden. No part may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical photocopying, recording or otherwise without prior permission of the copyright owners having been given in writing. The designs are copyrighted and must not be knitted for re-sale. Reproduction of this publication/leaflet is protected by copyright and is sold on the condition that it used for non-commercial purposes. Yarn quantities are approximate as they are based on average requirements. Colour reproduction is as close as printing will allow.





Copyright © MEZ Crafts UK Ltd., 2018.

MEZ Crafts UK Ltd., 17F, Brooke's Mill, Armitage Bridge, Huddersfield, HD4 7NR, +44 (0) 1484 950630

