



CONTAINS 2 PATTERNS  
**2**  
CONTAINS 2 PATTERNS

Julie & Leila

PBN0000-05356 Fab DK

Free Knitting Pattern

Copyright © MEZ Crafts UK Ltd., 2018.





# Julie

by Patons

## SIZE

To fit bust				
81-86	91-97	102-107	112-117	122-127 cm
32-34	36-38	40-42	44-46	48-50 in

## Actual bust measurement of garment

97	108	117	128	137	cm
38	42½	46	50½	54	in

## YARN

Patons Fab DK  
 6 7 8 8 9 100 gram balls  
 (photographed in Grey 02310)

## NEEDLES & ACCESSORIES

1 pair 3¼mm (no 10) (US 3) needles  
 1 pair 4mm (no 8) (US 6) needles  
 Stitch holders

## TENSION

22 sts and 30 rows to 10 cm measured over patt and 4mm (US 6) needles

## BACK

Using 3¼mm (US 3) needles, cast on 107 [119: 129: 141: 151] sts.

Row 1 (RS): P1 [1: 0: 0: 1], K1, (P1, K1) to last 1 [1: 0: 0: 1] st, P1 [1: 0: 0: 1].

Row 2: K1 [1: 0: 0: 1], P1, (K1, P1) to last 1 [1: 0: 0: 1] st, K1 [1: 0: 0: 1].

These 2 rows form 1x1 rib for Back.

Cont in 1x1 rib until Back meas 6 cm, ending with RS facing for next row.

Change to 4mm (US 6) needles.

Beg patt.

Row 1 (RS): K1 [3: 4: 2: 3], (sl 1 purlwise wyib, K3) to last 2 [4: 5: 3: 4] sts, sl 1 purlwise wyib, K1 [3: 4: 2: 3].

Row 2: Purl.

These 2 rows form patt.

Cont straight in patt until Back meas 62 [62.5: 63: 63.5: 64] cm, ending with RS facing for next row.

## Shape armholes

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next 2 rows. 101 [111: 119: 129: 137] sts.

Dec 1 st at each end of next 3 [5: 5: 9: 11] rows, then on 4 [6: 7: 6: 6] foll alt rows, then on 2 [1: 1: 1: 1] foll 4th rows.

83 [87: 93: 97: 101] sts.

Cont straight until armholes meas 20.5 [22: 23.5: 25: 26.5] cm, ending with RS facing for next row.

## Divide for back neck

Next row (RS): Patt 27 [29: 31: 33: 34] sts and turn, leaving rem 56 [58: 62: 64: 67] sts on a holder.

Work each side of back neck separately.

## Shape right back neck

Keeping patt correct, dec 1 st at right back neck edge on next 3 rows, ending with RS facing for next row. 24 [26: 28: 30: 31] sts.

## Shape right shoulder

Cast off 6 [6: 7: 7: 8] sts at beg of next row, then 6 [6: 7: 7: 7] sts at beg of foll alt row, then 5 [6: 6: 7: 7] sts at beg of foll alt row, **and at the same time** dec 1 st at right back neck edge on next and foll alt row. 5 [6: 6: 7: 7] sts.

Work 1 row straight, ending with RS facing for next row.

Cast off rem 5 [6: 6: 7: 7] sts.

## Shape left back neck

With RS facing, rejoin yarn to rem sts, cast off centre 29 [29: 31: 31: 33] sts and patt to end. 27 [29: 31: 33: 34] sts..

Keeping patt correct, dec 1 st at left back neck edge on next

4 rows, ending with **WS** facing for next row. 23 [25: 27: 29: 30] sts.

## Shape left shoulder

Cast off 6 [6: 7: 7: 8] sts at beg of next row, then 6 [6: 7: 7: 7] sts at beg of foll alt row, then 5 [6: 6: 7: 7] sts at beg of foll alt row, **and at the same time** dec 1 st at left back neck edge on 2nd row. 5 [6: 6: 7: 7] sts.

Work 1 row straight, ending with **WS** facing for next row.

Cast off rem 5 [6: 6: 7: 7] sts on **WS**.

## LEFT FRONT

Using 3¼mm (US 3) needles, cast on 55 [61: 66: 72: 77] sts.

Row 1 (RS): P1 [1: 0: 0: 1], (K1, P1) to last 2 sts, K2.

Row 2: (K1, P1) to last 1 [1: 0: 0: 1] st, K1 [1: 0: 0: 1].

These 2 rows form 1x1 rib for Left Front.

Cont in 1x1 rib until Left Front meas 6 cm, ending with RS facing for next row.

Change to 4mm (US 6) needles.

Beg patt.

Row 1 (RS): K1 [3: 4: 2: 3], (sl 1 purlwise wyib, K3) to last 14 sts, sl 1 purlwise wyib, K2, P1, (K1, P1) 4 times, K2.

Row 2: K1, (P1, K1) 5 times, purl to end.

These 2 rows form patt.

Cont straight in patt until Left Front meas 62 [62.5: 63: 63.5: 64] cm, ending with RS facing for next row.

## Shape armhole

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next row. 52 [57: 61: 66: 70] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [5: 5: 9: 11] rows, then on



Simple

4 [6: 7: 6: 6] foll alt rows, then on 2 [1: 1: 1: 1] foll 4th rows.  
43 [45: 48: 50: 52] sts.  
Cont straight in patt until Left Front matches Back to beg of shoulder shaping, ending with RS facing for next row.

### Shape shoulder

Cast off 6 [6: 7: 7: 8] sts at beg of next row, 6 [6: 7: 7: 7] sts at beg of foll alt row, then 5 [6: 6: 7: 7] sts at beg of 2 foll alt rows.  
21 [21: 22: 22: 23] sts.  
Work 1 row straight, ending with RS facing for next row.  
Break yarn and leave rem 21 [21: 22: 22: 23] sts on a holder (for hood).

### RIGHT FRONT

Using 3¼mm (US 3) needles, cast on 55 [61: 66: 72: 77] sts.  
Row 1 (RS): K2, (P1, K1) to last 1 [1: 0: 0: 1] st, P1 [1: 0: 0: 1].  
Row 2: K1 [1: 0: 0: 1], (P1, K1) to end.  
These 2 rows form 1x1 rib for Right Front.  
Cont in 1x1 rib until Right Front meas 6 cm, ending with RS facing for next row.

Change to 4mm (US 6) needles.

Beg patt.  
Row 1 (RS): K2, P1, (K1, P1) 4 times, K2, sl 1 purlwise wyib, (K3, sl 1 purlwise wyib) to last 1 [3: 4: 2: 3] sts, K1 [3: 4: 2: 3].  
Row 2: Purl to last 11 sts, (K1, P1) 5 times, K1.  
These 2 rows form patt.  
Cont straight in patt until Right Front meas 62 [62.5: 63: 63.5: 64] cm, ending with RS facing for next row.

### Shape armhole

Work 1 row, ending with **WS** facing for next row.  
Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next row.  
52 [57: 61: 66: 70] sts.  
Dec 1 st at armhole edge of next 3 [5: 5: 9: 11] rows, then on 4 [6: 7: 6: 6] foll alt rows, then on 2 [1: 1: 1: 1] foll 4th rows.  
43 [45: 48: 50: 52] sts.  
Cont straight in patt until Right Front matches Back to beg of shoulder shaping, ending with RS facing for next row.

### Shape shoulder

Work 1 row, ending with **WS** facing for next row.  
Cast off 6 [6: 7: 7: 8] sts at beg of next row, 6 [6: 7: 7: 7] sts at beg of foll alt row, then 5 [6: 6: 7: 7] sts at beg of 2 foll alt rows, ending with RS facing for next row. 21 [21: 22: 22: 23] sts.  
Do **not** break yarn. Leave rem 21 [21: 22: 22: 23] sts on a holder (same ball of yarn will be used for hood).

### SLEEVES

Using 3¼mm (US 3) needles, cast on 45 [47: 49: 49: 51] sts.  
Row 1 (RS): P0 [1: 0: 0: 1], K1, (P1, K1) to last 0 [1: 0: 0: 1] st, P0 [1: 0: 0: 1].  
Row 2: K0 [1: 0: 0: 1], P1, (K1, P1) to last 0 [1: 0: 0: 1] st, K0 [1: 0: 0: 1].

These 2 rows form 1x1 rib for Sleeve.  
Cont in 1x1 rib until Sleeve meas 6 cm, ending with RS facing for next row.

Change to 4mm (US 6) needles.

Beg patt.  
Row 1 (RS): K2 [3: 4: 4: 1], (sl 1 purlwise wyib, K3) to last 3 [4: 5: 5: 2] sts, sl 1 purlwise wyib, K2 [3: 4: 4: 1].  
Row 2: Purl.  
These 2 rows form patt.

Cont in patt, shaping sides by inc 1 st at each end of 7th [7th: 7th: 5th: 5th] and every foll 8th [8th: 8th: 6th: 6th] row until there are 49 [61: 79: 63: 81] sts, then on every foll 10th [10th: 10th: 8th: 8th] row until there are 71 [75: 81: 85: 91] sts, taking inc sts into patt.

Cont straight in patt until Sleeve meas 52 [52: 53: 53: 53] cm, ending with RS facing for next row.

### Shape sleeve top

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next 2 rows.  
65 [67: 71: 73: 77] sts.  
Dec 1 st at each end of next 3 rows, then on 5 foll alt rows.  
49 [51: 55: 57: 61] sts.  
Work 3 rows straight, ending with RS facing for next row.  
Dec 1 st at each end of next and every foll 4th row until 39 [39: 41: 41: 45] sts rem, then on every foll alt row until 25 sts rem.  
Work 1 row straight, ending with RS facing for next row.  
Dec 1 st at each end of next 4 rows, ending with RS facing for next row. 17 sts.  
Cast off rem 17 sts.

### MAKING UP

Press lightly following instructions on the ball band.  
Join both shoulder seams.

### Right side of hood

With RS facing, using 3¼mm (US 3) needles and yarn attached to sts on right front holder, patt across 21 [21: 22: 22: 23] sts on right front holder, then pick up and knit 24 [24: 25: 25: 26] sts to centre back neck. 45 [45: 47: 47: 49] sts.  
Next row (**WS**): Inc in first st, P to last 11 sts, patt to end. 46 [46: 48: 48: 50] sts.  
Working back neck sts in patt as for body by keeping patt correct as set by 21 [21: 22: 22: 23] sts on right front holder, shape back of hood by inc 1 st at end of next row and **at the same edge** on foll 10 rows, then on 12 [12: 11: 11: 10] foll alt rows, then on 4 [4: 5: 5: 6] foll 4th rows, taking inc sts into patt. 73 [73: 75: 75: 77] sts.  
Work 21 [21: 19: 19: 19] rows straight, ending with RS facing for next row.  
Dec 1 st at end of next and 2 foll 4th rows, then on 3 [3: 4: 4: 5] foll alt rows, then **at the same edge** on foll 6 rows, ending with **WS** facing for next row. 61 [61: 62: 62: 63] sts.



Simple

Cast off 4 sts at beg of next row, 5 sts at beg of foll alt row, then 6 sts at beg of foll alt row, ending with RS facing for next row.

46 [46: 47: 47: 48] sts.

Cast off rem 46 [46: 47: 47: 48] sts.

### Left side of hood

With RS facing and using 3¼mm (US 3) needles, starting at centre back neck, pick up and knit 24 [24: 25: 25: 26] sts to left shoulder seam, then patt across 21 [21: 22: 22: 23] sts on left front holder. 45 [45: 47: 47: 49] sts.

Next row (**WS**): Patt 11 sts, P to last st, inc in last st.

46 [46: 48: 48: 50] sts.

Working back neck sts in patt as for body by keeping patt correct as set by 21 [21: 22: 22: 23] sts on left front holder, shape back of hood by inc 1 st at beg of next row and **at the same edge** on foll 10 rows, then on 12 [12: 11: 11: 10] foll alt rows, then on 4 [4: 5: 5: 6] foll 4th rows, taking inc sts into patt. 73 [73: 75: 75: 77] sts. Work 21 [21: 19: 19: 19] rows straight, ending with RS facing for next row.

Dec 1 st at beg of next and 2 foll 4th rows, then on 3 [3: 4: 4: 5] foll alt rows, then **at the same edge** on foll 5 rows, ending with RS facing for next row. 62 [62: 63: 63: 64] sts.


Cast off 5 sts at beg of next and foll alt row, then 6 sts at beg of foll alt row. 46 [46: 47: 47: 48] sts.

Work 1 row straight, ending with RS facing for next row.

Cast off rem 46 [46: 47: 47: 48] sts, leaving sufficient yarn after cast-off sts to join hood seam.

Join hood seam along top edge and shaped back edge. Join side and sleeve seams. Matching side and sleeve seams and placing centre of cast-off sts at top of sleeves to shoulder seams, sew sleeves into armholes.

Weave in ends and block to measurements.





# Leila

by Patons

Simple

## SIZE

To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual bust measurement of garment					
100	110	121	131	142	cm
39¼	43¼	47¾	51½	56	in

## YARN

Patons Fab DK					
Yarn A (Navy 02320)					
5	5	6	6	7	100 gram balls
Yarn B (Natural Tweed 02070)					
3	3	3	3	4	100 gram balls

## NEEDLES

1 pair 3¼mm (no 10) (US 3) needles  
 1 pair 4mm (no 8) (US 6) needles  
 3¼mm (no 10) (US 3) circular needle at least 100 cm long

## TENSION

23 sts and 24 rows to 10 cm measured over patterned st st and 4mm (US 6) needles

## BACK

Using 3¼mm (US 3) needles and yarn A, cast on 121 [133: 145: 157: 169] sts.

Row 1 (RS): P2 [3: 0: 0: 1], K2 [2: 1: 2: 2], (P3, K2) to last 2 [3: 4: 0: 1] sts, P2 [3: 3: 0: 1], K0 [0: 1: 0: 0].

Row 2: K2 [3: 0: 0: 1], P2 [2: 1: 2: 2], (K3, P2) to last 2 [3: 4: 0: 1] sts, K2 [3: 3: 0: 1], P0 [0: 1: 0: 0].

These 2 rows form 2x3 rib for Back.

Cont in 2x3 rib until Back meas 6 cm, ending with **WS** facing for next row.

Next row (**WS**): Rib 9 [10: 11: 12: 13] sts, work 2tog, (rib 18 [20: 22: 24: 26] sts, work 2tog) 5 times, rib 10 [11: 12: 13: 14] sts.

115 [127: 139: 151: 163] sts.

Change to 4mm (US 6) needles.

Beg with a K row, joining in yarn B and stranding yarn not in use loosely across **WS**, work in patterned st st from chart for Back, working the 10 patt sts 10 [12: 13: 14: 16] times across and beg and ending rows as indicated, repeating the 10 row patt repeat throughout, until Back meas approx 54 [54: 55: 55: 55] cm, ending with row 6 [6: 8: 8: 8] of patt and RS facing for next row.

## Shape raglan armholes

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next 2 rows. 109 [119: 129: 139: 149] sts.

Dec 1 st at each end of next and 10 [9: 9: 8: 8] foll alt rows, then on every row until 41 [41: 43: 43: 45] sts rem, ending with RS facing

for next row.

Cast off rem 41 [41: 43: 43: 45] sts.

## LEFT FRONT

Using 3¼mm (US 3) needles and yarn A, cast on 40 [46: 52: 58: 64] sts.

Row 1 (RS): P2 [3: 0: 0: 1], K2 [2: 1: 2: 2], (P3, K2) to last st, K1.

Row 2: K1, P2, (K3, P2) to last 2 [3: 4: 0: 1] sts, K2 [3: 3: 0: 1], P0 [0: 1: 0: 0].

These 2 rows form 2x3 rib for Left Front.

Cont in 2x3 rib until Left Front meas 6 cm, ending with **WS** facing for next row.

## Sizes 81-86 cm and 91-97 cm only

Next row (**WS**): Rib 19 [22: -: -: -] sts, work 2tog, rib 19 [22: -: -: -] sts. 39 [45: -: -: -] sts.

## Sizes 102-107 cm, 112-117 cm and 122-127 cm only

Next row (**WS**): Rib - [-: 12: 13: 10] sts, work 2tog, (rib - [-: 24: 28: 19] sts, work 2tog) - [-: 1: 1: 2] times, rib - [-: 12: 13: 10] sts.

- [-: 50: 56: 61] sts.

## All sizes

39 [45: 50: 56: 61] sts.

Change to 4mm (US 6) needles.

Beg with a K row, joining in yarn B and stranding yarn not in use loosely across **WS**, work in patterned st st from chart for Left Front, working the 10 patt sts 3 [4: 4: 5: 6] times across and beg and ending rows as indicated, repeating the 10 row patt repeat throughout, until Left Front meas approx 54 [54: 55: 55: 55] cm, ending with row 6 [6: 8: 8: 8] of patt and RS facing for next row.

## Shape raglan armhole

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next row. 36 [41: 45: 50: 54] sts.

Work 1 row straight, ending with RS facing for next row.

Dec 1 st at beg of next and 4 [3: 3: 2: 2] foll alt rows, then at **same edge** on every row until 2 sts rem, ending with RS facing for next row.

Next row (RS): K2tog and fasten off.

## RIGHT FRONT

Using 3¼mm (US 3) needles and yarn A, cast on 40 [46: 52: 58: 64] sts.

Row 1 (RS): K3, (P3, K2) to last 2 [3: 4: 0: 1] sts, P2 [3: 3: 0: 1], K0 [0: 1: 0: 0].

Row 2: P0 [0: 1: 0: 0], K2 [3: 3: 0: 1], (P2, K3) to last 3 sts, P2, K1.

These 2 rows form 2x3 rib for Right Front.

Cont in 2x3 rib until Right Front meas 6 cm, ending with **WS** facing for next row.

## Sizes 81-86 cm and 91-97 cm only

Next row (**WS**): Rib 19 [22: -: -: -] sts, work 2tog, rib 19 [22: -: -: -] sts. 39 [45: -: -: -] sts.

## Sizes 102-107 cm, 112-117 cm and 122-127 cm only

Next row (**WS**): Rib - [-: 12: 13: 10] sts, work 2tog, (rib - [-: 24: 28: 19] sts,



work 2tog) - [-: 1: 1: 2] times, rib - [-: 12: 13: 10] sts.  
- [-: 50: 56: 61] sts.

### All sizes

39 [45: 50: 56: 61] sts.

Change to 4mm (US 6) needles.

Beg with a K row, joining in yarn B and stranding yarn not in use loosely across WS, work in patterned st st from chart for Right Front, working the 10 patt sts 3 [4: 5: 5: 5] times across and beg and ending rows as indicated, repeating the 10 row patt repeat throughout, until Right Front meas approx 54 [54: 55: 55: 55] cm, ending with row 6 [6: 8: 8: 8] of patt and RS facing for next row.

### Shape raglan armhole

Work 1 row straight, ending with **WS** facing for next row. Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next row. 36 [41: 45: 50: 54] sts.  
Dec 1 st at end of next and 4 [3: 3: 2: 2] foll alt rows, then at **same edge** on every row until 2 sts rem, ending with RS facing for next row. Next row (RS): K2tog and fasten off.

### SLEEVES

Using 3¼mm (US 3) needles and yarn A, cast on 47 [49: 51: 51: 53] sts. Row 1 (RS): P0 [1: 2: 2: 3], (K2, P3) to last 2 [3: 4: 4: 0] sts, K2 [2: 2: 2: 0], P0 [1: 2: 2: 0].  
Row 2: K0 [1: 2: 2: 3], (P2, K3) to last 2 [3: 4: 4: 0] sts, P2 [2: 2: 2: 0], K0 [1: 2: 2: 0].  
These 2 rows form 2x3 rib for Sleeve.  
Cont in 2x3 rib until Sleeve meas 6 cm, ending with RS facing for next row.

Change to 4mm (US 6) needles.

Beg with a K row, joining in yarn B and stranding yarn not in use loosely across WS, work in patterned st st from chart for Sleeves, working the 10 patt sts 4 times across and beg and ending rows as indicated, repeating the 10 row patt repeat throughout and shaping sides as follows:

Inc 1 st at each end of 7th [7th: 5th: 5th: 5th] and every foll 6th [6th: 4th: 4th: 4th] row until there are 55 [73: 55: 67: 81] sts, then on every foll 8th [8th: 6th: 6th: 6th] row until there are 73 [79: 85: 89: 95] sts, taking inc sts into patt.

Cont straight in patt until Sleeve meas approx 50 [50: 51: 51: 51] cm, ending with row 6 [6: 8: 8: 8] of patt and RS facing for next row.

### Shape sleeve raglan

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next 2 rows. 67 [71: 75: 77: 81] sts.  
Dec 1 st at each end of next and 17 [19: 21: 24: 26] foll alt rows, then on foll 3 [3: 3: 1: 1] rows, ending with RS facing for next row. 25 sts.

### Left sleeve only

Dec 1 st at each end of next row. 23 sts.  
Cast off 5 sts at beg and dec 1 st at end of next row. 17 sts.  
Dec 1 st at beg of next row. 16 sts.  
Cast off 6 sts at beg and dec 1 st at end of next row. 9 sts.  
Dec 1 st at beg of next row. 8 sts.  
Cast off 5 sts at beg and dec 1 st at end of next row, ending with RS facing for next row. 2 sts.

### Right sleeve only

Cast off 6 sts at beg and dec 1 st at end of next row. 18 sts.  
Dec 1 st at beg of next row. 17 sts.  
Rep last 2 rows once more. 9 sts.  
Cast off 5 sts at beg and dec 1 st at end of next row. 3 sts.  
Dec 1 st at beg of next row, ending with RS facing for next row. 2 sts.

### Both sleeves

Next row (RS): K2tog and fasten off.

### MAKING UP

Press lightly following instructions on the ball band.  
Join front and back raglan seams.

### Front edge and back neck border

With RS facing and using 3¼mm (US 3) circular needle and yarn A, starting at cast-on edge of right front, pick up and knit 15 sts evenly up right front opening edge to top of rib, 155 [160: 164: 169: 173] sts evenly up remainder of right front opening edge, 20 sts evenly across top of right sleeve, 39 [39: 41: 41: 43] sts evenly across back neck, 20 sts evenly across top of left sleeve, 155 [160: 164: 169: 173] sts evenly down left front opening edge to top of rib, then 15 sts evenly down remainder of left front opening edge to cast-on edge. 419 [429: 439: 449: 459] sts.  
Work backwards and forwards in rows as follows:  
Row 1 (**WS**): K1, P2, (K3, P2) to last st, K1.  
Row 2: K3, (P3, K2) to last st, K1.  
These 2 rows form 2x3 rib for border.  
Cont in 2x3 rib until border meas 6 cm, ending with RS facing for next row.  
Cast off in rib.

Join side and sleeve seams.  
Weave in ends and block to measurements.








Simple

Key Left front


- A
- B





Back



Right Front



Sleeves



First published in Great Britain in 2018 by **MEZ Crafts UK Ltd.**  
 17F Brooke's Mill, Armitage Bridge, Huddersfield, West Yorkshire, England, HD4 7NR.

British Library Cataloguing in Publication Data **Patons Loose Leaflet Pattern PBN0000-05356**  
 © **MEZ Crafts UK Ltd., 2018**



All rights reserved. Reproduction in whole or any part of all material, including illustrations, in this publication/leaflet is strictly forbidden. No part may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical photocopying, recording or otherwise without prior permission of the copyright owners having been given in writing. The designs are copyrighted and must not be knitted for re-sale. Reproduction of this publication/leaflet is protected by copyright and is sold on the condition that it used for non-commercial purposes. Yarn quantities are approximate as they are based on average requirements. Colour reproduction is as close as printing will allow.





Copyright © MEZ Crafts UK Ltd., 2018.

MEZ Crafts UK Ltd., 17F, Brooke's Mill, Armitage Bridge, Huddersfield, HD4 7NR, +44 (0) 1484 950630

