

debbie bliss

knitting magazine

SIMPLE KNITS
FOR A
SULTRY SUMMER

ECO CHIC
JUST PEACHY
TOP TANKS
PASTELS PLEASE



Hamptons Weekend

HOME
Seaside Style

U.S. \$7.99
CAN. \$8.99*
U.K. £4.50*
*Recommended Price



crème de la crème

The finer things in life are taking a turn for the natural. Sophisticated shades of café au lait, ecru and stone meld with earth-friendly yarns in organic cotton and bamboo to create luxe fashion that's anything but neutral.



PHOTOGRAPHS BY RICHARD BURNS. STYLED BY MIA PEJČINOVIĆ



shaped stock-
of this hoodie,
bamboo/extra-
casts tasteful
in the slit hems
ves.
ng ecru and
cricket on
reater worked
rib pattern.
lfi, a crisp
n, viscose,

Knitting has its
privileges: The most
shapely takes on this
spring's trend for long,
loose and casual are
yours for the stitching.



A cardi coat in a
el hue is graced by
fs and a collar that is
ght up from the
th no neck shaping
o fall to the outside.
c Eco Aran cotton.
e: Pared down and
hardly plain, a stone
in supersoft Rialto
rino is worked side
with increases at
edges, which ruffle
d fall in gentle folds.





This page: You'll pick up the tab, naturally, in a striped top with a buttoned collar and a riveting batch of big buttons on the back. Knit in new Eco Baby, an organic Fair Trade cotton in a delicious light weight.

Opposite: This poncho, in Prima, is haute couture writ backyard breezy. The off-center neck opening gives the garment its asymmetrical shape; the purposeful imbalance continues in the different-length sleeves.



Unwind in spotless vanillas
and taupes and savor the season in the
manner to which you were born.



Simply Summer

Say good-bye to winter with soft,
silky knits just meant for a stroll along the coast.



lilting lilac

Opposite: A tunic dress feels as ethereal as it looks in Pure Silk. The banded waist and flared skirt form a graceful hourglass shape; the split bodice and leaf cable panels provide drape and drama.

shell game

This page: Paired plaited cables—emphasized by the reverse-stockinette panels in between—get first glance on this turtleneck tank. Knit it in Cashmerino Aran, an extrafine-merino/cashmere/microfiber mix.



coastlines

This page: Throw it on for a stroll on the boardwalk or dress it up for a candlelight dinner—this moss-stitch jacket in Cashmerino Aran is ladylike enough to go anywhere. Crocheted scallops border the edges.

roll with it

Opposite: Simple as can be, this stockinette-stitch jacket with raglan sleeves and front pockets has the smartest rolled collar—it folds inside on its own after you knit it. In Eco Aran, a 100 percent organic Fair Trade cotton.





For a true taste of the
Hamptons, emphasize rustic
touches and outdoor living.
And paying homage to seafaring
tradition is naturally a must.

*going
places*

The iconic
with panels
Guernsey-s
gets a clever
in bright red
Ropelike ha
a traditional
Guernsey e
to the nauti



moroccan sunset

*After a day spent exploring the souks of Casablanca,
it's time to enjoy those Arabian nights.
Slip into something comfy, then kick back and relax.*



strictly organic *Opposite:* A cropped jacket in the shade Denim, rightly enough, mimics a jean jacket, with shaped sides, diagonally patterned yoke, moss-stitch collar and side straps. All garments in this feature are knit in Eco Aran, a 100 percent organic Fair Trade cotton. *This page:* The plush garter-stitch cowl on this easy stockinette-stitch sweater focuses all the attention on the face; the no-fuss body and long sleeves sport raglan shaping and rolled edges.

PHOTOGRAPHS BY RICHARD BURNS. STYLED BY MIA PEJGINOVIC



20

get marooned *This page:* Cabled paisleys pop on a pretty duck-egg blue pullover, framed by zigzag and rope cable combinations. Details of the loose-fitting sweater include three-quarter sleeves and a soft stockinette rolled neckline and hem. *Opposite:* A close-fitting purple cabled vest hits at the hip, with squared-off lines that cut a dapper figure. The double-ribbed front bands are picked up and worked to form the stand-up revere collar.

*It's the beginning of a beautiful
friendship: intriguing patterns, organic
cotton in exciting hues, and an
exotic destination in which to wear them.*





❖ Blushing beauties ❖

When balmy breezes blow, nothing says "come hither" like these alluring knits in warm grays and cool pastels.



gray gardens

Opposite: Cables extend like the delicate veins of a leaf over the body and bodice of a camisole, continuing over the shoulders to form whispery straps. Knit in a dove hue of Prima, a bamboo/extrafine-merino blend.

This page: A cabled duster goes enticingly sleeveless in Cashmerino Aran, a mix of extrafine merino, cashmere and microfiber. The front, neck and arm bands are picked up and double-ribbed.

A mix of hues and textures,
cables and stripes, puts a flirty spin
on familiar concepts.



24


just peachy

This page: This cabled top, in an ultrafeminine hue of Cashmerino Aran, is knit without armhole seams—the dropped-shoulder sleeves are increased from the main piece, then the sleeve ribs are turned up and button fastenings sewn on.

Opposite: Sweet juicy-fruit hues stripe up the band, so to speak, on a gray-edged V-neck boyfriend cardigan worked in Prima. The stockinette body is bordered by picked-up stockinette stitch.







Top Tanks

Whether they fly solo in a show of shoulders or layer with tees and blayers, these little wisps o' the wardrobe are ruling the runways this season.



27

Opposite: A bit sinful, like the bitter-chocolate shade of the Pure Silk yarn, this clinging single-ribbed top takes a dare with a plunging V-neck back. The tank is worked in one piece to the armholes.

This page: Whipping up this Pure Silk shell is as simple as can be, with identical stockinette-stitch back and front, narrow single rib at the lower edge and the stitching at the neck left to roll.






29

Opposite: Flattery will get you everywhere in a versatile polo top. This one, in a stone shade of Prima bamboo/merino, has a touch of side shaping and cutaway armbands that look good on everyone.

This page: This Cotton DK top just begs for a sunny Saturday. The cable-trimmed, raglan-shaped armbands flow right into the turtleneck, creating a dramatic line.



1 Hooded Kaftan

Sized to fit bust 81 (86, 92, 97, 102, 107, 112, 117)cm/32 (34, 36, 38, 40, 42, 44, 46)in and shown in size 86cm/34in on page 30.

FINISHED MEASUREMENTS

- Bust 81 (86, 92, 97, 102, 108, 113, 119)cm/32 (34, 36, 38, 40, 42½, 44½, 46¾)in
- Length to shoulder 61 (63, 65, 66, 67, 68, 69, 71)cm/24 (24¾, 25½, 26, 26½, 26¾, 27¼, 28)in
- Sleeve length 44 (44, 44, 45, 45, 45, 46, 46)cm/17¼ (17¼, 17¼, 17¾, 17¾, 17¾, 18, 18)in

MATERIALS

- 12 (13, 14, 15, 16, 17, 18, 19) 50g/1¾oz balls (each approx 100m/110yd) of Debbie Bliss/KFI Prima (bamboo/extrafine merino wool) in White 02 (M) and 3 (3, 3, 4, 4, 4, 4) 50g balls in Stone 04 (C)
- Pair each 3.75mm (US 5) and 4mm (US 6) knitting needles OR SIZE TO OBTAIN TENSION

TENSION

22 sts and 30 rows to 10cm/4in square over St st on 4mm (US 6) needles.

TAKE TIME TO CHECK TENSION

ABBREVIATIONS

p2sso = pass 2 slipped sts over.
Also see page 65.

BACK

With 3.75mm (US 5) needles and C, cast on 99 (105, 111, 117, 123, 129, 135, 141) sts. K 5 rows.

Change to 4mm (US 6) needles.

Next row (right side) K to end.

Next row K5, p to last 5 sts, k5.

Rep the last 2 rows until back measures 7cm/2¾in from cast on edge, ending with a p row.

Change to M.

Beg with a k row, work in St st.

Work 18 rows.

Dec row (right side) K7, skpo, k to last 9 sts, k2tog, k7.

Work 19 rows.

Rep the last 20 rows twice more and the dec row once again. 91 (97, 103, 109, 115, 121, 127, 133) sts.**

Cont straight until back measures 41 (42, 42, 43, 43, 44, 44, 45)cm/16¼ (16½, 16½, 17, 17, 17¼, 17¼, 17¾)in from cast on edge, ending with a p row.

Shape raglans

Cast off 3 (4, 5, 6, 7, 8, 9, 10) sts at beg of next 2 rows. 85 (89, 93, 97, 101, 105, 109, 113) sts.

Next row K2, skpo, k to last 4 sts, k2tog, k2.

Next row P2, p2tog, p to last 4 sts, p2tog tbl, p2.

Rep the last 2 rows 3 times more. 69 (73, 77, 81, 85, 89, 93, 97) sts.

Next row K2, skpo, k to last 4 sts, k2tog, k2.

Next row P to end.

Rep the last 2 rows until 29 (31, 33, 35, 37, 39, 41, 43) sts rem, ending with a p row. Cast off.

FRONT

Work as given for Back to **. Cont straight until front measures 38 (39, 39, 40, 40, 41, 41, 42)cm/15 (15¼, 15¼, 15¾, 15¾, 16¼, 16¼, 16½)in from cast on edge, ending with a p row.

Divide for front opening

Next row (right side) K43 (46, 49, 52, 55, 58, 61, 64), turn and cast on 5 sts, cont on these 48 (51, 54, 57, 60, 63, 66, 69) sts only for left side of front, leave rem sts on a spare needle.

Next row K5, p to end.

Next row K to end.

Rep the last 2 rows until front measures same as Back to start of raglan shaping, ending with a wrong side row.

Shape raglan

Next row Cast off 3 (4, 5, 6, 7, 8, 9, 10) sts, k to end. 45 (47, 49, 51, 53, 55, 57, 59) sts.

Next row K5, p to end.

Next row K2, skpo, k to end.

Next row K5, p to last 4 sts, p2tog tbl, p2.

Rep the last 2 rows 3 times more. 37 (39, 41, 43, 45, 47, 49, 51) sts.

Next row K2, skpo, k to end.

Next row K5, p to end.

Rep the last 2 rows, until 17 (18, 19, 20, 21, 22, 23, 24) sts rem, ending with a wrong side row.

Leave these sts on a holder for hood.

With right side facing, rejoin yarn to rem 48 (51, 54, 57, 60, 63, 66, 69) sts, k to end.

Cont on these sts for right side of front.

Next row P to last 5 sts, k5.

Next row K to end.

Rep the last 2 rows until front measures same as Back to start of raglan shaping, ending with a right side row.

Shape raglan

Next row Cast off 3 (4, 5, 6, 7, 8, 9, 10) sts, p to last 5 sts, k5. 45 (47, 49, 51, 53, 55, 57, 59) sts.

Next row K to last 4 sts, k2tog, k2.

Next row P2, p2tog, p to last 5 sts, k5.

Rep the last 2 rows 3 times more. 37 (39, 41, 43, 45, 47, 49, 51) sts.

Next row K to last 4 sts, k2tog, k2.

Next row P to last 5 sts, k5.

Rep the last 2 rows, until 17 (18, 19, 20, 21, 22, 23, 24) sts rem, ending with a wrong side row.

Do not break yarn, leave sts on the needle.

HOOD

With right side facing and 4mm (US 6) needles, k across 17 (18, 19, 20, 21, 22, 23, 24) sts of right front, cast on 81 (85, 93, 97, 105, 109, 115, 119) sts for back of hood, k across 17 (18, 19, 20, 21, 22, 23, 24) sts from left front holder. 115 (121, 131, 137, 147, 153, 161, 167) sts.

Next row (wrong side) K5, p to last 3 sts, k5.

Next row K to end.

Rep the last 2 rows until hood measures 25 (25, 25, 25, 26, 26, 26, 26)cm/10 (10, 10, 10, 10¼, 10¼, 10¼, 10¼)in along front edge from pick up row, ending with a wrong side row.

Next row K56 (59, 64, 67, 72, 75, 79, 82), sl 2 tog, k1, p2sso, k to end.

Next row K5, p to last 3 sts, k5.

Next row K55 (58, 63, 66, 71, 74, 78, 81), sl 2 tog, k1, p2sso, k to end.

Next row K5, p to last 3 sts, k5.

Next row K54 (57, 62, 65, 70, 73, 77, 80), sl 2 tog, k1, p2sso, k to end.

Next row K5, p to last 3 sts, k5.

Cont in this way to dec 2 sts at centre of row on next row and 4 foll right side rows. 99 (105, 115, 121, 131, 137, 145, 151) sts.

Next row K5, p to last 5 sts, k5.


Next row K49 (52, 57, 60, 65, 68, 72, 75), turn and work on these sts only.

Next row Cast off 6 (6, 7, 7, 8, 8, 9, 9) sts, p to last 5 sts, k5.

Next row K.

Rep the last 2 rows 6 times more.

Cast off rem 7 (10, 8, 11, 9, 12, 9, 12) sts.



right side facing, rejoin yarn to rem sts.
 Row Cast off 6 (6, 7, 7, 8, 8, 9, 9) sts, k to end.
 Row K5, p to end.
 Repeat the last 2 rows 6 times more.
 Cast off rem 8 (11, 9, 12, 10, 13, 10, 13) sts.

NECK
 With 3.75mm (US 5) needles and C, cast on 69 (73, 77, 81, 85, 91, 97, 103) sts.
 Row 1 P.
 Row 2 K to 4mm (US 6) needles.
 Row 3 With a k row, work in St st until sleeve measures 10 (11, 12, 13, 14, 15, 16, 17, 18)in from cast on edge, ending with a p row.
 Row 4 Change to M. Beg with a k row, work in St st until sleeve measures 44 (44, 44, 45, 45, 45, 46, 46, 47, 48)cm/17¼ (17¼, 17¼, 17¾, 17¾, 17¾, 18, 18)in from cast on edge, ending with a p row.

SLEEVE TOP
 Row 1 Cast off 3 (4, 5, 6, 7, 8, 9, 10) sts at beg of next 2 rows.
 Row 2 K2, skpo, k to last 4 sts, k2tog, k2.
 Row 3 P to end.
 Row 4 K to end.
 Row 5 P to end.
 Repeat the last 4 rows, 0 (0, 1, 1, 2, 1, 1, 0) times more.
 Row 6 K2, skpo, k to last 4 sts, k2tog, k2.
 Row 7 P to end.
 Repeat the last 2 rows, until 17 (17, 19, 19, 21, 21, 23, 23)in, ending with a p row. Cast off.

FINISHING
 Join side seams. Join sleeve seams. Fold hood in half and sew top seam. Sew cast on sts of back of hood to side sts of back neck, easing to fit. Sew cast on edge of front opening behind right front opening. *



Adapted Cricket Sweater

to fit bust 81-86 (92-97, 102-107, 112-117)cm/ (36-38, 40-42, 44-46)in and shown in size 81-86 (92-97, 102-107, 112-117)cm/ (36-38, 40-42, 44-46)in on page 31.

FINISHED MEASUREMENTS

Length 90 (100, 110, 120)cm/35½ (39½, 43¼, 47¼)in
 Length to shoulder 72 (74, 77, 79)cm/28¼ (29¼, 30¼, 31)in

* Sleeve length 44 (45, 47, 48)cm/17¼ (17¾, 18½, 19)in

MATERIALS

- 13 (14, 15, 16) 50g/1¾ oz balls (each approx 100m/109yd) of Debbie Bliss/KFI Amalfi (cotton/vicose/linen/silk) in Ecru 12 (M) and 1 (1, 2, 2) 50g balls in Stone 11 (C)
- Pair each 3.75mm (US 5) and 4mm (US 6) knitting needles OR SIZE TO OBTAIN TENSION
- 3.75mm (US 5) circular needle
- Cable needle

TENSIONS

22 sts and 30 rows over st st and 24 sts and 30 rows over patt both to 10cm/4in square using 4mm (US 6) needles. TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

C4F = slip next 2 sts onto cable needle and hold to front of work, k2, then k2 from cable needle.
m1p = make one purl st by picking up and purling into back of loop lying between st just worked and next st.
 Also see page 65.

BACK

With 4mm (US 6) needles and C, cast on 93 (103, 113, 123) sts.

1st row (right side) K3, [p2, k3] to end.

2nd row P to end.

These 2 rows form the rib and garter st patt and are repeated.

Work 1 more row in C then 4 rows M, 4 rows C and 4 rows M.

Inc row (wrong side) P7, [m1p, p5] to last 6 sts, m1p, p6. 110 (122, 134, 146) sts.

Cont in M only in patt as follows.

1st row K3, [p2, k4] to last 5 sts, p2, k3.

2nd row P to end.

3rd and 4th rows As 1st and 2nd rows.

5th row K3, [p2, C4F, p2, k4] to last 11 sts, p2, C4F, p2, k3.

6th row As 2nd row.

7th and 8th rows As 1st and 2nd rows.

These 8 rows form the patt.

Cont in patt until back measures 52 (53, 54, 55)cm/20½ (21, 21¼, 21¾)in from cast on edge, ending with a wrong side row.

Shape armholes

Cast off 4 sts at beg of next 2 rows. 102 (114, 126, 138) sts. Cont in patt until back measures 67 (69, 72, 74)cm/26½ (27¼, 28¼, 29¼)in from cast on edge, ending with a wrong side row.

Shape back neck

Next row Patt 27 (33, 39, 45), turn and work on these sts for first side of back neck.

Next row P to end.

Next row Patt to last 2 sts, work 2 tog.

Rep the last 2 rows 5 times more. 21 (27, 33, 39) sts. Work 2 rows. Cast off for shoulder. With right side facing, slip next 48 sts onto a holder, rejoin yarn to rem sts, patt to end.

Next row P to end.

Next row Work 2 tog, patt to end.

Rep the last 2 rows 5 times more. 21 (27, 33, 39) sts. Work 2 rows. Cast off for shoulder.

FRONT

Work exactly as given for Back until front measures 34 (36, 39, 41)cm/13½ (14¼, 15¼, 16¼)in from cast on edge, ending with a wrong side row.

Next row Patt 53 (59, 65, 71), k1, k2tog, k1, patt 53 (59, 65, 71). 109 (121, 133, 145) sts.

Next row P to end.

Shape neck

Next row Patt 51 (57, 63, 69), work 2 tog, turn and work on these sts for first side of front neck, leave rem sts on a holder. Patt 3 rows.

Next row Patt to last 2 sts, work 2 tog.

Cont to dec one st at neck edge on every 4th row, at the same time, when front matches Back to armhole, ending at side edge, shape armhole as follows:

Next row Cast off 4 sts, patt to end.

Keeping armhole edge straight cont to dec at neck edge on every 4th row until 21 (27, 33, 39) sts rem.

Work straight until front measures same as Back to shoulder shaping, ending with a right side row.

Cast off for shoulder. With right side facing, slip 3 sts at centre onto a safety pin, rejoin yarn to rem sts on holder, work 2 tog, patt to end. Patt 3 rows.

Next row (right side) Work 2 tog, patt to end.

Keeping patt correct, complete to match first side, reversing shapings.

SLEEVES

With 3.75mm (US 5) needles and C, cast on 51 (51, 56, 56) sts.

1st row K2, [p2, k3] to last 4 sts, p2, k2.

2nd row P to end.

These 2 rows form the rib and garter st patt and are repeated.

Work 1 more row in C, then 4 rows M, 4 rows C and 4 rows M.

Inc row P1, m1p, p4, [m1p, p5] to last st, m1p, p1. 62 (62, 68, 68) sts.

Change to 4mm (US 6) needles.

1st and 2nd sizes only

1st row K3, [p2, k4] to last 5 sts, p2, k3.

2nd row P to end.

3rd and 4th rows As 1st and 2nd rows.

5th row K3, [p2, C4F, p2, k4] to last 11 sts, p2, C4F, p2, k3.

6th row As 2nd row.

7th and 8th rows As 1st and 2nd rows.

These 8 rows form the patt.

3rd and 4th sizes only

1st row K3, [p2, k4] to last 5 sts, p2, k3.

2nd row P to end.

3rd and 4th rows As 1st and 2nd rows.

5th row K3, [p2, C4F, p2, k4] to last 5 sts, p2, k3.

6th row As 2nd row.

7th and 8th rows As 1st and 2nd rows.

These 8 rows form the patt.

All sizes

Keeping patt correct and working inc sts into patt, inc one st at each end of next row and every foll 8th row until there are 86 (86, 92, 92) sts.

Instructions

Work straight until sleeve measures 44 (45, 47, 48)cm/17¼ (17¾, 18½, 19)in from cast on edge, ending with a wrong side row.

Shape sleeve top

Place markers at each end of last row. Work a further 6 rows. Cast off.

NECKBAND

Join right shoulder seam.

With right side facing, 3.75 mm (US 5) circular needle and M, pick up and k82 sts down left front neck, k3 from safety pin, pick up and k81 sts up right front neck, 12 sts down right back neck, work k2, [p2, k1, k2tog, k1] 7 times, p2, k2, across sts from back neck holder, then pick up and k13 sts up left back neck. 232 sts. Work backwards and forwards in rows.

Next row (wrong side) K2, [p3, k2] to end.

This row sets the rib patt.

Next row K81, k2tog, k1, skpo, k146.

Next row Rib 145, p2tog, p1, p2tog tbl, p80.

Next row K79, k2tog, k1, skpo, k144.

Next row Rib 143, p2tog, p1, p2tog tbl, p78.

Next row K77, k2tog, k1, skpo, k142.


Next row Rib 141, p2tog, p1, p2tog tbl, p76.

Rib a further 4 rows M, 4 rows C, 4 rows M, 4 rows C and dec 2 sts at centre front of every row. Cast off and dec at centre front on this row as before.

TO MAKE UP

Join left shoulder and neckband seam.

Join side and sleeve seams. Sew sleeves into armholes, easing to fit and with row ends above markers, sewn to sts cast off at underarm. *



3 Long Cardigan

Sized to fit bust 81-86 (92-97, 102-107, 112-117, 122-127)cm/32-34 (36-38m, 40-42, 44-46, 48-50) in and shown in size 81-86cm/32-34in on page 32.

FINISHED MEASUREMENTS

- Bust 94 (105, 114, 125, 137)cm/37 (41½, 44¾, 49¼, 54)in
- Length to shoulder 90 (92, 94, 96, 98)cm/35½ (36¼, 37, 37¾, 38½)in
- Sleeve length 46 (46, 48, 48, 49)cm/18 (18, 19, 19, 19)in

MATERIALS

- 21 (23, 25, 27, 29) 50g/1¾oz (each approx 90m/98yd) balls of Debbie Bliss/KFI Eco Aran (organic cotton) in Camel 605
 - Pair each of 4.50mm (US 7) and 5mm (US 5) needles
- OR SIZE TO OBTAIN TENSION

TENSION

18 sts and 24 rows to 10cm/4in over St st using 5mm (US 8) needles. TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

skpo = slip 1, k1, pass slipped st over. Also see page 65.

BACK

With 5mm (US 8) needles, cast on 107 (117, 125, 135, 145) sts.

1st row (right side) K1, [p1, k1] to end.

2nd row P to end.

Rep these 2 rows twice more.

Beg with a k row, work 18 rows in St st.

Dec row K8, skpo, k to last 10 sts, k2tog, k8.

Work 15 rows in St st.

Rep the last 16 rows 8 times more, then the dec row once again. 87 (97, 105, 115, 125) sts.

Cont straight in St st until back measures 72 (73, 74, 75, 76)cm/28¼ (28¾, 29¼, 29½, 30)in from cast on edge, ending with a p row.

Shape armholes

Cast off 9 sts at beg of next 2 rows. 69 (79, 87, 97, 107) sts.

Cont straight until back measures 90 (92, 94, 96, 98)cm/35½ (36¼, 37, 37¾, 38½)in, ending with a p row.

Shape shoulders

Cast off 7 (9, 11, 13, 15) sts at beg of next 2 rows and 8 (9, 11, 12, 14) sts at beg of foll 2 rows.

Cast off rem 39 (43, 43, 47, 49) sts.

LEFT FRONT

With 5mm (US 8) needles, cast on 73 (79, 85, 91, 97) sts.

1st row (right side) K1, [p1, k1] to end.

2nd row [P1, k1] 4 times, p to end.

Rep these 2 rows twice more.

Next row (right side) K to last 8 sts, [p1, k1] 4 times.

Next row [P1, k1] 4 times, p to end.

The last 2 rows form St st with 8 sts in rib for border and are repeated.

Patt 16 rows.

Dec row (right side) K8, skpo, k to last 8 sts, p2tog, k8. Patt 15 rows.

Rep the last 16 rows 8 times more and the dec row once again. 63 (69, 75, 81, 87) sts.

Cont straight until front measures same as Back to armhole, ending with a wrong side row.

Shape armhole

Cast off 9 sts at beg of next row. 54 (60, 66, 72, 78) sts.

Cont straight until 4 rows less have been worked than on Back, ending with a wrong side row.

Shape neck

Next row K to last 30 (33, 35, 38, 40) sts, tur these sts on a holder for collar, cont on next row.

Next row (wrong side) Cast off 5 sts, p to end. K 1 row.

Next row Cast off 4 sts, p to end.

Shape shoulder

Next row (right side) Cast off 7 (9, 11, 13, 15) sts, p 1 row. Cast off rem 8 (9, 11, 12, 14) sts.

RIGHT FRONT

With 5mm (US 8) needles, cast on 73 (79, 85, 91, 97) sts.

1st row (right side) K1, [p1, k1] to end.

2nd row P to last 8 sts, [k1, p1] 4 times.

Rep these 2 rows twice more.

Next row (right side) [K1, p1] 4 times, k to end.

Next row P to last 8 sts, [k1, p1] 4 times.

The last 2 rows form St st with 8 sts in rib for border and are repeated.

Patt 16 rows.

Dec row (right side) [K1, p1] 4 times, k to last 8 sts, k2tog, k8. Patt 15 rows.

Rep the last 16 rows 8 times more and the dec row once again. 63 (69, 75, 81, 87) sts.

Cont straight until front measures same as Back to armhole, ending with a right side row.

Shape armhole

Cast off 9 sts at beg of next row. 54 (60, 66, 72, 78) sts.

Cont straight until 4 rows less have been worked than on Back, ending with a wrong side row.

Shape neck

Next row (right side) K30 (33, 35, 38, 40) sts, tur these sts on a holder for collar, cast off 5 (5, 5, 5, 5) sts.

P 1 row.

Next row Cast off 4 sts, k to end.


P 1 row. K 1 row.

Shape shoulder

Next row (wrong side) Cast off 7 (9, 11, 13, 15) sts, p 1 row.

K 1 row.

Cast off rem 8 (9, 11, 12, 14) sts.



ES
mm (US 8) needles, cast on 37 (39, 41, 43, 45)

w (right side) K1, [p1, k1] to end.
w P to end.

ese 2 rows until sleeve measures 15cm/6in,
g with a wrong side row.

with a k row, work in st st and inc 1 st at each
5th and every foll 4th row until there are 65
(77, 81) sts.

straight until sleeve measures 46 (46, 48, 48,
(18, 19, 19, 19)in from cast on edge, end-
h a p row.

markers at each end of last row.
a further 12 rows. Cast off.

AR
oulder seams.

ight side facing and 4.50mm (US 7) needles,
(33, 35, 38, 40) sts from right front holder onto
e, join on yarn and pick up and k14 sts up right
neck, 39 (43, 43, 47, 49) sts across back neck, 14
wn left front neck, k across first 22 (25, 27, 30,
on left front holder, then work [p1, k1] 4 times
rem 8 sts. 127 (137, 141, 151, 157) sts.

w (wrong side) P1, [k1, p1] to end.

w K1, [p1, k1] to end.

ese 2 rows for 9cm/3½in.

Change to 5mm (US 8) needles and cont in rib until
collar measures 20cm/8in from pick up row. Cast off
loosely but evenly in rib.

TO MAKE UP

Matching centre of cast off edge of sleeve to shoul-
der, sew sleeves into armholes easing to fit and with
row ends above markers sewn to sts cast off at
underarm.

Join side and sleeve seams. ❖



4 Draped Cardigan

Sized to fit bust 81-86 (92-97, 102-107, 112-
117)cm/32-34 (36-38, 40-42, 44-46)in and shown in
size 81-86cm/32-34in on page 33.

FINISHED MEASUREMENTS

- Bust 101 (111, 121, 131)cm/39¾ (43¾, 47¾, 51¾)in
- Length to shoulder 55 (57, 59.5, 61.5)cm/21¾ (22½, 23½, 24¼)in
- Sleeve length (excluding lower frill) 46 (46, 48, 48)cm/18 (18, 19, 19)in

MATERIALS

- 10 (11, 12, 13) 50g/1¾oz balls (each approx 181m/198yd) of Debbie Bliss/KFI *Rialto 4 ply* (extrafine merino wool) in Stone 6
- Pair 3.25mm (US 3) knitting needles OR SIZE TO OBTAIN TENSION
- 3mm (US 2-3) circular needle

TENSION

28 sts and 38 rows to 10cm/4in square over St st using 3.25mm (US 3) needles.
TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

kfb = knit into front and back of next st.

pfb = purl into front and back of next st.

Also see page 65.

NOTE

The back is worked sideways from the left side seam. The fronts are worked from the side seams towards the centre front. The sleeves are worked in the usual way from the lower edge upwards.

BACK

** With 3.25mm (US 3) needles, cast on 98 (104, 109, 115) sts.

Shape left side and armhole

1st row (right side) K16 (19, 22, 25), turn.

Next row Sl 1, p to end.

Next 2 rows K28 (31, 34, 37) sts, turn, sl 1, p to end.

Next 2 rows K40 (43, 46, 49), turn, sl 1, p to end.

Next row K across all sts.

Next 2 rows P11, turn, sl 1, k to end.

Next 2 rows P22, turn, sl 1, k to end.

Next 2 rows Pfb, p32, turn, sl 1, k to end.

Next row (wrong side) Pfb, p to end. K 1 row.

Rep the last 2 rows 7 times more.

Next row Cast on 2 sts, p to end. K 1 row.

Rep the last 2 rows once more.

Next row Cast on 4 sts, p to end. K 1 row.

Rep the last 2 rows once more.

Next row Cast on 35 (35, 37, 37), p to end. 154 (160, 167, 173) sts.

Shape left shoulder

Beg with a k row, work 3 (5, 7, 9) rows in St st.

Inc row Pfb, p to end. Work 3 rows in St st.

Rep the last 4 rows 5 (5, 6, 6) times more and the inc row once again. 161 (167, 175, 181) sts.

Work 3 (5, 7, 9) rows in St st.

Shape collar

Next row (wrong side) Cast on 2 sts, p to end.

K 1 row.

Next row Cast on 4 sts, p to end.

Rep the last 2 rows twice more. 175 (181, 189, 195) sts. **

Work 63 (69, 71, 83) rows in St st, so ending with a k row.

Next row Cast off 4 sts, p to end.

K 1 row.

Rep the last 2 rows twice more.

Next row Cast off 2 sts, p to end. 161 (167, 175, 181) sts.

Shape right shoulder

Beg with a k row, work 3 (5, 7, 9) rows in st st.

Next row P2tog, p to end.

Work 3 rows.

Rep the last 4 rows 5 (5, 6, 6) times more and the dec row once again. 154 (160, 167, 173) sts.

Work 3 (5, 7, 9) rows.

Shape right armhole

Next row Cast off 35 (35, 37, 37), sts, p to end.

K 1 row.

Next row Cast off 4 sts, p to end.

Rep the last 2 rows once more.

K 1 row.

Next row Cast off 2 sts, p to end.

Rep the last 2 rows once more.

K 1 row.

Next row P2tog, p to end.

Rep the last 2 rows 6 times more.

K 1 row.

Shape right side seam



Next 2 rows P2tog, p33, turn, sl 1, k to end.

Next 2 rows P2tog, p21, turn, sl 1, k to end.

Next 2 rows P11, turn, sl 1, k to end. 98 (104, 109, 115) sts.

Next row P to end.

Next 2 rows K40 (43, 46, 49), turn, sl 1, p to end.



Instructions

Next 2 rows K28 (31, 34, 37), turn, sl 1, p to end.
 Next 2 rows K16 (19, 22, 25), turn, sl 1, p to end.
 Cast off all sts.

RIGHT FRONT

Work as Back from ** to **. 175 (181, 189, 195) sts. Work 33 (37, 37, 43) rows in St st, so ending with a k row.

Inc row (wrong side) P5, [m1, p3] 56 (58, 60, 62) times, p2(2, 4, 4). 231(239, 249, 257) sts.

Cont in St st for a further 4cm/1½in, ending with a k row. K 2 rows. Cast off knitwise.

LEFT FRONT

With 3.25mm (US 3) needles, cast on 98 (104, 109, 115) sts.

Shape left side and armhole

1st row (right side) K11, turn.

Next row Sl 1, p to end.

Next 2 rows K22, turn, sl 1, p to end.

Next 2 rows Kfb, k32, turn, sl 1, p to end.

Next row Kfb, k across all sts.

Next 2 rows P16 (19, 22, 25), turn, sl 1, k to end.

Next 2 rows P28 (31, 34, 37), turn, sl 1, k to end.

Next 2 rows P40 (43, 46, 49), turn, sl 1, k to end.

P 1 row.

Next row Kfb, k to end.

Rep the last 2 rows 6 times more.

P 1 row.

Next row Cast on 2 sts.

Rep the last 2 rows once more.

P 1 row.

Next row Cast on 4 sts, k to end.

Rep the last 2 rows once more.

P 1 row.

Next row Cast on 35 (35, 37, 37) sts, k to end. 154 (160, 167, 173) sts.

Shape left shoulder

Beg with a p row, work 3 (5, 7, 9) rows in St st.

Next row Kfb, k to end.

Work 3 rows in St st.

Rep the last 4 rows 5 (5, 6, 6) times more and then the inc row once more. 161 (167, 175, 181) sts.

Work 3 (5, 7, 9) rows in St st.

Shape collar

Next row Cast on 2 sts, k to end.

P 1 row.

Next row Cast on 4 sts, k to end.

Rep the last 2 rows twice more. 175 (181, 189, 195) sts. Work 32 (36, 36, 42) rows in St st, so ending with a k row.

Inc row (wrong side) P5, [m1, p3] 56 (58, 60, 62) times, p2 (2, 4, 4). 231(239, 249, 257) sts.

Cont in St st for a further 4cm/1½in, ending with a k row.

K 2 rows. Cast off knitwise.

SLEEVES

With 3.25mm (US 3) needles, cast on 74 (74, 79, 79) sts.

K 2 rows.

Beg with a k row, work 8 rows in St st.

Dec row (right side) [K3, k2tog] 14 (14, 15, 15) times, k4. 60 (60, 64, 64) sts.

Place markers at each end of last row.

Beg with a p row, work in St st and inc 1 st at each end of 6th and every foll 8th row, until there are 102 (102, 106, 106) sts.

Cont straight in St st until sleeve measures 46 (46, 48, 48)cm/18 (18, 19, 19)in from markers.

Shape sleeve top

Cast off 4 sts at beg of next 2 rows. 94 (94, 98, 98) sts.

Next row (right side) K1, ssk, k to last 3 sts, k2tog, k1. P 1 row.

Rep the last 2 rows 8 times more. 76 (76, 80, 80) sts.

Next row (right side) K1, ssk, k to last 3 sts, k2tog, k1. Work 3 rows in St st.

Rep the last 4 rows 6 times more, then the dec row once again. 60 (60, 64, 64) sts.

Work 2 rows in St st, so ending with a k row.

Cast off 2 sts at beg of next 6 (6, 8, 8) rows, then 3 sts at beg of foll 10 rows. Cast off rem 18 sts.

COLLAR EDGING

Join shoulder and collar seams.

With right side facing and 3mm (US 2-3) circular needle, pick up and k110 (119, 128, 137) sts evenly along row ends of collar edge.

K 2 rows. Cast off knitwise.

LOWER EDGING

Sew sleeves into armholes, easing to fit.

Join side and sleeve seams.

With right side facing and 3mm (US 2-3) circular needle, pick up and k292 (312, 329, 356) sts evenly along row ends of lower edge of back and fronts.

K 2 rows. Cast off knitwise. ❖



5 Striped Top

Sized to fit bust 81 (86, 92, 97, 102, 107, 112)cm/32 (34, 36, 38, 40, 42, 44)in and shown in size 92cm/36in on page 34.

FINISHED MEASUREMENTS

- Bust 85 (92, 98, 104, 111, 117, 124)cm/33½ (36, 38½, 41, 43¾, 46, 48¾)in
- Length to shoulder 64 (65, 66, 67, 68, 69, 70)cm/25¼ (25½, 26, 26½, 26¾, 27¼, 27½)in
- Sleeve length 6 (6, 7, 7, 7, 8, 8)cm/2¼ (2¼, 2¾, 2¾, 2¾, 3¼, 3¼)in

MATERIALS

- 7 (7, 8, 8, 9, 9, 10) 50g/1¾oz balls each approx 125m/136yd of Debbie Bliss Eco Baby (organic cotton) in White 01 (M) and 4 (4, 4, 5, 5, 5, 6) balls in Stone 15 (C)
- Pair each 3mm (US 2-3) and 3.25mm (US 3) knitting needles OR SIZE TO OBTAIN TENSION
- 11 large buttons and 1 small button

TENSION

25 sts and 34 rows to 10cm/4in square over St st using 3.25mm (US 3) needles.
 TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

See page 65.

FRONT

With 3mm (US 2-3) needles and M, cast on 117 (125, 133, 141, 149, 157, 165) sts.

K 7 rows.

Change to 3.25mm (US 3) needles.

Beg with a k row, work in St st stripes of 2 rows C and 4 rows M. Work 34 rows.

Dec row K6, skpo, k to last 8 sts, k2tog, k6.


Work 35 rows.

Rep the last 36 rows twice more and the dec row again. 109 (117, 125, 133, 141, 149, 157) sts.

Beg with a p row, cont in St st until front measures 44 (45, 45, 46, 46, 47, 47)cm/17¼ (17¾, 17¾, 18, 18, 18½, 18½)in from cast on edge, ending with a p row.

Shape armholes

Cast off 5 (6, 7, 8, 9, 10, 11) sts at beg of next 2 rows. 99 (105, 111, 117, 123, 129, 135) sts.



Next row K2, skpo, k to last 4 sts, k2tog, k2.

Next row P to end.

Rep the last 2 rows 6 (7, 8, 9, 10, 11, 12) times more. 85 (89, 93, 97, 101, 105, 109) sts.

Work straight until front measures 59 (60, 61, 62, 62, 63, 64)cm/23 $\frac{1}{4}$ (23 $\frac{1}{2}$, 24, 24 $\frac{1}{2}$, 24 $\frac{1}{2}$, 24 $\frac{3}{4}$, 25 $\frac{1}{2}$)in from cast on edge, ending with a p row.

Shape neck

Next row K34 (35, 36, 37, 38, 39, 40), turn and work on these sts only for first side of neck shaping, leave rem sts on a spare needle.

Cast off 4 sts at beg of next row and 6 foll wrong side rows. 6 (7, 8, 9, 10, 11, 12) sts.

Work 2 rows.

Leave these sts on a holder.

With right side facing, slip 17 (19, 21, 23, 25, 27, 29) sts at centre front onto a holder, rejoin yarn to rem 34 (35, 36, 37, 38, 39, 40) sts on spare needle, k to end.

Work 1 row.

Cast off 4 sts at beg of next row and 6 foll right side rows. 6 (7, 8, 9, 10, 11, 12) sts.

Work 1 row.

Leave these sts on a holder.

RIGHT BACK

With 3mm (US 2-3) needles and M, cast on 64 (68, 72, 76, 80, 84, 88) sts.

Work 7 rows.

Change to 3.25mm (US 3) needles.

Work in stripes of 2 rows C and 4 rows M as follows:

Next row (right side) K to end.

Next row K11, p to end.

These 2 rows form St st with garter stitch edging and are repeated.

Work a further 32 rows.

Dec row K6, skpo, k to end.

Work 35 rows.

Rep the last 36 rows twice more and the dec row again. 60 (64, 68, 72, 76, 80, 84) sts.

Work straight until back measures 44 (45, 45, 46, 46, 47, 47)cm/17 $\frac{1}{4}$ (17 $\frac{3}{4}$, 17 $\frac{3}{4}$, 18, 18, 18 $\frac{1}{2}$, 18 $\frac{1}{2}$)in from cast on edge, ending with a wrong side row.

Shape armhole

Cast off 5 (6, 7, 8, 9, 10, 11) sts at beg of the next row. 55 (58, 61, 64, 67, 70, 73) sts.

Work 1 row.

Next row K2, skpo, k to end.

Next row K11, p to end.

Rep the last 2 rows 6 (7, 8, 9, 10, 11, 12) times more. 48 (50, 52, 54, 56, 58, 60) sts.

Work straight until back measures same as Front to shoulder, ending with a wrong side row.

Leave these sts on a holder.

Mark the position for nine buttons, the first on the 12th/13th rows, the 9th 5/6 rows below shoulder shaping, with the rem seven spaced evenly between.

LEFT BACK

With 3mm (US 2-3) needles and M, cast on 64 (68, 72, 76, 80, 84, 88) sts.

Work 7 rows.

Change to 3.25mm (US 3) needles.

Work in stripes of 2 rows C and 4 rows M as follows:

Next row (wrong side) P to end.

Next row P11, k to end.

These 2 rows form St st with garter st buttonhole band.

Work a further 2 rows.

1st buttonhole row (wrong side) P to last 11 sts, p2, cast off 5 sts, p to end.

2nd buttonhole row P4, cast on 5 sts, p2, k to end.

Working buttonholes to match markers, cont as follows, Work a further 28 rows.

Dec row P6, p2tog, p to end. Work 35 rows.

Rep the last 36 rows twice more and the dec row again. 60 (64, 68, 72, 76, 80, 84) sts.

Work straight until back measures 44 (45, 45, 46, 46, 47, 47)cm/17 $\frac{1}{4}$ (17 $\frac{3}{4}$, 17 $\frac{3}{4}$, 18, 18, 18 $\frac{1}{2}$, 18 $\frac{1}{2}$)in from cast on edge, ending with a right side row.

Shape armhole

Cast off 5 (6, 7, 8, 9, 10, 11) sts at beg of next row. 55 (58, 61, 64, 67, 70, 73) sts.

Next row P11, k to last 4 sts, k2tog, k2.

Next row P to end.

Rep the last 2 rows 6 (7, 8, 9, 10, 11, 12) times more. 48 (50, 52, 54, 56, 58, 60) sts.

Work straight until back measures same as Front to shoulder, ending with a right side row.

Shape shoulder

Next row P6 (7, 8, 9, 10, 11, 12) sts, leave these sts on a holder, work to end, do not break yarn.

COLLAR

With right sides together, knit together and cast off shoulder seam sts.

With right side facing and 3mm (US 2-3) needles, keeping stripe patt correct, p11, k31 (32, 33, 34, 35, 36, 37) across sts on left back holder, pick up and k28 sts down left side of front neck, k17 (19, 21, 23, 25, 27, 29) sts from front neck holder, pick up and k28 sts up right side of front neck, k42 (43, 44, 45, 46, 47, 48) sts on right back holder. 157 (161, 165, 169, 173, 177, 181) sts.

Now work in stripes of 4 rows M and 2 rows C.

Next row K to last 11 sts, p11.

Next row P to end.

Next row P11, k to last 11 sts, p11.

Rep the last 2 rows once more.

Next row P to end.

1st buttonhole row P11, k to last 11 sts, p2, cast off 5 sts, rem 3 sts.

2nd buttonhole row P4, cast on 5 sts, p to end.

Work a further 12 rows.

1st buttonhole row P11, k to last 11 sts, p2, cast off 5 sts, p rem 3 sts.

2nd buttonhole row P4, cast on 5 sts, p to end.

Work a further 6 rows.

Change to 3.25mm needles.

Work a further 6 rows.

1st buttonhole row P11, k to last 11 sts, p2, cast off 5 sts, p rem 3 sts.

2nd buttonhole row P4, cast on 5 sts, p to end.

Work a further 12 rows.

1st buttonhole row P11, k to last 11 sts, p2, cast off 5 sts, p rem 3 sts.

2nd buttonhole row P4, cast on 5 sts, p to end.

Work a further 6 rows.

Cast off.

SLEEVES

With 3mm (US 2-3) needles, cast on 75 (79, 85, 89, 95, 99, 105) sts.

Work 7 rows.

Change to 3.25mm (US 3) needles.

Beg with a k row, work in St st stripes of 2 rows C and 4 rows M. Work 4 rows.

Inc row K4, m1, k to last 4 sts, m1, k4.

Work 5 rows.

Rep the last 6 rows once more and the inc row again. 81 (85, 91, 95, 101, 105, 111) sts.

Cont in St st until sleeve measures 6 (6, 7, 7, 7, 8, 8)cm/2 $\frac{1}{4}$ (2 $\frac{1}{4}$, 2 $\frac{3}{4}$, 2 $\frac{3}{4}$, 2 $\frac{3}{4}$, 3 $\frac{1}{4}$, 3 $\frac{1}{4}$)in from cast on edge, ending with a p row.

Shape sleeve top

Cast off 5 (6, 7, 8, 9, 10, 11) sts at beg of next 2 rows. 71 (73, 77, 79, 83, 85, 89) sts.

Next row K2, skpo, k to last 4 sts, k2tog, k2.

Next row P to end.

Rep the last 2 rows 6 (7, 8, 9, 10, 11, 12) times more. 57 (57, 59, 59, 61, 61, 63) sts.

Cast off 3 sts at beg of next 14 rows.

Cast off rem 15 (15, 17, 17, 19, 19, 21) sts.

BUTTON TAB



With 3mm (US 2-3) needles and M, cast on 12 sts.

Work 3 rows.

Beg with a k row, work in St st.

Work 2 rows C and 1 row M.

Buttonhole row With M, p4, p2tog, y2rn, p2tog, p4.



Instructions

Work 2 rows M, [2 rows C, 4 rows M] 4 times, 2 rows C. K 4 rows M. Cast off.

Side edgings

With right side facing, 3mm (US 2-3) needles and M, pick up and k29 sts along row ends of one edge.

K 1 row. Cast off.

Rep for rem edge.

TO MAKE UP

Sew sleeves into armholes, easing to fit.

Join side and sleeves seams. Fold collar in half to right side and slip st pairs of buttonholes together and sew two buttons through both thicknesses to match buttonholes.

Sew button tab to pick up row of collar, fold over onto right side and sew small button in place. Sew rem buttons onto right back button band. ❖



6 Asymmetric Poncho

Sized to fit bust 86-107cm/34-42in and shown on page 35.

FINISHED MEASUREMENTS

- Bust 73.5cm/29in
- Length to back neck 58cm/22³/₄in

MATERIALS

- Fourteen 50g/1³/₄oz balls (each approx 100m/110yd) of Debbie Bliss/KFI Prima (bamboo/extrafine merino wool) in Ecru 28
- Pair each size 3.25mm (US 3) and 3.75mm (US 5) knitting needles OR SIZE TO OBTAIN TENSION

TENSION

22 sts and 30 rows to 10cm/4in square over St st using 3.75mm (US 5) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

See page 65.

NOTE

The sweater is oversized with an offset neck allowing the left side to fall to the elbow, giving a poncho effect.

FRONT

With 3.75mm (US 5) needles, cast on 162 sts.

Beg with a k row, work in St st until front measures 42cm/16¹/₂in, ending with a p row.

Shape neck

Next row (right side) K129, turn and work on these sts only, leave rem sts on a spare needle.

Cont in St st and cast off 2 sts at beg (neck edge) of next row, 4 sts at beg of 3 foll wrong side rows, 3 sts at beg of next 3 wrong side rows, then 2 sts at beg of 12 foll wrong side rows. Now dec 1 st at neck edge of next 5 wrong side rows. 77 sts.

Cast off for left shoulder.

With right side facing, rejoin yarn to rem 33 sts, k to end.

Cont in St st and work a further 47 rows, so ending with a p row. Cast off for right shoulder.

BACK

With 3.75mm (US 5) needles, cast on 162 sts.

Beg with a k row, work in St st until back measures same as Front to shoulder, ending with a p row.

Shape shoulders and back neck

Next row Cast off 33 sts, with 1 st on right needle, k next 51 sts, then cast off rem 77 sts.

Leave 52 sts of back neck on a holder.

LEFT SLEEVE

With 3.75mm (US 5) needles, cast on 50 sts.

Beg with a k row, work 6 rows in St st.

Next row K2, m1, k to last 2 sts, m1, k2. Work 1 row. Rep the last 2 rows 27 times more. 106 sts.

Cont straight until sleeve measures 23cm/9in from beg, ending with a p row. Cast off.

RIGHT SLEEVE

With 3.75mm (US 5) needles, cast on 50 sts.

Beg with a k row, work 6 rows in st st.

Next row K2, m1, k to last 2 sts, m1, k2. Work 3 rows. Rep the last 4 rows 27 times more. 106 sts.

Cont straight until sleeve measures 43cm/17in from beg, ending with a p row. Cast off.

NECK EDGING

Join right shoulder.



With right side facing and 3.25mm (US 3) needles pick up and k 54 sts down left front neck, and 37 sts up right front neck, then k across 52 sts from back neck holder. 143 sts. K 1 row.

Next row (right side) K36, sl1, k2tog, pssso, k to end. Cast off knitwise.

TO MAKE UP

Join left shoulder and neck edging.

With centre of cast off edge of each sleeve to shoulder, sew on sleeves, making sure the longer (right) sleeve is sewn to the side with the shorter shoulder seam. Join side and sleeve seams. ❖



7 Tunic Dress

Sized to fit bust 86 (92, 97, 102, 107)cm/34 (36, 38, 40, 42)in and shown in size 86cm/34in on page 36.

FINISHED MEASUREMENTS

- Bust 96 (101, 106, 111, 116)cm/37³/₄ (39³/₄, 41³/₄, 43³/₄, 45¹/₂)in
- Length 84 (85, 86, 87, 88)cm/33 (33¹/₂, 33³/₄, 34¹/₂, 34³/₄)in

MATERIALS

- 10 (11, 12, 13, 14) 50g/1³/₄oz hanks (each approx 125m/136yd) of Debbie Bliss/KFI Pure Silk (silk) in Lilac 23.
- Pair of 4mm (US 6) knitting needles. OR SIZE TO OBTAIN TENSION

rows to 10cm/4in square over St st on needles.

GO CHECK TENSION.

IONS

o 1 st knitwise] twice, k1, pass 2 slipped

st knitwise] twice, return sts to left needle that they are now facing in the opposite right needle behind and insert through 1st st and p2tog.

ge 65.

nder the bust is worked first, with the s picked up from the row-ends of the worked downwards.

yarn at the side edge, spare yarn can be wing up.

PANEL

er 19 sts, stitch count varies.

ht side) K2, yo, k2tog, yo, [k2tog] 3 times, o, skpo, yo, k2. 19 sts.

very wrong side row, except 4th and ?

, yo, k2tog, [k3tog] twice, yo, k1, yo, k2, wice, k2. 17 sts.

1, p2tog, p4. 16 sts.

, yo, k3tog, yo, k3, yo, k2, [skpo, yo] twice,

, yo, k2tog, yo, k1, [yo, k2, skpo] twice, yo, 2. 19 sts.

, yo, k2tog, yo, k3, yo, k2, [skpo] 3 times, o, k2. 19 sts.

2, [yo, k2tog] twice, k2, yo, k1, yo, [s2kpo] o, yo, k2. 17 sts.

4, ssp, p11. 16 sts.

2, [yo, k2tog] twice, k2, yo, k3, yo, s2kpo, sts.

2, yo, k2tog, yo, [k2tog, k2, yo] twice, k1, o, k2. 19 sts.

As 2nd row.

ows form the patt.

(US 6) needles, cast on 16 sts.

ght side) K3, [p2, k2] 3 times, k1.

3, [k2, p2] 3 times, p1.

ows form rib with one extra st at each side

ther 96 (102, 108, 114, 120) rows. Cast off.

side facing and 4mm (US 6) needles, pick 8 (104, 110, 116, 122) sts from row-ends of edge of band.

wrong side) P2, k2, [p26 (28, 30, 32, 34), k2, ice, p26 (28, 30, 32, 34), k2, p2.

K2, p2, [k26 (28, 30, 32, 34), p2, k2, p2] , (28, 30, 32, 34), p2, k2.

ows form panels of St st outlined with rib. ore rows.

1st inc row (right side) [K2, p2, k1, kfb, k21 (23, 25, 27, 29), kfb, k2, p2] 3 times, k2. 104 (110, 116, 122, 128) sts.

Taking inc sts into St st, patt 9 rows.

2nd inc row (right side) [K2, p2, k1, kfb, k23 (25, 27, 29, 31), kfb, k2, p2] 3 times, k2. 110 (116, 122, 128, 134) sts.

Patt 13 rows.

3rd inc row (right side) [K2, p2, k1, kfb, k25(27, 29, 31, 33), kfb, k2, p2] 3 times, k2. 116 (122, 128, 134, 140) sts.

Patt 17 rows.

4th inc row (right side) [K2, p2, k1, kfb, k27 (29, 31, 33, 35), kfb, k2, p2] 3 times, k2. 122 (128, 134, 140, 146) sts.

Patt 21 rows.

5th inc row (right side) [K2, p2, k1, kfb, k29 (31, 33, 35, 37), kfb, k2, p2] 3 times, k2. 128 (134, 140, 146, 152) sts.

Patt 21 rows.

6th inc row (right side) [K2, p2, k1, kfb, k31 (33, 35, 37, 39), kfb, k2, p2] 3 times, k2. 134 (140, 146, 152, 158) sts.

Patt 21 rows.

7th inc row (right side) [K2, p2, k1, kfb, k33 (35, 37, 39, 41), kfb, k2, p2] 3 times, k2. 140 (146, 152, 158, 164) sts.

Patt 25 rows.

K 3 rows.

Cast off loosely knitwise.

Top

With right side facing and 4mm (US 6) needles, pick up and k98 (104, 110, 116, 122) sts from row-ends along upper edge of band.

Beg with a p row, work 3 rows in St st.

1st inc row (right side) K1, kfb, k to last 3 sts, kfb, k2. 100 (106, 112, 118, 124) sts.

Cont in St st and inc in this way at each end of next 6 right side rows and 3 foll 4th rows. 118 (124, 130, 136, 142) sts.

Work 3 rows in St st.

Shape armhole edgings

1st row (right side) K1, kfb, k to last 3 sts, kfb, k2, do not turn, cast on 3 sts.

2nd row K3, p to end, do not turn, cast on 3 sts. 126 (132, 138, 144, 150) sts.

3rd row K.

4th row K3, p to last 3 sts, k3.

These 2 rows form St st with k3 at each end of every row for edgings.

2nd inc row (right side) K4, kfb, k to last 6 sts, kfb, k5. 128 (134, 140, 146, 152) sts.

Cont in St st with k3 at each end and inc in this way at each end of 12 (13, 14, 14, 14) foll 4th rows. 152 (160, 168, 174, 180) sts.

Work 1 row.

Shape neck

Next row (right side) K58 (61, 64, 66, 68), cast off 36 (38, 40, 42, 44) sts, k to end.

Cont on last group of 58 (61, 64, 66, 68) sts for left side of neck and left shoulder.

Inc one st as before at armhole edge on next right

side row for 1st and 2nd sizes only and on foll 4th row for 1st size only, at the same time, work [p2tog at end (neck edge) of next row and cast off 3 sts at beg (neck edge) of foll row] 3 times. 48 (50, 52, 54, 56) sts.

Work 1 (1, 1, 5, 9) rows.

Cast off.

With wrong side facing and 4mm (US 6) needles, rejoin yarn to 58 (61, 64, 66, 68) sts on holder.

Inc as before at armhole edge on next right side row for 1st and 2nd sizes only and on foll 4th row for 1st size only, at the same time, [cast off 3 sts at beg (neck edge) of next row and skpo at end (neck edge) of foll row] 3 times. 48 (50, 52, 54, 56) sts.

Work 1 (1, 1, 5, 9) rows.

Cast off.

FRONT

Work Band and Skirt as given for Back.

Place a marker at centre of upper edge of band.

Right front

Beg 3 row-ends before marker, pick up and k52 (55, 58, 61, 64) sts from row-ends along right half of band.

1st row (wrong side) P16 (19, 22, 25, 28), k2, p2, k2, p19, [k2, p2] twice, k3.

2nd row K5, p2, k2, p2, patt 19 sts of 1st row of patt panel, p2, k2, p2, k16 (19, 22, 25, 28).

These 2 rows form St st for side panel, k3 front edging and set the position of patt panel with rib at each side.

Cont in patt, work 1 more row.

1st inc row (right side) Patt to last 3 sts, kfb, k2.

Cont in patt taking inc sts into St st and inc in this way at end of next 6 right side rows and on foll 4th row.

Patt 3 rows.

Shaping row (right side) K5, p2, k2, p2, patt 7th row of patt panel, [p2, k2] twice, k2tog, k17 (20, 23, 26, 29), kfb, k2. 60 (63, 66, 69, 72) sts.

Cont in patt and inc and dec in this way in St st panel on foll 4th row.

Patt 3 more rows.

Shape armhole edging

1st row (right side) K5, p2, k2, p2, patt 15th row of patt panel, [p2, k2] twice, k2tog, k17 (20, 23, 26, 29), kfb, k2, do not turn, cast on 3 sts. 63 (66, 69, 72, 75) sts.

2nd row K3, patt to end.

3rd row Patt to last 3 sts, k3.

These 2 rows form St st with k3 on every row for armhole edging.

Cont in patt and inc and dec as before in St st panel on next right side row and on 14 foll 4th rows.

Patt 1 (5, 9, 13, 17) rows.

Neckband

Next row (right side) Patt 12, kfb, cast off remaining sts. 14 sts.

Next row (wrong side) P3, [k2, p2] twice, k3.

Next row K5, [p2, k2] twice, k1.

Rep the last 2 rows until neckband reaches centre back neck.

Cast off.

Left front

With right side facing and 4mm (US 6) needles, pick up and k52 (55, 58, 61, 64) sts from row-ends along

Instructions

left half of band, ending 3 row-ends after marker, so picking up last 6 sts behind Right Front.

1st row (wrong side) K3, [p2, k2] twice, p19, k2, p2, k2, p16 (19, 22, 25, 28).

2nd row K16 (19, 22, 25, 28), p2, k2, p2, patt 19 sts of 9th row of patt panel, p2, k2, p2, k5.

These 2 rows form St st for side panel, k3 front edging and set position of patt panel with rib at each side.

Cont in patt, work 1 more row.

1st inc row (right side) K1, kfb, patt to end.

Cont in patt, taking inc sts into St st and inc in this way at beg of next 6 right side rows and on foll 4th row. Patt 3 rows.

Shaping row (right side) K1, kfb, k17 (20, 23, 26, 29), k2tog, k2, p2, k2, p2, patt 15th row of patt panel, p2, k2, p2, k5. 60 (63, 66, 69, 72) sts.

Cont in patt and inc and dec in this way in St st panel on 2 foll 4th rows.

Shape armhole edging

1st row (wrong side) Patt to end, do not turn, cast on 3 sts. 63 (66, 69, 72, 75) sts.

2nd row K3, patt to end.

3rd row Patt to last 3 sts, k3.

The last 2 rows form St st with k3 on every row for armhole edging.

Cont in patt and inc and dec as before in St st panel on next right side row and on 14 foll 4th rows.

Patt 1 (5, 9, 13, 17) rows.

Neckband

Next row (right side) Cast off until 12 sts remain on left needle, with one st on right needle, m1, patt to end. 14 sts.


Next row K3, [p2, k2] twice, p3.

Next row K1, [k2, p2] twice, k5.

Rep the last 2 rows until neckband reaches centre back neck. Cast off.

TO MAKE UP

Matching knit and St st sts and easing lace panel to fit, join shoulder seams. Join cast off ends of neckband and sew row-ends of neckband to back neck. Join side seams. *



8 Cabled Tank Top

Sized to fit bust 81-86 (86-92, 92-97, 97-102, 102-107, 107-112)cm/32-34 (34-36, 36-38, 38-40, 40-42, 42-44) in and shown in size 81-86cm/32-34in on page 37.

FINISHED MEASUREMENTS

- Bust 86 (92, 101, 107, 116, 125)cm/34 (36, 39³/₄, 42, 45¹/₂, 49)in
- Length to shoulder 51 (51, 52, 52, 53, 53)cm/20 (20, 20¹/₂, 20¹/₂, 20³/₄, 20³/₄)in

MATERIALS

- 8 (9, 9, 10, 11, 12) 50g/1³/₄oz balls (each approx 91m/100yd) of Debbie Bliss/KFI Cashmerino Aran (merino wool/microfibre/cashmere) in Claret 37
- Pair each of 4.50mm (US 7) and 5mm (US 8) knitting needles OR SIZE TO OBTAIN TENSION.
- Cable needle

TENSIONS

24 sts and 24 rows over patt and 18 sts and 24 rows over St st both to 10cm/4in square using 5mm (US 8) needles. TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

C4F = slip next 2 sts onto cable needle and hold to front of work, k2, then k2 from cable needle.

C4B = slip next 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle.

Also see page 65.

BACK

With 4.50mm (US 7) needles, cast on 82 (86, 94, 98, 106, 114) sts.

1st, 4th, 5th and 6th sizes only

1st rib row (wrong side) P2, [k2, p2] to end.

2nd rib row K2, [p2, k2] to end.

Rep the last 2 rows 3 times more.

1st size only

Inc row (wrong side) Rib 23, [m1, rib 4, m1, rib 12] twice, m1, rib 4, m1, rib 23. 88 sts.

4th, 5th and 6th sizes only

Inc row (wrong side) Rib (31, 35, 39), [m1, rib 4, m1, rib 5, m1, rib 2, m1, rib 5] twice, m1, rib 4, m1, rib (31, 35, 39). (108, 116, 124) sts.

2nd and 3rd sizes only

1st rib row (wrong side) K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

Rep the last 2 rows 3 times more.

Inc row (wrong side) Rib -(25, 29), [m1, rib 4, m1, rib 6, m1, rib 6] twice, m1, rib 4, m1, rib (25, 29). (94, 102) sts

All sizes

88 (94, 102, 108, 116, 124) sts.

Change to 5mm (US 8) needles and work in patt as follows:

1st row (right side) P20 (22, 26, 28, 32, 36), k2, C4F, C4B, k2, [p6 (7, 7, 8, 8, 8), k2, C4F, C4B, k2] twice, p2 (22, 26, 28, 32, 36).

2nd row K20 (22, 26, 28, 32, 36), p12, [k6 (7, 7, 8, 8, 8), p12] twice, k20 (22, 26, 28, 32, 36).

3rd row P20 (22, 26, 28, 32, 36), C4B, k4, C4F, [p6 (7, 7, 8, 8, 8), C4B, k4, C4F] twice, p20 (22, 26, 28, 32, 36)

4th row As 2nd row.

These 4 rows form the patt and are repeated.

Cont in patt until back measures 7cm/2³/₄in from cast on edge ending with a wrong side row.

Dec row P2, p2tog, patt to last 4 sts, p2tog, p2. Work a further 5 rows straight.

Dec row P2, p2tog, patt to last 4 sts, p2tog, p2. 84 (90, 98, 104, 112, 120) sts.

Work a further 17 rows straight.

Inc row (right side) P2, m1, patt to last 2 sts, m1, p2. Rep the last 18 rows once more. 88 (94, 102, 108, 116, 124) sts.

Cont in patt until back measures 30cm/12in from cast on edge ending with a wrong side row.

Cast off 6 sts at beg of the next 2 rows. 76 (82, 90, 96, 104, 112) sts.

Shape armholes

Dec one st at each end of the next row and 6 (6, 7, 7, 8, 9) foll right side rows. 62 (68, 74, 80, 86, 92) sts. **

Work straight in patt until back measures 49 (49, 50, 50, 51, 51)cm/19¹/₄ (19¹/₄, 19³/₄, 19³/₄, 20, 20)in from cast on edge ending with a wrong side row.

*** **Shape neck**

Next row Patt 20 (22, 24, 26, 28, 30) sts, turn and work on these sts only for first side of neck shaping leave rem sts on a spare needle.

Dec one st at neck edge of next 4 rows. 16 (18, 20, 22, 24, 26) sts. Work 1 row.

Shape shoulder

Cast off 8 (9, 10, 11, 12, 13) sts at beg of next row. Work 1 row.

Cast off rem 8 (9, 10, 11, 12, 13) sts.

With right side facing, slip centre 22 (24, 26, 28, 30, 32) sts onto a holder, rejoin yarn to rem 20 (22, 24, 26, 28) sts, patt to end.

Complete to match first side reversing shaping.

FRONT

Work as given for Back to **.

Work straight in patt until front measures 46cm/18in from cast on edge, ending with a wrong side row.

Work as given for Back from *** to end.

COLLAR

Join right shoulder seam.

With right side facing and 4.50mm (US 7) needles pick up and k15 (16, 15, 16, 19, 18) sts down left front neck, work p5 (6, 7, 8, 9, 10), k2, k2tog, k4, k2tog, k2

p5 (6, 7, 8, 9, 10) sts across 22 (24, 26, 28, 30, 32) sts at centre front, pick up and k16 (14, 16, 19, 20, 22) sts

front neck, 8 (8, 8, 7, 8, 8) sts down right
 ck, work p5 (6, 7, 8, 9, 10), k2, k2tog, k4,
 2, p5 (6, 7, 8, 9, 10) sts across 22 (24, 26, 28,
 ts at centre back, pick up and k7 (8, 7, 8, 7,
 left back neck. 86 (90, 94, 102, 110, 114) sts.

and 5th sizes only

(wrong side) P2, [k2, p2] to end.

K2, [p2, k2] to end.

and 6th sizes only

(wrong side) K2, [p2, k2] to end.

P2, [k2, p2] to end.

2 rows until collar measures 8cm/3¼in.

to 5mm (US 8) needles.

rib for a further 12cm/4¾in.

loosely but evenly in rib.

NDS

shoulder and collar seam, reversing seam

cm/3¼in of collar.

ht side facing and 4.50mm (US 7) needles,

and k78 (78, 82, 82, 86) sts evenly around

edge.


(wrong side) P2, [k2, p2] to end.

K2, [p2, k2] to end.

P2, [k2, p2] to end. Cast off in rib.

KE UP

e and armband seams. ❖



Crochet Edged Jacket

fit bust 81 (86, 92, 97, 102, 107, 112, 117,

222)cm/32 (34, 36, 38, 40, 42, 44, 46, 48)in and shown
 in size 86cm/34in on page 38.

FINISHED MEASUREMENTS

= Bust 84 (90, 97, 103, 110, 117, 123, 129, 135)cm/33

(35½, 38, 40½, 43¼, 46, 48½, 51, 53¼)in

= Length to shoulder 51 (52, 53, 54, 55, 56, 57, 58,

59)cm/20 (20½, 21, 21¼, 21¾, 22, 22½, 22¾,

23¼)in

= Sleeve length 33 (33, 34, 34, 35, 35, 36, 36)cm/13

(13, 13½, 3½, 13¾, 13¾, 14¼, 14¼, 14¼)in

MATERIALS

= 10 (11, 12, 13, 14, 15, 16, 17, 18) 50g/1¾oz balls

(each approx 91m/100yd) of Debbie Bliss/KFI

Cashmerino Aran (merino wool/microfibre/cash-
 mere) in Teal 10

= Pair each 4mm (US 6) and 4.50mm (US 7) knitting

needles OR SIZE TO OBTAIN TENSION

= 3.50mm (US E/4) crochet hook

= 8 buttons.

TENSION

19 sts and 31 rows to 10cm/4in square over moss st

on 4.50mm (US 7) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

ch = chain.

dc/sc = double crochet in UK, single crochet in US.

tr/dc = treble in UK, double crochet in US.

ss = slip stitch.

Also see page 65.

BACK

With 4.50mm (US 7) needles cast on 81 (87, 93, 99,

105, 111, 117, 123, 129) sts.

Moss st row K1, [p1, k1] to end.

Cont in moss st until back measures 10 (10, 10, 11, 11,

11, 12, 12, 12)cm/4 (4, 4, 4¼, 4¼, 4¼, 4¾, 4¾, 4¾)in

from cast on edge, ending with a wrong side row.

Change to 4mm (US 6) needles.

Work a further 7cm/2¾in.

Change to 4.50mm (US 7) needles.

Cont straight until back measures 32 (32, 33, 33, 33,

34, 34, 35, 35)cm/12½ (12½, 13, 13, 13, 13½, 13½,

13¾, 13¾)in from cast on edge, ending with a

wrong side row.

Shape armholes

Cast off 6 (6, 6, 6, 7, 7, 7, 8, 8) sts at beg of next 2

rows. 69 (75, 81, 87, 91, 97, 103, 107, 113) sts.

Dec one st at each end of next row and 7 (8, 8, 8, 8,

9, 9, 9, 10) foll right side rows. 53 (57, 63, 69, 73, 77,

83, 87, 91) sts.

Cont straight in moss st until back measures 50 (51,

52, 53, 54, 55, 56, 57, 58)cm/19¾ (20, 20½, 21, 21¼,

21¾, 22, 22½, 23)in from cast on edge, ending with

a wrong side row.

Shape back neck

Next row Moss st 14 (15, 17, 19, 21, 22, 25, 26, 28), turn

and work on these sts only for first side of back neck.

Next row Work 2 tog, patt to end.

Next row Moss st to last 2 sts, work 2 tog. 12 (13, 15,

17, 19, 20, 23, 24, 26) sts.

Work 1 row.

Shape shoulder

Cast off 6 (6, 7, 8, 9, 10, 11, 12, 13) sts at beg of next row.

Work 1 row.

Cast off rem 6 (7, 8, 9, 10, 10, 12, 12, 13) sts.

With right side facing, rejoin yarn to rem sts, cast off

25 (27, 29, 31, 31, 33, 33, 35, 35) sts at centre back,

patt to end.

Next row Moss st to last 2 sts, work 2 tog.

Next row Work 2 tog, patt to end. 12 (13, 15, 17, 19,

20, 23, 24, 26) sts.

Work 2 rows.

Shape shoulder

Cast off 6 (6, 7, 8, 9, 10, 11, 12, 13) sts at beg of next row.

Work 1 row.

Cast off rem 6 (7, 8, 9, 10, 10, 12, 12, 13) sts.

LEFT FRONT

With 4.50mm (US 7) needles, cast on 44 (47, 51, 54,

58, 61, 65, 68, 72) sts.

1st moss st row [P1, k1] to last 0 (1, 1, 0, 0, 1, 1, 0, 0)

sts, p0 (1, 1, 0, 0, 1, 1, 0, 0).

2nd moss st row P0 (1, 1, 0, 0, 1, 1, 0, 0), [k1, p1] to end.

These 2 rows form the moss st.

Cont in moss st until front measures 10 (10, 10, 11, 11,

11, 12, 12, 12)cm/4 (4, 4, 4¼, 4¼, 4¼, 4¾, 4¾, 4¾)in

from cast on edge, ending with a wrong side row.

Change to 4mm (US 6) needles.

Work a further 7cm/2¾in.

Change to 4.50mm (US 7) needles.

Cont straight until front measures 32 (32, 33, 33, 33,

34, 34, 35, 35)cm/12½ (12½, 13, 13, 13, 13½, 13½,

13¾, 13¾)in from cast on edge, ending with a

wrong side row.

Shape armhole

Next row Cast off 6 (6, 6, 6, 7, 7, 7, 8, 8) sts, patt to

end. 38 (41, 45, 48, 51, 54, 58, 60, 64) sts.

Work 1 row.

Dec one st at beg of next row and 7 (8, 8, 8, 8, 9, 9,

9, 10) foll right side rows. 30 (32, 36, 39, 42, 44, 48, 50,

53) sts.

Cont straight in moss st until front measures 42 (43,

44, 45, 45, 46, 47, 47, 48)cm/16½ (17, 17¼, 17¾,

17¾, 18, 18½, 18½, 19)in from cast on edge, end-

ing with a right side row.

Shape neck

Next row Cast off 10 (11, 12, 13, 14, 15, 16, 17, 18)

sts, patt to end. 20 (21, 24, 26, 28, 29, 32, 33, 35) sts.

Dec one st at neck edge on every row until 12 (13,

15, 17, 19, 20, 23, 24, 26) sts rem.

Cont straight until front measures the same as Back

to shoulder, ending at armhole edge.

Shape shoulder

Cast off 6 (6, 7, 8, 9, 10, 11, 12, 13) sts at beg of next

row.

Work 1 row.

Cast off rem 6 (7, 8, 9, 10, 10, 12, 12, 13) sts.

Mark position for 8 buttons, the first 3cm/1¼in from

cast on edge, the eighth 3cm/1¼in from neck edge

with the rem 6 spaced evenly between.

RIGHT FRONT

Buttonhole row (right side) Moss st 3, yrn, work 2

tog, moss st to end.

Instructions

With 4.50mm (US 7) needles cast on 44 (47, 51, 54, 58, 61, 65, 68, 72) sts.

1st moss st row P0 (1, 1, 0, 0, 1, 1, 0, 0), [k1, p1] to end.

2nd moss st row [P1, k1] to last 0 (1, 1, 0, 0, 1, 1, 0, 0) sts, p0 (1, 1, 0, 0, 1, 1, 0, 0).

These 2 rows form the moss st.

Cont in moss st and work buttonholes to match markers as given, until front measures 10 (10, 10, 11, 11, 11, 12)cm/4 (4, 4, 4 $\frac{1}{4}$, 4 $\frac{1}{4}$, 4 $\frac{1}{4}$, 4 $\frac{3}{4}$)in from cast on edge, ending with a wrong side row.

Change to 4mm (US 6) needles.

Work a further 7cm/2 3/4in.

Change to 4.50mm (US 7) needles.

Cont straight until front measures 32 (32, 33, 33, 34, 34, 35, 35)cm/12 $\frac{1}{2}$ (12 $\frac{1}{2}$, 13, 13, 13, 13 $\frac{1}{2}$, 13 $\frac{1}{2}$, 13 $\frac{3}{4}$, 13 $\frac{3}{4}$)in from cast on edge, ending with a right side row.

Shape armhole

Next row Cast off 6 (6, 6, 6, 7, 7, 7, 8, 8) sts, patt to end. 38 (41, 45, 48, 51, 54, 58, 60, 64) sts.

Dec one st at end of next row and 7 (8, 8, 8, 8, 9, 9, 9, 10) foll right side rows. 30 (32, 36, 39, 42, 44, 48, 50, 53) sts.

Cont in moss st until front measures 42 (43, 44, 45, 45, 46, 47, 47, 48)cm/16 $\frac{1}{2}$ (17, 17 $\frac{1}{4}$, 17 $\frac{3}{4}$, 17 $\frac{3}{4}$, 18, 18 $\frac{1}{2}$, 18 $\frac{1}{2}$, 19)in from cast on edge, ending with a wrong side row.

Shape neck

Next row Cast off 10 (11, 12, 13, 14, 15, 16, 17, 18) sts, patt to end. 20 (21, 24, 26, 28, 29, 32, 33, 35) sts.

Dec one st at neck edge on every row until 12 (13, 15, 17, 19, 20, 23, 24, 26) sts rem.

Cont straight until front measures the same as Back to shoulder, ending at armhole edge.

Shape shoulder

Cast off 6 (6, 7, 8, 9, 10, 11, 12, 13) sts at beg of next row. Work 1 row. Cast off rem 6 (7, 8, 9, 10, 10, 12, 12, 13) sts.

SLEEVES

With 4.50mm (US 7) needles, cast on 39 (41, 43, 47, 51, 55, 59, 61, 65) sts.

Work 6 rows in moss st as given for Back.

Inc one st at each end of the next row and every foll 10th row until there are 55 (57, 59, 63, 67, 71, 75, 77, 81) sts.

Cont straight until sleeve measures 33 (33, 34, 34, 35, 35, 36, 36, 36)cm/13 (13, 13 $\frac{1}{2}$, 13 $\frac{1}{2}$, 13 $\frac{3}{4}$, 13 $\frac{3}{4}$, 14 $\frac{1}{4}$, 14 $\frac{1}{4}$, 14 $\frac{1}{4}$)in from cast on edge, ending with a wrong side row.

Shape sleeve top

Cast off 6 (6, 6, 6, 7, 7, 7, 8, 8) sts at beg of next 2 rows. 43 (45, 47, 51, 53, 57, 61, 61, 65) sts.

Dec one st at each end of the next row and every foll 4th row until 23 (25, 27, 33, 35, 43, 49, 47, 49) sts rem, then on every foll alt row until 19 sts rem.

Work 1 row.

Cast off 3 sts at beg of next 2 rows. Cast off rem 13 sts.

TO MAKE UP

Join shoulder seams. Sew sleeves into armholes. Join side and sleeve seams.

CROCHET EDGING

With right side facing, join yarn to right side seam. With 3.50mm (US E/4) crochet hook, work 1ch, then

work a row of dc/sc evenly around outside edge, ss in first ch.

Next round 1ch, * miss 2dc/sc, 5tr/dc in next dc/sc, miss 2dc/sc, 1dc/sc in next dc/sc; rep from * ending 1dc/sc in 1ch. Fasten off.

LOWER SLEEVE EDGING

With right side facing, join yarn to sleeve seam.


With 3.50mm (US E/4) crochet hook, work 1ch, then work 42 (42, 42, 48, 48, 54, 60, 60, 66)dc/sc evenly around lower sleeve edge, ss in first ch.

Next round 1ch, * miss 2dc/sc, 5tr/dc in next dc/sc, miss 2dc/sc, 1dc/sc in next dc/sc; rep from * ending 1dc/sc in 1ch. Fasten off.

TO COMPLETE

Sew on buttons. ❖

42.5 (45, 49, 52, 55.5, 58.5, 61.5, 64.5, 67.5) cm
16 $\frac{1}{4}$ (17 $\frac{1}{4}$, 19 $\frac{1}{4}$, 20 $\frac{1}{2}$, 22, 23, 24 $\frac{1}{2}$, 25 $\frac{1}{2}$, 26 $\frac{1}{2}$) in



10 Simple Jacket with Pockets

Sized to fit bust 81-86 (86-92, 92-97, 97-102, 102-107,

107-112, 112-117)cm/32-34 (34-36, 36-38, 38-42, 42-44, 44-46)in and shown in size 81-86 in on page 39.

KNITTED MEASUREMENTS

- Bust 100 (106, 111, 117, 122, 128, 135)cm/ (41 $\frac{3}{4}$, 43 $\frac{3}{4}$, 46, 48, 50 $\frac{1}{2}$, 53 $\frac{1}{4}$)in
- Length to shoulder 52 (54, 55, 57, 59, 61, 63)cm/20 $\frac{1}{2}$ (21 $\frac{1}{4}$, 21 $\frac{3}{4}$, 22 $\frac{1}{2}$, 23 $\frac{1}{4}$, 24, 24 $\frac{3}{4}$)in
- Sleeve length 42 (42, 42, 43, 43, 43, 43)cm/ (16 $\frac{1}{2}$, 16 $\frac{1}{2}$, 17, 17, 17, 17)in

MATERIALS

- 10 (11, 12, 13, 14, 16, 17) 50g/1 $\frac{3}{4}$ oz balls (approx 90m/98yd) of Debbie Bliss/KFI Eco (organic cotton) in Lime 602
- Pair 5mm (US 8) knitting needles OR SIZE TO OBTAIN TENSION
- One 3cm/1 $\frac{1}{4}$ in button

TENSION

18 sts and 24 rows to 10cm/4in square on using 5mm (US 8) needles.
TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

See page 65.

BACK

With 5mm (US 8) needles, cast on 92 (98, 112, 118, 124) sts.

Beg with a k row, work in St st until back measures 26 (27, 28, 29, 30, 31, 32)cm/10 $\frac{1}{4}$ (10 $\frac{3}{4}$, 11, 12 $\frac{1}{4}$, 12 $\frac{1}{2}$)in from cast on edge, ending with a p row.

Shape raglans

Cast off 3 (4, 5, 6, 7, 8, 9) sts at beg of next 2 rows. 86 (90, 92, 96, 98, 102, 106) sts.

1st row K2, skpo, k to last 4 sts, k2tog, k2.

2nd row P to end.

Rep the last 2 rows until 26 (28, 28, 30, 30, 32) sts rem, ending with a p row.

Cast off.

Place a marker in centre of cast off edge for back neck.

SLEEVES

With 5mm (US 8) needles, cast on 41 (43, 47, 51, 53, 57) sts.

Beg with a k row, work 6 rows in St st.

Inc row (right side) K3, m1, k to last 3 sts.

Work 3 rows in St st.

Rep the last 4 rows until there are 67 (69, 73, 77, 81, 85) sts.

Cont straight until sleeve measures 42 (42, 43, 43)cm/16 $\frac{1}{2}$ (16 $\frac{1}{2}$, 16 $\frac{1}{2}$, 17, 17, 17)in from cast on edge, ending with a p row.

Shape raglan top

Cast off 3 (4, 5, 6, 7, 8, 9) sts at beg of next 2 rows. 61 (61, 63, 63, 65, 67) sts.

1st row (right side) K2, skpo, k to last 4 sts.

Work 3 rows in St st.

Rep the last 4 rows 4 (5, 6, 6, 7, 7, 7) times until 23 (25, 27, 33, 35, 43, 49, 47, 49) sts rem.

Next row K2, skpo, k to last 4 sts, k2tog, k2.

Next row P to end.

Rep the last 2 rows until 11 sts rem, ending with a p row.

Instructions

Inc row (wrong side) K3, [p3, m1, p2, k2, p3, k2] 9 times, p3, m1, p2, k3. 129 sts.

Beg with a 3rd row, work 20 rows in cable rib as given at start of cushion, so ending with a 4th patt row. Cast off in patt.

CUSHION BACK

With right sides together, pin and tack the two fabric pieces together along one long edge, taking a 2cm/3/4in seam allowance.

Remove pins and stitch the ends of the seam, leaving the centre 56cm/22in unstitched for zip. Press seam open.

On the wrong side, lay the zip, face down, onto the pressed seam and tack in place. From the right side, topstitch the zip in place. Remove all tacking threads. Open zip slightly.

TO MAKE UP

With right sides together, lay knitted front onto fabric back and hand stitch around the outer edge, leaving a 1.5cm/5/8in of fabric around all edges.

Clip fabric across corners to reduce bulk, open zip completely, turn cover through to right side. Insert cushion pad and close zip. ❄



14 Guernsey Style Bag

Shown on page 44.

SIZE

Approximately 32 x 41cm/12½ x 16¼in

MATERIALS

- Seven 50g/1¾oz balls (each approx 90m/98yd) in Debbie Bliss/KFI Eco Aran (organic cotton) in Red 613
- Pair 4.50mm (US 7) knitting needles OR SIZE TO OBTAIN TENSION
- 0.5m/5/8yd of 90cm/36in wide cotton fabric for lining

• Matching sewing thread

• 8 x 11mm/½in eyelets

TENSION

20 sts and 26 rows to 10cm/4in square over St st using 4.50mm (US 7) needles.

TAKE TIME TO CHECK TENSION.

GUERNSEY CAST ON METHOD

1. Cut a 3m/3¼yd length of yarn and fold in half to double thickness.
2. Take the main ball of yarn and make a slip loop on needle. Holding the ends of the double yarn in the left hand, wind the yarn anti-clockwise round the left thumb. Holding the end of yarn from the slip loop in the left hand, insert the needle from bottom to top under the four yarn strands on the thumb.
3. Using the ball of yarn, knit one st and slip off the four strands from the thumb. Pull the double yarn tight to the needle to form a knot.
4. Bring the main yarn forward to the front and wind double yarn round thumb as shown. Knit one stitch through double yarn, taking the main yarn over the needle (to make a stitch) and slip off four strands as before, pulling double yarn tight to needle to make a knot.

Repeat step 3 until the correct number of stitches have been cast on. This will give a knot on every alternate stitch.

ABBREVIATIONS

y2rn = yarn round needle twice to make 2 sts.

Also see pages 65.

FRONT and BACK (both alike)

With 4.50mm (US 7) needles, and using the guernsey cast-on method, cast on 78 sts.

K 5 rows.

1st row (wrong side) P2, [k2, p2] to end.

2nd row K2, [p2, k2] to end.

3rd row As 1st row.

4th (eyelet hole) row [K2, p2] 5 times, k1, skpo, y2rn, k2tog, k1, [p2, k2] 6 times, p2, k1, skpo, y2rn, k2tog, k1, [p2, k2] 5 times.

5th row P2, [k2, p2] 5 times, [k1, k1tbl] into y2rn, p2, [k2, p2] 7 times, [k1, k1tbl] into y2rn, p2, [k2, p2] 5 times.

K 7 rows.

P 1 row.

Next (eyelet hole) row (right side) K21, skpo, y2rn, k2tog, k28, skpo, y2rn, k2tog, k21.

Next row P, working [p1, p1tbl] into each y2rn of previous row.

Beg with a k row, work 9 rows in St st.

K 6 rows and inc 1 st in centre of last row. 79 sts.

Now work in diamond patt as follows:

1st row (wrong side) P3, k1, [p5, k1] 12 times, p3.

2nd row K2, [p1, k1, p1, k3] 12 times, p1, k1, p1, k2.

3rd row P1, k1, [p3, k1, p1, k1] 12 times, p3, k1, p1.

4th row P1, [k5, p1] 13 times.

5th row As 3rd row.

6th row As 2nd row.

7th to 12th rows As 1st to 6th rows.

13th row As 1st row.

K 7 rows.

Now work in zigzag patt as follows:

1st row (wrong side) P3, [k1, p3] 19 times.

2nd row K2, [p1, k3] 19 times, p1.

3rd row P1, [k1, p3] 19 times, k1, p1.

4th row P1, [k3, p1] 19 times, k2.

5th row As 3rd row.

6th row As 2nd row.

7th to 12th rows As 1st to 6th rows.

13th row As 1st row.

K 7 rows.

Now work 13 rows in diamond patt as before, so ending with a wrong side row.

K 6 rows.

Cast off.

Place markers on cast off edge, 4cm/1½in from each end.

BASE (make 1)

With 4.50mm (US 7) needles, cast on 15 sts.

Now work in diamond patt as follows:

1st row (wrong side) P4, k1, p5, k1, p4.

2nd row K3, [p1, k1, p1, k3] twice.

3rd row P2, k1, p3, k1, p1, k1, p3, k1, p2.

4th row K1, p1, [k5, p1] twice, k1.

5th row As 3rd row.

6th row As 2nd row.

7th to 12th rows As 1st to 6th rows.

These 12 rows form the patt and are repeated until base measures the same as cast off edge of back front between markers.

TO MAKE UP

Join side seams of front and back. Sew long edges of base to cast off edge of back and front between markers and cast on and cast off edges of base sewn across side seams of back and front between markers.

LINING

Cut two pieces of fabric 44 x 32cm/17¼ x 12½in. With right sides together and taking 1.5cm/5/8in seams, join the two pieces together along both short edges for side seams and one longer edge for base. Fold the lining across the base corners, matching the side seam to the base seam and stitch across the corners where they measure 8cm/3in. Trim across the corners and press seams open. Fold 1.5cm/5/8in around the top edge onto the wrong side and press. Insert the lining into the bag and pin in position, mark the position for the eyelets through the holes in the knitted piece. Following the instructions provided with the eyelets, make the holes in the lining fabric and fix the eyelets in place through the lining and the knitted fabric.

HANDLES (make 2)

For each handle, cut 12 x 150cm/60in lengths of yarn and holding them together, tightly twist them around themselves, then fold in half and they will twist together.

Knot the ends to hold the twist.

Thread the twisted handles through the eyelets in the front and back of the bag, knotting the end to hold the handles in place. Trim the ends. ❄

...vs.
 e last 6 rows 12 times more. 4 sts.
 w K2tog tbl, k2tog. K 1 row:
 row K2tog and fasten off.

FINISHED FLAG
 2.25mm (US 3) needles, cast on 30 sts.
 w (right side) [K1, p1] to end.
 w [P1, k1] to end.
 w As 1st row.
 v P1, k1, p12, pfb, pfb, p to last st, k1. 32 sts.
 row K1, p1, [k3, p1] 3 times, k4, [p1, k3] 3 times,
 and every foll wrong side row P1, k1, p to last
 row K1, p2tog, k2, p1, [k3, p1] twice, C4B, [p1,
 ce, p1, k2, k2tog, p1.
 row K1, p1, k2, p1, [k3, p1] twice, k4, [p1, k3] 3
 p1.
 row K1, p2tog, k1, p1, [k3, p1] twice, C4B, [p1,
 ce, p1, k1, k2tog, p1.
 row [K1, p1] twice, [k3, p1] twice, k4, [p1, k3]
 p1, k2, p1.
 row K1, p2tog, p1, [k3, p1] twice, C4B, [p1, k3]
 p1, k2tog, p1.
 row K1, p2, [k3, p1] twice, k4, [p1, k3] twice, p1,
 p1.
 row K1, p2tog, [k3, p1] twice, C4B, [p1, k3]
 k2tog, p1.
 row K1, p1, [k3, p1] twice, k4, [p1, k3] twice,
 p1.
 row K1, p2tog, k2, p1, k3, p1, C4B, p1, k3, p1,
 tog, p1.
 row K1, p1, k2, p1, k3, p1, k4, [p1, k3] twice, p1.
 row K1, p2tog, k1, p1, k3, p1, C4B, p1, k3, p1,
 tog, p1.
 row [K1, p1] twice, k3, p1, k4, p1, k3, p1, k2, p1.
 row K1, p2tog, p1, k3, p1, C4B, p1, k3, p1,
 p1.
 row K1, p2, k3, p1, k4, p1, k3, p1, k1, p1.
 row K1, p2tog, k3, p1, C4B, p1, k3, k2tog, p1.
 row K1, p1, k3, [p1, k4] twice, p1.
 row K1, p2tog, k2, p1, C4B, p1, k2, k2tog, p1.
 row K1, p1, k2, p1, k4, p1, k3, p1.
 row K1, p2tog, k1, p1, C4B, p1, k1, k2tog, p1.
 row [K1, p1] twice, k4, p1, k2, p1.
 row K1, p2tog, p1, C4B, p1, k2tog, p1.
 row K1, p2, k4, p1, k1, p1.
 row K1, p2tog, C4B, k2tog, p1. 8 sts.
 row (wrong side) P1, k1, [p2tog] twice, p1, k1.

row K1, p1, k3, p1.
 row P1, k1, p3, k1.
 row K1, p2tog, k2tog, p1. 4 sts.
 row As 2nd row.
 row As 1st row.
 row As 2nd row.
 row K2tog, p2tog. 2 sts.
 row P1, k1.
 row K2tog and fasten off.



18 Cropped Jacket

Sized to fit bust 81 (86, 92, 97)cm/32 (34, 36, 38)in and shown in size 86cm/34in on page 48.

FINISHED MEASUREMENTS

- * Bust 92 (97, 106, 110)cm/36 (38, 41 $\frac{3}{4}$, 43 $\frac{1}{4}$)in
- * Length to shoulder 48 (49, 51, 52)cm/19 (19 $\frac{1}{4}$, 20, 20 $\frac{1}{2}$)in
- * Sleeve length 46cm/18in for all sizes.

MATERIALS

- * 12 (13, 14, 15) 50g/1 $\frac{3}{4}$ oz balls (each 90m/98yd) of Debbie Bliss/KFI Eco Aran (organic cotton) in Denim 614
- * Pair each 3.75mm (US 5) and 4.50mm (US 7) knitting needle OR SIZE TO OBTAIN TENSION
- * Cable needle
- * 11 buttons

TENSION

18 sts and 24 rows to 10cm/4in square over St st using 4.50mm (US 7) needles.
 TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

- C3B** = slip next 2 sts onto cable needle, hold at back of work, k1, then k2 from cable needle.
 - Cr3BP** = slip next st onto cable needle, hold at back of work, p2, then p1 from cable.
 - C3F** = slip next st onto cable needle, hold to front of work, k2, then k1 from cable needle.
 - Cr3FP** = slip next 2 sts onto cable needle, hold to front of work, p1, then p2 from cable needle.
- Also see page 65.

BACK

With 3.75mm (US 5) needles, cast on 77 (81, 89, 93) sts.

1st row P1, [k1, p1] to end.

This row forms moss st and is repeated.

Moss st 4 more rows.

Next row (wrong side) Knit.

Change to 4.50mm (US 7) needles.

1st row (right side) K19 (21, 25, 27), * p1, slip next st onto cable needle, hold at back of work, k1, kfb from cable needle, p1 *, k31, rep from * to *, k19 (21, 25, 27). 79 (83, 91, 95) sts.

2nd row P19 (21, 25, 27), k1, Cr3FP, k1, p31, k1, Cr3BP, k1, p19 (21, 25, 27).

3rd row K19 (21, 25, 27), p1, C3B, p1, k31, p1, C3F, p1, k19 (21, 25, 27).

2nd and 3rd rows form the patt.

Patt 1 row.

Dec row (right side) K2, k2tog, patt to last 4 sts, skpo, k2.

Dec in this way on 2 foll 4th rows. 73 (77, 85, 89) sts. Patt 7 rows.

1st inc row (right side) K1, kfb, patt to last 3 sts, kfb, k2. 75 (79, 87, 91) sts.

Patt 5 rows.

2nd inc row K17 (19, 23, 25), p1, C3B, p1, kfb, k28, kfb, k1, p1, C3F, p1, k17 (19, 23, 25). 77 (81, 89, 93) sts.

Patt 5 rows.

3rd inc row As 1st inc row. 79 (83, 91, 95) sts.

Patt 5 rows.

4th inc row K18 (20, 24, 26), p1, C3B, p1, kfb, k30, kfb, k1, p1, C3F, p1, k18 (20, 24, 26). 81 (85, 93, 97) sts.

Patt 5 rows.

5th inc row As 1st inc row. 83 (87, 95, 99) sts.

Patt 5 rows.

6th inc row K19 (21, 25, 27), p1, C3B, p1, kfb, k32, kfb, k1, p1, C3F, p1, k19 (21, 25, 27). 85 (89, 97, 101) sts.

Patt 5 rows.

7th inc row As 1st inc row. 87 (91, 99, 103) sts.

Patt 5 (7, 9, 11) rows.

Shape armholes

Next row Cast off 4 (4, 6, 6) sts, patt to cable, C3B, p1, kfb, k34, kfb, k1, p1, C3F, p1, k to end.

Cast off 4 (4, 6, 6) sts at beg of next row. 81 (85, 89, 93) sts.

Dec row (right side) K2, k2tog, patt to last 4 sts, skpo, k2.

Dec in this way at each end of next 4 right side rows. 71 (75, 79, 83) sts.

Patt 1 row.

Last inc row K11 (13, 15, 17), p1, C3B, p1, kfb, k36, kfb, k1, p1, C3F, p1, k11 (13, 15, 17). 73 (77, 81, 85) sts.

Patt 6 (8, 10, 12) rows, so ending with a right side row. Change to 3.75mm (US 5) needles.

1st row (wrong side) Knit.

2nd row Knit.

3rd row Purl.

4th row Knit.

5th row Knit.

Work in yoke patt as follows,

1st row (right side) K0 (2, 0, 2), p1, [k3, p1] to last 0 (2, 0, 2) sts, k0 (2, 0, 2).

2nd row P3 (1, 3, 1), [k1, p3] 8 (9, 9, 10) times, k1, p1, k1, [p3, k1] 8 (9, 9, 10) times, p3 (1, 3, 1).

3rd row K2 (0, 2, 0), p1, [k3, p1] to last 2 (0, 2, 0) sts, k2 (0, 2, 0).

4th row P1 (3, 1, 3), [k1, p3] 8 (8, 9, 9) times, k1, p5, k1, [p3, k1] 8 (8, 9, 9) times, p1 (3, 1, 3).

These 4 rows form yoke patt and are repeated.

Patt 18 more rows.

Shape shoulders

Cast off 9 (10, 11, 12) sts at beg of next 2 rows and 10 (11, 12, 13) sts at beg of foll 2 rows. 35 sts. Cast off.

NISH

the top of each flag to the narrow ribbon, spaced preferred. ❖

Instructions

With right side facing and 5.50mm (US 9) needles, k across 12 (12, 13, 13, 14, 14, 15) sts of left sleeve, 29 (30, 31, 32, 33, 34, 35) sts on front holder, 12 (12, 13, 13, 14, 14, 15) sts of right sleeve, then 29 (30, 31, 32, 33, 34, 35) sts on back neck holder. 82 (84, 88, 90, 94, 96, 100) sts.




K 9 rows.

Change to 6mm (US 10) needles.

K 10 rows. Cast off loosely.

TO MAKE UP

Join left back raglan and neckband seam. Join side and sleeve seams. *



20 Paisley Sweater

Sized to fit bust 86-91 (97-102)cm/34-36 (38-40)in and shown in size 86-92cm/34-36in on page 50.

FINISHED MEASUREMENTS

- Bust 102 (113)cm/40 (44½)in
- Length to shoulder 66 (68)cm/26 (26¾)in
- Sleeve length 31 (34)cm/12¼ (13½)in

MATERIALS

- 16 (18) 50g/1¾ oz balls (each approx 90m/98yd) of Debbie Bliss/KFI Eco Aran (organic cotton) in Duck Egg 616
- Pair each 3.75mm (US 5) and 4.50mm (US 7) knitting needles OR SIZE TO OBTAIN TENSION
- Medium length 3.75mm (US 5) circular needle.
- Cable needle

TENSION

18 sts and 24 rows to 10cm/4in square over St st using 4.50mm (US 7) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

C2BP = slip next st onto cable needle, hold at back of work, k1, then p1 from cable needle.

C2FP = slip next st onto cable needle, hold to front of work, p1, then k1 from cable needle.

C3B = slip next st onto cable needle, hold at back of work, k2, then k1 from cable needle.

C3BP = on right side rows, slip next st onto cable needle, hold at back of work, k2, then p1 from cable needle, on wrong side rows, slip next 2 sts onto cable needle, hold at back of work, k1, then p2 from cable needle.

C3F = slip next 2 sts onto cable needle, hold to front of work, k1, then k2 from cable needle.

C3FP = on right side rows, slip next 2 sts onto cable needle, hold to front of work, p1, then k2 from cable needle, on wrong side rows, slip next st onto cable needle, hold to front of work, p2, then k1 from cable needle.

C4B = slip next 2 sts onto cable needle, hold at back of work, k2, then k2 from cable needle.

C4F = slip next 2 sts onto cable needle, hold to front of work, k2, then k2 from cable needle.

C5B = slip next 3 sts onto cable needle, hold at back of work, k2, slip end st from cable needle onto left needle, hold 2 sts on cable needle to front of work, p1, then k2 from cable needle.

MB = [k1, yo, k1, yo, k1] all into one st, turn, p5, turn, k5, lift 4th, 3rd, 2nd and 1st sts over last st and off right needle.

Also see page 65.

PANEL A

Worked over 13 sts.

- 1st row (right side) K1 tbl, k8, C3BP, k1 tbl.
- 2nd row P1 tbl, k1, p2, k8, p1 tbl.
- 3rd row K1 tbl, k7, C3BP, k1, k1 tbl.
- 4th row P1 tbl, p1, k1, p2, k7, p1 tbl.
- 5th row K1 tbl, k6, C3BP, k1, p1, k1 tbl.
- 6th row P1 tbl, k1, p1, k1, p2, k6, p1 tbl.
- 7th row K1 tbl, k5, C3BP, k1, p1, k1, k1 tbl.
- 8th row P1 tbl, [p1, k1] twice, p2, k5, p1 tbl.
- 9th row K1 tbl, k4, C3BP, [k1, p1] twice, k1 tbl.
- 10th row P1 tbl, [k1, p1] twice, k1, p2, k4, p1 tbl.
- 11th row K1 tbl, k3, C3BP, [k1, p1] twice, k1, k1 tbl.
- 12th row P1 tbl, [p1, k1] 3 times, p2, k3, p1 tbl.

- 13th row K1 tbl, k2, C3BP, [k1, p1] 3 times, k1 tbl.
- 14th row P1 tbl, [k1, p1] 3 times, k1, p2, k2, p1 tbl.
- 15th row K1 tbl, k1, C3BP, [k1, p1] 3 times, k1, k1 tbl.
- 16th row P1 tbl, [p1, k1] 4 times, p2, k1, p1 tbl.
- 17th row K1 tbl, C3BP, [k1, p1] 4 times, k1 tbl.
- 18th row P1 tbl, [k1, p1] 4 times, k1, p2, p1 tbl.
- 19th row K1 tbl, C3F, [p1, k1] 4 times, k1 tbl.
- 20th row P1 tbl, [p1, k1] 4 times, p2, k1, p1 tbl.
- 21st row K1 tbl, k1, C3F, [p1, k1] 3 times, p1, k1 tbl.
- 22nd row P1 tbl, [k1, p1] 3 times, k1, p2, k2, p1 tbl.
- 23rd row K1 tbl, k2, C3F, [p1, k1] 3 times, k1 tbl.
- 24th row P1 tbl, [p1, k1] 3 times, p2, k3, p1 tbl.
- 25th row K1 tbl, k3, C3F, [p1, k1] twice, p1, k1 tbl.
- 26th row P1 tbl, [k1, p1] twice, k1, p2, k4, p1 tbl.
- 27th row K1 tbl, k4, C3F, [p1, k1] twice, k1 tbl.
- 28th row P1 tbl, [p1, k1] twice, p2, k5, p1 tbl.
- 29th row K1 tbl, k5, C3F, p1, k1, p1, k1 tbl.
- 30th row P1 tbl, k1, p1, k1, p2, k6, p1 tbl.
- 31st row K1 tbl, k6, C3F, p1, k1, k1 tbl.
- 32nd row P1 tbl, p1, k1, p2, k7, p1 tbl.
- 33rd row K1 tbl, k7, C3F, p1, k1 tbl.
- 34th row P1 tbl, k1, p2, k8, p1 tbl.
- 35th row K1 tbl, k8, C3F, k1 tbl.
- 36th row P1 tbl, p2, k9, p1 tbl.

These 36 rows form zigzag panel A.

PANEL B

Worked over 13 sts.

- 1st row (right side) K1 tbl, C3FP, k8, k1 tbl.
- 2nd row P1 tbl, k8, p2, k1, p1 tbl.
- 3rd row K1 tbl, k1, C3FP, k7, k1 tbl.
- 4th row P1 tbl, k7, p2, k1, p1, p1 tbl.
- 5th row K1 tbl, p1, k1, C3FP, k6, k1 tbl.
- 6th row P1 tbl, k6, p2, k1, p1, k1, p1 tbl.
- 7th row K1 tbl, k1, p1, k1, C3FP, k5, k1 tbl.
- 8th row P1 tbl, k5, p2, [k1, p1] twice, p1 tbl.
- 9th row K1 tbl, [p1, k1] twice, C3FP, k4, k1 tbl.
- 10th row P1 tbl, k4, p2, [k1, p1] twice, k1, p1 tbl.
- 11th row K1 tbl, [k1, p1] twice, k1, C3FP, k3, k1 tbl.
- 12th row P1 tbl, k3, p2, [k1, p1] 3 times, p1 tbl.
- 13th row K1 tbl, [p1, k1] 3 times, C3FP, k2, k1 tbl.
- 14th row P1 tbl, k2, p2, [k1, p1] 3 times, k1, p1 tbl.
- 15th row K1 tbl, [k1, p1] 3 times, k1, C3FP, k1, k1 tbl.
- 16th row P1 tbl, k1, p2, [k1, p1] 4 times, p1 tbl.
- 17th row K1 tbl, [p1, k1] 4 times, C3FP, k1 tbl.
- 18th row P1 tbl, p2, [k1, p1] 4 times, k1, p1 tbl.
- 19th row K1 tbl, [k1, p1] 4 times, C3B, k1 tbl.
- 20th row P1 tbl, k1, p2, [k1, p1] 4 times, p1 tbl.
- 21st row K1 tbl, [p1, k1] 3 times, p1, C3B, k1, k1 tbl.
- 22nd row P1 tbl, k2, p2, [k1, p1] 3 times, k1, p1 tbl.
- 23rd row K1 tbl, [k1, p1] 3 times, C3B, k2, k1 tbl.
- 24th row P1 tbl, k3, p2, [k1, p1] 3 times, p1 tbl.
- 25th row K1tbl, [p1, k1] twice, p1, C3B, k3, k1 tbl.
- 26th row P1 tbl, k4, p2, [k1, p1] twice, k1, p1 tbl.
- 27th row K1 tbl, [k1, p1] twice, C3B, k4, k1 tbl.
- 28th row P1 tbl, k5, p2, [k1, p1] twice, p1 tbl.
- 29th row K1 tbl, p1, k1, p1, C3B, k5, k1 tbl.
- 30th row P1 tbl, k6, p2, k1, p1, k1, p1 tbl.
- 31st row K1 tbl, k1, p1, C3B, k6, k1 tbl.
- 32nd row P1 tbl, k7, p2, k1, p1, p1 tbl.
- 33rd row K1 tbl, p1, C3B, k7, k1 tbl.
- 34th row P1 tbl, k8, p2, k1, p1 tbl.
- 35th row K1 tbl, C3B, k8, k1 tbl.

row P1 tbl, k9, p2, p1 tbl.
36 rows form zigzag panel B.

L C

nd over 25 sts.
w (right side) P12, k1, p12.
ow K11, p3, k11.
w P10, k5, p10.
w K9, p7, k9.
w P9, k3, MB, k3, p9.
w As 4th row.
w P9, C3FP, k1, C3BP, p9.
w K10, p5, k10.
w P10, C5B, p10.
ow K10, p2, k1, p2, k10.
ow P9, C3BP, p1, C3FP, p9.
ow K8, C3FP, k3, C3BP, k8.
ow P7, C3BP, p2, k1 tbl, p2, C3FP, p7.
ow K6, C3FP, k2, p1, p1 tbl, p1, k2, C3BP, k6.
ow P5, C3BP, p2, C2BP, k1 tbl, C2FP, p2, C3FP, p5.
ow K4, C3FP, k2, C2FP, k1, p1 tbl, k1, C2BP, k2,
k4.
ow P3, C3BP, p2, C2BP, p2, k1 tbl, p2, C2FP,
C3FP, p3.
ow K2, C3FP, k2, C2FP, k2, p1, p1 tbl, p1, k2,
k2, C3BP, k2.
ow P2, k2, p2, C2BP, p2, C2BP, k1 tbl, C2FP, p2,
p2, k2, p2.
ow K2, p2, k2, p1, k2, C2FP, k1, p1 tbl, k1,
k2, p1, k2, p2, k2.
ow P2, k2, p2, MB, p1, C2BP, p2, k1 tbl, p2,
p1, MB, p2, k2, p2.
ow K2, p2, k3, C2FP, k2, p1, p1 tbl, p1, k2,
k3, p2, k2.
ow P2, k2, p3, MB, p2, C2BP, k1 tbl, C2FP, p2,
k3, k2, p2.
ow K2, p2, k5, C2FP, k1, p1 tbl, k1, C2BP, k5,
k2.
ow P2, C3FP, p3, C2BP, p2, k1 tbl, p2, C2FP,
C3BP, p2.
ow K3, p2, k3, p1, k2, p1, p1 tbl, p1, k2, p1, k3,
k3.
ow P3, C3FP, p2, MB, p1, C2BP, k1 tbl, C2FP,
B, p2, C3BP, p3.
ow K4, p2, k3, C2FP, k1, p1 tbl, k1, C2BP, k3,
k3.
ow P4, C3FP, p2, MB, p2, k1 tbl, p2, MB, p2,
p4.
ow K5, p2, k4, p1, p1 tbl, p1, k4, p2, k5.
ow P5, C3FP, p2, C2BP, k1 tbl, C3FP, p2, C3BP, p5.
ow K6, p2, k2, p1, k1, p1 tbl, k1, p1, k2, p2, k6.
ow P6, C3FP, p1, MB, p1, k1 tbl, p1, MB, p1,
p6.
ow K7, p2, k3, p1 tbl, k3, p2, k2, p1, k4.
ow P3, k3, p1, C3BP, p2, MB, p2, C3FP, p7.
ow K8, p2, k5, p2, k1, p5, k2.
ow P2, k2, MB, k2, p1, C3FP, p3, C3BP, p8.
ow K9, p2, k3, p2, k2, p5, k2.
ow P2, C2FP, k1, C2BP, p2, C3FP, p1, C3BP, p9.
ow K10, C3BP, p2, k4, p3, k3.
ow P3, C3FP, p4, k1, C3BP, p11.
ow K12, C3BP, k4, p2, k4.
ow P4, C3FP, p2, C3BP, p13.

44th row K14, C3BP, C3FP, k5.

45th row P5, C3FP, C2BP, p15.

46th row K16, p2, k7.

47th row P25.

48th row K25.

These 48 rows form paisley panel C and are repeated.

BACK and FRONT (both alike)

With 3.75mm (US 5) needles, cast on 107 (117) sts.

Beg with a k row, work 19 (23) rows in St st.

Next row (wrong side) Knit.

Change to 4.50mm (US 7) needles.

1st row (right side) K19 (24), p1, k3, p1, work 13 sts of 1st row of panel A, p1, k3, work 25 sts of 1st row of panel C, k3, p1, work 13 sts of 1st row of panel B, p1, k3, p1, k19 (24).

2nd row P19 (24), k1, p3, k1, work 13 sts of 2nd row of panel B, k1, p3, work 25 sts of 2nd row of panel C, p3, k1, work 13 sts of 2nd row of panel A, k1, p3, k1, p19 (24).

These 2 rows set the position of panels with St st at each side.

3rd (inc) row K19 (24), p1, * slip next st onto cable needle and hold at back of work, k2, then kfb from cable needle *, p1, patt 13, p1, rep from * to * once more, patt 25, ** slip next 2 sts onto cable needle, hold to front of work, kfb, then k2 from cable needle **, p1, patt 13, p1, rep from ** to ** once more, p1, k19 (24). 111 (121) sts.

4th row P19 (24), k1, p4, k1, work 4th row of panel B, k1, p4, work 4th row of panel C, p4, k1, work 4th row of panel A, k1, p4, k1, p19 (24).

5th row Patt 20 (25), k4, patt 15, k4, patt 25, k4, patt 15, k4, patt 20 (25).

6th row As 4th row.

7th row Patt 20 (25), C4B, patt 15, C4B, patt 25, C4F, patt 15, C4F, patt 20 (25).

4th to 7th rows form cables outlining patt panels and are repeated, working correct patt panel rows.

Cont in patt and work 89 (83) more rows.

Shape raglans

Cast off 7 (9) sts at beg of next 2 rows. 97 (103) sts.

Dec row (right side) K3, skpo, patt to last 5 sts, k2tog, k3. 95(101) sts.

Cont in patt and dec in this way at each end of next 22 (25) right side rows. 51 sts.

Patt 1 row.

Leave sts on a holder.

LEFT SLEEVE

With 3.75mm (US 5) needles, cast on 57 (61) sts.

Beg with a k row, work 19 (23) rows in St st.

K 1 row.

Change to 4.50mm (US 7) needles.

1st row (right side) K8 (10), p1, k3, p1, work 13 sts of 1st row of panel A, p1, k3, p1, work 13 sts of 1st row of panel B, p1, k3, p1, k8(10).

2nd row P8 (10), k1, p3, k1, work 13 sts of 2nd row of panel B, k1, p3, k1, work 13 sts of 2nd row of panel A, p1, k3, p1, k8 (10).

These 2 rows set the position of panels with St st at each side ***.

3rd (inc) row K8 (10), p1, * slip next st onto cable needle and hold at back of work, k2, then kfb from cable

needle, p1, patt 13, p1; rep from * once more, slip next st onto cable needle and hold at back of work, k2, then kfb from cable needle, p1, k8 (10). 60 (64) sts. Cont in patt with C4B cables outlining panels worked in same way as Back, work 1 more row.

Inc row (right side) K3, kfb, patt to last 5 sts, kfb, k4. 62 (66) sts.

Cont in patt taking inc sts into St st as follows:

1st size only

Inc in this way at each end of 4 foll 6th rows. 70 sts.

Both sizes

Inc as before at each end of 6 (13) foll 4th rows. 82 (92) sts.

Patt 7 rows.

Shape raglans

Cast off 7 (9) sts at beg of next 2 rows. 68 (74) sts.

Dec row (right side) K3, skpo, patt to last 5 sts, k2tog, k3. 66 (72) sts.

Cont in patt, dec in this way at each end of next 22 (25) right side rows. 22 sts.

Patt 1 row.

Leave sts on a holder.

RIGHT SLEEVE

Work exactly as Left Sleeve to ***.



3rd (inc) row K8 (10), p1, * slip next 2 sts onto cable needle and hold to front of work, kfb, then k2 from cable needle, p1, patt 13, p1; rep from * once more, slip next 2 sts onto cable needle and hold to front of work, kfb, then k2 from cable needle, p1, k8 (10). 60 (64) sts.

Complete to match Left Sleeve, working C4F in place of C4B.

INSERTS

1st insert (make 2)

With 4.50mm (US 7) needles, cast on 7 sts.



Instructions

1st row (right side) K1, p1, k3, p1, k1.
2nd row P1, k1, p3, k1, p1.
3rd (inc) row K1, p1, slip next st onto cable needle and hold at back of work, k2, then kfb from cable needle, p1, k1. 8 sts.
4th row P1, k1, p4, k1, p1.
5th row K1, p1, k4, p1, k1.
6th row As 4th row.
7th row K1, p1, C4B, p1, k1.

4th to 7th rows form the cable patt and are repeated.

Cont in patt until insert fits around armhole cast off sts and up raglan edge. Leave sts on a holder.

2nd insert (make 2)

Work as 1st insert to 3rd row.

3rd (inc) row K1, p1, slip next 2 sts onto cable needle, hold to front of work, kfb, then k2 from cable needle, p1, k1. 8 sts.

Complete to match 1st insert, working C4F instead of C4B on 7th patt row.

NECKBAND

Setting inserts in with cables matching outer cables of front and back and starting at underarm with row ends of inserts joined to cast off sts, join raglans.

With right side facing and 3.75mm (US 5) circular needle, beg at right back raglan insert and work as follows:


1st round * K2tog, [k1, skpo] twice across right back raglan insert, k2tog, k8, skpo, k27, k2tog, k8, skpo across 51sts on back holder, [k2tog, k1] twice, skpo, across left back raglan insert, k2tog, k8, skpo, k8, skpo, across 22 sts on left sleeve holder; rep from * across left front raglan insert, front and right front raglan insert and right sleeve, working k2tog instead of skpo at centre. 152 sts.

K every round until collar measures 7cm/2¾in.

Cast off.

TO MAKE UP

Join side and sleeve seams, reversing seams at rolled edges. ❖



21 Cabled Waistcoat

Sized to fit bust 76-81 (86-92, 97-102, 107-112, 117-

122)cm/30-32 (34-36, 38-40, 42-44, 46-48)in and shown in size 76-81cm/30-32in on page 51.

FINISHED MEASUREMENTS

- Bust 82 (92, 102, 112, 122)cm/32¼ (36, 40, 44, 48)in
- Length to shoulder 51 (53, 55, 57, 59)cm/20 (20¾, 21¾, 22½, 23¼)in

Note Due to the nature of the rib and cable stitches, this garment will stretch to fit a size larger than given if necessary.

MATERIALS

- 9 (10, 11, 12, 13) 50g/1¾oz balls (each approx 90m/98yd) of Debbie Bliss/KFI Eco Aran (organic cotton) in Purple 609.
- Pair each 4mm (US 6) and 4.50mm (US 7) knitting needles OR SIZE TO OBTAIN TENSION
- 4mm (US 6) circular needle
- One button

TENSION

22 sts and 26 rows to 10cm/4in square over unstretched rib and twisted rib patt using 4.50mm (US 7) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

C4B = slip next 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle.

C4F = slip next 2 sts onto cable needle and hold to front of work, k2, then k2 from cable needle.

Cr5B = slip next 3 sts onto cable needle and hold at back of work, k2, then slip p st back onto left hand needle and work p1, then k rem 2 sts from cable needle.

Cr5F = slip next 3 sts onto cable needle and hold to front of work, k2, then slip p st back onto left hand needle and work p1, then k rem 2 sts from cable needle.

Tw2R = k into front of 2nd st on needle, then k into first st, then slip both sts off needle together.

y2rn = yarn round needle twice.

Also see page 65.

BACK

With 4.50mm (US 7) needles, cast on 104 (116, 128, 140, 152) sts.

1st row (right side) [P1, k2, p1, Tw2R] 1 (2, 3, 4, 5) times, [p1, k2, p1, k2, C4B, p1, k2, p1, Tw2R] twice, p1, k2, p1, Tw2R, [p1, k2] 5 times, p1, Tw2R, p1, k2, p1, [Tw2R, p1, k2, p1, k2, C4B, p1, k2, p1] twice, [Tw2R, p1, k2, p1] 1 (2, 3, 4, 5) times.

2nd row [K1, p2] 3 (5, 7, 9, 11) times, k1, p6, [k1, p2] 3 times, k1, p6, [k1, p2] 13 times, k1, p6, [k1, p2] 3 times, k1, p6, k1, [p2, k1] 3 (5, 7, 9, 11) times.

3rd row [P1, k2, p1, Tw2R] 1 (2, 3, 4, 5) times, [p1, k2, p1, C4F, k2, p1, k2, p1, Tw2R] twice, p1, k2, p1, Tw2R, p1, k2, p1, [Cr5F, p1] twice, Tw2R, p1, k2, p1, [Tw2R, p1, k2, p1, C4F, k2, p1, k2, p1] twice, [Tw2R, p1, k2, p1] 1 (2, 3, 4, 5) times.

4th row As 2nd row.

5th row As 1st row.

6th row As 2nd row.

7th row [P1, k2, p1, Tw2R] 1 (2, 3, 4, 5) times, [p1, k2, p1, C4F, k2, p1, k2, p1, Tw2R] twice, p1, k2, p1, Tw2R, p1, [Cr5B, p1] twice, k2, p1, Tw2R, p1, k2, p1, [Tw2R,

p1, k2, p1, C4F, k2, p1, k2, p1] twice, [Tw2R, p1, k2, p1] 1 (2, 3, 4, 5) times.

8th row As 2nd row.

These 8 rows form the pattern and are repeated throughout.

Cont in patt until back measures 32 (33, 34, 35, 36)cm/12½ (13, 13½, 13¾, 14¼)in, ending with a wrong side row.

Shape armholes

Cast off 9 (9, 12, 12, 12) sts at beg of next 2 rows. 86 (98, 104, 116, 128) sts.

Cast off 3 sts at beg of next 0 (2, 2, 4, 6) rows. 86 (92, 98, 104, 110) sts.

Next row (right side) P1, ssk, patt to last 3 sts, k2tog, p1.

Next row K1, p1, patt to last 2 sts, p1, k1.

Rep the last 2 rows 9 times more. 66 (72, 78, 84, 90) sts.

Cont in patt until back measures 51 (53, 55, 57, 59)cm/20 (20¾, 21¾, 22½, 23¼)in from beg, ending with a 1st or 5th patt row.

Leave sts on a holder.

LEFT FRONT

With 4.50mm (US 7) needles, cast on 45 (51, 57, 63, 69) sts.

1st row (right side) [P1, k2, p1, Tw2R] 1 (2, 3, 4, 5) times, [p1, k2, p1, k2, C4B, p1, k2, p1, Tw2R] twice, p1, k2, p1, Tw2R, p1.

2nd row [K1, p2] 4 times, k1, p6, [k1, p2] 3 times, p6, [k1, p2] 3 (5, 7, 9, 11) times, k1.

3rd row [P1, k2, p1, Tw2R] 1 (2, 3, 4, 5) times, [p1, k2, p1, C4F, k2, p1, k2, p1, Tw2R] twice, p1, k2, p1, Tw2R, p1.

4th row As 2nd row.

These 4 rows form the pattern and are repeated throughout.

Cont in patt until front measures 32 (34, 36, 38, 40)cm/12½ (13½, 14¼, 15, 15¾)in, ending with same wrong side row as Back.

Shape armhole

Next row (right side) Cast off 9 (9, 12, 12, 12) sts, patt to end. 36 (42, 45, 51, 57) sts.

Patt 1 row.

Next row Cast off 0 (3, 3, 6, 9) sts, patt to end. 36 (42, 45, 48) sts.

Next row Patt to last 2 sts, p1, k1.

Next row P1, ssk, patt to end.

Rep the last 2 rows 9 times more, then the first two rows again, so ending with a wrong side row. 26 (29, 32, 35, 38) sts.

Place a marker at front edge.

Next row (right side) Patt to last 3 sts, k2tog, p1.

Next row K1, p1, patt to end.

Rep the last 2 rows 8 (8, 11, 11, 11) times more. (20, 20, 23, 26) sts.

Cont straight in patt until front matches Back shoulder, ending with the same patt row as Back. Leave sts on a holder.

RIGHT FRONT

With 4.50mm (US 7) needles, cast on 45 (51, 57, 63, 69) sts.

1st row (right side) [P1, Tw2R, p1, k2] twice, p1,

Next row P22 (24, 26), C4BP, p2, k4, p2, C4FP, p12, k8, p12, C4BP, p2, k4, p2, C4FP, p22 (24, 26).

Next row K22 (24, 26), p2, k4, p4, k4, p2, k12, p8, k12, p2, k4, p4, k4, p2, k22 (24, 26).

Next row P20 (22, 24), C4BP, p4, C4F, p4, C4FP, p10, C4B, C4F, p10, C4BP, p4, C4B, p4, C4FP, p20 (22, 24).

Next row K20 (22, 24), p2, k6, p4, k6, p2, k10, p8, k10, p2, k6, p4, k6, p2, k20 (22, 24).

Next row P18 (20, 22), C4BP, p6, k4, p6, C4FP, p8, k8, p8, C4BP, p6, k4, p6, C4FP, p18 (20, 22).

Next row K18 (20, 22), p2, k8, p4, k8, p2, k8, p8, k8, p2, k8, p4, k8, p2, k18 (20, 22).

Next row P16 (18, 20), C4BP, p8, C4F, p8, C4FP, p6, C4B, C4F, p6, C4BP, p8, C4B, p8, C4FP, p16 (18, 20).

Next row K16 (18, 20), p2, k10, p4, k10, p2, k6, p8, k6, p2, k10, p4, k10, p2, k16 (18, 20).

Next row P14 (16, 18), C4BP, p10, k4, p10, C4FP, p4, k8, p4, C4BP, p10, p4, p10, C4FP, p14 (16, 18).

Next row K14 (16, 18), p2, k12, p4, k12, p2, k4, p8, k4, p2, k12, p4, k12, p2, k14 (16, 18).

Next row P12 (14, 16), C4BP, p12, C4F, p12, C4FP, p2, C4B, C4F, p2, C4BP, p12, C4B, p12, C4FP, p12 (14, 16).

Next row K12 (14, 16), p2, k14, p4, k14, p2, k2, p8, k2, p2, k14, p4, k14, p2, k12 (14, 16).

Next row P10 (12, 14), C4BP, p12, C4B, C4F, p12, C4FP, k8, C4BP, p12, C4B, C4F, p12, C4FP, p10 (12, 14).

Next row K10 (12, 14), p2, k14, p8, k14, p12, k14, p8, k14, p2, k10 (12, 14).

P8 (10, 12), C4BP, p12, C4BP, C4F, C4FP, p12, C4FP, C2B, C2F, C4BP, p12, C4BP, C4B, C4FP, p12, C4FP, p8 (10, 12).

Next row K8 (10, 12), p2, k14, p2, k2, p4, k2, p2, k14, p8, k14, p2, k2, p4, k2, p2, k14, p2, k8 (10, 12).

Shape armholes

Next row (right side) Cast off 3 (5, 7), with 1 st on needle after cast off, k2, C4BP, p12, C4BP, p2, k4, p2, C4FP, p12, C4FP, C4BP, p12, C4BP, p2, k4, p2, C4FP, p12, C4FP, k2, p4 (6, 8).

Next row Cast off 3 (5, 7), with 1 st on needle after cast off, p4, k14, p2, k4, p4, k4, p2, k14, p4, k14, p2, k4, p4, k4, p2, k14, p4, k1. 102 (102, 102) sts.

Next row P1, k1, ssk, k1, p12, C4BP, p4, C4F, p4, C4FP, p12, C4B, p12, C4BP, p4, C4B, p4, C4FP, p12, k1, k2tog, k1, p1. 100 sts.

Next row (wrong side) K1, p1, p2tog, k12, p2, k6, p4, k6, p2, k12, p1, pfb, pfb, p1, k12, p2, k6, p4, k6, p2, k12, p2tog tbl, p1, k1. 100 sts.

Divide for neck

Next row (right side) P1, k1, ssk, p9, C4BP, p6, k4, p6, C4FP, p9, k2tog, k1, p1, turn and cont on these 48 sts only, leave rem 50 sts on a holder.

Cont to dec 1 st at each end of every row in this way and also cont to move 2 st "ribs" away from centre cable on next 2 right side rows. 40 sts.

Next row (wrong side) K1, p1, p2tog, p2, k12, p4, k12, p2, p2tog tbl, p1, k1.

Next row P1, k1, ssk, k1, p12, C4F, p12, k1, k2tog, k1, p1.

Next row K1, p1, p2tog, k12, p4, k12, p2tog tbl, p1, k1.

Next row P1, k1, ssk, p9, C4B, C4F, p9, k2tog, k1, p1.

Next row K1, p1, p2tog, k8, p8, k8, p2tog tbl, p1, k1.

Next row P1, k1, ssk, p5, C4BP, C4F, C4FP, p5, k2tog, k1, p1.

Next row K1, p1, p2tog, k4, p2, k2, p4, k2, p2, k4, p2tog tbl, p1, k1.

Next row P1, k1, ssk, p1, C4BP, p2, k4, p2, C4FP, p1, k2tog, k1, p1.

Next row K1, p1, p2tog, p2, k4, p4, k4, p2, p2tog tbl, p1, k1.

Next row P1, k1, ssk, k1, p4, C4F, p4, k1, k2tog, k1, p1.

Next row K1, p1, p2tog, k4, p4, k4, p2tog tbl, p1, k1.

Next row P1, k1, ssk, p3, k4, p3, k2tog, k1, p1.

Next row K1, p1, p2tog, k2, p4, k2, p2tog tbl, p1, k1.

Next row P1, k1, ssk, p1, C4F, p1, k2tog, k1, p1.

Next row K1, p1, p2tog, p4, p2tog tbl, p1, k1.

Next row P1, k1, ssk, k2, k2tog, k1, p1. 8 sts.

Next row K1, p6, k1.

Next row P1, k1, C4F, k1, p1.

Cont on these 8 sts, working C4F on centre 4 sts on every foll 4th row until strap measures approximately 44 (45, 46, 47)cm/17¼ (17¾, 18, 18½)in, ending with a wrong side row after a cable row. The length can be adjusted to your requirements. Cast off.

With right side facing, rejoin yarn to 50 sts on holder and work, p1, k1, ssk, p9, C4BP, p6, k4, p6, C4FP, p9, k2tog, k1, p1.

Work exactly as given for first side, but work C4B cable crosses instead of C4F on cable panel.

BACK

With 3.75mm (US 5) needles, cast on 92 (100, 108) sts.

1st row (wrong side) K28 (30, 32), p4, k10 (12, 14), p8, k10 (12, 14), p4, k28 (30, 32).

2nd row K28 (30, 32), C4F, k10 (12, 14), C4B, C4F, k10 (12, 14), C4B, k28 (30, 32).

3rd row As 1st row.

4th row K to end.

These 4 rows complete the lower edging.

Now work in patt as follows:

1st row (wrong side) K28 (30, 32), p4, k10 (12, 14), p8, k10 (12, 14), p4, k28 (30, 32).

2nd row P28 (30, 32), C4F, p10 (12, 14), C4B, C4F, p10 (12, 14), C4B, p28 (30, 32).

3rd row As 1st row.

4th row P28 (30, 32), k4, p10 (12, 14), k8, p10 (12, 14), k4, p28 (30, 32).

These 4 rows form the patt of cables with reverse St st between and to the sides and are repeated.

Work in patt until a total of 22 (24, 26) cable crosses have been worked (including cable in lower edging), ending with a 3rd patt row.

Shape armholes

Cast off 3 (5, 7) sts at the beg of the next 2 rows. 86 (90, 94) sts.

Next row (right side) P1, k1, ssk, patt to last 4 sts, k2tog, k1, p1.


Next row K1, p1, p2tog, patt to last 4 sts, p2tog tbl, p1, k1.

Rep the last 2 rows 10 times more. 42 (46, 50) sts.

Cast off in patt, and dec at armhole edge as bef but cast off purlwise over centre double cable.

TO MAKE UP

Join side seams. Cross straps over at the back pin in place, matching cables, you may need to m adjustments now, to either add more rows or t some out, it is hard to tell before trying on the g ment. When you are satisfied that the straps are correct length, sew right front strap to left back left front strap to right back. ❖



23 Cabled Gilet

Sized to fit bust 81 (86, 92, 97, 102, 107, 111, 117)cm/32 (34, 36, 38, 40, 42, 44, 46)in and shown in size 86cm/34in on page 53.

FINISHED MEASUREMENTS

* Bust 93 (99, 105, 111, 117, 123, 129, 135)cm/36½ (39, 41½, 43¾, 46, 48½, 51, 53¼)in

* Length to shoulder 100 (101, 102, 103, 104, 105, 106, 107)cm/39½ (40, 41, 40½, 41, 41½, 41¾, 42)in

MATERIALS

* 17 (18, 20, 22, 24, 26, 28, 30) 50g/1¾oz balls (each approx 91m/100yd) of Debbie Bliss/KFI Cashmerino Aran (merino wool/microfibre/cashmere) in Charcoal 28

h 4mm (US 6) and 5mm (US 8) knitting needles
: SIZE TO OBTAIN TENSION

eedle
75
N
rd 24 rows to 10cm/4in square over St st
m (US 8) needles.
ME TO CHECK TENSION.

VARIATIONS
lip next 2 sts on cable needle and hold at
work k2, then k2 from cable needle.
lip next 2 sts on cable needle and hold to
work k2, then k2 from cable needle.
k into front of 2nd st on left hand needle,
to front of first st, slipping both sts off the
together.
arn round needle twice, to make 2 sts.
page 65.

m (US 6) needles, cast on 98 (106, 114, 122,
, 146, 154) sts.
(right side) P2, [k2, p2] to end.
K2, [p2, k2] to end.
[P2, Tw2R] 2 (3, 4, 5, 6, 7, 8, 9) times, * [p2,
p2, Tw2R; rep from * to last 6 (10, 14, 18,
26, 30, 34) sts. k2, [p2, k2] 1 (2, 3, 4, 5, 6, 7, 8) times.
K2, [p2, k2] to end.
3rd and 4th rows for 8cm/3in ending with a

(wrong side) Rib 11 (15, 19, 23, 27, 31, 35,
, rib 4, m1, rib 8] 6 times, m1, rib 4, m1, rib
19, 23, 27, 31, 35, 39). 112 (120, 128, 136, 144,
, 168) sts.

to 5mm (US 8) needles.
[P2, Tw2R] 2 (3, 4, 5, 6, 7, 8, 9) times, [p2, k8,
R] to last 6 (10, 14, 18, 22, 26, 30, 34) sts. p2,
] 1 (2, 3, 4, 5, 6, 7, 8) times.
v [K2, p2] 2 (3, 4, 5, 6, 7, 8, 9) times, [k2, p8,
o last 6 (10, 14, 18, 22, 26, 30, 34) sts. k2, [p2,
3, 4, 5, 6, 7, 8) times.

l 4th rows As 1st and 2nd rows.
v [P2, Tw2R] 2 (3, 4, 5, 6, 7, 8, 9) times, [p2,
4F, p2, Tw2R] to last 6 (10, 14, 18, 22, 26) sts.
2, p2] 1 (2, 3, 4, 5, 6, 7, 8) times.
r As 2nd row.

3 rows form the patt.
patt until back measures 80 (81, 81, 82, 82, 83,
cm/31½ (32, 32, 32¼, 32¼, 32¾, 32¾, 33)in
st on edge, ending with a wrong side row.

armholes
f 5 sts at beg of next 2 rows. 102 (110, 118,
4, 142, 150, 158) sts.
raight in patt until back measures 97 (98, 99,
1, 102, 103, 104) cm/38 (38¼, 39, 39½, 39¾,
½, 41)in from cast on edge, ending with a
side row.

shoulders
f 6 (7, 8, 9, 10, 11, 12, 13) sts at beg of next 6
nd 6 sts at beg of foll 4 rows.
f rem 42 (44, 46, 48, 50, 52, 54, 56) sts.

LEFT FRONT

With 4mm (US 5) needles, cast on 45 (49, 53, 57, 61,
65, 69, 73) sts.

1st row (right side) P2, [k2, p2] to last 3 sts, k2, p1.

2nd row K1, [p2, k2] to end.

3rd row [P2, Tw2R] 2 (3, 4, 5, 6, 7, 8, 9) times, * [p2, k2]
twice, p2, Tw2R; rep from * twice more, p1.

4th row K1, [p2, k2] to end.

Rep the 3rd and 4th rows for 8cm/3in, ending with a
3rd row.

Inc row (wrong side) Rib 6, [m1, rib 4, m1, rib 8]
twice, m1, rib 4, m1, rib 11 (15, 19, 23, 27, 31, 35, 39).
51 (55, 59, 63, 67, 71, 75, 79) sts.

Change to 5mm (US 8) needles.

1st row (right side) [P2, Tw2R] 2 (3, 4, 5, 6, 7, 8, 9)
times, [p2, k8, p2, Tw2R] 3 times, p1.

2nd row K1, p2, [k2, p8, k2, p2] to last 6 (10, 14, 18, 22,
26, 30, 34) sts. k2, [p2, k2] 1 (2, 3, 4, 5, 6, 7, 8) times.

3rd and 4th rows As 1st and 2nd rows.

5th row [P2, Tw2R] 2 (3, 4, 5, 6, 7, 8, 9) times, [p2,
C4B, C4F, p2, Tw2R] 3 times, p1.

6th row As 2nd row.

These 6 rows form the patt.

Cont in patt until front measures 80 (81, 81, 82, 82, 83,
83, 84)cm/31½ (32, 32, 32¼, 32¼, 32¾, 32¾, 33)in
from cast on edge, ending with a wrong side row.

Shape armhole

Next row (right side) Cast off 5 sts, patt to end. 46
(50, 54, 58, 62, 66, 70, 74) sts.

Cont in patt until front measures 85 (86, 87, 88, 89, 90,
91, 92)cm/33½ (33¾, 34¼, 34¾, 35, 35½, 35¾, 36)in
from cast on edge, ending with a wrong side row.

Shape neck

Next row (right side) Patt 37 (40, 43, 46, 49, 52, 55,
58), turn and leave rem 9 (10, 11, 12, 13, 14, 15, 16)
sts on a holder for neckband.

Dec one st at neck edge on every row until 30 (33,
36, 39, 42, 45, 48, 51) sts rem.

Work straight until front matches Back to shoulder
shaping, ending at armhole edge.

Shape shoulder

Cast off 6 (7, 8, 9, 10, 11, 12, 13) sts at beg of next
row and 2 foll right side rows.

Work 1 row.

Cast off 6 sts at beg of next row.

Work 1 row. Cast off rem 6 sts.

RIGHT FRONT

With 4mm (US 6) needles, cast on 45 (49, 53, 57, 61,
65, 69, 73) sts.

1st row (right side) P1, [k2, p2] to end.

2nd row K2, [p2, k2] to last 3 sts, p2, k1.

3rd row P1, Tw2R, * [p2, k2] twice, p2, Tw2R; rep from
* twice more, p2, [Tw2R, p2] 1 (2, 3, 4, 5, 6, 7, 8) times.

4th row K2, [p2, k2] to last 3 sts, p2, k1.

Rep the 3rd and 4th rows for 8cm/3in ending with a
3rd row.

Inc row (wrong side) Rib 11 (15, 19, 23, 27, 31, 35,
39), [m1, rib 4, m1, rib 8] twice, m1, rib 4, m1, rib 6.
51 (55, 59, 63, 67, 71, 75, 79) sts.

Change to 5mm (US 8) needles.

1st row (right side) P1, Tw2R, [p2, k8, p2, Tw2R] 3

times, p2, [Tw2R, p2] 1 (2, 3, 4, 5, 6, 7, 8) times.
2nd row [K2, p2] 2 (3, 4, 5, 6, 7, 8, 9) times, [k2, p8,
k2, p2] 3 times, k1.

3rd and 4th rows As 1st and 2nd rows.

5th row P1, Tw2R, [p2, C4B, C4F, p2, Tw2R] 3 times,
p2, [Tw2R, p2] 1 (2, 3, 4, 5, 6, 7, 8) times.

6th row As 2nd row.

These 6 rows form the patt.

Cont in patt until front measures 80 (81, 81, 82, 82, 83,
83, 84)cm/31½ (32, 32, 32¼, 32¼, 32¾, 32¾, 33)in
from cast on edge, ending with a right side row.

Shape armhole

Next row (wrong side) Cast off 5 sts, patt to end. 46
(50, 54, 58, 62, 66, 70, 74) sts.

Cont in patt until front measures 85 (86, 87, 88, 89, 90,
91, 92)cm/33½ (33¾, 34¼, 34¾, 35, 35½, 35¾, 36)in
from cast on edge, ending with a wrong side row.

Shape neck

Next row (right side) Patt 9 (10, 11, 12, 13, 14, 15, 16)
sts, leave these sts on a holder for neckband, patt to
end. 37 (40, 43, 46, 49, 52, 55, 58) sts.

Dec one st at neck edge on every row until 30 (33,
36, 39, 42, 45, 48, 51) sts rem.

Work straight until front matches Back to shoulder
shaping, ending at armhole edge.

Shape shoulder

Cast off 6 (7, 8, 9, 10, 11, 12, 13) sts at beg of next
row and 2 foll wrong side rows.

Work 1 row. Cast off 6 sts at beg of next row.


Work 1 row. Cast off rem 6 sts.

NECKBAND

Join shoulder seams.

With 4mm (US 6) needles, slip 9 (10, 11, 12, 13, 14,
15, 16) sts from right front holder onto a needle, pick
up and k25 sts up right front neck, 36 (38, 40, 42, 44,
46, 48, 50) sts from back neck, 25 sts down left front
neck, patt 9 (10, 11, 12, 13, 14, 15, 16) from holder.
104 (108, 112, 116, 120, 124, 128, 132) sts.

1st rib row (wrong side) K1, [p2, k2] to last 3 sts, p2, k1.



Instructions

2nd rib row P1, [k2, p2] to last 3 sts, k2, p1.
Rep the last 2 rows 6 times more and the first row once again.
Cast off in rib.

ARMBANDS

With right side facing and 4mm (US 6) needles, pick up and k82 (82, 90, 90, 98, 98, 102, 102) sts evenly along row ends of armhole.

1st rib row (wrong side) K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

Rep the last 2 rows 6 times more and the first row once again.

Cast off in rib.

BUTTONBAND

With right side facing and 4mm (US 6) needles, pick up and k162 (166, 166, 170, 170, 178, 178, 182) sts evenly down neckband and left front edge.

1st rib row (wrong side) K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

Rep the last 2 rows 6 times more and the first row once again.

Cast off in rib.

BUTTONHOLE BAND

With right side facing and 4mm (US 6) needles, pick up and k162 (166, 166, 170, 170, 178, 178, 182) sts evenly up right front and neckband edge.

1st rib row (wrong side) K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

Rep the last 2 rows twice more.

1st buttonhole row (wrong side) Rib 6, [p2tog, y2rn, skpo, rib 12] 3 times, p2tog, y2rn, skpo, rib to end.

2nd buttonhole row Rib to end, working twice into y2rn.

Rib a further 6 rows. Cast off in rib.

TO MAKE UP

Sew first 6 row ends of armbands to sts cast off at underarm.

Join side and armband seams.

Sew on buttons. ❖



24 Cable Top

Sized to fit bust 81-86 (92-97, 102-107, 112-117)cm/

32-34 (36-38, 40-42, 44-46)in and shown in size 81-86cm/32-34in on page 54.

FINISHED MEASUREMENTS

- Bust 88 (99, 110, 121)cm/35 (39, 43¹/₄, 47³/₄)in
- Length to shoulder 57 (59, 61, 63)cm/22¹/₂ (23¹/₄, 24, 24³/₄)in

MATERIALS

- 9 (10, 11, 12) 50g/1³/₄oz balls (each approx 91/100yd) of Debbie Bliss/KFI Cashmerino Aran (merino wool/microfibre/cashmere) in Pale Pink 26
- Pair each 4mm (US 6) and 5mm (US 8) knitting needles OR SIZE TO OBTAIN TENSION
- Cable needle
- 2 buttons

TENSION

18 sts and 24 rows to 10cm/4in square over St st using 5mm (US 8) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

C4B = slip next 2 sts on cable needle and hold at back of work k2, then k2 from cable needle.

C4F = slip next 2 sts on cable needle and hold to front of work k2, then k2 from cable needle.

y2rn = yarn round needle twice to make 2 sts.

Also see page 65.

BACK

With 4mm (US 6) needles, cast on 84 (94, 104, 114) sts.

1st row (right side) P4, [k2, p2, k2, p4] to end.

2nd row K4, [p2, k2, p2, k4] to end.

Rep the last 2 rows for 7cm/3in ending with a 1st row.

Inc row (wrong side) K4, [p2, m1, k2, m1, p2, k4] to end. 100 (112, 124, 136) sts.

Change to 5mm (US 8) needles.

1st row (right side) P4, [k8, p4] to end.

2nd row K4, [p8, k4] to end.

3rd and 4th rows As 1st and 2nd rows.

5th row P4, [C4B, C4F, p4] to end.

6th row As 2nd row.

These 6 rows form the patt and are repeated.

Cont in patt until back measures 27 (28, 29, 30)cm/10³/₄ (11, 11¹/₂, 12)in from cast on edge, ending with a wrong side row.

Shape for sleeves

Cast on 5 sts at beg of next 4 rows. 120 (132, 144, 156) sts.

Cont in patt until back measures 50 (52, 54, 56)cm/19³/₄ (20¹/₂, 21¹/₄, 22)in from cast on edge, ending with a wrong side row.

Shape shoulders

Cast off 6 sts at beg of next 6 rows. 84 (96, 108, 120) sts.

Shape back neck

Next row (right side) Cast off 10 (12, 14, 16) sts then with one st on needle after cast off, patt next 10 (12, 14, 16) sts, work 2tog, turn.

Next row Work 2tog, patt to end.

Cast off rem 11 (13, 15, 17) sts.

With right side facing, slip centre 38 (42, 46, 50) sts

on a holder, rejoin yarn to rem sts, work 2tog, patt to end.

Next row Cast off 10 (12, 14, 16) sts, patt to last 2 sts, work 2tog.

Work 1 row.

Cast off rem 11 (13, 15, 17) sts.

FRONT

Work as given for Back until 6 rows less than Back to start of shoulder shaping have been worked, ending with a wrong side row.

Shape front neck

Next row Patt 44 (48, 52, 56) sts, work 2tog, turn and work on these sts for first side of neck shaping.

Next row Patt to end.

Next row Patt to last 2 sts, work 2tog.

Next row Patt to end.

Rep the last 2 rows once more.

Shape shoulder

Next row (right side) Cast off 6 sts, patt to last 2 sts, work 2tog.

Next row Patt to end.

Rep the last 2 rows twice more.

Next row Cast off 10 (12, 14, 16) sts, patt to last 2 sts, work 2tog.

Next row Patt to end.

Cast off rem 11 (13, 15, 17) sts.

With right side facing, slip centre 28 (32, 36, 40) sts on a holder, join yarn to rem sts, work 2tog, patt to end.

Next row Patt to end.

Next row Work 2tog, patt to end.

Rep the last 2 rows once more.

Shape shoulder

Next row (wrong side) Cast off 6 sts, patt to end.

Next row Work 2tog, patt to end.

Rep the last 2 rows twice more.

Next row Cast off 10 (12, 14, 16) sts, patt to end.

Next row Work 2tog, patt to end.

Cast off rem 11 (13, 15, 17) sts.

NECKBAND

Join right shoulder seam.

With right side facing and 4mm (US 6) needles, pick up and k16 sts down left front neck, k across 28 (32, 36, 40) from front neck holder, pick up and k16 sts down left front neck, 4 sts down right back neck, k across 38 (42, 46, 50) sts from back neck, pick up and k4 sts up left back neck. 106 (114, 122, 130) sts.

1st rib row K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

Rep the last 2 rows once more and the first row again.

Cast off in rib.

ARMBANDS

Join shoulder and neckband seam.

With right side facing and 4mm (US 6) needles, pick up and k90 (94, 98, 102) sts evenly around armhole edge.

Work 11 rows in rib as given for neckband.


Change to 5mm (US 8) needles.

Work a further 9 rows in rib.

buttonhole row Rib 43 (45, 47, 49), k2tog, y2rn,
rib to end.
buttonhole row Rib to end, working [k1, k1 tbl]
rn.
a further 4 rows in rib.
off in rib.

MAKE UP

side seams.
armband seams, reversing seam on last 7cm/
for turn-back.
on buttons. *



Striped Jacket

to fit bust 81 (86, 92, 97, 102, 107, 112,
cm/32 (34, 36, 38, 40, 42, 44, 46)in and shown in
66cm/43in on page 55.

FINISHED MEASUREMENTS

89 (94, 100, 105, 110, 116, 122, 127)cm/35
39 1/4 (41 1/2, 43 3/4, 45 1/2, 48, 50)in
length to shoulder 71 (72, 73, 75, 76, 77, 78,
cm/28 (28 1/4, 28 3/4, 29 1/2, 30, 30 3/4, 30 3/4, 31 1/2)in
sleeve length 46 (46, 46, 47, 47, 47, 47)cm/18
18, 18 1/2, 18 1/2, 18 1/2, 18 1/2, 18 1/2)in

MATERIALS

* 3 (3, 3, 4, 4, 4, 5, 5) 50g/1 3/4oz balls (each approx
100m/110yd) of Debbie Bliss/KFI *Prima* (bamboo/
wool) in Grey 24 (A),
* 2 (2, 2, 3, 3, 3, 4, 4) balls in each of Aubergine 23 (B),
Magenta 22 (C), Teal 21 (D), Apple Green 20 (E),
Primrose 19 (F), Coral 8 (G) and Pink 17 (H).
* Pair each 3.75mm (US 5) and 4mm (US 6) knitting
needles OR SIZE TO OBTAIN TENSION
* 3.75mm (US 5) circular needle
* 4 buttons

TENSION

22 sts and 30 rows to 10cm/4in square over St st
using 4mm (US 6) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

See page 65.

STRIPE SEQUENCE

2 rows B, 2 rows A, [2 rows B, 2 rows C] twice, 2 rows
D, 2 rows C, ** [2 rows D, 2 rows E] twice, 2 rows F, 2
rows E, [2 rows F, 2 rows G] twice, 2 rows H, 2 rows
G, [2 rows H, 2 rows A] twice.

These 48 rows form the stripe sequence and are
repeated throughout.

BACK

With 3.75mm (US 5) needles and A, cast on 110 (116,
122, 128, 134, 140, 146, 152) sts.

Beg with a k row, work 10 rows in St st.

Next row (right side) P to end.

Change to 4mm (US 6) needles.

Beg with a p row, cont in St st and work stripe
sequence.

Work 25 rows, ending with a p row.

Dec row K3, skpo, k to last 5 sts, k2tog, k3.

Work 5 rows.

Rep the last 6 rows 8 times more and the dec row
again. 90 (96, 102, 108, 114, 120, 126, 132) sts.

Work 15 (15, 15, 17, 17, 17, 17, 19) rows straight.

Inc row K2, kfb, k to last 4 sts, kfb, k3.

Work 7 rows.

Rep the last 8 rows 3 times more and the inc row
again. 100 (106, 112, 118, 124, 130, 136, 142) sts.

Work straight until back measures 52 (52, 52, 53,
53, 53, 54)cm/20 1/2 (20 1/2, 20 1/2, 20 3/4, 20 3/4,
20 3/4, 21 1/4)in from cast on edge, ending with a p row.

Shape armholes

Cast off 6 (6, 7, 7, 8, 8, 9, 9) sts at beg of next 2 rows.
88 (94, 98, 104, 108, 114, 118, 124) sts.

Next row K5, k2tog, k to last 7 sts, skpo, k5.

Next row P to end.

Rep the last 2 rows 8 (9, 9, 10, 10, 11, 11, 12) times
more. 70 (74, 78, 82, 86, 90, 94, 98) sts.

Cont straight until back measures 69 (70, 71, 73, 74,
75, 76, 78)cm/27 1/4 (27 1/4, 28, 28 3/4, 29 1/4, 29 1/2, 30,
30 3/4)in from cast on edge, ending with a k row.

Shape back neck

Next row P18 (19, 20, 21, 22, 23, 24, 25), turn and
work on these sts for first side of neck shaping.

Dec one st at neck edge on next 4 rows. 14 (15, 16,
17, 18, 19, 20, 21) sts.

Work 1 row.

Shape shoulder

Next row Cast off 7 (7, 8, 8, 9, 9, 10, 10) sts, p to end.

Next row K to end.

Cast off rem 7 (8, 8, 9, 9, 10, 10, 11) sts.

With wrong side facing, slip centre 34 (36, 38, 40, 42,
44, 46, 48) sts onto a holder, rejoin yarn to rem sts, p
to end.

Complete to match first side, reversing shaping.

LEFT FRONT

With 3.75mm (US 5) needles and A, cast on 52 (55,
58, 61, 64, 67, 70, 73) sts.

Beg with a k row, work 10 rows in St st.

Next row (right side) P to end.

Change to 4mm (US 6) needles.

Beg with a p row, cont in St st and stripe sequence.

Work 25 rows, ending with a p row. ***

Dec row K3, skpo, k to end.

Work 5 rows.

Rep the last 6 rows 8 times more and the dec row
again. 42 (45, 48, 51, 54, 57, 60, 63) sts.

Work 15 (15, 15, 17, 17, 17, 17, 19) rows straight.

Inc row K2, kfb, k to end.

Work 7 rows.

Rep the last 8 rows 3 times more and the inc row
again. 47 (50, 53, 56, 59, 62, 65, 68) sts.

Work straight until 12 rows less have been worked
than Back to armhole shaping.

Shape front neck

Next row K to last 5 sts, k2tog, k3.

Work 1 row.

Rep the last 2 rows 5 times more. 41 (44, 47, 50, 53,
56, 59, 62) sts.

Shape armhole

Next row (right side) Cast off 6 (6, 7, 7, 8, 8, 9, 9) sts,
k to end. 35 (38, 40, 43, 45, 48, 50, 53) sts.

Next row P to end.

Next row K5, k2tog, k to last 5 sts, k2tog, k3.

Next row P to end.

Next row K5, k2tog, k to end.

Next row P to end.

Rep the last 4 rows 4 (4, 4, 5, 5, 5, 5, 6) times more.

2nd, 3rd, 5th and 7th sizes only

Next row K5, k2tog, k to last 5 sts, k2tog, k3.

Next row P to end.

Keeping armhole edge straight, cont to dec at neck
edge on every 4th row until 14 (15, 16, 17, 18, 19, 20,
21) sts rem.

Work straight until front measures same as Back to
shoulder, ending at armhole edge.

Shape shoulder

Next row Cast off 7 (7, 8, 8, 9, 9, 10, 10) sts, k to end.

Next row P to end.

Cast off rem 7 (8, 8, 9, 9, 10, 10, 11) sts.

RIGHT FRONT

Work as Left Front to ***.

Dec row K to last 5 sts, k2tog, k3.

Work 5 rows.

Rep the last 6 rows 8 times more and the dec row
again. 42 (45, 48, 51, 54, 57, 60, 63) sts.

Work 15 (15, 15, 17, 17, 17, 17, 19) rows straight.

Instructions

Inc row K to last 4 sts, kfb, k3.

Work 7 rows.

Rep the last 8 rows 3 times more and the inc row again. 47 (50, 53, 56, 59, 62, 65, 68) sts.

Work straight until 12 rows less have been worked than Back to armhole shaping.

Shape front neck

Next row K3, skpo, k to end.

Work 1 row.

Rep the last 2 rows 5 times more. 41 (44, 47, 50, 53, 56, 59, 62) sts.

Next row K to end.

Shape armhole

Next row Cast off 6 (6, 7, 7, 8, 8, 9, 9) sts, p to end. 35 (38, 40, 43, 45, 48, 50, 53) sts.

Next row K3, skpo, k to last 7 sts, skpo, k5.

Next row P to end.

Next row K to last 7 sts, skpo, k5.

Next row P to end.

Rep the last 4 rows 4 (4, 4, 5, 5, 5, 5, 6) times more.

2nd, 3rd, 5th and 7th sizes only

Next row K3, skpo, k to last 7 sts, skpo, k5.

Next row P to end.

Keeping armhole edge straight, cont to dec at neck edge on every 4th row until 14 (15, 16, 17, 18, 19, 20, 21) sts rem.

Work straight until front measures same as Back to shoulder, ending at armhole edge.

Shape shoulder

Next row Cast off 7 (7, 8, 8, 9, 9, 10, 10) sts, p to end.

Next row K to end.

Cast off rem 7 (8, 8, 9, 9, 10, 10, 11) sts.

SLEEVES

With 3.75mm (US 5) needles and A, cast on 44 (46, 50, 52, 56, 58, 62, 64) sts.

Beg with a k row, work 10 rows in St st.

Next row (right side) P to end.

Change to 4mm (US 6) needles.

Beg with a p row, cont in St st and beg at **, work in stripe sequence. Work 7 rows.

Inc row K2, kfb, k to last 4 sts, kfb, k3.

Rep the last 8 rows 13 times more. 72 (74, 78, 80, 84, 86, 90, 92) sts.

Cont straight until sleeve measures 46 (46, 46, 47, 47, 47, 47)cm/18 (18, 18, 18½, 18½, 18½, 18½)in from cast on edge, ending with the same wrong side stripe row as on Back to armhole.

Shape top

Cast off 6 (6, 7, 7, 8, 8, 9, 9) sts at beg of next 2 rows. 60 (62, 64, 66, 68, 70, 72, 74) sts.

Next row K1, k2tog, k to last 3 sts, skpo, k1.

Next row P to end.

Rep the last 2 rows 8 (9, 9, 10, 10, 11, 11, 12) times more. 42 (42, 44, 44, 46, 46, 48, 48) sts.

Next row K1, k2tog, k to last 3 sts, skpo, k1.

Work 3 rows.

Rep the last 4 rows 3 times more. 34 (34, 36, 36, 38, 38, 40, 40) sts.

Next row K1, k2tog, k to last 3 sts, skpo, k1.

Next row P to end.

Rep the last 2 rows once more. 30 (30, 32, 32, 34, 34, 36, 36) sts.

Cast off 3 sts at beg of next 4 rows. 18 (18, 20, 20, 22, 22, 24, 24) sts.

Cast off.

FRONT BAND

With 3.75mm (US 5) circular needle and A, pick up and k88 (88, 88, 90, 90, 90, 90, 92) sts up right front edge to beg of neck shaping, 46 (48, 50, 52, 54, 56, 58, 60) sts to shoulder, 6 sts down right back neck, k across 34 (36, 38, 40, 42, 44, 46, 48) sts at centre back neck, pick up and k6 sts up left back neck, 46 (48, 50, 52, 54, 56, 58, 60) sts down left front neck to beg of neck shaping, then 88 (88, 88, 90, 90, 90, 90, 92) sts to cast on edge. 314 (320, 326, 336, 342, 348, 354, 364) sts.

1st row (wrong side) K to end.

2nd row K to end.

3rd row K1, p to last st, k1.

The last 2 rows form the St st with garter st edging.

Work 2 rows.

Buttonhole row K48 (48, 48, 50, 50, 50, 50, 52), yf, k2tog, [k9, yf, k2tog] 3 times, k to end.

Work 4 rows.

Cast off knitwise.

TO MAKE UP

Join shoulder seams.

Sew sleeves into armholes, easing to fit.

Join side and sleeve seams.

Sew on buttons. ❖



26 Ribbed Tank Top

Sized to fit bust 81-86 (92-97, 102-107, 112-117)cm/32-34 (36-38, 40-42, 44-46)in and shown in size 81-86cm/32-34in on page 56.

FITTED MEASUREMENTS

- Bust 91 (102, 112, 122)cm/35¾ (40, 44, 48)in
- Length to shoulder 50 (53, 56, 59)cm/19¾ (20¾, 22, 23¼)in

MATERIALS

- 5 (6, 6, 7) 50g/1¾oz balls (each approx 125m/137yd) of Debbie Bliss/KFI Pure Silk (silk) in Chocolate 20
- Pair 3.75mm (US 5) knitting needles OR SIZE TO OBTAIN TENSION
- 3.75mm (US 5) circular needle

TENSION

26 sts and 33 rows to 10cm/4in square over rib patt when slightly stretched using 3.75mm (US 5) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

See page 65.

FRONT and BACKS

(Worked in one piece to armholes)

With 3.75mm (US 5) circular needle, cast on 239 (266, 293, 320) sts.

1st row (right side) P2, [k1, p2] to end.

2nd row K2, [p1, k2] to end.

These 2 rows form the rib patt and are repeated.

Cont in patt until work measures 15cm/6in and place markers at each end of last row, then cont until work measures 31 (32, 34, 35)cm/12¼ (12½, 13½, 13¾)in, ending with a wrong side row.

Divide for front and backs


Next row With 3.75mm (US 5) needles, patt 53 (59, 65, 71) sts, turn and patt to end.

Cont on these sts only for Left Back, leave rem sts on circular needle.

Shape left back neck and armhole

Next row (right side) P2, ssk, patt to last 4 sts, k2tog, p2.

Next row K all k sts and p all p sts as they appear.



these 2 rows 8 (8, 11, 11) times more. 35 (41, 41, 41) sts.

row P2, ssk, patt to end.

row K all k sts and p all p sts as they appear.

Repeat the last 2 rows 17 (23, 20, 26) times more, so ending with a wrong side row. 17 (17, 20, 20) sts.

Repeat a further 6 (2, 4, 0) rows, so ending with a wrong side row.

Cast off.

Right side facing, and 3.75mm (US 5) needles, join yarn to sts on circular needle and cast off 13 (16, 19) sts for left underarm, then with one st on needle after cast off, patt until there are 107 (116, 140) sts on right needle, turn and patt to end.

On these sts only for Front, leave rem sts on circular needle.

Shape armholes

row (right side) P2, ssk, patt to last 4 sts, k2tog, p2.

row K all k sts and p all p sts as they appear.

Repeat these 2 rows 8 (8, 11, 11) times more, so ending with a wrong side row. 89 (98, 107, 116) sts.

Repeat without shaping for a further 30 (38, 34, 42) rows.

Shape front neck

row Patt 16 (16, 19, 19), k2tog, p2, turn and cast off these 19 (19, 22, 22) sts only.

row K all k sts and p all p sts as they appear.

row Patt to last 4 sts, k2tog, p2.

Repeat the last 2 rows once more. 17 (17, 20, 20) sts.

Repeat 7 rows, so ending with a wrong side row. Cast off.

Right side facing, rejoin yarn to rem sts of front, and cast off 49 (58, 61, 70) sts in patt at centre front, then with one st on needle after cast off, p1, ssk, patt to last 19 (19, 22, 22) sts.

row K all k sts and p all p sts as they appear.

row P2, ssk, patt to end.

Repeat the last 2 rows once more. 17 (17, 20, 20) sts.

Repeat 7 rows, so ending with a wrong side row. Cast off.

Back

Right side facing, and 3.75mm (US 5) needles, join yarn to sts on circular needle and cast off 13 (16, 19) sts for left underarm, then with one st on needle after cast off, patt until there are 107 (116, 140) sts on right needle, turn and patt to end.

(16, 16, 19) sts for right underarm, patt to end. 53 (59, 65, 71) sts.

Patt one row.

Shape right back neck and armhole

Next row (right side) P2, ssk, patt to last 4 sts, k2tog, p2.

Next row K all k sts and p all p sts as they appear.

Repeat these 2 rows 8 (8, 11, 11) times more, so ending with a wrong side row. 35 (41, 41, 47) sts.

Next row Patt to last 4 sts, k2tog, p2.

Next row K all k sts and p all p sts as they appear.


Repeat the last 2 rows 17 (23, 20, 26) times more, so ending with a wrong side row. 17 (17, 20, 20) sts.

Patt a further 6 (2, 4, 0) rows, so ending with a wrong side row.

Cast off.

TO MAKE UP

Join shoulder seams. Join centre back seam from markers to start of neck shaping. ❖



27 Simple Shell

Sized to fit bust 81-86 (92-97, 102-107, 112-117)cm/32-34 (36-38, 40-42, 44-46)in and shown in size 81-86cm/32-34in on page 57.

FINISHED MEASUREMENTS

- Bust 91 (101, 112, 121)cm/35³/₄ (39³/₄, 44, 47³/₄)in
- Length to shoulder 48 (50, 52, 54)cm/19 (19³/₄, 20¹/₂, 21¹/₄)in

MATERIALS

- 6 (6, 7, 8) 50g/1³/₄oz balls (each approx 125m/137yd) of Debbie Bliss/KFI Pure Silk (silk) in Primrose 04
- Pair each size 3mm (US 2-3) and 3.75mm (US 5) knitting needles OR SIZE TO OBTAIN TENSION.

TENSION

25 sts and 33 rows to 10cm/4in square over St st using 3.75mm (US 5) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

See page 65.

BACK and FRONT (both alike)

With 3.75mm (US 5) needles, cast on 116 (128, 142, 154) sts.

1st row [K1, p1] to end.

This row forms rib and is repeated 3 times more.

Beg with a k row, work 8 rows in St st.

Dec row (right side) K2, skpo, k to last 4 sts, k2tog, k2.

Work 5 rows in St st.

Repeat the last 6 rows 4 times more, then the dec row once again. 104 (116, 130, 142) sts.

Cont straight until back measures 15cm/6in, ending with a p row.

Inc row (right side) K2, m1, k to last 2 sts, m1, k2.

Work 7 rows in St st.

Repeat the last 8 rows 4 times more then the inc row once again. 116 (128, 142, 154) sts.

Cont straight until back/front measures 29 (30, 31, 32)cm/11¹/₂ (12, 12¹/₄, 12¹/₂)in, ending with a p row.

Shape armholes

Cast off 4 sts at beg of next 4 rows. 100 (112, 126, 138) sts.

1st row (right side) K2, skpo, k to last 4 sts, k2tog, k2.

2nd row K1, p1, p2tog, p to last 4 sts, p2tog tbl, p1, k1.

Repeat these 2 rows 1 (1, 2, 2) times more. 92 (104, 114, 126) sts.

Next row (right side) K2, skpo, k to last 4 sts, k2tog, k2.

Next row K1, p to last st, k1.

Repeat the last 2 rows 5 (6, 7, 8) times more, then the first of these 2 rows once again. 78 (88, 96, 106) sts.

Cont straight in St st until back/front measures 48 (50, 52, 54)cm/19 (19³/₄, 20¹/₂, 21¹/₄)in from cast on edge, ending with a p row.

Cast off loosely but evenly.

ARMHOLE EDGINGS

Place markers 2.5cm/1in from each end of cast off row.



Join front to back at shoulders matching markers.

With right side facing and 3mm (US 2-3) needles, pick up and k106 (112, 118, 124) sts evenly around armhole edge.

Cast off knitwise.

TO MAKE UP

Join side seams. ❖





28 Polo Top

Sized to fit bust 81 (86, 92, 97, 102, 107, 112, 117)cm/32 (34, 36, 38, 40, 42, 44, 46)in and shown in size 86cm/34in on page 58.

FINISHED MEASUREMENTS

- Bust 85 (91, 96, 102, 107, 112, 118, 123)cm/33½ (35¾, 37¾, 40¼, 42, 44, 46½, 48½)in
- Length to shoulder 50.5 (53, 54.5, 57, 58.5, 61, 63, 65.5)cm/19¾ (20¾, 21½, 22½, 23, 24, 24¾, 25¾)in

MATERIALS

- 6 (6, 7, 8, 8, 9, 9, 10) 50g/1¾oz balls (each approx 100m/110yd) of Debbie Bliss/KFI Prima (bamboo/extrafine merino wool) in Stone 04
- Pair each 3.25mm (US 3) and 4mm (US 6) knitting needles OR SIZE TO OBTAIN TENSION
- 3 buttons

TENSION

22 sts and 30 rows to 10cm/4in square over St st using 4mm (US 6) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

See page 65.

BACK

With 3.25mm (US 3) needles, cast on 96 (102, 108, 114, 120, 126, 132, 138) sts.

Rib row [K1, p1] to end.

Rep the last row 5 times more.

Change to 4mm (US 6) needles.

Beg with a k row, work in St st. Work 6 rows.

Dec row K7, skpo, k to last 9 sts, k2tog, k7.

Work 3 rows.

Rep the last 4 rows 4 times more and the dec row again. 84 (90, 96, 102, 108, 114, 120, 126) sts rem.

Work 13 (15, 17, 19, 21, 23, 25, 27) rows.

Inc row K7, m1, k to last 7 sts, m1, k7.

Work 5 rows.

Rep the last 6 rows 4 times more and the inc row again. 96 (102, 108, 114, 120, 126, 132, 138) sts.

Cont straight until back measures 30 (31, 32, 33, 34, 35, 36, 37)cm/11¾ (12¼, 12½, 13, 13½, 13¾, 14¼, 14½)in from cast on edge, ending with a p row.

Shape armholes

Cast off 9 (9, 10, 10, 11, 11, 12, 12) sts at beg of next 2 rows. 78 (84, 88, 94, 98, 104, 108, 114) sts. **

Next row K2, skpo, k to last 4 sts, k2tog, k2.

Next row P to end.

Rep the last 2 rows 5 (7, 10, 10, 13, 15, 15, 17) times more. 66 (68, 66, 72, 70, 72, 76, 78) sts.

All sizes

Next row K to end.

Next row P to end.

Next row K2, skpo, k to last 4 sts, k2tog, k2.

Next row P to end.

Rep the last 4 rows until 42 (44, 44, 48, 48, 50, 52, 54) sts rem, ending with a wrong side row.

Shape shoulders

Cast off 6 (6, 6, 7, 7, 8, 8) sts at beg of next 2 rows.

Cast off rem 30 (32, 32, 34, 34, 36, 36, 38) sts.

FRONT

Work as given for Back to **.

Next row K2, skpo, k33 (36, 38, 41, 43, 46, 48, 51), turn and work on these sts for first side of front opening. 36 (39, 41, 44, 46, 49, 51, 54) sts.

Next row P to end.

Next row K2, skpo, k to end.

Rep the last 2 rows 4 (6, 9, 9, 12, 14, 14, 16) times more. 31 (32, 31, 34, 33, 34, 36, 37) sts.

Next row P to end.

Next row K to end.

Next row P to end.

Next row K2, skpo, k to end.

Rep the last 4 rows 6 (6, 5, 6, 5, 5, 7, 7) times more. 24 (25, 25, 27, 27, 28, 29, 30) sts.

Shape neck

Next row Cast off 5 (6, 6, 7, 7, 8, 8, 9) sts, p to end. 19 (19, 19, 20, 20, 20, 21, 21) sts.

Next row K to last 3 sts, k2tog, k1.

Next row P to end.

Next row K2, skpo, k to last 3 sts, k2tog, k1.

Next row P to end.

Rep the last 4 rows 3 times more. 7 (7, 7, 8, 8, 8, 9, 9) sts.

Next row K to end.

Next row P to end.

Next row K2, skpo, k to end.

Next row P to end.

Cast off.

With right side facing, rejoin yarn to rem sts, cast off 4 sts, k to last 4 sts, k2tog, k2. 36 (39, 41, 44, 46, 49, 51, 54) sts.

Next row P to end.

Next row K to last 4 sts, k2tog, k2.

Rep the last 2 rows 4 (6, 9, 9, 12, 14, 14, 16) times more. 31 (32, 31, 34, 33, 34, 36, 37) sts.

Next row P to end.

Next row K to end.

Next row P to end.

Next row K to last 4 sts, k2tog, k2.

Rep the last 4 rows 6 (6, 5, 6, 5, 5, 7, 7) times more. 24 (25, 25, 27, 27, 28, 29, 30) sts.

Next row P to end.

Shape neck

Next row Cast off 5 (6, 6, 7, 7, 8, 8, 9) sts, k to end. 19 (19, 19, 20, 20, 20, 21, 21) sts.

Next row P to end.

Next row K1, skpo, k to last 4 sts, k2tog, k2.

Next row P to end.

Next row K1, skpo, k to end.

Rep the last 4 rows 3 times more. 7 (7, 7, 8, 8, 8, 9, 9) sts.

Next row P to end.

Next row K to last 4 sts, k2tog, k2.

Next row P to end.

Cast off.

BUTTON BAND

With right side facing and 3.25mm (US 3) needles pick up and k32 (36, 38, 42, 44, 48, 50, 54) sts evenly along left front edge.

Rib row [K1, p1] to end.

Rep the last row 5 times more.

Cast off in rib.

BUTTONHOLE BAND

With right side facing and 3.25mm (US 3) needles pick up and k32 (36, 38, 42, 44, 48, 50, 54) sts evenly along right front edge.

Rib row [K1, p1] to end.

Rib 1 row.

Buttonhole row (wrong side) P1, k1, p1, k2tog, yon [rib 10 (12, 12, 14, 14, 16, 16, 18), k2tog, yon] twice rib to end.

Rib 3 rows.

Cast off in rib.

ARMBANDS

Join shoulder seams.

With right side facing and 3.25mm (US 3) needles pick up and k112 (118, 120, 126, 128, 134, 140, 146) sts evenly around armhole edge.

Rib row [K1, p1] to end.

Rib 2 rows.

Cast off in rib.

COLLAR


With 3.25mm (US 3) needles, cast on 45 (47, 47, 49, 49, 51, 51, 53) sts.

Rib row K1, [p1, k1] to end.

Next row Cast on 6 sts, work [p1, k1] 3 times across these 6 sts, then rib to end.

Next row Cast on 6 sts, work [k1, p1] 3 times across these 6 sts, then rib to end.

Rep the last 2 rows 4 times more. 105 (107, 107, 109, 109, 111, 111, 113) sts.



Cont in rib until collar measures 9cm/3½in from cast on edge. Cast off in rib.

TO MAKE UP

Join side and armband seams. Lap buttonhole band over button band and sew in position at centre front. Sew on buttons. Starting and ending halfway across button and buttonhole bands, sew collar to neck edge, easing in fullness. ✱



9 Cotton Cutaway

Sized to fit bust 86 (92, 97, 102, 107, 112, 117)cm/34 (38, 40, 42, 44, 46)in and shown in size 86cm/34in on page 59.

FINISHED MEASUREMENTS

Bust 92 (100, 108, 112, 120, 128, 136)cm/36 (39½, 41½, 44, 47¼, 50½, 53½)in
Length to centre back/front 46 (48, 49, 52, 53, 54, 56)cm/18 (19, 19¼, 20½, 20¾, 21¼, 22)in

MATERIALS

8, 9, 9, 10, 11, 12) 50g/1¾oz balls (each approx 82m/95yd) of Debbie Bliss/KFI Cotton DK (button) in Pale Duck Egg 09
For each size 3.25mm (US 3) and 4mm (US 6) knitting needles OR SIZE TO OBTAIN TENSION
1 port 3.25mm (US 3) circular needle
1 cable needle

TENSION

25 sts and 28 rows to 10cm/4in square over St st using 4mm (US 6) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

[k2, p2] = slip next 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle.
[p2, k2] = slip next 2 sts onto cable needle and hold to front of work, k2, then k2 from cable needle.
See page 65.

BACK AND FRONT (both alike)

With 3.25mm (US 3) needles, cast on 82 (90, 98, 102, 108, 118, 126) sts.
1st rib row K2, [p2, k2] to end.
2nd rib row P2, [k2, p2] to end.
Rep the last 2 rows for 9cm/3½in, ending with a p row.

Change to 4mm (US 6) needles.

Beg with a k row, work in St st.

Work 8 (10, 10, 12, 12, 14, 14) rows.

Inc row (right side) K3, m1, k to last 3 sts, m1, k3.

Work 5 rows.

Rep the last 6 rows until there 94 (102, 110, 114, 122, 130, 138) sts.

Cont straight until back measures 25 (26, 27, 28, 29, 29, 30)cm/9¾ (10¼, 10½, 11, 11½, 11½, 12)in from cast on edge, ending with a p row.

Shape raglan armholes

Cast off 3 (5, 7, 7, 9, 11, 13) sts at beg of next 2 rows. 88 (92, 96, 100, 104, 108, 112) sts.

1st row (right side) K2, p1, k4, p1, k1, skpo, k to last 11 sts, k2tog, k1, p1, k4, p1, k2.

2nd row K1, p1, k1, p4, k1, p to last 8 sts, k1, p4, k1, p1, k1.

3rd row As 1st row.

4th row As 2nd row.

5th row K2, p1, C4F, p1, k1, skpo, k to last 11 sts, k2tog, k1, p1, C4B, p1, k2.

6th row As 2nd row.

These 6 rows form the cable patt and shape the raglans, keeping cable patt correct, cont to dec 2 sts in this way on every right side row until 32 (34, 36, 38, 40, 42, 44) sts rem, ending with a right side row.

1st, 3rd, 5th and 7th sizes only

Next row K1, p1, k1, p4, k1, p to last 8 sts, k1, p4, k1, p1, k1. 32 (-, 36, 40, 44) sts.

2nd, 4th and 6th sizes only

Next row K1, p1, k1, p4, k1, p1, p2tog, p - (12, -, 16, -, 20, -), p2tog tbl, p1, k1, p4, k1, p1, k1. -(32, -, 36, -, 40, -) sts.

Leave sts on a holder.

COLLAR

With 3.25mm (US 3) circular needle, cast on 2 groups of 16 sts.

With right side facing, work p1, [k2, p2] 3 times, k2, p1, across first group of 16 sts, work patt 8, p1, [k2, p2] 3 (3, 4, 4, 5, 5, 6) times, k2, p1, patt 8, across 32 (32, 36, 36, 40, 40, 44) sts at centre front, work p1, [k2, p2] 3 times, k2, p1, across second group of 16 sts, then work patt 8, p1, [k2, p2] 3 (3, 4, 4, 5, 5, 6) times, k2, p1, patt 8, across 32 (32, 36, 36, 40, 40, 44) sts at centre back. 96 (96, 104, 104, 112, 112, 120) sts.

Keeping cable and rib patt correct as set, cabling on every 6th round and working in rounds, work until

collar measures 6cm/2¼in from pick up row, ending with a wrong side row.

Cast off all sts in patt, decreasing across cables as follows, skpo on centre 2 sts of each C4F cable and k2tog on centre 2 sts of each C4B.

TO MAKE UP

Join side seams. ✱



30 Classic Baby Cardi

Sized to fit age 3-6 (6-9, 9-12, 12-18, 18-24) months and shown in size 18-24 months on page 60.

FINISHED MEASUREMENTS

* Chest 51 (56, 61, 65, 70)cm/20 (22, 24, 25½, 27½)in
* Length to shoulder 24 (26, 28, 32, 36)cm/9½, 10¼, 11, 12½, 14¼) in
Sleeve length 14 (15, 17, 19, 22)cm/5½ (6, 6¾, 7½, 8¾)in

MATERIALS

* 3 (4, 4, 4, 5) 50g/1¾oz balls (each approx 125m/136yd) of Debbie Bliss/KFI Eco Baby (organic cotton) in Duck Egg 08
* Pair each of 3mm (US 2-3) and 3.25mm (US 3) knitting needles OR SIZE TO OBTAIN TENSION
* 3mm (US 2-3) circular needle
* 4 (4, 4, 5, 6) buttons.

TENSION

25 sts and 34 rows to 10cm/4in square over St st using 3.25mm (US 3) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

See page 65.

BACK


With 3mm (US 2-3) needles, cast on 62 (70, 74, 82, 86) sts.

1st rib row (right side) K2, [p2, k2] to end.

2nd rib row P2, [k2, p2] to end.

Rep the last 2 rows 2 (2, 3, 3, 4) times more and inc 2 (0, 2, 0, 2) sts evenly across last row. 64 (70, 76, 82, 88) sts. Change to 3.25mm (US 3) needles.

Beg with a k row, work in St st until back measures 14 (15, 16, 19, 22)cm/5½ (6, 6¼, 7½, 8¾)in from cast on edge, ending with a p row.



SLEEVES

With 2.75mm (US 2) needles, cast on 33 (37, 39, 41, 43) sts.

Beg with a k row, work 4 rows in St st.

Picot row (right side) K1, [yf, k2tog] to end.

Beg with p row, work 4 rows in St st.

Next row (wrong side) Knit.

Change to 3mm (US 2-3) needles.

Beg with a k row, work in St st and inc 1 st at each end of 3rd row and every foll 3rd (4th, 5th, 5th, 4th) row until there are 45 (51, 57, 61, 73) sts.

Cont straight until sleeve measures 8 (12, 15, 17, 20)cm/3 (4 $\frac{3}{4}$, 6, 6 $\frac{3}{4}$, 8)in from picot row, ending with a p row. Cast off.

NECKBAND

Join right shoulder seam.

With right side facing and 2.75mm (US 2) needles, pick up and k6 sts evenly along edge of left front shoulder edging, 10 (14, 18, 18, 18) sts evenly down left front neck, k across 8 (12, 16, 16, 18) sts at centre front, pick up and k14 (18, 22, 22, 22) sts evenly up right front neck, 8 sts evenly down right back neck, k across 12 (16, 20, 20, 22) sts at centre back, then pick up and k5 sts evenly up left back neck and 6 sts evenly along left back shoulder edging. 69 (85, 101, 101, 105) sts.

Next row (wrong side) Knit.

Next row K1, [p1, k1] to end.

Next row P1, [k1, p1] to end.

Next row K1, [p1, k1] to end.

Next row Rib to last 5 sts, cast off 2 sts, rib to end.


Next row Rib 3, cast on 2 sts, rib to end.

Work 3 rows in rib. Cast off in rib.

TO MAKE UP

Place front shoulder edging over back shoulder edging and sew in place at side edge.

Matching centre of cast off edge of sleeve to shoulder, sew sleeves to front and back between markers. Join side and sleeve seams.



35 Fair Isle Cardigan

Sized to fit bust 81–86 (92–97, 102–107, 112–117)cm/32–34 (36–38, 40–42, 44–46) in and shown in size 81–86cm/32–34in on page 104.

FINISHED MEASUREMENTS

* Bust 93 (104, 116, 128) cm/36 $\frac{1}{2}$ (41, 45 $\frac{1}{2}$, 50 $\frac{1}{2}$)in

* Length to shoulder 50 (51, 52, 53)cm/19 $\frac{3}{4}$, (20, 20 $\frac{1}{2}$, 21)in

* Sleeve length 30 (30, 31, 31)cm/12 (12, 12 $\frac{1}{4}$, 12 $\frac{1}{4}$)in

MATERIALS

* 4 (5, 5, 6) 50g/1 $\frac{3}{4}$ oz balls (each approx 125m/136yd) of Debbie Bliss/KFI *Baby Cashmerino* (wool/microfibre/cashmere) in silver 12 (M) and 2 (3, 3, 3) balls in ecru 101 (G) and 2 balls each in dark olive green 24 (E) and pale blue 26 (F) and 1 (2, 2, 2) balls in each of mid blue 27 (A), red 700 (B) and pink 15 (C) and 1 ball in lime 25 (D)

* Pair each of 3mm (US 2-3) and 3.25mm (US 3) knitting needles OR SIZE TO OBTAIN TENSION

* 9 buttons

TENSION

27 sts and 34 rows to 10cm/4in square over Fair Isle St st using 3.25mm (US 3) needles.

TAKE TIME TO CHECK TENSION.

ABBREVIATIONS

yf = yarn forward and over needle to make one st.

yrn = yarn round needle to make one st.

Also see page 65.

NOTES

- 1) Read charts from right to left on right side rows and from left to right on wrong side rows.
- 2) When working in pattern, strand yarn not in use loosely across wrong side of work to keep fabric elastic.

BACK

With 3mm (US 2-3) needles and E, cast on 129 (145, 161, 177) sts. Beg with a k row, work 3 rows in St st.

Picot row (wrong side) P1, [yrn, p2tog] to end.

Change to 3.25mm (US 3) needles and F.

Beg with a k row, work 2 rows in St st.

been worked, work repeats of 40 rows of chart only.

Work 11 (11, 13, 13) rows.

Inc one st at each end of the next row and every 10th row until there are 127 (143, 159, 175) sts.

Work straight until back measures 30 (30, 31, 31)cm/12 (12, 12 $\frac{1}{4}$, 12 $\frac{1}{4}$)in from picot row, ending with a wrong side row.

Shape armholes

Cast off 8 (9, 10, 11) sts at beg of next 2 rows. 111 (125, 139, 153) sts.

Dec one st at each end of the next 5 (7, 11, 13) rows, then every foll right side row until 89 (97, 105, 113) sts rem.

Work straight until back measures 50 (51, 53, 54, 54)cm/19 $\frac{3}{4}$ (20, 21, 21 $\frac{1}{4}$)in from picot row, ending with a wrong side row.

Shape shoulders

Cast off 12 (14, 15, 16) sts at beg of next 2 rows. 12 (13, 14, 16) sts on foll 2 rows.

Leave the rem 41 (43, 47, 49) sts on a holder.

LEFT FRONT

With 3mm (US 2-3) needles and E, cast on 65 (73, 81, 89) sts.

Beg with a k row, work 3 rows in St st.

Picot row (wrong side) P1, [yrn, p2tog] to end.

Change to 3.25mm (US 3) needles and F.

Beg with a k row, work 2 rows in St st.

Change to M.

Beg with a k row, work in St st and patt from Chart 1. Work 6 (6, 8, 8) rows. Dec one st at beg of next row and every foll 6th row until there are 59 (67, 75, 83) sts, at the same time, when all 20 rows of chart have been worked, work repeats of 40 rows of chart 2 only.

Work 11 (11, 13, 13) rows.

Inc one st at beg of the next row and every foll 10th row until there are 64 (72, 80, 88) sts.

Work straight until front measures 30 (30, 31)cm/12 (12, 12 $\frac{1}{4}$, 12 $\frac{1}{4}$)in from picot row, ending with a wrong side row.

Shape armhole

Cast off 8 (9, 10, 11) sts at beg of next row. 56 (63, 71, 77) sts.

Work 1 row. Dec one st at armhole edge of the next 5 (7, 11, 13) rows, then every foll right side row until 45 (49, 53, 57) sts rem.

Work straight until front measures 42 (43, 44, 46)cm/16 $\frac{1}{2}$ (17, 17 $\frac{3}{4}$, 18)in from picot row, ending with a wrong side row.

Shape neck

Next row (right side) Patt to last 10 (11, 11, 12) sts, turn, leaving rem sts on a holder for neck edging. Dec one st at neck edge on every row until 24 (29, 32) sts rem.

Work straight until front measures same as Back shoulder, ending at armhole edge.

Shape shoulder

Cast off 12 (14, 15, 16) sts at beg of next row.

Work 1 row. Cast off rem 12 (13, 14, 16) sts.

RIGHT FRONT

With 3mm (US 2-3) needles and E, cast on 65 (73, 81, 92) sts.

Beg with a k row, work 3 rows in St st.

Picot row (wrong side) P1, [yrn, p2tog] to end.

Change to 3.25mm (US 3) needles and F.

Beg with a k row, work 2 rows in St st.

Change to M.

Beg with a k row, work in St st and patt from Chart 1.

Work 6 (6, 8, 8) rows.

Dec one st at beg of next row and every foll 6th row

until there are 59 (67, 75, 83) sts, **at the same time**, when all 20 rows of chart 1 have been worked, work repeats of 40 rows of chart 2 only. Work 11 (11, 13, 13) rows. Inc one st at beg of the next and every foll 10th row until there are 64 (72, 80, 88) sts.

Work straight until front measures 30 (30, 31, 31)cm/12 (12, 12¹/₄, 12¹/₄)in from picot row, ending with a right side row.

Shape armhole

Cast off 8 (9, 10, 11) sts at beg of next row. 56 (63, 70, 77) sts.

Dec one st at armhole edge of the next 5 (7, 11, 13) rows, then every foll right side row until 45 (49, 53, 57) sts rem.

Work straight until front measures 42 (43, 45, 46)cm/16¹/₂ (17, 17³/₄, 18) in from picot row, ending with a wrong side row.

Shape neck

Next row Patt 10 (11, 11, 12) sts, leave these sts on a holder, patt to end.

Dec one st at neck edge on every row until 24 (27, 29, 32) sts rem.

Work straight until front measures same as Back to shoulder, ending at armhole edge.

Shape shoulder

Cast off 12 (14, 15, 16) sts at beg of next row. Work 1 row.

Cast off rem 12 (13, 14, 16) sts.

SLEEVES

With 3mm (US 2-3) needles and E, cast on 65 (71, 77, 83) sts.

Beg with a k row, work 3 rows in St st.

Picot row (wrong side) P1, [yrn, p2tog] to end.

Change to 3.25mm (US 3) needles and D.

Beg with a k row, work 2 rows in St st.

Change to M.

Beg with a k row, work in St st and patt from Chart 1.

Work 4 rows. Inc one st at each end of the next row and every foll 6th row until there are 95 (101, 107, 113) sts, **at the same time**, when all 20 rows of chart 1 have been worked, work repeats of 40 rows of chart 2 only, taking all inc sts into patt.

Work straight until sleeve measures 30 (30, 31, 31)cm/12 (12, 12¹/₄, 12¹/₄)in from picot row, ending with a wrong side row.

Shape top

Cast off 8 (9, 10, 11) sts at beg of next 2 rows. 79 (83, 87, 91) sts.

Dec one st at each end of the next 5 rows, then 3 (5, 7, 9) foll right side rows, now dec one st at each end of every foll 4th row until 57 sts rem.

Dec one st at each end of next row and 4 foll right side rows, then at each end of next 5 rows. 37 sts.

Cast off 6 sts at beg of next 4 rows.

Cast off rem 13 sts.

NECKBAND

Join shoulder seams.

With right side facing, 3.25mm (US 3) needles and M, slip 10 (11, 11, 12) sts from right front neck holder onto a needle, pick up and k29 sts up right front neck, k across 41 (43, 47, 49) sts from back neck holder, pick up and k29 sts down left front neck, then k10 (11, 11, 12) sts from left front holder. 119 (123, 127, 131) sts. Change to C. Beg with a p row, work 2 rows in St st. Change to E. P 1 row.

Picot row (right side) K1, [yf, k2tog] to end.

Change to 3mm (US 2) needles.

Work 3 rows in St st. Cast off.

BUTTON BAND

With right side facing, 3mm (US 2-3) needles and M, pick up and k96 (100, 104, 108) sts along left front edge between picot rows.

K 3 rows. Cast off.

BUTTONHOLE BAND

With right side facing, 3mm (US 2-3) needles and M, pick up and k96 (98, 106, 108) sts along right front edge between picot rows.

K 1 row.



Buttonhole row (right side) K3 (4, 4, 5), yrn, k2tog, [k9 (9, 10, 10), yrn, k2tog] 8 times, k3 (4, 4, 5).

K 1 row. Cast off.

TO MAKE UP



Join side and sleeve seams.

Sew sleeves into armholes easing to fit. Fold hems onto wrong side along picot row and slipstitch in position. Sew on buttons. ❖



Color Key

Silver (M)	Pink (C)	Pale blue (F)
Mid blue (A)	Lime (D)	Ecru (G)
Red (B)	Forest green (E)	





Playing With Color

I love Fair Isle knitting, although I find it very challenging to choose the right combination of colors that will give me the subtle shading that makes the patterns so beautiful. I collect patterned fabric samples, color swatches, natural objects—anything that will spark an idea when inspira-

tion is hard to come by. The Fair Isle pattern pictured beneath the swatches appeared in a picot-edged cardigan in my book *Design It, Knit It*. You can find the pattern in this issue as well, on page 103.



fashion focus

Fair Isle patterns

Fabric swatches help De...
come up with colors for he...

35

