



KNITTING PATTERN

Farrow

Sweater

Design: Jie@redjkDesign | Hobbii Design

MATERIALS

6 (6) 6 (7) 8 (8) 9 (9) 9 balls of **Soft Alpaca**
in col. (02) Off White
875 (950) 950 (1075) 1175 (1225) 1325 (1425)
1475 meters / 955 (1040) 1040 (1175) 1285
(1340) 1450 (1560) 1615 yards

5 (5) 5 (6) 6 (7) 7 (8) 8 balls of **Friends Kid Silk** col. (05) Beige
875 (950) 950 (1075) 1175 (1225) 1325 (1425)
1475 meters / 955 (1040) 1040 (1175) 1285
(1340) 1450 (1560) 1615 yards

Circular needles 4mm (US6), 40-80 cm /
16-32"
Circular needles 4.5mm (US7), 40-80 cm /
16-32"

Stitch markers
Stitch holders
Tapestry needle

YARN QUALITY

 **Soft Alpaca**, Hobbii
100% Alpaca
50 g (1.75 oz) = 165 m (180 yds)

 **Friends Kid Silk**, Hobbii
72% Mohair, 25% Silk, 3% Wool
25 g / 0.9 oz = 200 m / 218 yds

GAUGE

23 sts x 28 rows = 10 cm x 10 cm / 4" x 4"
in Farrow stitch after wet blocking

HASHTAGS FOR SOCIAL MEDIA

#hobbiiidesign #hobbiiifarrow

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at support@hobbii.com. Please make sure to include the pattern's name and number.

Happy Crafting!

SIZE

XS (S) M (L) XL (2XL) 3XL (4XL) 5XL

MEASUREMENTS

Finished bust size: 83.5 (94) 101.5 (112) 122.5
(133) 143.5 (154) 161.5 cm / 33.5 (37.5) 40.5
(44.75) 49 (53.25) 57.5 (61.5) 64.5"

Model in size M with approx. 15cm/6" of
positive ease. See more finished
measurements below.

PATTERN INFORMATION

The Farrow sweater is a relaxed, drop-shoulder
design, seamlessly knit from the top down. It
features farrow stitches on the back and
farrow cables on the front and sleeves.

It begins with the back neckline, worked flat in
farrow stitch with increases for shaping. The
front is picked up along the shoulders and
worked in farrow cables to shape the neckline
and armholes. The front and back are joined at
the underarms and worked in the round to the
desired length. The lower body is then split to
work the front and back hems separately, with
an overlap at both sides. Stitches are picked up
for sleeves and short rows are used to shape
the sleeve cap for a well-fitted shoulder. The
work is then joined in the round for shaping
the remainder of the sleeve, finishing with long
ribbed cuffs. A cozy double-folded collar
completes the sweater.

BUY THE YARN HERE

<https://shop.hobbii.com/farrow-sweater>

Pattern



ABBREVIATIONS

Beg: Begin

BO: Binding Off

BOR: Beginning of the Row

CO: Cast On

Cont: Continue

Dec: Decrease

DS: German Short Row Double Stitch

Est: Establish

Foll: Follow

Inc: Increase

K: Knit

K2tog : Knit two stitches together

M1L: Make one left-leaning knit increase

M1R: Make one right-leaning knit increase

M1LP: Make one left-leaning purl increase

M1RP: Make one right-leaning purl increase

MK: Stitch Marker

P: Purl

Patt: Pattern

PM: Place Marker

prev: Previous

R: Row

Rnd: Round

Rem: Remaining

Rep: Repeat

RM: Remove Marker

RS: Right Side

Sl1-pwyf: Slip stitch purl-wise with yarn in front

SM: Slip Stitch Marker

SR: Short Row

ssk: Slip, slip knit-wise, knit 2 stitches together through back loop

St(s): Stitch(es)

TS: Total Stitches

WS: Wrong Side

1/1 RFC: 1/1 Right Leaning Farrow Cable (see Info & Tips)

INFO AND TIPS

Backwards Loop Cast-On: https://youtu.be/ojOU7Bco4dM?si=0Hj_8aSZzPCmNc4I

Basic Knit Bind-Off method: <https://youtu.be/tdlUOhYkW00?si=cW65nPoaVVLXoHyE>

Chain Selvage Stitch (sl1-pwyf): Slip the edge stitch purl-wise with the yarn in the front (at the beginning of the row, and knit it at the end of the row.


1/1 Right Leaning Farrow Cable (1/1 RFC):

https://youtube.com/shorts/8Qlz8-vzeGU?si=VXaES_WmuO3L1_81

4-Stitch Cable: (See video above on how to make the cable without using cable needle)

- Slip the first 3 stitches to a cable needle and hold at the back.
- Knit the 4th stitch from the working needle.
- Transfer the 2nd and 3rd stitches from the cable needle back onto the working needle.
- Keep the 1st stitch on the cable needle and hold it at the front.
- K1, p1, then k1 from the cable needle.

Schematics




- a) Finished Bust Circumference: 83.5 (94) 101.5 (112) 122.5 (133) 143.5 (154) 161.5 cm / 33.5 (37.5) 40.5 (44.75) 49 (53.25) 57.5 (61.5) 64.5"
- b) Sweater Total Length (Back) 55 (56.5) 57 (59) 60 (61.5) 62 (62) 62 cm / 22 (22.5) 22.75 (23.5) 24 (24.5) 24.75 (24.75) 24.75"
- c) Underarm Length: 46 (46) 46 (47.5) 47.5 (47.5) 48.5 (50) 50 cm / 18.5 (18.5) 18.5 (19) 19 (19) 19.5 (20) 20"
- d) Upper Arm Circumference: 31.5 (33.5) 34.5 (37.5) 38.5 (42) 43 (48) 50.5 cm / 12.5 (13.5) 13.75 (15) 15.5 (16.75) 17.25 (19.25) 20.25"

KEY

	RS: Knit WS: Purl
-	RS: Purl WS: Knit
	1/1 Right leaning Farrow cable
	Pattern Repeat

Charts

Chart A - Farrow (3 sts x 2 Rnds / Rows)



Written instructions:

Work back and forth


R1 (RS) & R2 (WS): k2, p1.

Work in the round

R1: k2, p1.

R2: k1, p2.

Chart B - Farrow cable (12 sts x 8 rows/rnds)



Written instructions:

Work back and forth

R1, R5 & R7 (RS): p1, (k2, p1) 3 times, k2.

R2, R4, R6 & R8 (WS): k1, p1, (k2, p1) 3 times, k1.

R3 (RS): p1, k2, p1, 1/1 RFC, k1, p1, k2.

Work in the round

R1, R5 & R7: p1, (k2, p1) 3 times, k2.

R2, R4, R6 & R8: p1, (k1, p2) 3 times, k1, p1.

R3: p1, k2, p1, 1/1 RFC, k1, p1, k2.

Chart C – Farrow Cable Panel (18 sts x 8 rnds)

8	-		-	-		-	-		-	-		-	-		-	-		-	7
6	-		-	-		-	-		-	-		-	-		-	-		-	5
4	-		-	-		-	-		-	-		-	-		-	-		-	3
2	-		-	-		-	-		-	-		-	-		-	-		-	1
	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	

Written instructions:

Work in the round

R1, R5 & R7: p1, (k2, p1) 5 times, k1, p1.

R2, R4, R6 & R8: p1, (k1, p2) 5 times, k1, p1.

R3: p1, (k2, p1) 2 times, 1/1 RFC, k1, p1, k2, P1, k1, p1.

INSTRUCTIONS

Upper Body, Back

Using larger needles and Backwards Loop Cast-On method, CO 96 (102) 102 (108) 114 (114) 120 (126) 126 sts.

R1 (RS): sl1-pwyf, k26 (29) 29 (32) 32 (32) 35 (38) 38, PM on the last knitted st to mark the right shoulder, k42 (42) 42 (42) 48 (48) 48 (48) 48, PM on the last knitted st to mark the left shoulder, k to the end.

R2 (WS): sl1-pwyf, k to the end.

R3 & R4: Rep prev row.

Start to work the Farrow patt from Chart A on the back.

R5 (RS): sl1-pwyf, (k2, p1) to the last 2 sts, k2.

R6 (WS): sl1-pwyf, p1, (k2, p1) to the last st, k1.

Slant Shoulder Shaping – short rows

SR1 (RS): sl1-pwyf, (k2, p1) over next 50 (53) 53 (56) 62 (62) 65 (68) 68 sts.

SR2 (WS): DS, work in patt as est over next 5 (5) 5 (5) 11 (11) 11 (11) 11 sts.

SR3 (RS): DS, work in patt as est to and pass DS for 6 more sts. (**Note:** knit the DS as one stitch, this applies to the rest short rows)

SR4 (WS): DS, work in patt as est to and pass DS for 6 more sts.

Rep prev 2 short rows for 2 more times.

Next SR (RS): DS, work in patt as est to and pass DS for 2 (3) 3 (3) 3 (2) 3 (3) 3 more sts.

Next SR (WS): DS, work in patt as est to and pass DS for 2 (3) 3 (3) 3 (2) 3 (3) 3 more sts.

Rep prev 2 short rows for 12 (1) 1 (4) 0 (15) 1 (2) 2 more times.

Next SR (RS): DS, work in patt as est to and pass DS for 1 (2) 2 (2) 2 (1) 2 (2) 2 more sts.

Next SR (WS): DS, work in patt as est to and pass DS for 1 (2) 2 (2) 2 (1) 2 (2) 2 more sts.

Rep prev 2 short rows for 0 (11) 11 (8) 14 (0) 14 (14) 14 more times.

Measured approx. 13 (13) 13 (13) 14.5 (15) 15 (15.5) 15.5 cm / 5.25 (5.25) 5.25 (5.25) 5.75 (6) 6 (6.25) 6.25" from the center of the back neck edge.

Armhole shaping

Next 30 (34) 34 (34) 32 (32) 32 (30) 30 rows: Work in patt as est.

Size M to 5XL Only:

Next row (RS): sl1-pwyf, M1L, work in patt as est to last st, M1R, k1. (**2 sts inc'd. 1 st at each end**).

Next row (WS): sl1-pwyf, work in patt as est to last st, k1.

Rep prev 2 rows for - (-) 1 (3) 4 (2) 4 (5) 5 more times.

[TS: 96 (102) 106 (116) 124 (120) 130 (138) 138]

Size 2XL to 5XL Only:

Next row (RS): sl1-pwyf, M1L, work in patt as est to last st, M1R, k1. (2 sts inc'd. 1 st at each end).

Next row (WS): sl1-pwyf, M1LP, work in patt as est to last st, M1RP, k1. (2 sts inc'd. 1 st at each end).

Rep prev 2 rows for - (-) - (-) - (2) 2 (3) 5 more times.

[TS: 96 (102) 106 (116) 124 (132) 142 (154) 162]

All Sizes:


Transfer all the sts onto a stitch holder.

Upper Body – Front

Work the Farrow Cable patt from Chart B on the front.

Left Front

Left Front - Farrow Cable Start Stitch



Set up row (WS): With the back piece WS facing, use larger needles to pick up and purl 27 (30) 30 (33) 33 (33) 36 (39) 39 sts evenly on the left shoulder edge (between the MK and the edge).

Work Farrow Cable patt at your size indicated in the Chart "Left Front – Farrow Cable Start Stitch" below, or foll inst as foll. All sizes start from row 1 of the chart:

R1 (RS): sl1-pwyf, (k2, p1) to the last 2 sts, k2.

R2 (WS): sl1-pwyf, p1, (k2, p1) to the last st, k1.

R3 (RS):

Size XS: sl1-pwyf, *(k2, p1) 2 times, 1/1 RFC, k1, p1*, rep *-* 2 times, k2. **(27 sts)**

Size S: sl1-pwyf, *1/1 RFC, k1, p1, (k2, p1) 2 times*, rep *-* 2 times, 1/1 RFC, k1. **(30 sts)**

Size M: sl1-pwyf, *(k2, p1) 2 times, 1/1 RFC, k1, p1*, rep *-* 2 times, k2, p1, k2. **(30 sts)**

Size L: sl1-pwyf, *1/1 RFC, k1, p1, (k2, p1) 2 times*, rep *-* 2 times, 1/1 RFC, k1, p1, k2. **(33 sts)**

Size XL: sl1-pwyf, *k2, p1, 1/1 RFC, k1, p1, k2, p1*, rep *-* 2 times, k2, p1, 1/1 RFC, k1. **(33 sts)**

Size 2XL: sl1-pwyf, k2, p1, *(k2, p1) 2 times, 1/1 RFC, k1, p1*, rep *-* 2 times, k2, p1, k2. **(33 sts)**

Size 3XL: sl1-pwyf, *(k2, p1) 2 times, 1/1 RFC, k1, p1, k2, p1*, rep *-* 2 times, k2, p1, 1/1 RFC, k1, p1, k2. **(36 sts)**

Size 4XL: sl1-pwyf, k2, p1, *(k2, p1) 2 times, 1/1 RFC, k1, p1*, rep *-* 2 times, (k2, p1) 2 times, 1/1 RFC, k1. **(39 sts)**

Size 5XL: sl1-pwyf, *(k2, p1) 2 times, 1/1 RFC, k1, p1, k2, p1*, rep *-* 2 times, k2, p1, 1/1 RFC, k1, p1, k2, p1, k2. **(39 sts)**

R4 (WS): Rep R2.

Next 0 (0) 0 (0) 2 (2) 4 (4) 4 rows: Work in patt as est.

Next row (RS): sl1-pwyf, M1L, work in patt as est to last st, k1. **(1 st inc'd. at neckline)**

Next row (WS): sl1-pwyf, work in patt to the last st, k1.

Rep prev 2 rows for 5 (7) 7 (7) 5 (5) 6 (6) 6 more times.

[TS: 33 (38) 38 (41) 39 (39) 43 (46) 46]

Next row (RS): Use Backwards Loop Cast-On method to CO2, then work in patt as est to last st, k1. **(2 sts inc'd. at neckline)**

Next row (WS): sl1-pwyf, work in patt as est to the last st, k1.

Rep prev 2 rows for 2 (1) 1 (1) 3 (3) 1 (1) 1 more times.

[TS: 39 (42) 42 (45) 47 (47) 47 (50) 50]

Next row (RS): Use backwards Loop Cast-On method to CO3, then work in patt as est to last st, k1. **(3 sts inc'd. at neckline)**

Next row (WS): sl1-pwyf, work in patt as est to the last st, k1.


Rep prev 2 rows for 0 (0) 0 (0) 0 (0) 1 (1) 1 more times.

[TS: 42 (45) 45 (48) 50 (50) 53 (56) 56]

Cut off the yarn and transfer all the front sts onto a stitch holder.

Right Front

Right Front - Farrow Cable Start Stitch



Set up row (WS): With the back piece WS facing, use larger needles to pick up and purl 27 (30) 30 (33) 33 (33) 36 (39) 39 sts evenly on the right shoulder edge (between the MK and edge).

Work Farrow Cable patt at your size indicated in the Chart "Right Front – Farrow Cable Start Stitch" below, or foll inst as foll. All sizes start from row 1 of the chart:

R1 (RS): sl1-pwyf, (k2, p1) to the last 2 sts, k2.

R2 (WS): sl1-pwyf, p1, (k2, p1) to the last st, k1.

R3 (RS):

Size XS: sl1-pwyf, *k2, p1, 1/1 RFC, k1, p1, k2, p1*, rep *-* 2 times, k2. **(27 sts)**

Size S: sl1-pwyf, *1/1 RFC, k1, p1, (k2, p1) 2 times*, rep *-* 2 times, 1/1 RFC, k1. **(30 sts)**

Size M: sl1-pwyf, *(k2, p1) 2 times, 1/1 RFC, k1, p1*, rep *-* 2 times, k2, p1, k2. **(30 sts)**

Size L: sl1-pwyf, *k2, p1, 1/1 RFC, k1, p1, k2, p1*, rep *-* 2 times, k2, p1, 1/1 RFC, k1. **(33 sts)**

Size XL: sl1-pwyf, *1/1 RFC, k1, p1, (k2, p1) 2 times*, rep *-* 2 times, 1/1 RFC, k1, p1, k2. **(33 sts)**

Size 2XL: sl1-pwyf, *(k2, p1) 2 times, 1/1 RFC, k1, p1*, rep *-* 2 times, (k2, p1) 2 times, k2. **(33 sts)**

Size 3XL: sl1-pwyf, *k2, p1, 1/1 RFC, k1, p1, k2, p1*, rep *-* 2 times, k2, p1, 1/1 RFC, k1, p1, k2 **(36 sts)**

Size 4XL: sl1-pwyf, *1/1 RFC, k1, p1, (k2, p1) 2 times*, rep *-* 2 times, 1/1 RFC, k1, p1, (k2, p1) 2 times, k2. **(39 sts)**

Size 5XL: sl1-pwyf, *(k2, p1) 2 times, 1/1 RFC, k1, p1*, rep *-* 2 times, (k2, p1) 2 times, 1/1 RFC, k1, p1, k2. **(39 sts)**

R4 (WS): rep R2.

Next 0 (0) 0 (0) 2 (2) 4 (4) 4 rows: work in patt as est.

Next row (RS): sl1-pwyf, work in patt as est to last st, M1R, k1. **(1 st inc'd at neckline)**

Next row (WS): sl1-pwyf, work in patt to the last st, k1.

Rep prev 2 rows for 5 (7) 7 (7) 5 (5) 6 (6) 6 more times.

[TS: 33 (38) 38 (41) 39 (39) 43 (46) 46]

Next row (RS): sl1-pwyf, work in patt as est the end, use Backwards Loop Cast-On method to CO2. **(2 sts inc'd at neckline)**

Next row (WS): sl1-pwyf, work in patt as est to the last st, k1.

Rep prev 2 rows for 2 (1) 1 (1) 3 (3) 1 (1) 1 more times.

[TS: 39 (42) 42 (45) 47 (47) 47 (50) 50]

Next row (RS): sl1-pwyf, work in patt as est the end, use Backwards Loop Cast-On method to CO3. **(3 sts inc'd at neckline)**

Next row (WS): sl1-pwyf, work in patt as est to the last st, k1.

Rep prev 2 rows for 0 (0) 0 (0) 0 (0) 1 (1) 1 more times.

[TS: 42 (45) 45 (48) 50 (50) 53 (56) 56].

Join left and right front

Join row (RS): With right front RS facing, sl1-pwyf, work in patt as est to the end, use Backwards Loop Cast-On method to CO 12 (12) 12 (12) 14 (14) 14 (14) 14 sts, cont work in patt as est on the left front to the end.

Measured approx. 8.5 (9.5) 9.5 (9.5) 10 (10) 10.5 (10.5) 10.5 cm / 3.5 (3.75) 3.75 (3.75) 4 (4) 4.25 (4.25) 4.25" from the top center of the back neck.

[TS (multiple of 3): 96 (102) 102 (108) 114 (114) 120 (126) 126]

Next row (WS): sl1-pwyf, p1, (k2, p1) to last st, k1.

Armhole shaping

Next 36 (38) 38 (38) 38 (40) 38 (38) 38 rows: Work in patt as est.

Size M to 5XL Only:

Next row (RS): sl1-pwyf, M1L, work in patt as est to last st, M1R, k1. **(2 sts inc'd. 1 st at each end).**

Next row (WS): sl1-pwyf, work in patt as est to last st, k1.

Rep prev 2 rows for - (-) 1 (3) 4 (2) 4 (5) 5 more times. [TS: 96 (102) 106 (116) 124 (120) 130 (138) 138]

Size 2XL to 5XL Only:

Next row (RS): sl1-pwyf, M1L, work in patt as est to last st, M1R, k1. (2 sts inc'd. 1 st at each end).

Next row (WS): sl1-pwyf, M1LP, work in patt as est to last st, M1RP, k1. (2 sts inc'd. 1 st at each end).

Rep prev 2 rows for - (-) - (-) - (2) 2 (3) 5 more times.

[TS: 96 (102) 106 (116) 124 (132) 142 (154) 162]

All Sizes:

Keep all the sts on the needles. Measured approx. 21.5 (23) 24.5 (25.5) 27 (28.5) 30 (31.5) 33 cm / 8.5 (9.25) 9.75 (10.25) 10.75 (11.5) 12 (12.5) 13.25" from the top of the front.

Lower Body

Join Front and Back

Join rnd: Beg with the back piece RS facing, join the front and back piece as foll:

- Back: work in Farrow patt to the end.
- Right Underarm: use Backwards Loop Cast-On method, CO 0 (3) 4 (5) 7 (9) 10 (10) 9 sts, PM, CO 0 (3) 7 (8) 10 (12) 13 (13) 15 sts.
- Front: work in Farrow Cable patt as est to the end.
- Left Underarm: use Backwards Loop Cast-On method, CO 0 (3) 7 (8) 10 (12) 13 (13) 15 sts, PM, CO 0 (3) 4 (5) 7 (9) 10 (10) 9 sts.

[TS: 192 (216) 234 (258) 282 (306) 330 (354) 372]

Next rnd: Beg at the back, work in Farrow patt as est to the MK on the right underarm, SM, work in Farrow Cable patt as est over underarm CO sts and front to the MK on the left underarm. SM and mark it as BOR for the lower body.

Next rnd: from BOR, work in Farrow patt as est on the rem left underarm CO sts and the back, then work in Farrow Cable patt as est on the front to BOR.

Next 57 (57) 55 (57) 55 (55) 53 (49) 45 rnds: From BOR, work the back in Farrow patt and the front in Farrow Cable patt as est.

Measured approx. 21.5 (21.5) 20.5 (21.5) 20.5 (20.5) 20 (18.5) 17 cm / 8.5 (8.5) 8.25 (8.5) 8.25 (8.25) 8 (7.5) 6.75" or desired length from the underarm.

Front Hem

Set up row 1 (RS): From BOR, con work in Farrow patt as est on the back for 6 (6) 2 (2) 2 (2) 2 (2) 2 more sts, turn.

Set up row 2 (WS): Using smaller needles, sl1-pwyf, p2, (k2, p2) to the MK on the right underarm, RM, cont work in 2 x2 rib as est for 5 (5) 1 (1) 1 (1) 1 (1) 1 st, k1, turn.

[TS: 108 (120) 124 (136) 148 (160) 172 (184) 196]

Next row (RS): sl1-pwyf, (k2, p2) to last 3 sts, k3.

Next row (WS): sl1-pwyf, p2, (k2, p2) to last st, k1.

Rep prev 2 rows for 24 more rows, then use Basic Knit Bind-Off method to BO. Measured approx. 10 cm / 4" or desired length from the beg of the hem.

Back Hem

Set up row 1 (RS): Using smaller needles and a new strand of yarn, beg at the back of the left front hem where the MK is. Pick up and knit 6 sts from the base of the 6 sts on the first row. Then cont work in farrow patt as est across the back. Finally, at the back of the right front hem, pick up and knit 6 sts from the base of the first 6 sts of the first row.

Set up row 2 (WS): sl1-pwyf, p2, (k2, p2) to last st, k1.

[TS: 96 (108) 122 (134) 146 (158) 170 (182) 188]

Next row (RS): sl1-pwyf, (k2, p2) to last 3 sts, k3.

Next row (WS): sl1-pwyf, (p2, k2) to last 3 sts, p2, k1.

Rep prev 2 rows for 30 more rows, then use the Basic Knit Bind-Off method to BO.
Measured approx. 12 cm / 5" or desired length from the beg of the hem.

SLEEVE

Set up row (RS): with the piece RS facing, start from the mid of underarm, PM as BOR. Pick up and knit as foll:

- 0 (3) 5 (6) 7 (9) 10 (10) 10 sts on the first half of the underarm CO edge, then
- 68 (66) 65 (69) 69 (73) 73 (83) 88 sts evenly across armhole, then
- 0 (3) 4 (5) 6 (8) 9 (9) 10 sts on the rem underarm CO edge to BOR.

[TS: 68 (72) 74 (80) 82 (90) 92 (102) 108]

Shaping sleeve cap – short rows

Work short rows to shape the top of sleeve, and work the Farrow Cable Panel from Chart C in the center of the sleeve.

SR1 (RS): from BOR, k25 (27) 28 (31) 32 (36) 37 (42) 45, PM, (Farrow Cable Panel.R1), PM, k1.

SR2 (WS): DS, SM, (Farrow Cable Panel.R2), SM, p1.

SR3 (RS): DS, k to MK, SM, (Farrow Cable Panel.R3), SM, k to and pass DS for 3 more sts.

SR4 (WS): DS, p to MK, SM, (Farrow Cable Panel.R4), SM, p to and pass DS for 3 more sts.

Rep prev 2 short rows for 6 (6) 6 (7) 7 (7) 8 (3) 5 more times.

Size 4XL & 5XL Only:

Next short row (RS): DS, k to MK, SM, work in patt as est to MK, SM, k to and pass DS for 4 more sts, turn.

Next short row (WS): DS, p to MK, SM, work in patt as est to MK, SM, p to and pass DS for 4 more sts, turn.

Rep prev 2 short rows for - (-) - (-) - (-) - (4) 2 more times.

All Sizes

Next short row (RS): DS, k to MK, SM, work in patt as est to MK, SM, k to BOR.

Underarm Shaping

With sleeve RS facing, work in patt as est in the rnd and shaping the sleeve underarm as foll:

Join rnd: from BOR, k to MK, SM, work in patt as est to MK, SM, k to BOR.

Next 5 (3) 9 (1) 7 (11) 3 (1) 15 rnds: work in patt as est.

Next rnd (dec rnd): k2tog, work in patt as est to the last 2 sts, ssk. **(2 sts dec'd)**

Next 15 (11) 11 (9) 9 (5) 7 (5) 3 rnds: Work in patt as est in the rnd.

Next rnd (dec rnd): k2tog, work in patt as est to the last 2 sts, ssk. **(2 sts dec'd]**

Rep prev 16 (12) 12 (10) 10 (6) 8 (6) 4 rnds for 4 (6) 5 (8) 7 (11) 10 (15) 16 more times.

Next 4 (2) 8 (2) 6 (10) 4 (2) 16 rnds: work in patt as est. [TS: 56 (56) 60 (60) 64 (64) 68 (68) 72]
Measured approx. 32 (32) 32 (33.5) 33.5 (33.5) 34.5 (35.5) 35.5 cm / 12.75 (12.75) 12.75 (13.5)
13.5 (13.5) 13.75 (14.25) 14.25" from underarm or desired length minus 10 cm / 4".

Cuff

Set up rnd: Using the smaller circular needles and work in 2x2 ribs (k2, p2) in the rnd.

Next 40 rnds: work in 2x2 ribs (k2, p2), use Basic Knit Bind-Off method to BO. Measured approx. 10 cm / 4" or desired length from the beg of the cuff.

COLLAR

Set up rnd: Beg at the right corner of the back neck, PM as BOR. Using smaller needles, pick up and knit along the neckline evenly for 88 (92) 92 (92) 104 (104) 108 (108) 108 sts.

Note: *Pick up approx. 1 st in each CO st along the back and front cast-on neckline edge, and 3 sts in every 4 rows along the front neckline edge. Pick up fewer stitches around the corner of the shoulders for a smoother turning curve.*

Next 24 rnds: Work in 2x2 ribs (k2, p2) then fold the ribbing inwards, use Basic Knit Bind-Off method to BO together with the corresponding stitch from the first row of the collar.

Measured approx. 4 cm / 1.5" or desired length over the folded collar.

FINISHING

Weave in loose ends, block the sweater to the measurements.

Enjoy!

Jie Hong@redJKDesign