



# A E G Y O S W E A T E R

Aegyo sweater is a soft, comfortable cable sweater with classical details. The fit is oversized with a drop-shoulder sleeve and can be worn by men or women.

## SIZES AND MEASUREMENTS

1 (2) (3) 4

## MEASUREMENTS

**Circumference of finished sweater is approximately:** 114 cm (128 cm) 142 cm (156 cm)

**Length** (measured in the centre back under the neckband): 52cm (58cm) 63cm (69cm)

*The sweater in the pictures is a size 2 on a size XS/S model, for a very oversized look.*

## YARN AND GAUGE

Puno, Gepard Garn  
550g (650g) 750g (850g)

AEGYOKNIT © COPYRIGHT 2022

This knitting pattern is only intended for private use, and may therefore not be copied, resold or redistributed. In addition, finished knitted products may not be marketed for resale or used in a commercial context.

**Gauge:** 14 sts x 23/24 rows = 10 x 10 cm in half brioche on 6mm needles *after blocking*.

**Suggested needles:**

5 mm 40 cm - 80 cm circular needles

6 mm 40 cm - 80 cm circular needles

5 mm or 6 mm cable needle

**COLOUR SHOWN IN PICTURE:**

Puno shade 412 sart rosa

**ABBREVIATIONS**

**Stitch marker:** stm

**Stitch(es):** st(s)

**Knit:** k

**Purl:** p

**K2tog/p2tog:** knit/purl two sts together

**Cable needle:** cbn

**Cable:** cbl

**Increase:** inc

**Yo:** yarn-over

**Kyok:** knit - yarn over - knit increase

**Sl1 purlwise:** slip one purlwise

**INTRODUCTION TO THE WORKFLOW**

**Overview:**

The sweater is worked top down in half brioche stitch and cables. First, the back is worked flat in rows and afterwards stitches are picked up along the shoulders to work the front sections. The front and back sections are joined in round under the armpit. Sleeves and neckband are added later.

**CHART:** on page 8 and 9.

Half brioche worked flat:

Row 1. right side (RS): k all sts.

Row 2. wrong side (WS): p the purls, k the knit stitches in the stitch below (look to the previous WS row for purls and knits).

Half brioche worked in the round:

Row 1: k all, *or: k1, yo, sl1 purlwise.*

Row 2: k the knits, *or: p the purls together with the yo's.*

There are different methods for working half brioche in the round, just make sure to use the same one throughout the whole knitting process as there may be inconsistencies in the fabric.

There are 4 different cables which are called cable 1, cable 2, cable 3 and cable 4. (Note that cable 3 is twisted in opposite direction depending on whether it is left or right of the centre.)

### **Cable descriptions:**

#### **Cable 1:**

Worked over 16 sts and 8 rows

Row 1: k 16 sts

Row 2: purl on WS, knit on RS over 16 sts.

Row 3: place 2 sts on cbn, hold behind the work, k2, k2 from cbn, place 2 sts on cbn, hold in front of the work, k2, k2 from cbn.

Repeat over the next 8 sts.

Row 4: purl on WS, knit on RS

Row 5: k all sts

Row 6: purl on WS, knit on RS

Row 7: place 2 sts on cbn, hold in front of the work, k2, k2 from cbn, place 2 sts on cbn, hold behind the work, k2, k2 from cbn.

Repeat over the next 8 sts.

Row 8: purl on WS, knit on RS

Repeat rows 1-8

#### **Cable 2:**

Place 1 st on cbn, hold behind the work, k1, k1 from cbn. Place 1 st on cbn in front of work, k1, k1 from cbn.

These cables are worked every 2<sup>nd</sup> row and can be worked without a cbn by knitting into the 2<sup>nd</sup> st through the back loop, then knitting the 1<sup>st</sup> st, then slipping both sts off the needle. For the cable 2 in the opposite direction: knit the 2<sup>nd</sup> through the front, knit the first st, then slip both off the needle.

#### **Cable 3:**

Worked across 6 sts, repeated every 4 rows, but the first cable is twisted on the same row that cable 1 is. (Row 3, cable 1)

**Note: This cable is twisted in different directions on either side of the front of the sweater.**

#### **Left front section:**

Row 1: k all

Row 2: purl on WS, knit on RS

Row 3: Place 3 sts on cbn in front of the work, k3, k3 from cbn.

Row 4: purl on WS, knit on RS

#### **Right front section:**

Row 1: k all

Row 2: purl on WS, knit on RS

Row 3: Place 3 sts on cbn behind the work, k3, k3 from cbn.

Row 4: purl on WS, knit on RS

#### **Cable 4:**

Worked across 8 sts, twisted every 4 rows, on the same rows as cables 1 and 3.

Row 1: k8

Row 2: purl on WS, knit on RS

Row 3: place 1 st on cbn in front of work, k3, k1 from cbn, place 3 sts on cbn behind work, k1, k3 from cbn.

Row 4: purl on WS, knit on RS

*Be aware that cables are worked on the front section and are worked along the same columns of stitches throughout. Cables 1, 3 and 4 are twisted on the same rows.*

---

**\* PATTERN STARTS HERE \***

#### **BACK SECTION**

Cast-on 21 sts on 6 mm needles. The first row is a WS row and is worked \*k1, p1\* (repeat \*\* through the whole row), end with k1. The first and last st are always worked as edge-sts, and they are k on both RS and WS.

Cast-on 6 new stitches at the start and end of each row (both WS and RS rows). Do this a total of 10 (12) 14 (16) times, so 5 (6) 7 (8) times on each side. There are now 81 (93) 105 (117) sts on the needle.

The new sts are included into the half brioche as follows:

RS: K all

WS: k1, p1 over the new sts, then work half brioche across the remaining sts

Continue working flat in half brioche until the work measures 18 (18) 18 (18) cm.

You will now increase towards the underarm:

On the RS: K5, kyok, k until 6 sts remain, kyok, k5 (2 sts increased). A kyok is worked by knitting into a st, making a yo, then knitting into the st again.

The new sts are worked p, k, p on the WS.

**Size 1:** Work a further 3 rows, the last row is a WS row. Break the yarn. There are now 85 sts on the needle.

**Size 2:** Work a further 3 rows, the last row is a WS row. Break the yarn. There are now 97 sts on the needle.

**Size 3:** Work 1 WS row, then work a RS row with increases on either side. Work a further 3 rows, the last row is a WS row. Break the yarn. There are now 113 sts on the needle.

**Size 4:** Work 1 WS row, then work a RS row with increases on either side. Repeat these two rows once more. Work a further 3 rows without increases, the last row is a WS row. Break the yarn. There are now 129 sts on the needle.

## **LEFT FRONT SECTION**

Pick up 32 (38) 44 (50) sts with the short tail of the yarn from the neck towards the shoulder.

Slip the sts to the left needle and start following the chart from the left side. Start by decreasing over the first 3 rows (decreasing by 2 sts in total). Remember edge-sts.

The first 26 sts are worked by following the chart (see page 7) and the remaining sts are worked in half brioche, as you did on the back section.

Follow the chart and at the point where you start to increase towards the neck, do this on the end of the WS rows. The last row is a WS row (row 30).

The 6 central sts will be made from the right front section. Leave the sts to rest while you work the right front section.

## **RIGHT FRONT SECTION**

Pick up 32 (38) 44 (50) sts with the short tail of the yarn. K 6 (12) 18 (14) sts, remember edge-sts, then follow the chart for the remaining sts. (Remember to decrease 2 sts in total over the first 3 rows.) Continue until all 2 sts increases have been made (29 rows).

You will now join the left and right section. Work the right front sts as established, cast-on 6 new sts in between, and then work across the left front section. You are now on row 31 of the chart.

## FRONT SECTION

Continue working as established until the work measures 22 (22) 24 (26) cm measured on the outside edge. Afterwards make increases on either side as you did in the back section as follows:

### Increases towards under arm:

On the RS: k5, kyok, k until 6 sts remain (continue to work cables as established), kyok, k5.

The new sts are worked p, k, p on the WS.

**Size 1:** Work a further 3 rows, the last row is a WS row.

**Size 2:** Work a further 3 rows, the last row is a WS row.

**Size 3:** Work 1 WS row, then work a RS row with increases on either side. Work a further 3 rows, the last row is a WS row.

**Size 4:** Work 1 WS row, then work a RS row with increases on either side. Repeat these two rows once more. Work a further 3 rows without increases, the last row is a WS row.

## BODY

Join the back and front sections by casting on 1 sts between the back and front sections. Work half brioche and cables in the round (See page 8 for charts in the round).

Continue until work measures 30 (30) 32 (34) cm measured from the underarm join. You will now make some short rows to create a slightly longer back.

Work to the last knit sts before the cables starts (work the knit sts as well), turn with GSR, then work back to the last half brioche st before the cables on the other side (a purl st), turn with GSR. You are now working the sts from the WS (working the half brioche flat). The sts are now worked as described: p the purls, k the knit stitches in the stitch below, when you reach your BOR be aware that the sts are now worked as only p sts - continue until 3 sts before the previous turning st, GSR, turn again. Do the same on the opposite side.

Repeat turning 3 sts before previous turning st a total of 4 (4) 5 (5) times on each side, 8 (8) 10 (10) times in total.

Change to 5 mm needle and work rib. On the first round of rib, knit the two central sts on the central cable together (k2tog).

Cast-off when the ribbing measures 6 cm.

## SLEEVES

Starting at the central underarm stitch with a k st, pick up 39 (39) 41 (43) sts on 6 mm needles for half brioche along one side of the

x	x									x	x	4
x	x	\	/							/	\	3
x	x									x	x	2
x	x									x	x	1
12	11	10	9	8	7	6	5	4	3	2	1	

arm hole, then place a stm, pick up 12 along the top of the shoulder to be worked in pattern (see chart below), place stm, pick up a further 36 (36) 39 (40) sts for half brioche. There are now 87 (87) 91 (95) sts on the needle.

Work 22 rounds (the next row is a row 1 in the half brioche), then make a centred decrease as follows:

K2, k3tog (or: k1, yo, sl1purlwise, k3tog...) through the back loop, continue until 4 sts remain, k3tog through the front loop.

These decreases are worked a total of 4 times, with 21 rows between each.

After the decreases you will have 71 (71) 75 (79) sts on the needle.

Work a further 3 rows in half brioche, change to a 5 mm needle, work in rib until the 2 purl sts in the chart, p2tog, then k1, p1, k1, p2tog, k1, p1, k1, p2tog.

Continue in rib for 5 cm and tubular cast-off. Work the second sleeve in the same way.

## NECKBAND


Pick up 82 sts on 5 mm needles starting at the right side of the neck. Pick up 21 sts along the back of the neck, 27 sts up to the central cable on the front, 7 sts along the mid front cable, and a further 27 sts up to the shoulder.

Work in the rib in the round for 8 cm, cast-off loosely and sew the neckband down on the inside. Make sure it is not too tight.

## FINISHING

Weave in ends and block your sweater by following the yarn manufacturer's recommendations. Lay the sweater to dry flat on a towel.

Share you finished Aegyo sweater on Instagram with the hashtags #aegyosweater and #aegyoknit



 Stitches do not exist yet

 Worked as a k-sts


 Worked as purl sts




Cable1



Cable2



Cable3, right side



Cable3, left side



Cable4





## AEGYO SWEATER

Свитер Aegyo - это мягкий, удобный свитер косами с классическими деталями. Модель оверсайз со спущенными плечами подойдёт как мужчинам, так и женщинам.

### РАЗМЕРЫ И ИЗМЕРЕНИЯ

1 (2) (3) 4

### ИЗМЕРЕНИЯ

Размер пуловера в окр. груди: 114 см (128 см) 142 см (156 см)  
Длина (измеряя по центру спинки, от горловины): 52см (58см) 63см (69см)  
На фото показан пуловер в размере 2 на модели размера XS/S, для очень свободной посадки.

### ПРЯЖА И ПЛОТНОСТЬ ВЯЗАНИЯ

Puno от Gerard Garn (альпака/нейлон/шерсть; 110м/ 50 г)  
550г (650г) 750г (850г)

**Плотность вязания:** 14 п. х 23/24 ряда = 10 х 10 см резинкой полубриошь, спицами 6 мм, после блокировки

### Рекомендованные спицы:

5 мм, круговые спицы длиной 40 см - 80 см  
6 мм, круговые спицы длиной 40 см - 80 см  
5 мм или 6 мм, спица для вязания кос

### ЦВЕТ ПОКАЗАННЫЙ НА ФОТО:

Puno цвет 412 sart rosa

AEGYOKNIT © COPYRIGHT 2022

## СОКРАЩЕНИЯ

**М** = маркер

**ЛС / ИС** = лицевая / изнаночная сторона

**лиц.** = лицевая

**изн.** = изнаночная

**2 вм.лиц./2 вм.изн.** = провязать 2 п. вместе как лиц.

**СК** = спица для вязания кос

**лНл** = прибавка: лиц., накид, лиц. в одну петлю

**сн.1 как изн.** = снять 1 петлю как изнаночную

**кром.п.** = кромочная петля

**сделать ДП** = вязать количество петель указанное в описании, повернуть работу, перевести нить вперёд, снять 1-ю п. как изн., перевести нить над спицей за работу и потянуть (это создаст двойную п. = ДП). При провязывании ДП, считать её как одну п., провязывая за обе ножки ДП.

## ВВЕДЕНИЕ В РАБОЧИЙ ПРОЦЕСС

### Обзор:

Пуловер вяжется сверху вниз резинкой полубришь и косами. Сначала, поворотными рядами вяжется спинка, а затем вдоль плеч поднимаются петли для вязания передних частей. Передняя и задняя части соединяются в проймах и вяжутся по кругу. Рукава и планка горловины будут добавлены позже.

**СХЕМА:** на стр. 8 и 9.

### Полубришь, поворотными рядами:

**Ряд 1.** лицевая сторона (ЛС): лиц. все п.

**Ряд 2.** изнаночная сторона (ИС): изнаночными изнаночные, лицевыми лицевые петли в петлю ниже (смотрите на предыдущий ряд ИС для определения изн. и лиц.).

### Полубришь, круговыми рядами:

**Ряд 1:** все лиц., или: 1 лиц., накид, сн.1 как изн.

**Ряд 2:** лиц. все лицевые, или: изн. изнаночными вместе с их накидом

Существуют разные способы вязания резинки полубришь по кругу, просто убедитесь, что используете один и тот же на протяжении всего процесса вязания, так как в ткани могут быть несоответствия.

В описании используется 4 различных косы, которые называются коса 1, коса 2, коса 3 и коса 4. (Обратите внимание, что коса 3 закручивается в противоположном направлении в зависимости от того, находится ли он слева или справа от центра.)

### Инструкции по вязанию кос:

#### **Коса 1:**

Вязать на 16 п. и 8 рядах

**Ряд 1:** 16 лиц.

**Ряд 2:** изн. на ИС, лиц. на ЛС на 16 п.

**Ряд 3:** снять 2 п. на СК за работу, 2 лиц., 2 лиц. с СК, снять 2 п. на СК перед работой, 2 лиц., 2 лиц. с СК.

Повторить на след. 8 п.

**Ряд 4:** изн. на ИС, лиц. на ЛС

**Ряд 5:** все лиц. п.

**Ряд 6:** изн. на ИС, лиц. на ЛС

**Ряд 7:** снять 2 п. на СК перед работой, 2 лиц., 2 лиц. с СК, снять 2 п. на СК за работу, 2 лиц., 2 лиц. с СК.

Повторять на след. 8 п.

**Ряд 8:** изн. на ИС, лиц. на ЛС

Повторять ряды 1-8

#### **Коса 2:**

Снять 1 п. на СК за работу, 1 лиц., 1 лиц. с СК.

Снять 1 п. на СК перед работой, 1 лиц., 1 лиц. с СК.

Эти косы выполняются в каждом 2-м ряду и могут быть выполнены без СК.

### **Коса 3:**

Вязать на 6 п., повторяя в каждом 4 ряду, но первая коса скручивается в том же ряду, что и коса 1. (Ряд 3, коса 1)

**Примечание:** Эта коса скручивается в разных направлениях по обе стороны передней части свитера

#### **Левая передняя часть:**

**Ряд 1:** все лиц.

**Ряд 2:** изн. на ИС, лиц. на ЛС

**Ряд 3:** Снять 3 п. на СК перед работой, 3 лиц., 3 лиц. с СК.

**Ряд 4:** изн. на ИС, лиц. на ЛС

#### **Правая передняя часть:**

**Ряд 1:** все лиц.

**Ряд 2:** изн. на ИС, лиц. на ЛС

**Ряд 3:** Снять 3 п. на СК за работой, 3 лиц., 3 лиц. с СК.

**Ряд 4:** изн. на ИС, лиц. на ЛС

### **Коса 4:**

Вязать на 8 п., скручивая в каждом 4-м ряду, в тех же рядах что и косы 1 и 3.

**Ряд 1:** 8 лиц.

**Ряд 2:** изн. на ИС, лиц. на ЛС

**Ряд 3:** снять 1 п. на СК перед работой, 3 лиц., 1 лиц. с СК, снять 3 п. на СК за работой, 1 лиц., 3 лиц. с СК.

**Ряд 4:** изн. на ИС, лиц. на ЛС

Имейте в виду, что косы выполняются на передней части и вдоль одних и тех же столбиков петель по всей длине. Косы 1, 3 и 4 скручены в одних и те же ряды.

## **\* НАЧАЛО ОПИСАНИЯ ЗДЕСЬ \***

### **СПИНКА**

Набрать 21 п. на спицы 6 мм. Первый ряд - это ряд ИС и вяжется как \*1 лиц., 1 изн.\* (повторять \*\* до конца ряда), закончить 1 лиц. Первую и последнюю п. всегда вязать как кром.п., то есть лиц. с ЛС и ИС.

Набрать по 6 новых петель в начале и конце каждого ряда (в рядах ИС и ЛС). Сделать это всего 10 (12) 14 (16) раз, то есть по 5 (6) 7 (8) раз с каждой стороны. На спицах должно быть 81 (93) 105 (117) п.

Новые п. включать в узор полубриошь следующим образом:

**ЛС:** лиц.

**ИС:** 1 лиц., 1 изн. над новыми п., затем вязать полубриошью на оставшихся петлях.

Продолжать вязание поворотными рядами, полубриошью до 18 (18) 18 (18) см от набора петель.

Далее начинаются прибавки для формирования пройм:

**На ЛС:** 5 лиц., лНл, лиц. до 6 последних п., лНл, 5 лиц. (2 п. прибавлено).

Эти новые п. вязать как изн., лиц., изн. на ИС.

**Размер 1:** Вязать ещё 3 ряда, последний ряд - это ряд с ИС. Нить отрезать. На спицах 85 п.

**Размер 2:** Вязать ещё 3 ряда, последний ряд - это ряд с ИС. Нить отрезать. На спицах 97 п.

**Размер 3:** Вязать 1 ряд ИС, затем вязать ряд ЛС с прибавками с каждой стороны. Вязать ещё 3 ряда, последний ряд - это ряд с ИС. Нить отрезать. На спицах 113 п.

**Размер 4:** Вязать 1 ряд ИС, затем вязать ряд ЛС с прибавками с каждой стороны. Повторить эти два ряда ещё раз. Вязать ещё 3 ряда без прибавок, последний ряд - это ряд с ИС. Нить отрезать. На спицах 129 п.

## ЛЕВАЯ ПЕРЕДНЯЯ ЧАСТЬ

Поднять и провязать лицевыми 32 (38) 44 (50) п., от короткого конца пряжи, от края горловины до плеча (нить от мотка должна быть со стороны горловины).

Переснять петли на левую спицу и начать вязание левой стороны схемы. В первых трех рядах выполнить убавки (убавить всего 2 п.). Помните о кромочных петлях.

Первые 26 п. вязать следуя схеме (см. стр. 6) и оставшиеся петли вязать полубриошью, как для спинки.

Следуйте схеме и в точке, где вы начинаете делать прибавки по направлению к горловине, сделайте это на в конце рядов ИС.

Последний ряд — это ряд ИС (ряд 30).

6 центральных петель буду набраны при вязании правой передней части. Отложите петли, пока будете вязать правую переднюю часть.

## ПРАВАЯ ПЕРЕДНЯЯ ЧАСТЬ

Поднять и провязать лицевыми 32 (38) 44 (50) п. от короткого конца пряжи от плеча до края горловины (нить от мотка должна быть со стороны горловины). Провязать 6 (12) 18 (14) п. лицевыми, помня о кром.п., затем следовать схеме на оставшихся п. (Помните о 2-х убавках в первых трех рядах.) продолжать пока не выполните все прибавки по 2 п. (29 рядов).

Далее соединить левую и правую сторон. Провязать петли правой стороны как установлено, набрать 6 новых п. между ними, и затем вязать петли левой секции. Далее вы будете вязать 31-й ряд схемы.

## ПЕРЕД

Продолжать вязание установленным узором до 22 (22) 24 (26) см, измеряя по внешнему краю. Затем сделайте прибавки с обеих сторон, как вы делали это для спинки, следующим образом:

### Прибавки для формирования пройм:

**На ЛС:** 5 лиц., лНл, лиц. до 6 последних п. (продолжая вязать косы как установлено), лНл, 5 лиц.

Новые петли вязать как изн., лиц., изн. на ИС.

**Размер 1:** Вязать ещё 3 ряда, последний ряд - это ряд с ИС.

**Размер 2:** Вязать ещё 3 ряда, последний ряд - это ряд с ИС.

**Размер 3:** Вязать 1 ряд ИС, затем вязать ряд ЛС с прибавками с обеих сторон. Вязать ещё 3 ряда, последний ряд - это ряд с ИС.

**Размер 4:** Вязать 1 ряд ИС, затем вязать ряд ЛС с прибавками с обеих сторон. Повторить эти два ряда ещё раз. Вязать ещё 3 ряда без прибавок, последний ряд - это ряд с ИС.

## ТЕЛО

Соединить спинку и перед, набрав по 1 п. между ними. Вязать полубриошью и косами в круг.р. (См. стр. 8 для схем в круг.р.).

Продолжать вязание до 30 (30) 32 (34) см, измеряя от проймы. Теперь вы сделаете несколько укороченных рядов, чтобы слегка удлинить спинку.

Вязать до последней лиц. п. перед узором с косами (провязав лиц. петлю как обычно), повернуть и сделать ДП, затем вязать обратно до последней п. полубриоши перед косами на другой стороне (изн. петля), повернуть и сделать ДП. Вязать до НКР и затем ещё до 3 п. перед предыдущей ДП, повернуть и сделать ДП. Вязать обратно до 3 п. перед предыдущей ДП, повернуть и сделать ДП.

Продолжать таким образом, поворачивая за перед предыдущей п., всего по 4 (4) 5 (5) раз(а) с каждой стороны.

Перейти на спицы 5 мм и вязать 6 см резинкой. В первом круг.р. резинки, вязать две центральные п. на центральной косе вместе (2 вм.лиц.).

Закрыть петли.

## РУКАВА

Начиная с центральной петли в нижней части проймы, поднять и провязать лиц. 39 (39) 41 (43) п. на спицы 6 мм вдоль одной стороны проймы для полубриоши, повесить маркер, поднять 12 п. вдоль верхней части плеча, которые будут вязаться узором (см. схему на след. стр.), повесить маркер, поднять ещё 36 (36) 39 (40) п. для полубриоши.



