


Aigues



Notes

The tee is worked from the top down with Half Twisted Rib on the shoulders and neckline shaping. The upper body is worked flat to desired armhole depth, then front and back are joined to work the lower body in the round. The lace pattern flows from and towards Half Twisted Rib for the hem. Stitches are picked up around the armhole to work a small Half Twisted Rib edging, and around the neckline to bind-off immediately and create a neat line.

Use the hashtag #aiguestee to share your project.

Pattern, pictures and notes © Audrey Borrego. This pattern is for personal use only.

Yarn :

You will need

720 (820, 875, 965, 1015) [1085, 1205, 1255, 1455, 1515] m

790 (895, 955, 1055, 1110) [1185, 1320, 1375, 1590, 1660] yds
of fingering to DK weight yarn

The sample is knit with Pascuali Re-jeans (96 m – 105 yds / 50 g) in Rubin.

Different thickness of yarn work to achieve different fabrics : DK weight will result in a firmer, more opaque tee ; fingering weight will result in a more fluid and open tee.

Needles :

3.5 mm (US 4) circular needles with appropriate length to knit in the round and magic loop or DPNs.

or size required to get gauge

Gauge :

25.5 sts x 36 rows/rnds per 10 cm – 4" with main needles in lace pattern after blocking

Notions :

Stitch markers, locking stitch markers, tapestry needle and scissors

Cable needle (optional)

Scrap yarn to place sts on hold

Row counter recommended

Techniques used :

Top down tee

Upper body worked flat

Body joined in the round at the underarms

Straight cropped body

Picking up sts

1/1 half twisted rib


Lace pattern with eyelets, simple and double decreases, simple cables

Pattern includes charted instructions only for the lace

Sizes : 1 (2, 3, 4, 5, 6) [7, 8, 9, 10, 11]

All measurements are those of the finished tee.

Choose a size with up to 15 – 6" positive ease at bust.



Size	1	2	3	4	5
A Bust Circ	97 cm 38.25"	106.5 cm 42"	116 cm 45.75"	122 cm 48"	128.5 cm 50.5"
B Armhole depth	19 cm 7.5"	21 cm 8.25"	21 cm 8.25"	22 cm 8.75"	22 cm 8.75"
C Upper Back width	45 cm 17.75"	45 cm 17.75"	51.5 cm 20.25"	51.5 cm 20.25"	57.5 cm 22.75"
D Shoulder width	15.5 cm 6"	15.5 cm 6"	18.5 cm 7.25"	18.5 cm 7.25"	21 cm 8.25"
E Body length (adjustable)	22 to 30 cm 8.75 to 11.75"				
Size	6	7	8	9	10
A Bust Circ	135 cm 53.25"	144 cm 56.75"	150 cm 59"	158.5 cm 62.5"	166 cm 65.25"
B Armhole depth	23 cm 9"	25 cm 9.75"	25 cm 9.75"	29 cm 11.5"	29 cm 11.5"
C Upper Back width	57.5 cm 22.75"	64 cm 25.25"	64 cm 25.25"	70 cm 27.5"	70 cm 27.5"
D Shoulder width	21 cm 8.25"	24 cm 9.5"	24 cm 9.5"	26.5 cm 10.2"	26.5 cm 10.5"
E Body length (adjustable)	22 to 30 cm 8.75 to 11.75"				

Abbreviations :

- CO : cast-on / BO : bind-off
- patt : pattern
- st(s) : stitch(es) / rnd(s) : round(s)
- RS : right side / WS : wrong side
- BOR : beginning of round
- m : marker / PM : place marker / sm : slip marker / rm : remove marker
- inc : increase / dec : decrease
- k : knit stitch
- p : purl stitch
- ktbl : knit the st through its back loop
- ptbl : purl the st through its back loop
- yo : yarn over
- 2/2 RC : 2/2 right cable, slip the next 2sts purlwise on a cable needle and hold in back, k2 from left needle then k2 from cable needle
- 2/2 LC : 2/2 left cable, slip the next 2sts purlwise on a cable needle and hold in front, k2 from left needle then k2 from cable needle
- m1L : make 1 left, lift the bar between the stitches onto the left needle from front to back, knit through the back loop (1 inc)
- m1R : make 1 right, lift the bar between the stitches onto the left needle from back to front, knit through the front loop (1 inc)
- k2tog : knit the next 2 sts together (1 dec)
- ssk : slip the next 2 sts knitwise separately then knit them together through their back loop (1 dec)
- sk2p : slip the next st knitwise, k2tog then passed slipped st over (2 dec)
- DS : double stitch for German short rows (counts as only 1 st)
- *-* : repeat instructions between asterisks

Notes :

Left and Right parts refer to the tee when worn.

Reading the Chart

Knitting flat, read the Chart back and forth : RS rows from right to left and WS rows from left to right.

Knitting in the round, always read the Chart from right to left.

Right back shoulder

CO 40 (40, 47, 47, 54) [54, 61, 61, 67, 67] sts using the German Twisted Cast-on.

Set-Up Row (WS): P1, *k1, p1tbl* until 1 (1, 2, 2, 1) [1, 2, 2, 2, 2] sts rem, ko (0, 1, 1, 0) [0, 1, 1, 1, 1], p1

Short-row shaping is worked using the German Short Rows technique. When you come across a DS in a row, work it as a single stitch in Half Twisted Rib pattern.

Short Row 1 (RS): K1, work in Half Twisted Rib patt as est until 5 sts rem, turn

Short Row 2 (WS): DS, work in Half Twisted Rib patt as est until 1 st rem, p1

Short Row 3: K1, work in Half Twisted Rib patt as est until 7 sts rem before DS, turn

Work Short Rows 2-3 another 2 (2, 3, 3, 4) [4, 5, 5, 6, 6] times, then work Short Row 2 once more.

Next Row (RS): K1, work in Half Twisted Rib patt as est until 1 st rem, k1, resolving all DS

Next Row (WS): P1, work in Half Twisted Rib patt as est until 1 st rem, p1

Break yarn and place sts on hold.

Left back shoulder

CO 40 (40, 47, 47, 54) [54, 61, 61, 67, 67] sts using the German Twisted Cast-on.

Set-Up Row 1 (WS): P1, ko (0, 1, 1, 0) [0, 1, 1, 1, 1], *p1tbl, k1* until 1 st rem, p1

Set-Up Row 2 (RS): K1, work in Half Twisted Rib patt as est until 1 st rem, k1

Short Row 1 (WS): P1, work in Half Twisted Rib patt as est until 5 sts rem, turn

Short Row 2 (RS): DS, work in Half Twisted Rib patt as est until 1 st rem, k1

Short Row 3: P1, work in Half Twisted Rib patt as est until 7 sts rem before DS, turn

Work Short Rows 2-3 another 2 (2, 3, 3, 4) [4, 5, 5, 6, 6] times, then work Short Row 2 once more.

Next Row (WS): P1, work in Half Twisted Rib patt as est until 1 st rem, p1, resolving all DS

Join back shoulders

The stockinette sts on the neckline edge will now be incorporated in the Half Twisted Rib patt.

Row 1 (RS): K1, work in Half Twisted Rib patt as est to end of left back shoulder sts, CO 35 (35, 37, 37, 39) [39, 41, 41, 45, 45] sts using the Backwards Loop Caston, place right back shoulder sts on the left-hand needle with RS facing, joining them to the new sts, work in Half Twisted Rib patt as est until 1 st rem, k1

Row 2 (WS): P1, pm, work in Half Twisted Rib patt as est until 1 st rem, pm, p1

115 (115, 131, 131, 147) [147, 163, 163, 179, 179] sts

Back

Back neck CO sts will now be incorporated into Half Twisted Rib patt as follows: sizes 1, 2, 5, & 6 begin and end with k1tbl; sizes 3, 4, 7, 8, 9, & 10 begin and end with p1.

Row 1 (RS): K1, sm, work in Half Twisted Rib patt as est to marker, sm, k1

Row 2 (WS): P1, sm, work in Half Twisted Rib patt as est to marker, sm, p1

Work rows 1-2 another 6 times.

Begin working from Chart, beginning with Row 1.

Row 3 (RS): K1, sm, work chart to marker, sm, k1

Row 4 (WS): P1, sm, work chart to marker, sm, p1

Work Rows 3-4 until the back meas 19 (21, 21, 22, 22) [23, 25, 25, 29, 29] cm / 7.5 (8.25, 8.25, 8.75, 8.75) [9, 9.75, 9.75, 11.5, 11.5]” from cast-on, meas along the armhole edge. End with a WS row.

Note last chart row worked.

Break yarn and place sts on hold.

Left front

Looking at the RS of work and starting at the neckline side, pick up and knit 40 (40, 47, 47, 54) [54, 61, 61, 67, 67] sts (every st) from the left back shoulder cast-on edge.

Set-Up Row (WS): P1, *k1, p1tbl* until 1 (1, 2, 2, 1) [1, 2, 2, 2, 2] sts rem, ko (0, 1, 1, 0) [0, 1, 1, 1, 1], p1

Short Row 1 (RS): K1, work in Half Twisted Rib patt as est until 5 sts rem, turn

Short Row 2 (WS): DS, work in Half Twisted Rib patt as est until 1 st rem, p1

Short Row 3: K1, work in Half Twisted Rib patt as est until 7 sts rem before DS, turn

Work Short Rows 2-3 another 2 (2, 3, 3, 4) [4, 5, 5, 6, 6] times, then work Short Row 2 once more.

Next Row (RS): K1, work in Half Twisted Rib patt as est until 1 st rem, k1, resolving all DS

Next Row (WS): P1, work in Half Twisted Rib patt as est until 1 st rem, p1

You will now increase sts on the neck side; incorporate these new sts into the Half Twisted Rib patt as you come to them.

Inc Row (RS): K1, M1L, work in Half Twisted Rib patt as est until 1 st rem, k1 [1 st inc]

Row 1 (WS): P1, work in Half Twisted Rib patt as est until 1 st rem, p1

Work last 2 rows another 6 times. 47 (47, 54, 54, 61) [61, 68, 68, 74, 74] sts
Break yarn and place sts on hold.

Right front

Looking at the RS of work and starting at the armhole side, pick up and knit 40 (40, 47, 47, 54) [54, 61, 61, 67, 67] sts (every st) from the right back shoulder cast-on edge.

Set-Up Row 1 (WS): P1, ko (0, 1, 1, 0) [0, 1, 1, 1, 1], *p1tbl, k1* until 1 st rem, p1

Set-Up Row 2 (RS): K1, work in Half Twisted Rib patt as est until 1 st rem, k1

Short Row 1 (WS): P1, work in Half Twisted Rib patt as est until 5 sts rem, turn

Short Row 2 (RS): DS, work in Half Twisted Rib patt as est until 1 st rem, k1

Short Row 3: P1, work in Half Twisted Rib patt as est until 7 sts rem before DS, turn

Work Short Rows 2-3 another 2 (2, 3, 3, 4) [4, 5, 5, 6, 6] times, then work Short Row 2 once more.

Next row (WS): P1, work in Half Twisted Rib patt as est until 1 st rem, p1, resolving all DS

You will now increase sts on the neck side; incorporate these new sts into the Half Twisted Rib patt as you come to them.

Inc Row (RS): K1, work in Half Twisted Rib patt as est until 1 st rem, M1R, k1 [1 st inc]

Row 1 (WS): P1, work in Half Twisted Rib patt as est until 1 st rem, p1

Work last 2 rows another 6 times. 47 (47, 54, 54, 61) [61, 68, 68, 74, 74] sts

Join fronts

The stockinette sts on the neckline edge will now be incorporated in the Half Twisted Rib patt.

Row 1 (RS): K1, work in Half Twisted Rib patt as est to end of right front sts, CO 21 (21, 23, 23, 25) [25, 27, 27, 31, 31] sts using the Backwards Loop Cast-on, place left front shoulder sts on the left-hand needle with RS facing, joining them to the new sts, work in Half Twisted Rib patt as est until 1 st rem, k1

Row 2 (WS): P1, pm, work in Half Twisted Rib patt as est until 1 st rem, pm, p1

115 (115, 131, 131, 147) [147, 163, 163, 179, 179] sts

Front

Begin working from Chart, beginning with Row 1.

Row 1 (RS): K1, sm, work chart to marker, sm, k1

Row 2 (WS): P1, sm, work chart to marker, sm, p1

Work Rows 1-2 until the front length matches the back, ending with the same WS chart row.

Joint front and back

Use the Backwards Loop Cast-on for all following Castons.

Begin working chart patt in the round in the following sections.

Size 1 only

Row 1 (RS): K1, sm, work next row of chart to marker, sm, k1, CO 9 sts, place back sts on the left-hand needle, joining them to the new sts, k1, sm, work next row of chart to marker, sm, k1, CO 9 sts

Join to work in the round and k1, reaching marker. This is now the BOR marker.

Sizes 2, 3, 4, 5, 6, 7, 8, 9 & 10 only

Row 1 (RS): K1, rm, work next row of chart to marker, rm, k1, CO - (15, 15, 15, 15) [15, 15, 15, 15, 31] sts, pm, CO - (6, 2, 10, 2) [10, 6, 14, 8, 2] sts, place back sts on the left-hand needle with RS facing, joining them to the new sts, k1, sm, work next row of chart to marker, sm, k1, CO - (6, 2, 10, 2) [10, 6, 14, 8, 2] sts, pm for BOR, CO - (15, 15, 15, 15) [15, 15, 15, 15, 31] sts

Join to work in the round and k1.

248 (272, 296, 312, 328) [344, 368, 384, 404, 424] sts

Body

The 11 (7, 3, 11, 3) [11, 7, 15, 9, 3] sts between markers at each underarm will be worked in half twisted ribbing.

Sizes 2, 3, 4, 5, 6, 7, 8, 9 & 10 only

Set-up Round: Work chart to marker, sm, *k1tbl, p1* until 1 st rem before marker, k1tbl, sm, work chart to marker, sm, *k1tbl, p1* to 1 st before marker, k1tbl reaching marker.

This is now the BOR marker.

All sizes

Round 1: Work in lace patt to marker, sm, *k1tbl, p1* until 1 st rem before m, k1tbl, sm, work in lace patt to marker, sm, *k1tbl, p1* until 1 st rem, k1tbl

Repeat Round 1 until the body meas 22 to 30 cm / 8.75 to 11.75" from the underarm or about 2.5 cm / 1" less than desired length, ending after a complete lace patt repeat (round 40), removing all markers except for the BOR on the last round.

Body length can be adjusted without breaking the lace pattern flow by working a longer or shorter hem.

Hem

Round 1: *P1, k1tbl* to end

Repeat Round 1 another 8 times or until desired hem length.

Loosely BO all sts in pattern using a Basic Bind-off.

Armhole edgings

Starting to the right of the underarm Half Twisted Rib, pick up and knit 11 (7, 3, 11, 3) [11, 7, 15, 9, 3] (every st) from the underarm Half Twisted Rib and 89 (95, 99, 99, 107) [107, 111, 111, 117, 125] sts (approx 2 sts in every 3 rows) along the rest of the underarm and armhole.

Join to work in the round and pm for BOR.

100 (102, 102, 110, 110) [118, 118, 126, 126, 128] sts

Round 1: *K1tbl, p1* to end

Repeat Round 1 another 2 times or until desired edging length.

Loosely BO all sts in pattern using a Basic Bindoff.

Work second armhole edging accordingly.

Neckline edging


Starting to the right of the back neck cast-on, pick up and knit every st from the back neck cast on, 2 sts in every 3 rows along the left shoulder, every st from the front neck cast on and 2 sts in every 3 rows along the right shoulder.

Join to work in the round and loosely bind-off all sts kwise using a Basic Bind-off.

Finishing

Gently soak and block your tee using combs or pins. Weave in all ends.

CHART




- RS : knit □ Q RS : ktbl
 WS : purl WS : ptbl
- RS : purl □ repeat
- WS : knit
- / k2tog ○ yo
- \ ssk ↘ sk2p
- > < 2/2 LC
- > < 2/2 RC

Thank you

for choosing a Yarnflakes pattern !

I hope you enjoyed your project and will love the finished piece. If you have any questions or suggestions, please contact me on Ravelry (Yarnflakes).

I love to see you knit my designs. If you want to share pictures of your progress you can join me on my Ravelry group : www.ravelry.com/discuss/yarnflakes and tag me on Instagram @yarnflakes.



Find more designs :
www.ravelry.com/designers/audrey-borrego

Instagram @yarnflakes

Ravelry @Yarnflakes