

JOJI LOCATELLI

ALL OF THE LIGHTS

This cardigan coat is worked seamlessly from the top down, with a creative and challenging construction. Are you ready for a wonderful festival of cables, lace and color?

SIZES

XS/S (M/L, XL/2XL, 3XL, 4XL)

Since this cardigan has a very relaxed fit, most sizes fit a bigger range of body measurements. Therefore there are only 5 sizes given for my usual size range.

Recommended ease: Approx. 8" (20 cm) of positive ease [although it can range from 6" (15 cm) to 10" (25 cm)].

Shown in size M/L on a 36" bust.

FINISHED MEASUREMENTS

Shoulder span/Back width: 19¼ (23¼, 27¼, 30¼, 33¼) inches; 48 (58, 68, 75.5, 83) cm.

Bust circumference (if worn closed): 38½ (46½, 54¼, 60½, 66½) inches; 96 (116, 136, 151, 166) cm.

Armhole Depth: 5½ (6½, 7¼, 8, 8¾) inches; 14 (16, 18, 20, 22) cm.

Upper sleeve circumference: 12½ (14, 15½, 16½, 18) inches; 31.5 (35, 38, 42, 45) cm.

Sleeve length from underarm to cuff: 17½ inches; 43.5 cm (customizable)

Length from underarm to hem: 23½ inches; 58.5 cm.

MATERIALS

Yarn: 7 (8, 9, 10, 11) skeins of *Marquess MCN DK* by Primrose Yarn Co. (80% Merino / 10% Cashmere / 10% Nylon; 225 yards [206 m]/100g) or approx. 1462 (1687, 1912, 2137, 2362) yards [1339 (1545, 1751, 1957, 2163) m] of DK weight yarn. The sample was knit using colorway All of the Lights.

Needles and other notions:

US 6 (4 mm) and US 4 (3.5 mm) circular needles, at least 24" long.

Cable needle, several stitch markers (get at least 20), waste yarn or stitch holders, tapestry needle.

GAUGE

24 sts and 32 rows to 4" (10 cm) in Aran/Cable patterns after blocking on US 6 (4 mm) needles.

For reference, this yarn gives a gauge of 21.5 sts and 32 rows to 4" (10 cm) on the same needles when worked in Stockinette stitch.

Some advice: *This multidirectional design is worked in many pieces that are joined as you go. Even though this creates a seamless construction, there are many ends to weave in after each step. I advise you strongly to weave in these ends as you make progress. It will make your WIP look tidier and it will help you understand the different stages.*

STITCHES USED

Texture (multiple of 4 sts) - worked flat.

Row 1 (RS): (Yo, k2, slip the yo over the 2 sts you just knit, k2), repeat.

Rows 2, 4 (WS): Purl all sts.

Row 3: (K2, yo, k2, slip the yo over the 2 sts you just knit), repeat.

Texture (multiple of 4 sts) - worked in the round.

Row 1 (RS): (Yo, k2, slip the yo over the 2 sts you just knit, k2), repeat.

Rows 2, 4 (WS): Knit all sts.

Row 3: (K2, yo, k2, slip the yo over the 2 sts you just knit), repeat.

You will find the Charts for **Aran A** and **B**, **Cable A** and **B**, **Braid** and **Lace** on pages 10-11.

You will find an **Annex** with written instructions for these patterns on page 12.

Directions

RIGHT SHOULDER

With US 4 (3.5 mm) needles, cast on 17 sts.

Rows 1, 5 (RS): P1, ktbl, p2, k12, p1.

Rows 2, 4, 6 (WS): K1, p12, k2, ptbl, k1.

Row 3: P1, ktbl, p2, C6B, C6F, p1.

Repeat **rows 1-6** once more and then **rows 1-5** once more.

Next row (WS): With knitted cast on, CO 17 sts at the beginning of the row (we will call this the '*right front shoulder CO*'). K1, ptbl, k2, p12, k2, p12, k2, ptbl, k1. You now have 34 sts on the needle.

Main shoulder pattern

Rows 1, 5 (RS): P1, ktbl, p2, k12, p2, k12, p2, ktbl, p1.

Rows 2, 4, 6 (WS): K1, ptbl, k2, p12, k2, p12, k2, ptbl, k1.

Row 3: P1, ktbl, p2, C6B, C6F, p2, C6B, C6F, p2, ktbl, p1.

Repeat **rows 1-6** of the main shoulder pattern until work measures 9½ (11½, 13½, 15, 16½) inches; 24 (29, 34, 37.5, 41.5) cm from the initial CO edge. Break yarn and put all sts on hold.

LEFT SHOULDER

With US 4 (3.5 mm) needles and the RS facing you, pick up and knit 17 sts from the initial CO edge of your right shoulder piece.

Next row (WS): K1, ptbl, k2, p12, k1.

Row 1 (RS): P1, C6B, C6F, p2, ktbl, p1.

Rows 2, 4, 6 (WS): K1, ptbl, k2, p12, k1.

Rows 3, 5: P1, k12, p2, ktbl, p1.

Repeat **rows 1-6** once more and then **rows 1-2** once more.


Next row (RS): CO 17 sts at the beginning of the row (we will call this the '*left front shoulder CO*'). P1, ktbl, p2, k12, p2, k12, p2, ktbl, p1.

Next row (WS): K1, ptbl, k2, p12, k2, p12, k2, ptbl, k1.

Repeat **rows 1-6** of main shoulder pattern as written for the right shoulder until work measures 9½ (11½, 13½, 15, 16½) inches; 24 (29, 34, 37.5, 41.5) cm from the initial CO edge. Put all sts on hold. You don't need to break yarn.

BACK

With US 6 (4 mm) needles and the RS facing you, pick up and knit 112 (136, 160, 176, 194) sts along the long side of your shoulder piece (the side that doesn't have any interruptions).




Set-up row (WS): P2 (6, 10, 14, 18), pm, k1 (2, 3, 3, 3), p2, k2, p2, k2, p4, k2, p2, k2, p2, k1 (2, 3, 3, 3), pm, p0 (4, 8, 12, 16), pm, k1 (2, 3, 3, 3), ptbl, ptbl, k4, ptbl, ptbl, k1, ptbl, ptbl, k4, ptbl, ptbl, k1 (2, 2, 2, 3), pm, p12, k2 (2, 4, 4, 4), p12, pm, k1 (2, 2, 2, 3), ptbl, ptbl, k4, ptbl, ptbl, k1, ptbl, ptbl, k4, ptbl, ptbl,



k1 (2, 3, 3, 3), pm, p0 (4, 8, 12, 16), pm, k1 (2, 3, 3, 3), p2, k2, p2, k2, p4, k2, p2, k2, p2, k1 (2, 3, 3, 3), pm, p2 (6, 10, 14, 18).

Row 1 (RS): K2, work 0 (4, 8, 12, 16) sts in Texture, sm, p1 (2, 3, 3, 3), work row 1 of Aran A, p1 (2, 3, 3, 3), sm, work 0 (4, 8, 12, 16) sts in Texture, sm, p1 (2, 3, 3, 3), work row 1 of Lace, p1 (2, 2, 2, 3), sm, work row 1 of Cable A, p2 (2, 4, 4, 4), work row 1 of Cable B, sm, p1 (2, 2, 2, 3), work row 1 of Lace, p1 (2, 3, 3, 3), sm, work 0 (4, 8, 12, 16) sts in Texture, sm, p1 (2, 3, 3, 3), work row 1 of Aran B, p1 (2, 3, 3, 3), sm, work 0 (4, 8, 12, 16) in Texture, k2.

Row 2 (WS): P2, work 0 (4, 8, 12, 16) sts in Texture, sm, k1 (2, 3, 3, 3), work foll row of Aran B, k1 (2, 3, 3, 3), sm, work 0 (4, 8, 12, 16) sts in Texture, sm, k1 (2, 3, 3, 3), work foll row of Lace, k1 (2, 2, 2, 3), sm, work foll row of Cable B, k2 (2, 4, 4, 4), work foll row of Cable A, sm, k1 (2, 2, 2, 3), work foll row of Lace, k1 (2, 3, 3, 3), sm, work 0 (4, 8, 12, 16) sts in Texture, sm, k1 (2, 3, 3, 3), work foll row of Aran A, k1 (2, 3, 3, 3), sm, work 0 (4, 8, 12, 16) sts in Texture, p2.




Continue repeating **rows 1-2**, always working the following rows of the pattern repeats until the piece measures $3\frac{3}{4}$ ($4\frac{1}{2}$, $5\frac{1}{2}$, $6\frac{1}{4}$, 7) inches; 9.5 (11.5, 13.5, 15.5, 17.5) cm from the point where you picked up your stitches. Break yarn and put all sts on hold, keeping markers in place.

Take note of the row repeat you finished for every different chart/pattern repeat so you can work the fronts to match.

RIGHT FRONT

Starting at the sleeve edge of your shoulder piece and with RS facing you, pick up and knit 41 (51, 61,



Pick up sts for the right front

69, 81) sts along the border of the right front shoulder. Turn work 90° clockwise. Pick up and knit 11 sts from the *right front shoulder CO*. Turn work 90° counter-clockwise. Pick up and knit 18 sts between your last picked up st and the centre of the shoulder band (see schematic). You should have 70 (80, 90, 98, 110) sts on the needles.

Row 1 (WS): Sl1 with yarn in front, p1, k2, p12, k1, k2tog, turn work.

Row 2 (RS): Sl1, p1, k12, p2, k2.

Repeat **rows 1-2** 5 more times.

Next row (WS): Sl1, p1, k2, p12, k1, k2tog, turn work.


Next row (RS): Sl1, p1, slip 6 sts onto cable needle and hold in front, k6, k6 from CN, p2, k2.

Repeat **rows 1-2** 4 more times. (Front neck shaping is finished). *You should now have 59 (69, 79, 87, 99) sts.*

Next row (WS): Sl1, p1, k2, p12, k2, pm, p12, pm, k1 (2, 3, 3, 3), ptbl, ptbl, k4, ptbl, ptbl, k1, ptbl, ptbl, k4, ptbl, ptbl, k1 (2, 3, 3, 3), pm, p to end.

Row 1 (RS): K2, work 8 (16, 24, 32, 44) sts in Texture, sm, p1 (2, 3, 3, 3), work row 1 of Lace, p1 (2, 3, 3, 3), sm, work row 1 of Braid, sm, p2, work row 1 of Cable A, p2, k2.


Row 2: Sl1, p1, k2, work foll row of Cable A, k2, sm, work foll row of Braid, sm, k1 (2, 3, 3, 3), work foll row of Lace, k1 (2, 3, 3, 3), sm, work 8 (16, 24, 32, 44) sts in Texture, p2.



Continue repeating **rows 1-2**, always working the following rows of the pattern repeats until the piece measures 3¾ (4½, 5½, 6¼, 7) inches; 9.5 (11.5, 13.5, 15.5, 17.5) cm from the point where you picked up your stitches. Make sure you end on the same row as you did for the back. Break yarn and put all sts on hold.

LEFT FRONT

With US 6 (4 mm) needles, the RS facing you and starting at the centre of your shoulder piece (see *next schematic*), pick up and knit 18 sts between the centre of the shoulder piece and the *left front shoulder CO*. Turn work 90° counter-clockwise, pick up and knit 11 sts from the left front shoulder CO.



Row 1 (WS): P11, k2, p12, k2, p2.

Row 2 (RS): Sl1, k1, p2, k12, p1, p2tog, turn work.

Row 3: Sl1 with yarn in front, move yarn to back, k1, p12, k2, p2.

Repeat **rows 2-3** 5 more times.

Next row (RS): Sl1, k1, p2, slip 6 onto cable needle and hold in back, k6, k6 from CN, p1, p2tog, turn work.

Next row (WS): Sl1 with yarn in front, move yarn to back, k1, p12, k2, p2.


Repeat **rows 2-3** 3 more times. (Front neck shaping is finished).

Next row (RS): Sl1, k1, p2, k12, p1, p2tog, pick up and knit 41 (51, 61, 69, 81) sts between the last picked up st and the sleeve edge of your shoulder piece. *You should now have 59 (69, 79, 87, 99) sts on the needles.*

Next row (WS): P10 (18, 26, 34, 46), pm, k1 (2, 3, 3, 3), ptbl, ptbl, k4, ptbl, ptbl, k1, ptbl, ptbl, k4, ptbl, ptbl, k1 (2, 3, 3, 3), pm, p12, pm, k2, p12, k2, p2.

Row 1: Sl1, k1, p2, work row 1 of Cable B, p2, sm, work row 1 of Braid, sm, p1 (2, 3, 3, 3), work row 1 of Lace, p1 (2, 3, 3, 3), sm, work 8 (16, 24, 32, 44) sts in Texture, k2.

Row 2: P2, work 8 (16, 24, 32, 44) sts in texture, sm, k1 (2, 3, 3, 3), work foll row of Lace, k1 (2, 3, 3, 3), sm, work foll row of Braid, sm, k2, work foll row of Cable B, k2, p2.



Continue repeating **rows 1-2**, always working the following rows of the pattern repeats until the piece measures 3¾ (4½, 5½, 6¼, 7) inches; 9.5 (11.5, 13.5, 15.5, 17.5) cm from the point where you picked up your stitches. Make sure you end on the same row as you did for the back.

JOIN BODY

For the next section, 'work in pattern' means to work the Texture, Aran, Lace, Cable and Braid patterns, always following the next rows of the pattern repeats.

Set-up row 1 (RS): Sl1, work in pattern to 2 sts before the end of row. Work the last 2 sts in Texture. Place the sts you had on hold for the back on the needles. Work the first 2 sts in Texture and then work the rest of the sts in pattern to 2 sts before the end of row. Work the last 2 sts in

Texture. Place the sts you had on hold for the right front on the needles. Work the first 2 sts in Texture, work in patt to end of row.

You should now have 230 (274, 318, 350, 392) sts on the needle.

Next row (WS): Sl1, p1, k2, work Cable A, k2, sm, work Braid, sm, k1 (2, 3, 3, 3), work Lace, k1 (2, 3, 3, 3), sm, work in Texture to next marker, sm, k1 (2, 3, 3, 3), work Aran B, k1 (2, 3, 3, 3), sm, work 0 (4, 8, 12, 16) sts in Texture, sm, k1 (2, 3, 3, 3), work Lace, k1 (2, 2, 2, 3), sm, work Cable B, k2 (2, 4, 4, 4), work Cable A, sm, k1 (2, 2, 2, 3), work Lace, k1 (2, 3, 3, 3), sm, work 0 (4, 8, 12, 16) sts in Texture, sm, k1 (2, 3, 3, 3), work Aran A, k1 (2, 3, 3, 3), sm, work in Texture to next m, sm, k1 (2, 3, 3, 3), work Lace, k1 (2, 3, 3, 3), sm, work Braid, sm, k2, work Cable B, k2, p2.

Continue working in the established pattern until work measures 11 inches; 27.5 cm from the underarm, ending with row 6 of the **Braid repeat**. Take note of the last row you completed for the other patterns in the sweater too.

POCKETS

Row 1 (RS): Sl1, k1, p2, work Cable B, p2, sm, K6, m1pl, k6, m1pl. Place the 32 sts you just worked on hold. Continue working in pattern until the second to last marker of the row (just before the braid). Place the remaining stitches on hold. Turn work.

Work over the remaining stitches in pattern for 11 more rows. When you are done, on separate holders, place the first and last 27 (29, 35, 35, 39) sts of this piece on hold. These will be the back of the pockets. We will call the rest of the sts BODY sts. (See schematic to understand all the different sets of sts that we have our work divided in).




Rejoin yarn to begin a RS row over the 30 sts you had on hold for the right front.

Row 1 (RS): CO 1 and purl it, k6, pm, m1pr, k6, sm, p2, work Cable A, p2, k2.

Row 2: Work in patt to m, sm, p6, kfb, sm, m1r, p6, k1.

Row 3: P1, C6F, p1, sm, m1r, p2, C6B, sm, work in patt to end.

Row 4: Work in patt to m, sm, p6, k2, p1, m1pr, sm, k1, p6, k1.



Row 5: P1, k6, p1, sm, m1r, k2, pm, p2, k6, sm, work in patt to end.

Rows 6, 8, 10: Work in patt to m, sm, p6, k2, sm, p to m, m1pr, sm, k1, p6, k1.

Row 7: P1, k6, p1, sm, m1r, work in Texture to m, sm, p2, k6, sm, work in patt to end.

Row 9: P1, C6F, p1, sm, m1r, work in Texture to marker, sm, p2, C6B, sm, work in patt to end.

Row 11: Same as row 7.

Row 12: Same as row 6. Break yarn and put all sts on hold.

You should have 44 sts on the needle.

Rejoin yarn to begin a WS row over the 32 sts you had on hold for the left front.

Row 2 (WS): K1, p6, m1pl, pm, kfb, p6, sm, work in patt to end.

Row 3 (RS): Work in patt to m, sm, C6F, p2, pm, m1l, sm, p1, C6B, p1.

Row 4: K1, p6, k1, sm, m1pl, p1, sm, k2, p6, sm, work in patt to end.

Row 5: Work in patt to m, sm, k6, p2, sm, k2, m1l, sm, p1, k6, p1.

Rows 6, 8, 10: K1, p6, k1, sm, m1pl, p to m, sm, k2, p6, sm, work in patt to end.

Row 7: Work in patt to m, sm, k6, p2, sm, work in Texture to marker, m1l, sm, p1, k6, p1.

Row 9: Work in patt to m, sm, C6F, p2, sm, work in Texture to marker, m1l, sm, p1, C6B, p1.

Row 11: Same as row 7.

Row 12: K1, p6, k1. Place the 8 sts you just worked on hold (I like to use a safety pin when I am only putting a few sts on hold), remove m. M1pl, p to m, sm, k2, p6, sm, work in patt to end.

You should have 36 sts on the needle.

Row 13: Sl1, k1, p2, work Cable B, p2, sm, k6, p2, sm, work in Texture to end, pm, CO 18 (22, 30, 30, 30) sts, pm, place the BODY sts on the needle and patt to end of the body sts, pm, CO 18 (22, 30, 30, 30) sts, pm. Now take the sts you had on hold for the right front and place them on the needle EXCEPT for the first 8 sts of the row (the same sts you put on hold on the left side). These must be kept on hold (use a safety pin). Work in Texture to m, sm, p2, k6, sm, p2, work Cable A, p2, k2.

Smallest size only - Row 14 (WS): Sl1, p1, k2, work Cable A, k2, sm, p6, k2, sm, work in texture to m, remove m, work 2 more sts in texture, pm, k2, p12, k2, **sm**, work body sts in patt to the next marker indicating the new cast on sts, **sm**, k2, p12, k2, pm, work 2 more sts in Texture, remove m, work in Texture to next marker, sm, k2, p6, sm, k2, work Cable B, k2, p2.

Row 14 (WS): Sl1, p1, k2, work Cable A, k2, sm, p6, k2, sm, work in texture to m, remove m, work 2 more sts in texture, pm, k2, p12, k2, pm, work 0 (4, 12, 12, 12) sts in Texture, remove m, work body sts in patt to the next marker indicating the new cast on sts, remove m, work 0 (4, 12, 12, 12) sts in Texture, pm, k2, p12, k2, pm, work 2 more sts in Texture, remove m, work in Texture to next marker, sm, k2, p6, sm, k2, work Cable B, k2, p2.

Row 15 (RS): Sl1, k1, p2, work Cable B, p2, sm, C6F, p2, sm, work in Texture to next marker, p2, work Braid starting on row 3 of the Braid repeat, p2, sm, work in pattern to the markers placed on the other pocket section, sm, p2, work Braid starting on row 3, p2, sm, work in Texture to next m, sm, p2, C6B, sm, p2, work Cable A, p2, k2.

Continue working in the established pattern until work measures 20 inches; 50 cm from the underarm.

Work hem:

Next row (RS): Sl1, k1, p2, work Cable B, p2, sm, ktbl, p2tog, (ktbl, p1) to 1 st before last marker (removing all other markers), ktbl, sm, p2, work Cable A, p2, k2.

Next row (WS): Sl1, p1, k2, work Cable A, k2, sm, ptbl, (k1, ptbl) to last marker, k2, work Cable B, k2, p2.

Next row (RS): Sl1, k1, p2, work Cable B, p2, sm, ktbl, (p1, ktbl) to m, sm, p2, work Cable A, p2, k2.

Continue working in the established pattern until the ribbing measures 3½ inches; 8.5 cm.

Bind off all sts in pattern.

BACK OF POCKETS

Place the sts you had on hold for one of the back pockets on US 6 (4mm) needles and re-join yarn to begin a RS row.

Work in stockinette st for 5¼ inches; 13 cm. Bind off all sts.

Repeat for the other back of the pocket.

Sew the pocket backs to the wrong side of the garment using your working yarn to make the seam as invisible as possible.

EDGING OF POCKETS

Place the 8 sts you had on hold at the top the LEFT pocket on US 4 (3.5 mm) needles. Rejoin yarn to begin a RS row over these sts.


Row 1: P1, K6, p1.

Row 2: K1, p6, k1.

Rows 3-4: Same as 1-2.

Row 5: P1, C6F, p1.

Row 6: Same as 2.



Repeat these 6 rows until you have worked enough length to cover the pocket opening. BO all sts.

Using mattress stitch and your working yarn, sew this band to the pocket top and to the side of the sweater carefully (as shown in the diagram, following the red line).

Repeat for the RIGHT side. Changing the C6F instructions to C6B.

SLEEVES

With US 6 (4 mm) needles and starting at the center armhole, pick up and knit 20 (24, 28, 32, 36) sts along the edge of the armhole until you reach the stitches you had on hold at the shoulder, pm.



Place these sts on the needle and work them in pattern, pm. Pick up and knit 20 (24, 28, 32, 36) sts along the other edge of the armhole until you reach the centre again. Place marker and join for working in the round. You should have 74 (82, 90, 98, 106) sts.

Round 1: Work in Texture to m, sm, work the shoulder band sts in pattern, sm, work in Texture to end.

Continue working in the established pattern for another 8 rounds.

Next round: K1, k2tog, work in Texture to m, sm, work in patt to m, sm, work in Texture to 3 sts from m, ssk, k1.

Continue working in the established pattern decreasing at each side of the marker every 14th (12th, 10th, 6th, 5th) following round 5 (8, 11, 14, 17) more times. Make sure you keep the Texture pattern at each side of the marker throughout the decreases.

When work measures 14 inches; 35 cm from the underarm, switch to US 4 (3.5 mm) needles and start cuff.

Next round: (Ktbl, p1) to end of round.

Repeat this round until the cuff measures 3½ inches; 8.5 cm.

Bind off all sts in pattern.

Repeat for the other sleeve.

FINISHING:


Weave in ends and block garment to finished measurements.

ABBREVIATIONS


BO	bind off
C3TB	Cable 3 twisted back: Slip 1 onto cable needle and hold in back, ktbl, ktbl, p1 from CN
C3TF	Cable 3 twisted front: Slip 2 onto cable needle and hold in front, p1, ktbl twice from CN.
C4B	Slip 2 onto cable needle and hold in back, k2, k2 from CN
C4F	Slip 2 onto cable needle and hold in front, k2, k2 from CN

C6B	Slip 3 onto cable needle and hold in back, k3, k3 from CN
C6F	Slip 3 onto cable needle and hold in front, k3, k3 from CN
CO	cast on
folll(s)	follows, following
k	knit
k2tog	knit 2 together
kfb	knit through the front and back
LTD	Left leaning twisted decrease: Knit 2 together through the back loops.
m1l	Increase slanted to the left (pick up the horizontal bar btw the st from front to back, knit through back leg)
m1pl	make-1-purl-left
m1pr	make-1-purl-right
m1r	Increase slanted to the right (pick up the horizontal bar btw the st from back to front, knit through front leg)
MB	Make Bobble: Kfbf into the same stitch, turn work. P3, turn work. slip 2 as if to k2tog, k1, pass slipped sts over.
P	purl
P2tog	Purl 2 together
Patt	pattern
Pm	place marker
RS	right side
RTD	Right leaning twisted decrease: Slip the next 2 sts one at a time to the right needle and then place them back on the left needle but twisting them while doing so. K2tog.
Sl	Slip 1 (purlwise unless otherwise stated)
Sm	slip marker
Ssk	slip, slip, knit
st (sts)	stitch (stitches)
WS	wrong side
yo	yarn over


Legend

- Knit on the RS, purl on the WS
- Purl on the RS, knit on the WS
- Knit through the back loop on the RS, purl through the back loop on the WS
- Make Bobble: Kfbf into the same stitch, turn work. P3, turn work. slip 2 as if to k2tog, k1, pass slipped sts over.
- Yo (yarn over)
- Right leaning twisted decrease: Slip the next 2 sts one at a time to the right needle and then place them back on the left needle but twisting them while doing so. K2tog.
- Left leaning twisted decrease: Knit 2 together through the back loops
-  Slip 1 onto cable needle and hold in back, ktbl, ktbl, p1 from CN
-  Slip 2 onto cable needle and hold in front, p1, ktbl twice from CN
-  Slip 3 onto cable needle and hold in front, k3, k3 from CN
-  Slip 3 onto cable needle and hold in back, k3, k3 from CN
-  Slip 6 onto cable needle and hold in front, k6, k6 from CN
-  Slip 6 onto cable needle and hold in back, k6, k6 from CN
-  Slip 2 onto cable needle and hold in front, k2, k2 from CN
-  Slip 2 onto cable needle and hold in back, k2, k2 from CN


Aran A




Aran B




Lace





Braid



Cable B



Cable A



For comments or questions about this pattern contact Joji at:
designsbyjoji@gmail.com
 You can also find her on Ravelry and Instagram as **jojilocat**
 and on Facebook as **Joji Knits**

Annex: Written instructions to the patterns

ARAN A (worked flat)

Row 1: K3, p1, C4F, C4F, C4B, p1, k3.
Row 2: P3, k1, p12, k1, p3.
Row 3: K2, (p1, k1) twice, C4B, C4F, (k1, p1) twice, k2.
Row 4: P1, (p1, k1) twice, p10, (k1, p1) twice, p1.
Row 5: K3, p1, C4B, C4F, C4F, p1, k3.
Row 6: P3, k1, p2, k2, p4, k2, p2, k1, p3.
Row 7: K2, C4B, p2, k4, p2, C4F, k2.
Rows 8, 10, 12, 14: P4, k4, p4, k4, p4.
Row 9: C4F, p4, k4, p4, C4F.
Row 11: K4, p4, C4F, p4, k4.
Row 13: C4F, p4, k4, p4, C4F.
Row 15: K2, C4F, p2, k4, p2, C4B, k2.
Row 16: P2, k1, p3, k2, p4, k2, p3, k1, p2.

ARAN B (worked flat)

Row 1: K3, p1, C4F, C4B, C4B, p1, k3.
Row 2: P3, k1, p12, k1, p3.
Row 3: K2, (p1, k1) twice, C4B, C4F, (k1, p1) twice, k2.
Row 4: P1, (p1, k1) twice, p10, (k1, p1) twice, p1.
Row 5: K3, p1, C4B, C4B, C4F, p1, k3.
Row 6: P3, k1, p2, k2, p4, k2, p2, k1, p3.
Row 7: K2, C4B, p2, k4, p2, C4F, k2.
Rows 8, 10, 12, 14: P4, k4, p4, k4, p4.
Row 9: C4B, p4, k4, p4, C4B.
Row 11: K4, p4, C4B, p4, k4.
Row 13: C4B, p4, k4, p4, C4B.
Row 15: K2, C4F, p2, k4, p2, C4B, k2.
Row 16: P2, k1, p3, k2, p4, k2, p3, k1, p2.

BRAID (worked flat)

Rows 1, 5: K12.
Rows 2, 4, 6: P12.
Row 3: C6F, C6B.

LACE

Row 1: C3TF, p2, RTD, ktbl, yo, p1, yo, ktbl, LTD, p2, C3TB.
Row 2: K1, ptbl twice, k2, ptbl twice, k3, ptbl twice, k2, ptbl twice, k1.
Row 3: P1, C3TF, RTD, ktbl, p1, yo, p1, yo, p1, ktbl, LTD, C3TB, p1.
Row 4: K2, ptbl 4 times, k5, ptbl 4 times, k2.
Row 5: P3, RTD, ktbl, p1, yo, p3, yo, p1, ktbl, LTD, p3.
Row 6: K3, ptbl twice, k7, ptbl twice, k3.
Row 7: P2, RTD, ktbl, p1, yo, p2, MB, p2, yo, p1, ktbl, LTD, p2.
Row 8: K2, ptbl twice, k9, ptbl twice, k2.
Row 9: P1, RTD, ktbl, p1, yo, p2, MB, p1, MB, p2, yo, p1, ktbl, LTD, p1.
Row 10: K1, ptbl twice, k11, ptbl twice, k1.
Row 11: RTD, ktbl, p1, yo, p9, yo, p1, ktbl, LTD.
Row 12: Ptbl twice, k4, ptbl twice, k1, ptbl twice, k4, ptbl twice.

CABLE A

Rows 1, 3, 5, 9, 11, 13, 15: K12.
Rows 2, 4, 6, 8, 10, 12, 14, 16: P 12.
Row 7: Slip 6 onto CN and hold in front, k6, k6 from CN.

CABLE B

Rows 1, 3, 5, 9, 11, 13, 15: K12.
Rows 2, 4, 6, 8, 10, 12, 14, 16: P 12.
Row 7: Slip 6 onto CN and hold in back, k6, k6 from CN.