

JAEGER

No. 3628



BOXER CARDIGAN

for Man and Woman IN JAEGER 'SPIRAL-SPUN'

TO FIT A 34 (36) (38) INCH BUST, OR A 38 (40) (42) INCH CHEST. FIGURES IN BRACKETS REFER TO THE LARGER SIZES

MATERIALS:- THE WOMAN'S CARDIGAN 24 (25) (26) OZS.
THE MAN'S CARDIGAN 29 (30) (32) OZS.
OF JAEGER 'SPIRAL-SPUN'
1 PAIR EACH KNITTING NEEDLES NOS. 8 & 10
(CANADIAN & U.S.A. SIZE NOS. 6 & 3)
5 BUTTONS

MEASUREMENTS

THE WOMAN'S CARDIGAN

Length from back of neck: 23½ (23½) (23½) inches.
Sleeve seam 19½ (20) (20) inches.

THE MAN'S CARDIGAN

Length from back of neck: 26 (26) (27) inches.
Sleeve seam 20 (20) (21) inches.

ABBREVIATIONS

K., knit; P., purl; st., stitch; sts., stitches; rep., repeat; tbl., through back of loops; patt., pattern; inc., increase; Sl., slip; p.s.s.o., pass slipped stitch over; tog., together; dec., decrease; beg., beginning.


WOMAN'S CARDIGAN

Back

With No. 10 needles cast on 93 (99) (105) sts. **1st row:** K.2, * P.1, K.1, rep. from * to last st., K.1. **2nd row:** * K.1, P.1, rep. from * to last st., K.1. Rep. these 2 rows twice more. **Change to No. 8 needles and patt. 1st row:** * P.1, K.1 tbl., rep. from * to last st., P.1. **2nd row:** P. These 2 rows form patt. Work 10 more rows. Now keeping patt. correct, inc. 1 st. at each end of next row, and then every following 12th row until there are 109 (115) (121) sts. Work until back

TENSION

IN WIDTH 6 stitches to 1 inch.
IN DEPTH 8 rows to 1 inch.



Note: Knitters should test tension before commencing garment and change to a larger or smaller size needle if necessary.

measures 14½ inches from cast-on edge, ending with a P. row. **Shape the raglan armholes.** Cast off 2 (4) (6) sts. at beg. of next 2 rows. **3rd row:** P.1, K.1 tbl., P.1, Sl.1, K.1, p.s.s.o., work in patt. to last 5 sts., K.2 tog., P.1, K.1 tbl., P.1. **4th row:** P. Continue to dec. within the 3 sts. in this way at each end of next row, and then every alternate row until there are 35 (37) (39) sts. left. Work 1 row. Cast off.

Left Front

* With No. 10 needles cast on 47 (49) (51) sts.

Work 6 rows in ribbing as for back. **Change to No. 8 needles and patt.** Work 12 rows. Inc. 1 st. at side edge on next row, and then every following 12th row until there are 55 (57) (59) sts. Work until front measures $14\frac{1}{2}$ inches from cast-on edge, ending at side edge. * **Shape the raglan armhole.** **1st row:** Cast off 2 (4) (6) sts., work in patt. to end. **2nd row:** P. **3rd row:** P.I, K.I tbl., P.I, Sl.I, K.I, p.s.s.o., work in patt. to end. **4th row:** P. **5th row:** As 3rd. **Shape front slope.** Continuing to dec. for raglan armhole on every alternate row, dec. 1 st. at centre-front edge on next row, and then every 4th row until there are 41 sts. left, and then 1 st. on every 6th row until there are 9 sts. left. Now keeping neck edge straight continue to dec. for raglan armhole on every alternate row until there are 6 sts. left. Work 1 row. Cast off.

Right Front

Follow instructions for left front from * to *. **Shape the raglan armhole.** **1st row:** Cast off 2 (4) (6) sts., P. to end. **2nd row:** Patt. to last 5 sts., K.2 tog., P.I, K.I tbl., P.I. **3rd row:** P. **4th row:** As 2nd. **Shape front slope.** Continuing to dec. for raglan armhole on every alternate row, dec. 1 st. at centre-front edge on next row, and then every 4th row until there are 41 sts. left, and then 1 st. on every 6th row until there are 9 sts. left. Now keeping neck edge straight, continue to dec. for raglan armhole on every alternate row until there are 6 sts. left. Work 1 row. Cast off.

Sleeves (both alike)

With No. 10 needles cast on 47 (51) (55) sts. **1st row:** K.2, * P.I, K.I, rep. from * to last st., K.I. **2nd row:** * K.I, P.I, rep. from * to last st., K.I. Rep. these 2 rows for 5 inches, ending with 2nd row. **Change to No. 8 needles and patt.** Work 4 rows. Inc. 1 st. at each end of next row, and then every following 4th row until there are 55 (59) (63) sts., and then 1 st. at each end of every 6th row until there are 83 (87) (91) sts. Work until sleeve measures $19\frac{1}{2}$ (20) (20) inches from cast-on edge, ending with a P. row. **Shape the top.** Cast off 2 (4) (6) sts. at beg. of next 2 rows. **3rd row:** P.I, K.I tbl., P.I, Sl.I, K.I, p.s.s.o., work in patt. to last 5 sts., K.2 tog., P.I, K.I tbl., P.I. **4th row:** P. Continue to dec. within the 3 sts. in this way at each end of next row, and then every alternate row until there are 9 sts. left. Work 1 row. Cast off.

Pockets (make 2)

With No. 8 needles cast on 31 sts. Work $3\frac{3}{4}$ inches in patt., ending with a P. row. **Change to No. 10 needles.** **Next row:** K.2, * P.I, K.I, rep. from * to last st., K.I. **Following row:** * K.I, P.I, rep. from * to last st., K.I. Rep. these 2 rows once more. Cast off loosely in rib.

Front Borders and Lapels

Right Front

With No. 10 needles cast on 17 sts. **1st row:** K.2, * P.I, K.I, rep. from * to last st., K.I. **2nd row:** * K.I, P.I, rep. from * to last st., K.I. Rep. these 2 rows twice more. Make buttonhole in next 2 rows by casting off 3 centre sts. in first row, and casting them on again in next. Make 4 more buttonholes in this way at $3\frac{1}{4}$ inch intervals. Work 2 rows after last buttonhole has been completed. Continue as follows: **1st row:** K.2, P.I, inc. 1 st. by picking up strand of wool from between needles on to left-hand needle, and knitting into back of st. thus made, rib to last st., inc. in last st. **2nd row:** Rib to last 4 sts., K.2, P.I, K.I. **3rd row:** K.2, P.I, inc. 1 st., rib to end. **4th row:** Rib to end. **5th row:** As 1st. Continue to inc. in this way within the 3 sts. at beg. of every alternate row, and at end of every 4th row until there are 35 sts. on needle. Now continue to inc. at end of every 4th row only until there are 45 sts. Continue until work measures 9 inches from first inc. Cast off firmly in rib.

Left Front

Work as for right front, omitting buttonholes and reversing shaping, i.e.: increasing within the 3 sts. at end of every alternate row, and at beg. of every 4th row.

Back Collar

With No. 10 needles cast on 49 (51) (53) sts. **1st row:** K.2, * P.I, K.I, rep. from * to last st., K.I. **2nd row:** * K.I, P.I, rep. from * to last st., K.I. Rep. these 2 rows 5 times more. Now keeping rib correct, inc. 1 st. at each end of next row, and then every alternate row until there are 87 (89) (91) sts. Work 1 row. Cast off in rib.

To Make Up

Press each piece separately with hot iron and damp cloth. Sew raglan seams. Sew side and sleeve seams. Sew borders and lapels to fronts. Sew cast-on edge of collar to back of neck. Sew side edges of collar to sleeve tops, fronts and lapels. Sew on pockets as illustration. Press seams. Sew on buttons.

MAN'S CARDIGAN

Back

With No. 10 needles cast on 109 (115) (121) sts. **1st row:** K.2, * P.I, K.I, rep. from * to last st., K.I. **2nd row:** * K.I, P.I, rep. from * to last st., K.I. Rep. these 2 rows twice more. **Change to No. 8 needles and patt.** **1st row:** * P.I, K.I

tbl., rep. from * to last st., P.1. **2nd row:** P. These 2 rows form patt. Work 14 more rows. Now keeping patt. correct, inc. 1 st. at each end of next row, and then every following 16th row until there are 121 (127) (133) sts. Work until back measures 16 (16) (17) inches from cast-on edge, ending with a P. row. **Shape the raglan armholes.** Cast off 2 (4) (6) sts. at beg. of next 2 rows. **3rd row:** P.1, K.1 tbl., P.1, Sl.1, K.1, p.s.s.o., work in patt. to last 5 sts., K.2 tog., P.1, K.1 tbl., P.1. **4th row:** P. Continue to dec. within the 3 sts. in this way at each end of next row, and then every alternate row until there are 39 (41) (43) sts. left. Work 1 row. Cast off.

Left Front

* With No. 10 needles cast on 55 (57) (59) sts. Work 6 rows in ribbing as for back. **Change to No. 8 needles and patt.** Work 16 rows. Inc. 1 st. at side edge on next row, and then every following 16th row until there are 61 (63) (65) sts. Work until front measures 16 (16) (17) inches from cast-on edge, ending at side edge. * **Shape the raglan armhole. 1st row:** Cast off 2 (4) (6) sts., work in patt. to end. **2nd row:** P. **3rd row:** P.1, K.1 tbl., P.1, Sl.1, K.1, p.s.s.o., work in patt. to end. **4th row:** P. **5th row:** As 3rd. **Shape front slope.** Continuing to dec. for raglan armhole on every alternate row, dec. 1 st. at centre-front edge on next row, and then every 4th row until there are 41 sts. left, and then 1 st. on every 6th row until there are 9 sts. left. Now keeping neck edge straight, continue to dec. for raglan armhole on every alternate row until there are 6 sts. left. Work 1 row. Cast off.

Right Front

Follow instructions for left front from * to *. **Shape the raglan armhole. 1st row:** Cast off 2 (4) (6) sts., P. to end. **2nd row:** Patt. to last 5 sts., K.2 tog., P.1, K.1 tbl., P.1. **3rd row:** P. **4th row:** As 2nd. **Shape front slope.** Continuing to dec. for raglan armhole on every alternate row, dec. 1 st. at centre-front edge on next row, and then every 4th row until there are 41 sts. left, and then 1 st. on every 6th row until there are 9 sts. left. Now keeping neck edge straight, continue to dec. for raglan armhole on every alternate row until there are 6 sts. left. Work 1 row. Cast off.

Sleeves (both alike)

With No. 10 needles cast on 59 (63) (67) sts. **1st row:** K.2, * P.1, K.1, rep. from * to last st., K.1. **2nd row:** * K.1, P.1, rep. from * to last st., K.1. Rep. these 2 rows for 4 inches, ending with 2nd row. **Change to No. 8 needles and patt.** Work 4 rows. Inc. 1 st. at each end of next row, and then every following 6th row until there are 75 (79) (83) sts., and then 1 st. at each end of every 8th row until there are 91 (95) (99) sts. Work until sleeve

measures 20 (20) (21) inches from cast-on edge, ending with a P. row. **Shape the top.** Cast off 2 (4) (6) sts. at beg. of next 2 rows. **3rd row:** P.1, K.1 tbl., P.1, Sl.1, K.1, p.s.s.o., work in patt. to last 5 sts., K.2 tog., P.1, K.1 tbl., P.1. **4th row:** P. Continue to dec. within the 3 sts. in this way at each end of next row, and then every alternate row until there are 9 sts. left. Work 1 row. Cast off.

Pockets (make 2)

With No. 8 needles cast on 35 sts. Work 4½ inches in patt., ending with a P. row. **Change to No. 10 needles. Next row:** K.2, * P.1, K.1, rep. from * to last st., K.1. **Following row:** * K.1, P.1, rep. from * to last st., K.1. Rep. these 2 rows once more. Cast off loosely in rib.

Front Borders and Lapels

Left Front

With No. 10 needles cast on 17 sts. **1st row:** K.2, * P.1, K.1, rep. from * to last st., K.1. **2nd row:** * K.1, P.1, rep. from * to last st., K.1. Rep. these 2 rows twice more. Make buttonhole in next 2 rows by casting off 3 centre sts. in first row, and casting them on again in next. Make 4 more buttonholes in this way at 3¼ (3¾) (4) inch intervals. Work 2 rows after last buttonhole has been completed. Continue as follows: **1st row:** Inc. in first st., rib to last 3 sts., inc. 1 st. by picking up strand of wool from between needles on to left-hand needle and knitting into back of st. thus made, P.1, K.2. **2nd row:** K.1, P.1, K.2, rib to end. **3rd row:** Rib to last 3 sts., inc. 1 st., P.1, K.2. **4th row:** Rib to end. **5th row:** As 1st. Continue to inc. in this way within the 3 sts. at end of every alternate row, and at beg. of every 4th row until there are 38 sts. on needle. Now continue to inc. at beg. of every 4th row only until there are 49 sts. Continue until work measures 9½ inches from first inc. Cast off firmly in rib.

Right Front

Work as for left front, omitting buttonholes and reversing shapings, i.e.: increasing within the 3 sts. at beg. of every alternate row, and at end of every 4th row.

Back Collar

With No. 10 needles cast on 55 (57) (59) sts. **1st row:** K.2, * P.1, K.1, rep. from * to last st., K.1. **2nd row:** * K.1, P.1, rep. from * to last st., K.1. Rep. these 2 rows 5 times more. Now keeping rib correct, inc. 1 st. at each end of next row, and then every alternate row until there are 97 (99) (101) sts. Work 1 row. Cast off in rib.

To Make Up

As Woman's Cardigan.