


# Caméo



KNITWEAR  
Orlane Sucche





**Cameo** is a cute buttoned waistcoat. Knitted from bottom up, it combines a lovely texture with mesmerizing cables. It can be worn over your favourite shirt or under a bulky cardigan which makes it your best adventure companion. Use wooden rustic buttons or fancy ones, to add a personal touch to the finished piece.




**Orlane Sucche**

Ravelry **Tête Bêche Designs**

Instagram @tete\_becche

Payhip **Tête Bêche Knitwear**

#CameoWaistcoat #CameoVest



**This design was first published in Laine Magazine issue 16**

## SIZES

1 (2, 3, 4) (5, 6, 7) (8, 9, 10)

Recommended ease: 3–5" / 7.5–12.5 cm of positive ease.

## FINISHED MEASUREMENTS

Bust circumference: 36.25 (38.25, 41.25, 43.5) (46.75, 50, 53.5) (58, 62, 67)" / 90.5 (96, 103, 108.5) (117, 125.5, 133.5) (145.5, 154.5, 167.5) cm.

Length from underarm to hem: 9.75 (10.25, 10.25, 10.5) (10.5, 11, 11) (11.5, 11.5, 11.75)" / 25 (26, 26, 26.5) (26.5, 28, 28) (29, 29, 30) cm.

Yoke depth: 8.75 (9.25, 9.25, 9.5) (10, 10.5, 10.75) (11.25, 11.5, 12)" / 22.5 (23.5, 23.5, 24.5) (25.5, 27, 27.5) (28.5, 29.5, 30.5) cm.

## MATERIALS

Yarn: 3 (3, 3, 3) (4, 4, 4) (4, 5, 5) skeins of Daylights by Harrisville Designs (250 yds / 229 m – 100 g), colourway Bloodshot. Or approx. 530 (590, 650, 700) (765, 820, 890) (965, 1060, 1145) yds / 485 (540, 595, 640) (700, 750, 815) (880, 970, 1045) m of worsted weight yarn.

Needles: US 6 / 4 mm and US 7 / 4.5 mm 24" / 60 cm or longer circular needles.


US 6 / 4 mm needles suitable for working medium circumference in the rnd (armholes).

Notions: Waste yarn or stitch holder, stitch markers, tapestry needle, small size buttons (6).

## GAUGE

19 sts x 28 rows to 4" / 10 cm on US 7 / 4.5 mm needles in Triangle Texture Pattern worked flat, after blocking.

*Waistcoat is knitted from bottom up. The body is knitted in one piece from hem to armholes. Then fronts and back are divided and worked separately. Shoulders are joined together using the 3-Needles Bind-Off Method. Stitches for front bands and collar are picked up and knitted in rib. At the end, armholes are knitted in the round.*



## SPECIAL ABBREVIATIONS

**1/1 LC** (2 stitches left slanting cable): Slip 1 stitch onto cable needle and keep in front of the work, K1, K1 from the cable needle


**1/1 LPC** (2 stitches left slanting (purl) cable): Slip 1 st onto cable needle and keep in front of the work, P1, K1 from the cable needle

**1/1 RC** (2 stitches right slanting cable): Slip 1 stitch onto cable needle and keep in back of the work, K1, K1 from the cable needle

**1/1 RPC** (2 stitches right slanting (purl) cable): Slip 1 stitch onto cable needle and keep in back of the work, K1, P1 from the cable needle

**KNOT:** Make a YO\*. Purl the next 2 stitches together but retain them on the LHN. Purl the first stitch on your LHN again then discard the 2 stitches. Bring your working yarn back of the work and pass the thread from the YO over the 2 stitches just worked.

\* Work a yarn over after a knit stitch and before a purl stitch as follows: Bring the working yarn in the front of the work. Bring the yarn over the top of the RHN, then between the needles to the front of the work, ready to purl.



### Written instructions for Cable Panel

Row 1 (RS): P1, 1/1 LC, p2, 1/1 LPC, p1, 1/1 LC, p1, 1/1 RPC, p2, 1/1 RC, p1. (18 sts)

Row 2 (WS): K1, p2, k3, p1, k1, p2, k1, p1, k3, p2, k1.

Row 3: P1, k1, 1/1 LC, p4, k2, p4, 1/1 RC, k1, p1.

Row 4: K1, p3, k4, p2, k4, p3, k1.

Row 5: P1, 1/1 LC twice, p3, 1/1 RC, p3, 1/1 RC twice, p1.

Row 6: K1, p4, k3, p2, k3, p4, k1.

Row 7: P1, k1, 1/1 LC twice, p2, k2, p2, 1/1 RC twice, k1, p1.

Row 8: K1, p5, k2, p2, k2, p5, k1).

Row 9: P1, 1/1 LPC, 1/1 LC twice, p1, 1/1 LC, p1, 1/1 RC twice, 1/1 RPC, p1.

Row 10: K2, p5, k1, p2, k1, p5, k2.

Row 11: P2, 1/1 LPC, 1/1 LC, k1, p1, k2, p1, k1, 1/1 RC, 1/1 RPC, p2.

Row 12: K3, p4, k1, p2, k1, p4, k3.


Row 13: P3, 1/1 LPC, (1/1 LC, p1) twice, 1/1 RC, 1/1 RPC, p3.

Row 14: K4, p3, k1, p2, k1, p3, k4.

Row 15: P4, 1/1 LPC, k1, p1, k2, p1, k1, 1/1 RPC, p4.

Row 16: K5, (p2, k1) twice, p2, k5.

## INSTRUCTIONS



### BOTTOM RIBBING

With smaller needles (suggested: US 6 / 4 mm needles), Cast on 171 (181, 195, 205) (221, 237, 253) (275, 293, 317) stitches using the Long-Tail Cast-On Method.

**Row 1** (RS): K1, \*k1, p1\* until last 2 stitches, k2.

**Row 2** (WS): P1, \*p1, k1\* until last 2 stitches, p2.

Repeat Rows 1–2 twice more.

### BODY

Change to larger needles (suggested: US 7 / 4.5 mm needles).

**Set-up Row** (RS): K2, p1, 1/1 LC, p5, 1/1 LC, p4, p2tog, 1/1 RC, p2, k19 (21, 25, 27) (31, 35, 39) (45, 49, 55), PM, k2, p1, k1 (2, 1, 2) (2, 2, 2) (1, 2, 2), PM, k40 (42, 46, 48) (52, 56, 60) (66, 70, 76), m11, k41 (43, 47, 49) (53, 57, 61) (67, 71, 77), PM, k1 (2, 1, 2) (2, 2, 2) (1, 2, 2), p1, k2, PM, k19 (21, 25, 27) (31, 35, 39) (45, 49, 55), p1, p2tog, 1/1 LC, p5, 1/1 LC, p5, 1/1 RC, p1, k2.

You have 170 (180, 194, 204) (220, 236, 252) (274, 292, 316) stitches in total: 40 (42, 46, 48) (52, 56, 60) (66, 70, 76) stitches for each front, 82 (86, 94, 98) (106, 114, 122) (134, 142, 154) stitches for the back and 4 (5, 4, 5) (5, 5, 5) (4, 5, 5) stitches between markers on each body side.

**Next Row** (WS): P2, k1, p2, k5, p2, k5, p2, k2, \*purl to m, SM\* 4 times, p19 (21, 25, 27) (31, 35, 39) (45, 49, 55), k2, p2, k5, p2, k5, p2, k1, p2.

### Begin Triangle Texture

**Row 1** (RS): K2, work row 3 of Cable Panel, p1, k1, work row 3 of Chart A [according to your size, work 1 (1, 2, 2) (2, 2, 3) (3, 4, 4) 12-stitches repeat(s) then end row as indicated in chart], SM, k2, p1, k1 (2, 1, 2) (2, 2, 2) (1, 2, 2), SM, work row 3 of Chart B [according to your size, start row as indicated, work 6 (7, 7, 7) (8, 9, 9) (11, 11, 12) 12-stitches repeats and end row as indicated in chart], SM, k1 (2, 1, 2) (2, 2, 2) (1, 2, 2), p1, k2, SM, work row 3 of Chart C [according to your size, start row as indicated in chart then work 1 (1, 2, 2) (2, 2, 3) (3, 4, 4) 12-stitches repeat(s)], k1, p1, work row 3 of Cable Panel, k2.

**Row 2** (WS): P2, work row 4 of Cable Panel, k1, \*purl to m, SM\* 4 times, p19 (21, 25, 27) (31, 35,

39) (45, 49, 55), k1, work row 4 of Cable Panel, p2.

Keeping Cable Panel and Triangles Texture sections correct (starting and ending texture charts as previous rows), continue as established, working until the body measures approx. 9.75 (10.25, 10.25, 10.5) (10.5, 11, 11) (11.5, 11.5, 11.75)" / 25 (26, 26, 26.5) (26.5, 28, 28) (29, 29, 30) cm.

### BIND-OFF FOR ARMHOLES

**Next Row** (RS): K2, work Cable Panel as established, p1, k1, continue in Triangle Texture as established to last 1 (1, 2, 2) (3, 4, 4) (6, 7, 8) stitches before marker, removing markers, Bind Off next 7 (7, 9, 9) (11, 13, 13) (17, 19, 21) stitches. Continue in Triangle Texture as established on back stitches to last 2 (1, 3, 2) (3, 4, 4) (7, 7, 8) stitches before marker, removing markers, Bind Off next 7 (7, 9, 9) (11, 13, 13) (17, 19, 21) stitches. Continue in Triangle Texture on next 17 (19, 22, 24) (27, 30, 34) (38, 41, 46) right front stitches, k1, p1, work Cable Panel as established, k2.

You have 156 (166, 176, 186) (198, 210, 226) (240, 254, 274) stitches: 39 (41, 44, 46) (49, 52, 56) (60, 63, 68) stitches for each front and 78 (84, 88, 94) (100, 106, 114) (120, 128, 138) stitches for the back

Do not break yarn. Place back stitches and right front stitches on a stitch holder or waste yarn.

### LEFT FRONT




You will now work left front stitches only.

Turn your work and work **Next Row** (WS): P2, work Cable Panel as established, k1, purl to last stitch, slip the last stitch purlwise wyif.

*Note: In order to keep the edges of the armholes neat and to facilitate picking up the stitches, it is recommended not to work any "knot" at the beginning of the rows of the left front. Keep the first 2 stitches in Stockinette Stitch. If one of these stitches were to be part of a "knot", just skip the knot and keep the stitch(es) in Stockinette Stitch.*

### Armhole Shaping

**Row 1** (RS): Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one then Bind Off 1 (1, 1, 1) (1, 2, 2) (2, 2, 2) stitch(es), keeping Triangle Texture and Cable Panel correct work as established to end. [2 (2, 2, 2) (2, 3, 3) (3, 3, 3) stitches decreased]



Read RS (odd-numbered) chart rows from right to left and WS (even-numbered) chart rows from left to right.



**Row 2 (WS):** Work as established to last stitch, slip the last stitch purlwise wyif.

Repeat Rows 1–2, 0 (0, 0, 1) (1, 0, 0) (1, 2, 2) more time(s). [– (–, –, 2) (2, –, –) (3, 6, 6) stitches decreased]



### **Sizes 6, 7, 8, 9 and 10 only**

**Row 1 (RS):** Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one then Bind Off 1 stitch, work as established to the end of row. (2 stitches decreased)

**Row 2 (WS):** Work as established to last stitch, slip the last stitch purlwise wyif.  
Repeat Rows 1–2 once more. (2 stitches decreased)

### **All sizes resume**

**Row 1 (RS):** Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one, work as established to the end of row. (1 st decreased)

**Row 2 (WS):** Work as established to last stitch, slip the last stitch purlwise wyif.  
Repeat Rows 1–2, 0 (0, 1, 0) (1, 0, 2) (1, 0, 2) more time(s). [– (–, 1, –) (1, –, 2) (1, –, 2) stitches decreased]

You have 36 (38, 40, 41) (43, 44, 46) (48, 49, 52) stitches.

End of armholes shaping. Keeping Cable Panel and Triangle Texture correct, continue as established (do not keep on slipping last stitch on WS rows) until the left front measures approx. 6.25 (6.75, 6.75, 7) (7.5, 8, 8.25) (8.75, 9, 9.5)" / 16 (17, 17, 18) (19, 20.5, 21) (22, 23, 24) cm from underarm.

## **Neck shaping**

**Row 1 (RS):** Work as established to end.

**Row 2 (WS):** Bind Off 4 (4, 5, 5) (5, 6, 6) (8, 8, 8) stitches, work as established to end. [32 (34, 35, 36) (38, 38, 40) (40, 41, 44) stitches]

**Row 3:** Work as established to last stitch, slip the last stitch purlwise wyib.

**Row 4:** Slip the first 2 stitches purlwise wyif, pass the first slipped stitch over the second one, Bind Off 2 stitches, work as established to the end of row. (3 stitches decreased) [29 (31, 32, 33) (35, 35, 37) (37, 38, 41) stitches]

**Row 5:** Repeat Row 3.

**Row 6:** Slip the first 2 stitches purlwise wyif, pass the first slipped stitch over the second one, Bind Off 1 stitch, work as established to the end of row. (2 stitches decreased) [27 (29, 30, 31) (33, 33, 35) (35, 36, 39) stitches]

**Rows 7–10:** Repeat Rows 5–6 twice. (4 stitches decreased) [23 (25, 26, 27) (29, 29, 31) (31, 32, 35) stitches]

**Rows 11–12:** Work all stitches as established to end.

**Row 13:** Repeat Row 3.

**Row 14:** Slip the first 2 stitches purlwise wyif, pass the first slipped stitch over the second one, work as established to last 7 (8, 8, 8) (9, 9, 10) (10, 10, 11) stitches, TW. (1 st decreased)

**Row 15:** Make a DS (German Short Rows -- see notes), work as established to end.

**Row 16:** Work as established to last 14 (15, 16, 17) (18, 18, 20) (20, 21, 22) stitches, TW.

**Row 17:** Make a DS, work as established to last stitch, slip the last st purlwise wyib.

**Row 18:** Slip the first 2 stitches purlwise wyif, pass the first slipped stitch over the second one, work as established to end, working DS as single one when encountered. (1 st decreased)

Leaving a long tail to bind off later, break yarn. Place the remaining 21 (23, 24, 25) (27, 27, 29) (29, 30, 33) stitches on a stitch holder or waste yarn.

## **RIGHT FRONT**

Transfer right front sts to larger needle, and with WS facing, join yarn at underarm.

*Note: In order to keep the edges of the armholes neat and to facilitate picking up the stitches, it is recommended not to work any "knot" at the end of the rows of the right front. Keep the last 2*

stitches in Stockinette Stitch. If one of these stitches were to be part of a "knot", just skip the knot and keep the stitch(es) in Stockinette Stitch.

### Armhole Shaping

**Next Row** (WS): Bind Off 2 (2, 2, 2) (2, 3, 3) (3, 3, 3) stitches, work as established to the end of row. [37 (39, 42, 44) (47, 49, 53) (57, 60, 65) stitches]

#### Sizes 4, 5, 8, 9 and 10 only

**Row 1** (RS): K2, work Cable Panel as established, p1, k1, work in Triangle Texture to last stitch, slip the last stitch purlwise, TW.

**Row 2** (WS): Slip the first 2 stitches purlwise, pass the first slipped stitch over the second one then Bind Off – (–, –, 1) (1, –, –) (2, 2, 2) stitches, work as established to the end of row. [– (–, –, 2) (2, –, –) (3, 3, 3) stitches decreased]

Repeat Rows 1–2, – (–, –, 0) (0, –, –) (0, 1, 1) more time. [ – (–, –, 0) (0, –, –) (0, 3, 3) stitches decreased]

#### Sizes 6, 7, 8, 9 and 10 only

**Row 1** (RS): K2, work Cable Panel as established, p1, k1, work in Triangle Texture to last stitch, slip the last stitch purlwise, TW.

**Row 2** (WS): Slip the first 2 stitches purlwise, pass the first slipped stitch over the second one then Bind Off 1 stitch, work as established to the end of row. (2 stitches decreased)

Repeat Rows 1–2 once more. (2 stitches decreased)

#### All sizes resume

**Row 1** (RS): K2, work Cable Panel as established, p1, k1, work in Triangle Texture to last stitch, slip the last stitch purlwise wyib, TW.

**Row 2** (WS): Slip the first 2 stitches purlwise wyif, pass the first slipped stitch over the second one, work as established to the end of row. (1 st decreased)

Repeat Rows 1–2, 0 (0, 1, 0) (1, 0, 2) (1, 0, 2) more time(s). [– (–, 1, –) (1, –, 2) (1, –, 2) stitches decreased] 36 (38, 40, 41) (43, 44, 46) (48, 49, 52) stitches.

End of armholes shaping. Keeping Cable Panel and Triangle Texture correct (do not keep on slipping last stitch on RS rows), continue as established until the left front measures approx. 6.25 (6.75, 6.75, 7) (7.5, 8, 8.25) (8.75, 9, 9.5)" / 16 (17, 17,

18) (19, 20.5, 21) (22, 23, 24) cm from underarm.

### Neck shaping

**Row 1** (RS): Bind Off 4 (4, 5, 5) (5, 6, 6) (8, 8, 8) stitches, work as established to end. [32 (34, 35, 36) (38, 38, 40) (40, 41, 44) stitches]

**Row 2** (WS): Work as established to last stitch, slip last stitch purlwise wyif.

**Row 3:** Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one, Bind Off 2 stitches, work as established to the end of row. (3 stitches decreased) [29 (31, 32, 33) (35, 35, 37) (37, 38, 41) stitches]

**Row 4:** Repeat Row 2.

**Row 5:** Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one, Bind Off 1 stitch, work as established to the end of row. (2 stitches decreased) [27 (29, 30, 31) (33, 33, 35) (35, 36, 39) stitches]

**Row 6:** Repeat Row 2.

**Rows 7–8:** Repeat Rows 5–6 once. (2 stitches decreased) [25 (27, 28, 29) (31, 31, 33) (33, 34, 37) stitches]

**Row 9:** Repeat Row 5. (2 stitches decreased) [23 (25, 26, 27) (29, 29, 31) (31, 32, 35) stitches]

**Rows 10–11:** Work all stitches as established.

**Row 12:** Work as established to last stitch, slip last stitch purlwise wyif.

**Row 13:** Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one, work as established to last 7 (8, 8, 8) (9, 9, 10) (10, 10, 11) stitches, TW. (1 st decreased)

**Row 14:** Make a DS, work as established to end.

**Row 15:** Work as established to last 14 (15, 16, 17) (18, 18, 20) (20, 21, 22) stitches, TW.

**Row 16:** Make a DS, work as established to last stitch, slip the last stitch purlwise wyif.

**Row 17:** Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one, work as established to end, working DS as single one when encountered. (1 st decreased)


**Row 18:** Work all stitches as established.

Break yarn. Place the remaining 21 (23, 24, 25) (27, 27, 29) (29, 30, 33) stitches on a stitch holder or waste yarn.

### BACK

Transfer 78 (84, 88, 94) (100, 106, 114) (120, 128, 138) back stitches to larger needles, and with WS facing, join yarn at left underarm.





**Next Row** (WS): Purl to last stitch, slip the last stitch purlwise wyif.

*Note: In order to keep the edges of the armholes neat and to facilitate picking up the stitches, it is recommended not to work any "knot" at the beginning and at the end of the rows. Keep the first and last 2 stitches in Stockinette Stitch. If one of these stitches were to be part of a "knot", just skip the knot and keep the stitch(es) in Stockinette Stitch.*

### Armhole Shaping

**Row 1** (RS): Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one then Bind Off 1 (1, 1, 1) (1, 2, 2) (2, 2, 2) stitch(es), work as established to last stitch, slip the last stitch purlwise wyib. [2 (2, 2, 2) (2, 3, 3) (3, 3, 3) stitches decreased]

**Row 2** (WS): Slip the first 2 stitches purlwise wyif, pass the first slipped stitch over the second one then Bind Off 1 (1, 1, 1) (1, 2, 2) (2, 2, 2) stitches, work as established to last stitch before end, slip the last stitch purlwise wyif. [2 (2, 2, 2) (2, 3, 3) (3, 3, 3) stitches decreased]

Repeat Rows 1–2, 0 (0, 0, 1) (1, 0, 0) (1, 2, 2) more time(s). [– (–, –, 4) (4, –, –) (6, 12, 12) stitches decreased] 74 (80, 84, 86) (92, 100, 108) (108, 110, 120) stitches.

### Sizes 6, 7, 8, 9 and 10 only

**Row 1** (RS): Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one then Bind Off 1 stitch, work as established to last stitch, slip the last stitch purlwise wyib. (2 stitches decreased)

**Row 2** (WS): Slip the first 2 stitches purlwise wyif, pass the first slipped stitch over the second one then Bind Off 1 stitch, work as established to last stitch, slip the last stitch purlwise wyif. (2 stitches decreased)

Repeat rows 1–2 once. (4 stitches decreased)  
– (–, –, –) (–, 92, 100) (100, 102, 112) stitches.

### All sizes resume

**Row 1** (RS): Slip the first 2 stitches purlwise wyib, pass the first slipped stitch over the second one, work as established to last stitch, slip the last stitch purlwise wyib. (1 st decreased)

**Row 2** (WS): Slip the first 2 stitches purlwise wyif, pass the first slipped stitch over the second one, work as established to last st before end, slip the last stitch purlwise wyif. (1 st decreased)

Repeat rows 1–2, 0 (0, 1, 0) (1, 0, 2) (1, 0, 2) more times. [– (–, 2, –) (2, –, 4) (2, –, 4) stitches decreased] 72 (78, 80, 84) (88, 90, 94) (96, 100, 106) stitches.

Keeping the first and the last 2 stitches in Stockinette Stitch and keeping the Triangle Texture correct, work until back measures approx. 8 (8.5, 8.5, 8.75) (9.25, 9.5, 10) (10.5, 10.75, 11.25)" / 20.5 (21.5, 21.5, 22) (23.5, 24, 25.5) (26.5, 27.5, 28.5) cm from underarm, ending after a WS row.

### Shoulder Shaping

**Row 1** (RS): Knit to last 7 (8, 8, 8) (9, 9, 10) (10, 10, 11) stitches, TW.

**Row 2** (WS): Make a DS, purl to last 7 (8, 8, 8) (9, 9, 10) (10, 10, 11) stitches, TW.

**Row 3:** Make a DS, knit to last 14 (15, 16, 17) (18, 18, 20) (20, 21, 22) stitches, TW.

**Row 4:** Make a DS, purl to last 14 (15, 16, 17) (18, 18, 20) (20, 21, 22) stitches, TW.

**Row 5:** Make a DS, knit to end, working DS as single one when encountered.

**Row 6:** P21 (23, 24, 25) (27, 27, 29) (29, 30, 33), Bind Off 30 (32, 32, 34) (34, 36, 36) (38, 40, 40) central stitches, purl to end, working DS as single one when encountered.

Do not break yarn.

### JOIN SHOULDERS

Place the right front shoulder stitches on a spare needle. With RS facing each other, join right front and right back shoulders using the 3-Needle Bind-Off Method. Repeat for the left shoulder stitches.

### BUTTON BAND (LEFT)

With smaller 24" / 60 cm or 32" / 80 cm circular needles and RS facing, beginning at the neck, pick up and knit stitches down the left front opening edge.

Pick up and knit 5 band stitches for every 6 rows until you reach the bottom. Count stitches. The number of stitches picked up may vary, just be sure to have an odd number.

**Next Row (WS):** P2, \*k1, p1\* to last stitch, p1.  
Continue in rib as established for a total of 3 rows.  
Bind Off all stitches in pattern.

### BUTTONHOLE BAND (RIGHT)

Place stitch markers for buttonholes (in body fabric): With RS facing you, place locking stitch marker for the first buttonhole 0.5" / 1 cm from bottom edge. Place locking stitch marker for the last buttonhole 0.5" / 1 cm from top edge. Measure the distance between them: divide this distance by 5 and place locking stitch markers evenly for the other 4 buttonholes.

With smaller 24" / 60 cm or 32" / 80 cm circular needles and RS facing, beginning at the bottom, pick stitches up the right front opening at the same rate as for the left front opening. Count stitches. You should have the same number as for left front opening.

**Next Row (WS):** P2, \*k1, p1\* to last stitch, p1.

**Buttonhole Row (RS):** \*Work in rib as established to marker, ending with a knit stitch, YO, k2tog\*, repeat from \* to \* for a total of 6 buttonholes. Work in rib to end of row.

Work in rib for 1 more row. Bind Off all stitches in pattern. Do not break yarn, you will use it for the collar.

### COLLAR

With US 6 / 4 mm needles and with RS facing you, pick up and knit stitches for the collar: 4 stitches along top of buttonhole band, 21 (21, 22, 22) (22, 23, 23) (25, 25, 25) stitches along right front, 29 (31, 31, 33) (33, 35, 35) (37, 39, 39) along back, 21 (21, 22, 22) (22, 23, 23) (25, 25, 25) stitches along left front and 4 stitches along top of button band. 79 (81, 83, 85) (85, 89, 89) (95, 97, 97) stitches.

The number of stitches picked up may vary, just be sure to pick up an odd number of stitches.

**Next Row (WS):** P2, \*k1, p1\* to last st before end, p1.

Continue in rib as established for a total of 3 rows.  
Bind Off all stitches in pattern.

### ARMHOLES

With smaller 16" / 40 cm or 24" / 60 cm circular needles and RS facing you, beginning at middle of stitches bound off for underarm, pick up and knit stitches for armhole: 4 (4, 5, 5) (6, 7, 7) (9, 10, 11)

stitches from underarm bottom, 48 (51, 50, 52) (53, 54, 57) (57, 58, 60) stitches up armhole edge to shoulder line, then pick up and knit 49 (52, 51, 53) (54, 55, 58) (58, 59, 61) stitches down the other side of the armhole and 3 (3, 4, 4) (5, 6, 6) (8, 9, 10) stitches from second part of underarm bottom. You have 104 (110, 110, 114) (118, 122, 128) (132, 136, 142) stitches. The number of stitches picked up may vary, just be sure to pick up an even number.

Join and place marker for BOR.

**Next Round:** \*K1, p1\* to end of round.

Continue in rib as established for a total of 6 rows.  
Bind Off all stitches in pattern.

### FINISHING

Weave in ends. Wet block to measurements.



## ABBREVIATIONS




approx.	Approximately
BO	Bind off
CN	Cable needle
CO	Cast on
DS	Double stitch (German Short Rows Method): Slip the next stitch with yarn in front. Bring the yarn over the right needle to the back and pull on the slipped stitch until it looks like a double stitch (two legs).
k	Knit
M	marker
p	Purl
P2tog	Purl 2 stitches together (1 stitch decreased)
PM	place marker
SM	slip marker
st(s)	stitch(es)

*German short rows* Knit to the stitch specified, turn work and work following instructions to form a double stitch (DS) : Bring yarn up, over and back to pull on the slipped stitch until it slides around to show two legs. (helpful tutorial : <http://asatricosa.com/german-short-rows/>)

Three needle bind off tutorial:  
<https://www.purlsoho.com/create/3-needle-bind-off/>

video tutorial for KNOT stitch:  
<https://www.youtube.com/watch?v=fIR4Z0kfxvY>



Thank you for knitting CAMEO!  
You can contact Orlane at [osucche@gmail.com](mailto:osucche@gmail.com)

### Many thanks to the test knitters :

Anja, Brontë, Catherine, Janine, Léa, Maï,  
Raphaële, Reiko G., Reiko M., Roberta, Rosemary,  
Tania and Tomomi.

Many thanks to **Laine Magazine** for this  
publication !

All right reserved, for personal use only.

Photo credits: Riikka Kantinkoski / Laine Publishing

