

Chamomile Wrap

By Yarn Citizen Design Team

Skill Level

Advanced Beginner

Finished Sizes

Scarf (Wrap)

Finished Measurements

92" length

22" width

Gauge

25 sts x 30 rows = 4" in one strand of Unity

21 sts x 29 rows = 4" with one strand of Trinity

Cashmere and one strand of Unity Fingering held together

Take time to check gauge.

Materials

Yarn Citizen Trinity Cashmere (fingering weight; 49% Super Baby Alpaca, 39% Mulberry Silk, 12% Cashmere; 247 yds / 25g per ball): 2 balls Almond

Yarn Citizen Unity Fingering (fingering weight; 100% wool; 419 yds / 100g per skein): 2 skeins Mushroom

Needles: US Size 7 (4.5 mm) needle

Notions: Crochet hook approximately the same size as needles, waste yarn, tapestry needle, optional blocking wires

Abbreviations

CO: cast on

k: knit

k2tog: knit two stitches together

LH: left hand

ndl: needle

p: purl

p2tog: purl two stitches together

pssso: pass slipped stitch over

rem: remain(ing)

rep: repeat

RH: right hand

RS: right side

sl: slip

ssk: slip 2 stitches knitwise, knit these 2 stitches together through back loops



st(s): stitch(es)

tbl: through back loop

tog: together

WS: wrong side

wyib: with yarn in back

wyif: with yarn in front

yo: yarn over

Special Techniques

Cable Cast On: Holding work in your left hand, with last sts worked at tip of LH needle. *Insert RH needle into space between last 2 sts on LH needle, wrap working yarn around RH needle tip and pull loop through between last 2 sts on LH needle, creating a new st on RH needle, sl new st from RH to LH needle tip; rep from * for number of sts to cast on.

Crochet Provisional Cast-On:

<https://bit.ly/ProvisionalCO>

With waste yarn and crochet hook, start a chain a few sts long. Hold the knitting ndl in the LH. *Bring waste yarn around behind ndl and over hook, pull yarn through loop to chain 1 (1 st made on ndl). Return yarn behind ndl. Rep from * until the desired number of sts have been CO. Chain a few more sts off the ndl, cut yarn, fasten off and mark this end with a knot.

Slipped Stitch Edging

Slipped sts are worked as follows:

RS: Sl2 purlwise wyib.

WS: Sl2 purlwise wyif.



Pattern Notes

Wrap is a seamless asymmetrical triangle featuring two sideways-knit sections worked from the middle out.

The first section begins with a Crochet Provisional Cast-On and is knit using one strand of Unity Fingering.

The second section is worked outward from the live stitches remaining after the provisional cast-on has been removed, using one strand of Unity Fingering held together with one strand of Trinity Cashmere.

Wrap

First Section

With waste yarn, CO 116 sts using the Crochet Provisional Cast-On method (see Special Techniques).

Cut waste yarn.

Continue working with one strand of Unity Fingering.

Set-up Row (RS): Knit.

Rows 1 & 3 (WS): Sl2 (see Slipped Stitch Edging), purl to last st, k1.

Row 2 (RS): K1, ssk, knit to end of row. 1 st dec'd.

Row 4: K1, knit to end of row.

Rep Rows 1-4 until 3 sts rem, ending with a WS row.

Next Row (RS): K1, ssk. (2 sts)

Next Row: P2tog. (1 st)

Cut yarn and pull tail through loop.

Second Section

Remove waste yarn from CO edge and place 116 live sts on ndl.

With one strand of Unity Fingering held tog with one strand of Trinity Cashmere, join yarn with WS facing of First Section.

Row 1 (WS): Knit.

Row 2 (RS): Sl 2 (See Slipped Stitch Edging), knit to last 3 sts, k2tog, k1. 1 st dec'd.

Row 3 (WS): K1, purl to end of row.

Rep Rows 2 & 3 until 5 sts rem, ending with a WS row.

Final Rows

Row 1 (RS): Sl2, k2tog, k1. (4 sts)

Row 2 (WS): K1, purl to end of row.

Row 3: Sl2, k2tog. (3 sts)

Row 4: K1, p2tog. (2 sts)

Row 5: K2tog. (1 st)



Border

Rotate piece to work along the slanting sides of shawl.

Continue working with one strand of Unity Fingering held tog with one strand of Trinity Cashmere.

Row 1 (RS): Pick up and knit approximately 24 sts per 4" across to opposite tip. You may need to adjust the amount of stitches to pick up depending on your gauge. The final amount of stitches is not important.

Note: Slip all sts purl-wise with yarn in front.

Row 2 (WS): Using cable cast on (see Special Techniques), cast on 5 sts, k4, k2tog tbl (i.e. last of the new sts with first edge st on shawl), turn.

Row 3 and all RS rows: Sl 1 (see Note above), knit to end.

Row 4: Sl 1, yo, k3, k2tog tbl (i.e. from here, always last border st with next edge st on shawl), turn. (6 sts)

Row 6: Sl 1, yo, k4, k2tog tbl, turn. (7 sts)

Row 8: Sl 1, yo, k2tog, yo, k3, k2tog tbl, turn. (8 sts)

Row 10: Sl 1, k1, pssso, (k1, on RH needle pass first st over second) twice, k3, k2tog tbl, turn. (5 sts)
Rep Rows 3-10 until all sts on shawl have been joined with border.

Bind off rem border sts.



Finishing

Block to measurements in schematic.
Blocking wires are recommended to obtain straight edges.
Weave in ends.

