

FILIGREE



CAMI





ABOUT

Filigree Cami is part of Sydney Summer Knits collection. With its charming lace and buttoned back, exceptional construction, flattering trapeze-shaped front and spaghetti straps, Filigree is beyond doubt a piece of art in an everyday wardrobe. It is a unique garment created to impress and to be admired. And at the same time, thanks to its relaxed and comfortable shape and lightness, this camisole is a wonderful summer outfit.

Imitating the sophisticated cast iron openwork, I created two lace panels that provide this cami an appealing and highly feminine look. A more minimalistic front is decorated with complementing lace panels on the sides. The high straight neck is finished with spaghetti straps, which smoothly transform into the back top finishing. Low and interestingly shaped side panels add a pinch of modern vibe to this Victorian-inspired design.

Filigree Cami is equally perfect for special and casual occasions. It loves being paired with fitted skirts, high-waisted shorts or flowing chic pants.





MAY BE USEFUL

To keep your camisole in a great shape and avoid pulling the delicate lace panels down, use buttons made from light materials like shells, plastic, glass or coconut fibre.

Filigree Cami has an unusual construction, but it is an easy and quick project. As the design is made from three separate pieces, you can successfully mix different sizes! Adjust the back width, lengthen or shorten side panels, resign from their shaping and modify straps length to get more cover on the sides – the number of options is staggering! But remember to always write down all planned modifications, make a quick drawing, note the new dimensions and pay attention to key points before getting to work to keep proper proportions.

To make a simple length modification, shorten or lengthen back panels by changing the number of full chart repeats. Note the added or subtracted repetitions and accordingly modify the front piece before the decreasing part. As the side panels should always start at the place where front shaping begins and finish at the bottom edge, adjust the number of picked stitches to meet this requirement.

Filigree Cami, with its lace back, low arm lines and full front cover, was made to be worn solo. I encourage you to wear your cami however you like and always feel OK with your beautiful body. I understand that some of you need an extra support, so you may find it interesting to match Filigree Cami with a basic and very minimalistic tube bra. It will give you a more relaxed and casual look. Do not try to hide the bra, make the bra a part of the styling! Another idea is to wear it as an outer layer on a shirt or t-shirt – like a special addition to the summer outfits!

More tips on my blog: [Filigree Cami – A Bunch Of Helpful Tips!](#)



NOTES

Filigree Cami is worked bottom-up and sideways. It starts with two lace back panels, then the stitches are placed on holder, the bottom edges are finished with I-Cord and the back pieces are put aside for later. The front piece is worked from the bottom straight to the underarm where the top part of the front is shaped with decreases. The straps are made by using front's edge stitches and after reaching the correct length, joined with the back stitches using I-Cord Bind Off. Then the stitches for sides are picked up along the front sides, worked sideways and after decreasing, sewn onto the back panels.

SIZES

1 (2, 3, 4, 5, 6, 7, 8, 9, 10)

Top circumference: 80 (88, 96, 104, 112, 120, 128, 136, 144, 152) cm / 31.5 (34.75, 37.75, 41, 44, 47.25, 50.5, 53.5, 56.75, 60)".

The cami can be worn with negative, slight positive or no ease at all. Choose the size with circumference closest to your chest measurement. If you hesitate between two sizes, choose the smaller one.

The pictures show size 2, with 2 cm / 0.75" positive ease.

YARN

Knitting for Olive Pure Silk (50g-250m/273yds; shade Wheat) or other light fingering weight yarn: 375 (450, 625, 750, 850, 950, 1025, 1110, 1200, 1300) metres / 410 (492, 683, 820, 929, 1038, 1120, 1202, 1312, 1421) yards.

NEEDLES

Two sets of 3 mm / US 2.5 circular needles.



GAUGE

22 sts x 36 rows – 10 cm / 4" on 3 mm / US 2.5 needles, in Stockinette st, after blocking.

One full repeat of Lace 1 chart (page 15), on 3 mm / US 2.5 needles, after blocking: 7 sts x 20 rows – 2.5 cm x 5.8 cm / 1" x 2.25".

NOTIONS

7 (7, 8, 8, 9, 9, 10, 10, 10, 10) about 1 cm / 0.5" diameter buttons, stitch markers, 4 locking markers, scrap yarn or stitch holder, 2 cable needles, tapestry needle.



MEASUREMENTS

A. Chest circumference: 80 (88, 96, 104, 112, 120, 128, 136, 144, 152) cm / 31.5 (34.75, 37.75, 41, 44, 47.25, 50.5, 53.5, 56.75, 60)"

B. Length (hem to shoulder): 44 (45, 51, 51.5, 58, 59, 66, 67, 68, 69) cm / 17.25 (17.75, 20, 20.25, 22.75, 23.25, 26, 26.5, 26.75, 27.25)"

C. Body length (hem to underarm): 23 (21.5, 25.5, 24.5, 28, 28, 32, 32, 30.5, 30.5) cm / 9 (8.5, 10, 9.75, 11, 11, 12.5, 12.5, 12, 12)"

D. Front line: 19 (21, 23, 25, 28, 28, 30, 30, 31.5, 31.5) cm / 7.5 (8.25, 9, 9.75, 11, 11, 11.75, 11.75, 12.5, 12.5)"

E. Front bottom width: 41 (45, 49, 53, 57, 61, 65, 69, 73, 77) cm / 16.25 (17.75, 19.25, 20.75, 22.5, 24, 25.5, 27.25, 28.75, 30.25)"

F. Front top width: 23 (24.5, 27.5, 29, 32, 35.5, 38, 42, 44, 48) cm / 9 (9.75, 10.75, 11.5, 12.5, 14, 15, 16.5, 17.25, 19)"

G. Back panel width: 11.5 (11.5, 11.5, 15.5, 15.5, 15.5, 15.5, 19.5, 19.5, 19.5, 19.5) cm / 4.5 (4.5, 4.5, 6, 6, 6, 6, 7.75, 7.75, 7.75)"

H. Back panel length: 42 (42, 48, 48, 53.5, 53.5, 59.5, 59.5, 59.5, 59.5) cm / 16.5 (16.5, 19, 19, 21, 21, 23.5, 23.5, 23.5, 23.5)"

I. Side width: 10 (10, 13, 11, 13, 15, 17, 15, 17, 19) cm / 4 (4, 5, 4.25, 5, 6, 6.75, 6, 6.75, 7.5)"

J. Back side length: 18 (16, 18, 18, 20.5, 19.5, 23, 24, 23.5, 24.5) cm / 7 (6.25, 7, 7, 8, 7.75, 9, 9.5, 9.25, 9.75)"

ABBREVIATIONS

st(s) stitch(es) **k** knit **p** purl **sl** slip **yo** yarn over
m marker **pm** place m **sm** sl m **cn** cable needle
ktbl knit through the back loop
ptbl purl through the back loop
wyb with yarn in back **wyf** with yarn in front
tog together **tssk** twisted ssk **tk2tog** twisted k2tog
ssk (ssp) sl, sl, knit (purl) tog **sssk** sl, sl, sl, knit tog
RS right side **WS** wrong side

TECHNIQUES

Long Tail Cast On:

youtu.be/geob1W9P7v0?si=-BNgbiWjtAi_WHR8

Provisional Cast On:

youtu.be/UeExgbgTOgs?si=vTh-DgFfKqPu_zL

Mattress stitch:

youtu.be/ObuZwHImDCI?si=KG1711dHs4ZEe50Q

DIRECTIONS

Right back

Using 3 mm / US 2.5 circular needles and Provisional Cast On, cast on 33 (33, 33, 43, 43, 43, 43, 53, 53, 53) sts.

Row 1 (WS): p3, pm, [k2, p1, k1, p1, k2, pm, p3, pm] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, k2, p1, k1, p1, k2, pm, p3.

Row 2 (RS): k3, sm, [work the 1st row of **Lace 1** chart, sm, work the 1st row of **Lace 2** chart, sm] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, work the 1st row of **Lace 1** chart, sm, sl3 wyb.

Row 3 (WS): p3, sm, [work the next row of **Lace 1** chart, sm, work the next row of **Lace 2** chart, sm] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, work the next row of **Lace 1** chart, sm, sl3 wyf.

Row 4 (RS): k3, sm, [work the next row of Lace 1 chart, sm, work the next row of Lace 2 chart, sm] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, work the next row of Lace 1 chart, sm, sl3 wyb.

Work as established in the last two rows, making the next rows of the charts until you have 7 (7, 8, 8, 9, 9, 10, 10, 10, 10) full repeats and the next 2 rows of Lace 1 chart in total. *You should finish on WS and on the 6th (6th, 2nd, 2nd, 6th, 6th, 2nd, 2nd, 2nd) row of Lace 2 chart.* Remove all m.

Cut the thread and place all sts on the holder.

Using 3 mm / US 2.5 circular needles, undo Provisional Cast On at the bottom edge of your back. You should have 33 (33, 33, 43, 43, 43, 43, 53, 53, 53) sts on your needles again.

Attach the yarn and start working on RS:

I-Cord Bind Off (RS): [k2, ssk, place 3 sts from the right needle on the left needle] repeat instruction between [...] until you have 4 sts on your left needle, then k2, pass the first st on the right needle over the second st, ssk, pass the first st on the right needle over the second st.

Cut the thread and pull the end through the last stitch.

Left back

Using 3 mm / US 2.5 circular needles and Provisional Cast On, cast on 33 (33, 33, 43, 43, 43, 43, 53, 53, 53) sts.

Row 1 (WS): p3, pm, [k2, p1, k1, p1, k2, pm, p3, pm] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, k2, p1, k1, p1, k2, pm, p3.

Row 2 (RS): k3, sm, [work the 1st row of **Lace 1** chart, sm, work the 1st row of **Lace 2** chart, sm] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, work the 1st row of **Lace 1** chart, sm, sl3 wyb.

Row 3 (WS): p3, sm, [work the next row of Lace 1 chart, sm, work the next row of Lace 2 chart, sm] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, work the next row of Lace 1 chart, sm, sl3 wyb.

Row 4 (RS): k3, sm, [work the next row of Lace 1 chart, sm, work the next row of Lace 2 chart, sm] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, work the next row of Lace 1 chart, sm, sl3 wyb.

Work as established in the last two rows, making the next rows of the charts until you have 1 full repeat of Lace 1 chart in total. *You should finish on WS, on the 20th row of Lace 1 chart and 4th row of Lace 2 chart.*

Now you will replace one Lace 1 chart on the side with Lace 1B chart to create buttonholes on the edge:

Row 5 (RS): k3, sm, work the 1st row of **Lace 1B** chart, [sm, work the next row of **Lace 2** chart, sm, work the next row of **Lace 1** chart] 2 (2, 2, 3, 3, 3, 3, 4, 4, 4) times, sm, sl3 wyb.

Continue, working as established and making the next rows of the charts until you have 7 (7, 8, 8, 9, 9, 10, 10, 10, 10) full repeats and the next 2 rows of Lace 1 chart in total. *You should finish on WS, on the 6th (6th, 2nd, 2nd, 6th, 6th, 2nd, 2nd, 2nd, 2nd) row of Lace 2 chart and have 7 (7, 8, 8, 9, 9, 10, 10, 10, 10) buttonholes in total.* Remove all m.

Cut the thread and place all sts on the holder.

Using 3 mm / US 2.5 circular needles, undo Provisional Cast On at the bottom edge of your back. You should have 33 (33, 33, 43, 43, 43, 43, 53, 53, 53) sts on your needles again.

Attach the yarn and start working on RS:

I-Cord Bind Off (RS): [k2, ssk, place 3 sts from the right needle on the left needle] repeat instruction between [...] until you have 4 sts on your left needle, then k2, pass the first st on the right needle over the second st, ssk, pass the first st on the right needle over the second st.

Cut the thread and pull the end through the last stitch.



Before moving on to the next step, rinse and block both back lace panels carefully to reach the provided measurements. Pin them in place and leave until fully dried. You do not need them to continue for now, but they must be blocked and ready before joining front and back pieces with side panels. Additionally, you will learn quickly if you are working on the correct size and if there is any need to adjust length or width of your back.

Front

Using 3 mm / US 2.5 circular needles and Long Tail Cast On, cast on 97 (105, 115, 123, 133, 141, 151, 159, 167, 177) sts.

Row 1 (WS): p3, [p1, k1] to 4 sts before end, p1, sl3 wyf.

Row 2 (RS): k3, [sl1 wyb, p1] to 4 sts before end, sl4 wyb.

Row 3 (WS): p3, [p1, k1] to 4 sts before end, p1, sl3 wyf.

Row 4 (RS): k3, work the 1st row of **Lace 1** chart, pm, k to 10 sts before end, pm, work the 1st row of **Lace 1** chart, sl3 wyb.

Row 5 (WS): p3, work the next row of the chart, sm, p to m, sm, work the next row of chart, sl3 wyf.

Row 6 (RS): k3, work the next row of the chart, sm, k to m, sm, work the next row of chart, sl3 wyb.

Work as established in the last two rows, making the next rows of the chart until you have 4 (3, 4, 4, 4, 4, 5, 5, 5, 5) full repeats and the next 2 (16, 10, 4, 18, 18, 12, 12, 6, 6) rows of **Lace 1** chart in total. You should finish on **WS**. Insert interlocking marker at the beginning and at the end of the row. They will be useful later.

[***Dec row 1 (RS):** k3, work the next row of the chart, sm, k1, ssk, k to 3 sts before m, k2tog, k1, sm, work the next row of the chart, sl3 wyb. *2 dec*

Next row (WS): p3, work the next row of the chart, sm, p to m, sm, work the next row of chart, sl3 wyf.

Next row (RS): k3, work the next row of the chart, sm, k to m, sm, work the next row of the chart, sl3 wyb.

Dec row 2 (WS): p3, work the next row of the chart, sm, p1, p2tog, p to 3 sts before m, ssp, p1, sm, work the next row of chart, sl3 wyf. *2 dec*

Next row (RS): k3, work the next row of the chart, sm, k to m, sm, work the next row of the chart, sl3 wyb.*

Next row (WS): p3, work the next row of the chart, sm, p to m, sm, work the next row of chart, sl3 wyf.]

Repeat instruction between [...] further 8 (9, 10, 11, 12, 12, 13, 13, 14, 14) times, then work from * to * once more. You should have 57 (61, 67, 71, 77, 85, 91, 99, 103, 113) sts and finish 7 (7, 8, 8, 9, 9, 10, 10, 10, 10) full repeats and one extra row of the chart.

Next row (WS): p3, [p1, k1] to 4 sts before end, p1, sl3 wyf.

Next row (RS): k3, [sl1 wyb, p1] to 4 sts before end, sl4 wyb.

Next row (WS): p3, [p1, k1] to 4 sts before end, p1, sl3 wyf.

Place the first 3 sts (I-Cord edge sts) on the holder, bind off the next 51 (55, 61, 65, 71, 79, 85, 93, 97, 107) sts in the pattern leaving the last 3 sts on the needle.

Right strap

You should have the 3 I-Cord sts on your left needle.

I-Cord row (RS): k3, then instead of turning your work to WS, move the stitches to the other end of the needles, remaining on the RS.

Repeat the I-Cord row until your strap measures around 6.5 (8, 9, 10, 12, 14, 16, 18, 20, 22) cm / 2.5 (3.25, 3.5, 4, 4.75, 5.5, 6.25, 7, 7.75, 8.5)".

I-Cord row (RS): k3, but this time do not move the stitches. Leave them on the right needle with the yarn on the left.

Place stitches from the Right back (piece without buttonholes) on the left needle such that the RS of the back is facing you. Move the 3 I-Cord sts to the left needle. You should have 36 (36, 36, 46, 46, 46, 46, 56, 56, 56) sts on your left needle: 3 I-Cord sts and 33 (33, 33, 43, 43, 43, 43, 53, 53, 53) back sts.

I-Cord Bind Off (RS): [k2, ssk, place 3 sts from the right needle on the left needle] repeat instruction between [...] until you have 4 sts on your left needle, then k2, pass the first st on the right needle over the second st, ssk, pass the first st on the right needle over the second st.

Cut the thread and pull the end through the last stitch.

Left strap

Place 3 I-Cord sts for the left strap on 3 mm / US 2.5 circular needles. Attach the yarn and start working on RS.

I-Cord row (RS): k3, then instead of turning your work to WS, move the stitches to the other end of the needles, remaining on the RS.

Repeat the I-Cord row until your strap measures around 6.5 (8, 9, 10, 12, 14, 16, 18, 20, 22) cm / 2.5 (3.25, 3.5, 4, 4.75, 5.5, 6.25, 7, 7.75, 8.5)".

Remember to move the stitches to the other end as established before moving on to the next step.

Place stitches from the Left back (piece with buttonholes) on the other set of 3 mm / 2.5 US circular needles and place them on your right with RS facing you. Slide all the stitches on the needle to the left.

Take the needle from the first set with 3 I-Cord sts and place it on your left. You should have 3 I-Cord stitches on your left hand needle and 33 (33, 33, 43, 43, 43, 43, 53, 53, 53) back stitches on the right hand needle.

I-Cord Bind Off (RS): sl 1 st from the right hand needle on the left needle, [k2tog, k2, then slip 4 sts from right needle on the left needle] repeat instruction between [...] until you have no stitches on the right needle and 4 sts on the left one. Then k2tog, k1, pass the first st on the right needle over the second st, k1, pass the first st on the right needle over the second st.

Cut the thread and pull the end through the last stitch.

Right side

Place the front piece with RS facing you. You should have two locking markers on both sides of your front. You will pick up the stitches for the right side panel now.

Read the entire paragraph before starting.

Go to the marker on your left (right when wearing). Flip the I-Cord edge to see the WS. Using 3 mm / US 2.5 circular needles and the first column of the stitches right next to the I-Cord on WS, evenly pick up and knit 53 (49, 57, 55, 63, 63, 72, 72, 69, 69) sts along the edge starting 1 row above the marker.

Do not pick up the stitches from the I-Cord. The first column is made from the purled stitches on RS, so when picking up on WS they should be knitted. Take your time when locating the correct stitch and make sure your I-Cord remains free.

Control the number of stitches to pick them evenly. You should roughly pick up 2 sts every 3 rows.

To perfectly match the bottom edges, pick up 1 more st as low as possible, such that it extends a little beyond the front panel edge – once the I-Cord rolls up, it will pull the column of stitches created from this extra stitch to the wrong side, giving a neatly matching edge.

Watch the video: www.youtube.com

You should have 54 (50, 58, 56, 64, 64, 73, 73, 70, 70) sts in total. Turn your work.

Row 1 (WS): p to 3 sts before end, sl3 wyf.

Sizes 1 (2, 3, 4, 5, 6, 7, 8) only:

[*Dec row (RS): k4, ssk, k to 3 sts before end, sl3 wyb. *1 dec*

Next row (WS): p to 3 sts before end, sl3 wyf*.

Next row (RS): k to 3 sts before end, sl3 wyb.

Dec row (WS): p to 6 sts before end, ssp, p1, sl3 wyf. *1 dec*

Next row (RS): k to 3 sts before end, sl3 wyb.

Next row (WS): p to 3 sts before end, sl3 wyf.]

You now have 52 (48, 56, 54, 62, 62, 71, 71) sts.

Repeat instruction between [...] further 4 (4, 6, 5, 7, 8, 9, 8) times, then work from * to * 1 (1, 1, 1, 0, 0, 0, 0) more time. You should have 43 (39, 43, 43, 48, 46, 53, 55) sts.

Size 9 only:

[*Dec row (RS): k4, ssk, k to 3 sts before end, sl3 wyb. *1 dec*

Next row (WS): p to 3 sts before end, sl3 wyf*.

Next row (RS): k to 3 sts before end, sl3 wyb.

Next row (WS): p to 3 sts before end, sl3 wyf.]

You now have 69 sts.

Repeat instruction between [...] further 14 times, then work from * to * once more. You should have 54 sts.



Size 10 only:

[Dec row (RS): k4, ssk, k to 3 sts before end, sl3 wyb. *1 dec*

Next row (WS): p to 3 sts before end, sl3 wyf.

Next row (RS): k to 3 sts before end, sl3 wyb.

Next row (WS): p to 3 sts before end, sl3 wyf.

Next row (RS): k to 3 sts before end, sl3 wyb.

Dec row (WS): p to 6 sts before end, ssp, p1, sl3 wyf. *1 dec*

Next row (RS): k to 3 sts before end, sl3 wyb.

Next row (WS): p to 3 sts before end, sl3 wyf.

Next row (WS): p to 3 sts before end, sl3 wyf.

Next row (RS): k to 3 sts before end, sl3 wyb.]

You now have 68 sts.

Repeat instruction between [...] further 6 times. You should have 56 sts.

All sizes again:

Bind off all sts. Cut the thread leaving a long piece. You will use it to attach the side to the back.



Measure 18 (16, 18, 18, 20.5, 19.5, 23, 24, 23.5, 24.5) cm / 7 (6.25, 7, 7, 8, 7.75, 9, 9.5, 9.25, 9.75)" from the bottom edge of the corresponding back piece and lock a marker on the edge. If you skipped blocking the back, make sure to correctly estimate the length from your swatch. Otherwise the seam will wrinkle or pull the fabric on one side. *Remember that the side panel has not been blocked yet, but if you reached a correct gauge at the beginning, the finished edge should measure 18 (16, 18, 18, 20.5, 19.5, 23, 24, 23.5, 24.5) cm / 7 (6.25, 7, 7, 8, 7.75, 9, 9.5, 9.25, 9.75)" after blocking.*

Starting at the bottom edge, attach the side panel to the back piece using a Mattress Stitch and the long piece of thread from the side panel. Proceed in the same way as for picking up – do not stitch the side panel to the I-Cord edge, but use the first column of stitches right next to the I-Cord edge, grabbing them on the wrong side of the back.

Stitch evenly and control the tension. You may find it helpful to divide both edges into four equal parts marked by locking markers. When stitching, make sure to match the corresponding markers each time.

Remove the locking marker on the back panel and on the left side of the front.

Left side

Place the front piece with RS facing you. You should have one locking marker on the right side of your front (left when wearing). You will pick up the stitches for the left side panel now proceeding in the same way as for the right panel.

Flip the I-Cord edge to see the WS. Using 3 mm / US 2.5 circular needles and the first column of the stitches right next to the I-Cord on WS, evenly pick up and knit 54 (50, 58, 56, 64, 64, 73, 73, 70, 70) sts along the edge starting from the hem and finishing 1 row above the marker. Pick up the first stitch as low as possible to get the same result as for the right side panel. Do not pick up the stitches from the I-Cord. You should roughly pick up 2 sts every 3 rows.

Turn your work.

Row 1 (WS): p to 3 sts before end, sl3 wyf.

Sizes 1 (2, 3, 4, 5, 6, 7, 8) only:

[*Dec row (RS): k to 6 sts before end, k2tog, k1, sl3 wyb. 1 dec

Next row (WS): p to 3 sts before end, sl3 wyf*.

Next row (RS): k to 3 sts before end, sl3 wyb

Dec row (WS): p4, p2tog, p to 3 sts before end, sl3 wyf. 1 dec

Next row (RS): k to 3 sts before end, sl3 wyb.

Next row (WS): p to 3 sts before end, sl3 wyf.]

You now have 52 (48, 56, 54, 62, 62, 71, 71) sts.

Repeat instruction between [...] further 4 (4, 6, 5, 7, 8, 9, 8) times, then work from * to * 1 (1, 1, 1, 0, 0) more time. You should have 43 (39, 43, 43, 48, 46, 53, 55) sts.

Size 9 only:

[*Dec row (RS): k to 6 sts before end, k2tog, k1, sl3 wyb. 1 dec

Next row (WS): p to 3 sts before end, sl3 wyf*.

Next row (RS): k to 3 sts before end, sl3 wyb.

Next row (WS): p to 3 sts before end, sl3 wyf.]

You now have 69 sts.

Repeat instruction between [...] further 14 times, then work from * to * once more. You should have 54 sts.

Size 10 only:

[Dec row (RS): k to 6 sts before end, k2tog, k1, sl3 wyb. 1 dec

Next row (WS): p to 3 sts before end, sl3 wyf.

Next row (RS): k to 3 sts before end, sl3 wyb.

Next row (WS): p to 3 sts before end, sl3 wyf.

Next row (RS): k to 3 sts before end, sl3 wyb.

Dec row (WS): p4, p2tog, p to 3 sts before end, sl3 wyf. 1 dec

Next row (RS): k to 3 sts before end, sl3 wyb.

Next row (WS): p to 3 sts before end, sl3 wyf.

Next row (WS): p to 3 sts before end, sl3 wyf.

Next row (RS): k to 3 sts before end, sl3 wyb.]

You now have 68 sts.

Repeat instruction between [...] further 6 times. You should have 56 sts.

All sizes again:

Bind off all sts. Cut the thread leaving a long piece. You will use it to attach the side to the back.

Measure 18 (16, 18, 18, 20.5, 19.5, 23, 24, 23.5, 24.5) cm / 7 (6.25, 7, 7, 8, 7.75, 9, 9.5, 9.25, 9.75)“ from the bottom edge of the corresponding back piece and lock a marker on the edge. Starting at the top, attach the side panel to the back piece using a mattress stitch and the long piece of thread from the side panel. Proceed in the same way as for picking up – do not stitch the side panel to the I-Cord edge, but use the first column of stitches right next to the I-Cord edge, grabbing them on the wrong side of the back.

Stitch evenly and control the tension. You may find it helpful to divide both edges into four equal parts marked by locking markers. When stitching, make sure to match the corresponding markers each time.

Remove all locking markers.

Finishing


Attach the buttons close to the edge, but not to the I-Cord. Weave all loose ends. Block your finished project carefully to reach the given measurements and fully open the lace patterns. Block Filigree Cami with back facing up. Use lots of pins to keep all the edges straight. [Blocking tutorial: www.youtube.com](http://www.youtube.com)




COPYRIGHT

Copyright Marzena Kofaczek. All rights reserved. No part of this file may be copied or reproduced without written permissions of the author. For personal use only.


LACE 1



LACE 1B



LACE 2



- | | | | |
|--|----------------------|--|-----------|
| | RS: purl
WS: knit | | sssk |
| | RS: knit
WS: purl | | k3tog |
| | RS: ktbl
WS: ptbl | | ssk |
| | yarn over | | no stitch |



Twisted k2tog: sl1 purlwise, sl1 by inserting right needle from back to front, then slip those 2 sts back to the left needle, insert the right needle into the sts from left to right and knit them together.



Twisted ssk: insert the right needle into the 2 sts from right to left and knit them together.



Place 1 st on cn and hold in back, ktbl, then p1 from cn.



Place 1 st on cn and hold in front, p1, then ktbl from cn.



Place 1 st on the first cn and hold in front, place 1 st on the second cn and hold it in back, ktbl, p1 from the second cn, then ktbl from the first cn.



sl 2 sts together knitwise, k1, pass 2 slipped sts over.



WS: p3



Insert tip of the right needle into centre of st 3 rows below the next st. Pull up a loop of yarn, yo, pull up another loop from the same st. Drop the next st from left needle.
See the tutorial: www.youtube.com

If you bought this pattern, like the design and want to make more projects from Sydney Summer Knits collection, contact me and provide your order details to get a discount for the ebook!

SOCIAL MEDIA

Do not forget to tag me and use provided hashtags when sharing your projects on Instagram - this way I will not miss them!

@marzenakolaczek
#marzenakolaczek
#sydneysummerknits
#woollahratee
#darlingdress
#filigreecami
#seasalttank

STAY IN TOUCH

For additional content visit:
marzenakolaczek.com
[instagram.com/marzena.kolaczek](https://www.instagram.com/marzena.kolaczek)
[facebook.com/marzenakolaczekdesign](https://www.facebook.com/marzenakolaczekdesign)
[ravelry.com/designers/marzena-koaczek](https://www.ravelry.com/designers/marzena-koaczek)
[youtube.com/@marzenakoaczek9839](https://www.youtube.com/@marzenakoaczek9839)

CONTACT

For any inquires, email me at contact@marzenakolaczek.com





subtle knitting

DESIGNS WITH ROMANTIC VIBES