



AIR SWEATER

OZETTA

AIR SWEATER

The Air Sweater is worked from the top down featuring dropped shoulders and a relaxed silhouette. The sweater offers a minimalist front and the back showcases an eye-catching detail that matches the wide ribbing at the edges. With timeless shaping and thoughtful construction, the Air Sweater is a classic piece that will become a forever favorite in your handmade wardrobe.

Sizes - XS (S) M (L) XL (2XL) 3XL (4XL) 5XL

Finished Bust Circumference -

41¼ (45¼) 46¾ (50¾) 53¼ (56) 57¼ (61¼) 65¼"

[103.5 (113.5) 117 (127) 133.5 (140) 143.5 (153.5) 163.5 cm]

Length - as measured from mid back

21½ (22) 22½ (23) 23 (23¾) 23¾ (24) 24"

[54 (55) 56 (58) 58 (59) 59 (60) 60 cm]

Gauge - 18 sts and 26 rows = 4 x 4" [10 x 10 cm] in stockinette st worked flat on 5 mm (US Size 8) needles, blocked

Needle Size -

5 mm (US Size 8) 16, 32 and/or 40" [40, 80 and/or 100 cm] circular needles, or the required needles to obtain gauge (main needles - used for body and sleeves)

4.5 mm (US Size 7) 16, 32 and/or 40" [40, 80 and/or 100 cm] circular needles (used for collar, hem, and cuffs)

4 mm (US Size 6) 16, 32 and/or 40" [40, 80 and/or 100 cm] circular needles (used for collar, hem, and cuffs)

Yarn - Worsted Weight -

450 (500) 500 (550) 600 (600) 650 (650) 700 g

Suggested Yarn - Lamana Como Grande (100% merino wool, 50 g = 131 yds) in colorway Rust 73, 9 (10) 10 (11) 12 (12) 13 (13) 14 skeins

Notions - 3 removable stitch markers, including one to denote BOR; extra cables; tapestry needle; row counter (optional)

Techniques - *Judy's magic cast-on*, knitting flat, knitting in the round, *backwards loop cast-on*, increasing, *decreasing*, *German Short Rows*, holding stitches, *picking up stitches*, standard bind-off, wet blocking.

Indicates video support that may be found on Page 11.

*All measurements and yardage are approximations and are rounded.



Notes on the Air Sweater

Abbreviations

approx. - Approximately
BOR - Beginning of round
CO - Cast on
ds - Double stitch
K - Knit
K2tog - Knit 2 together
K2tog-L - Knit 2 together left
M1L - Make 1 left
M1R - Make 1 right
P - Purl
PM - Place marker
RS - Right side
SM - Slip marker
st(s) - Stitch(es)
tbl - Through the back loop
WS - Wrong side

The right front is the right side of chest. The left front is the left side of chest.

Choosing Size (schematic on Page 12)

The Air Sweater has around 10¾-11¼" [26.5-28 cm] of positive ease for sizes XS-L and gradually less positive ease for sizes XL-5XL. Sizes XS (S) M (L) XL (2XL) 3XL (4XL) 5XL correspond to a bust circumference of 30 (34) 36 (40) 44 (48) 52 (56) 60" [76 (86) 91 (101.5) 112 (122) 131.5 (140) 152 cm]. For example: If you measure a 34" [86 cm] bust you will make size (S) with a finished bust circumference of 45¼" [113.5 cm]. Sample shown modeled is 5' 2" [157 cm] tall wearing Size (S) with approx. 11¼" [28 cm] positive ease. Refer to Page 12 for additional details on final measurements.

Increases

Increases are worked so that they lean to the right (M1R) or to the left (M1L). Work the increases as follows:

M1R - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and K normally (into the front of the stitch).

M1L - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from front to back and K through the back loop.

K2Tog-L Decrease (video support on Page 11)

Sl 1 knitwise, Sl 1 purlwise, insert left hand needle into the front of both sts, wrap yarn and drop only first st from left hand needle, pull tightly on second st to remove any excess yarn, then allow second st to drop from left hand needle. *Note:* This tidier left-leaning decrease can also be replaced by slip slip knit.

German Short Rows (video support on Page 11)

ds/make ds - Double stitch - With yarn in front, slip the first st. Pull working yarn over top of right needle from front to back, rotating the stitch so that the two legs of stitch stretch over the top of the needle and look like two stitches.

Right Back (video support on Page 11 for Judy's Magic Cast-On)


Provisionally CO 22 (22) 22 (24) 24 (24) 28 (28) 28 sts on US 8 (5 mm)/16" [40 cm] circular needles using Judy's magic cast-on method. Place live sts (those on the opposite side of worked sts) on hold. These sts will become the left back and will be worked later. *Note:* When sts are cast on using Judy's magic cast-on, there will be 22 (22) 22 (24) 24 (24) 28 (28) 28 sts on each of the needles used. *Tip:* If your tension is loose for the first two rows, you may need to go down an additional needle size. Once the two rows have been worked, switch to main needle size. Work as follows:

Row 1 (RS): K across.

Row 2 (WS): P across.

Repeat Rows 1 and 2, 28 (31) 33 (36) 38 (40) 40 (42) 44 more times, for a total of 58 (64) 68 (74) 78 (82) 82 (86) 90 rows. Right back measures approx. 9 (10) 10½ (11½) 12 (12¾) 12¾ (13½) 14" [23 (25) 26.5 (29) 30.5 (32) 32 (33.5) 35 cm]. You are now at RS. Break yarn and let sts rest.

Note: Place a removable st marker at the provisional cast on row to mark the center back and on the left side of row 19 (19) 19 (20) 20 (20) 21 (21) 21 with the provisional cast on row orientated at the bottom. This st marker will indicate the top edge of the right back piece and where you should stop picking up stitches for the right front. The st marker should be placed approx. 3 (3) 3 (3¼) 3¼ (3¼) 3¼ (3¼) 3¼" [7.5 (7.5) 7.5 (8) 8 (8) 8 (8) 8 cm] from the provisional cast on row.



Left Back (video support on Page 11 for working on held provisional cast on sts)

Working on held 22 (22) 22 (24) 24 (24) 28 (28) 28 provisional cast on sts with RS of right back facing, join with new yarn. Since your sts are twisted, work as follows:

Row 1 (RS): K tbl across.

Row 2 (WS): P across.


Next, work back and forth as follows:

Row 3 (RS): K across.

Row 4 (WS): P across.

Repeat Rows 3 and 4, 26 (29) 31 (34) 36 (38) 38 (40) 42 more times, for a total of 58 (64) 68 (74) 78 (82) 82 (86) 90 rows worked. Back measures approx. 18 (20) 21 (23) 24 (25½) 25½ (27) 28" [45.5 (50) 53 (58) 61 (64) 64 (67) 70 cm]. You are now at RS. Break yarn and let sts rest.


Note: Place a removable st marker on the right side of row 19 (19) 19 (20) 20 (20) 21 (21) 21 with the provisional cast on row orientated at the bottom. This st marker will indicate the top edge of the left back piece and where to start picking up sts for the left front. The st marker should be placed approx. 3 (3) 3 (3¼) 3¼ (3¼) 3¼ (3¼) 3¼" [7.5 (7.5) 7.5 (8) 8 (8) 8 (8) 8 cm] from the provisional cast on row.



Back (video support on Page 11 for picking up sts along left back and right back)

To pick up sts for the back, rotate your work so the bottom edge is now at the top. Pick up half of the sts along the left back and the remaining half along the right back.

With main needles and RS facing, beginning from the edge of left back, attach yarn and pick up and knit 40 (45) 47 (52) 55 (57) 58 (60) 64 sts along left back (a ratio of approx. 2 sts from every 3 left back rows), pick up and knit 40 (45) 47 (52) 55 (57) 58 (60) 64 sts along right back (a ratio of approx. 2 sts from every 3 right back rows). 80 (90) 94 (104) 110 (114) 116 (120) 128 sts. You are now at WS. *Note:* To create a seamless line along the back, you will pick up and knit into 1 stitch on one side and ½ a stitch on the opposite side.



Following Row (WS): P across.

Next, work back and forth as follows:

Row 1 (RS): K across.

Row 2 (WS): P across.

Repeat Rows 1 and 2, 4 (5) 7 (7) 7 (8) 6 (6) 5 **more** times, for a total of 10 (12) 16 (16) 16 (18) 14 (14) 12 rows. Back measures approx. 6¾ (7) 7¾ (8½) 8½ (8¾) 8¾ (8¾) 8½" [17 (18) 19 (21) 21 (21.5) 21.5 (21.5) 21 cm] as measured from center back top edge (including the back panel).

Next, work increases to shape the armholes as follows:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.


Repeat Rows 1 and 2, 4 (4) 4 (4) 4 (5) 5 (6) 6 **more** times, for a total of 10 (10) 10 (10) 10 (12) 12 (14) 14 rows. 90 (100) 104 (114) 120 (126) 128 (134) 142 sts. Back measures approx. 8½ (8¾) 9¼ (10) 10 (10½) 10½ (10¾) 10½" [21 (21.5) 23 (24.5) 24.5 (26) 26 (27) 26 cm], as measured from center back top edge (including the back panel).

You are now at RS. Break yarn and let sts rest.



Left Front (video support on Page 11 for picking up sts along left front)

With RS of back piece facing, attach yarn and use the short end of the tail to pick up and knit 27 (32) 34 (38) 41 (43) 43 (45) 49 sts along left back (a ratio of approx. 2 sts from every 3 left back rows), beginning at the st marker at left back. Slide sts to the needle's opposite end and begin work on the RS.



Next, work German Short Rows as follows:

Short Row 1 (RS): K4 (5) 5 (4) 5 (5) 4 (4) 4 sts, turn, make ds.

Short Row 2 (WS): P across.

You will continue working German Short Rows, each time turning 4 (5) 5 (4) 5 (5) 4 (4) 4 sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) the ds as one st, work another 4 (5) 5 (4) 5 (5) 4 (4) 4 sts, and turn as follows:

Short Row 3 (RS): K to the ds, resolve by knitting ds, K4 (5) 5 (4) 5 (5) 4 (4) 4 sts, turn, make ds.

Short Row 4 (WS): P across.

Tip: If you're having trouble keeping track of your ds, mark its place with a removable stitch marker.

Repeat Short Rows 3 and 4, 4 (4) 4 (6) 6 (6) 8 (8) 8 **more** times, for a total of 10 (10) 10 (14) 14 (14) 18 (18) 18 rows. You have now worked 12 (12) 12 (16) 16 (16) 20 (20) 20 short rows. At the last turn there will be 3 (2) 4 (6) 1 (3) 3 (5) 9 unworked sts remaining after the ds on the left side of your work. The next row will be a RS row.

Next, resolve the final ds and work increases to shape the neck edge as follows:

Row 1 (RS): K3, M1L, K across to the ds, resolve by knitting ds, K3 (2) 4 (6) 1 (3) 3 (5) 9. (1 st increased).

Row 2 (WS): P across.

Row 3 (RS): K across.

Row 4 (WS): P across.

Continue to work increases to shape the neck edge as follows:

Row 1 (RS): K3, M1L, K across. (1 st increased).

Row 2 (WS): P across.

Row 3 (RS): K across.


Row 4 (WS): P across.

Repeat Rows 1-4, 3 **more** times, for a total of 16 rows. You have now worked 20 shaping rows. 32 (37) 39 (43) 46 (48) 48 (50) 54 sts.

Break yarn and let sts rest while working Right Front.

Right Front

With RS of back piece facing, attach yarn and pick up and knit 27 (32) 34 (38) 41 (43) 43 (45) 49 sts along right back (a ratio of approx. 2 sts from every 3 right back rows), beginning from edge of right back.



Next, work German Short Rows as follows:

Short Row 1 (WS): P4 (5) 5 (4) 5 (5) 4 (4) 4 sts, turn, make ds.

Short Row 2 (RS): K across.

You will continue working German Short Rows, each time turning 4 (5) 5 (4) 5 (5) 4 (4) 4 sts after last turn. Meaning, work to your last ds, resolve the ds by purling (WS) the ds as one st, work another 4 (5) 5 (4) 5 (5) 4 (4) 4 sts, and turn as follows:

Short Row 3 (WS): P to the ds, resolve by purling ds, P4 (5) 5 (4) 5 (5) 4 (4) 4 sts, turn, make ds.

Short Row 4 (RS): K across.

Tip: If you're having trouble keeping track of your ds, mark its place with a removable stitch marker.

Repeat Short Rows 3 and 4, 4 (4) 4 (6) 6 (6) 8 (8) 8 **more** times, for a total of 10 (10) 10 (14) 14 (14) 18 (18) 18 rows. You have now worked 12 (12) 12 (16) 16 (16) 20 (20) 20 short rows. At the last turn there will be 3 (2) 4 (6) 1 (3) 3 (5) 9 unworked sts remaining after the ds on the right side of your work. After the final repeat of Short Row 4, do not turn your work.

Break yarn. You will break yarn to maintain the same amount of rows worked on the fronts of the sweater. Slide sts to the needle's opposite end and begin work on the RS.

Next, resolve the final ds and work increases to shape the neck edge as follows:

Row 1 (RS): K3 (2) 4 (6) 1 (3) 3 (5) 9 sts, resolve by knitting ds, K across until 3 sts remain, M1R, K3. (1 st increased).

Row 2 (WS): P across.

Row 3 (RS): K across.

Row 4 (WS): P across.

Continue to work increases to shape the neck edge as follows:

Row 1 (RS): K across until 3 sts remain, M1R, K3. (1 st increased).

Row 2 (WS): P across.

Row 3 (RS): K across.

Row 4 (WS): P across.

Repeat Rows 1-4, 3 **more** times, for a total of 16 rows. You have now worked 20 shaping rows. 32 (37) 39 (43) 46 (48) 48 (50) 54 sts.

Do not break yarn.

Join Right Front and Left Front (video support on Page 11 for backwards loop cast-on)

Next Row (RS): K across right front sts, CO 16 (16) 16 (18) 18 (18) 20 (20) 20 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K across 32 (37) 39 (43) 46 (48) 48 (50) 54 sts.

Following Row (WS): P across all front sts.

You now have created the front neckline and have formed the single front panel of your sweater. 80 (90) 94 (104) 110 (114) 116 (120) 128 sts.

Next, work back and forth as follows:

Row 1 (RS): K across.

Row 2 (WS): P across.

Repeat Rows 1 and 2, 10 (11) 13 (15) 15 (16) 16 (16) 15 **more** times, for a total of 22 (24) 28 (32) 32 (34) 34 (34) 32 rows. Front measures approx. 8¾ (9) 9½ (10¾) 10¾ (11) 11¾ (11¾) 11½" [21.5 (22.5) 24 (27) 27 (28) 29 (29) 28.5 cm], as measured from inner neck edge from where you picked up sts at either shoulder.

Next, work increases to shape the armholes as follows:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Repeat Rows 1 and 2, 4 (4) 4 (4) 4 (5) 5 (6) 6 **more** times, for a total of 10 (10) 10 (10) 10 (12) 12 (14) 14 rows. 90 (100) 104 (114) 120 (126) 128 (134) 142 sts. Front measures approx. 10¼ (10½) 11 (12½) 12½ (13) 13½ (14) 13½" [25.5 (26) 28 (31) 31 (32.5) 34 (34.5) 34 cm], as measured from inner neck edge from where you picked up sts at either shoulder.

Body

You will now join the front panel to the back panel and form the armholes as follows:

With RS facing, K across 90 (100) 104 (114) 120 (126) 128 (134) 142 front sts, CO 3 (2) 1 (0) 0 (0) 1 (4) 5 sts using the backwards loop cast-on method, place back sts on needles and K across 90 (100) 104 (114) 120 (126) 128 (134) 142 sts, CO 3 (2) 1 (0) 0 (0) 1 (4) 5 sts using the backwards loop cast-on method. PM in the middle of the underarm and join to work in the round. The BOR is now at the right underarm. 186 (204) 210 (228) 240 (252) 258 (276) 294 sts.

Work in the round in stockinette st (knit all sts) until the body measures approx. 9½" [24 cm] as measured from the underarm or until the body of your sweater measures 3¾" [9 cm] less than your desired final length. *Note:* Adding additional length will require more yardage.

Hem

With US 7 (4.5 mm)/32 or 40" [80 or 100 cm] circular needles, finish the body of your sweater by working the hem as follows:

K5, P1 repeat *-* until hem measures approx. 3¾" [9 cm].

With US 6 (4 mm)/32 or 40" [80 or 100 cm] circular needles work in stockinette as follows:

Rounds 1-3: K across.

Bind off all sts using the standard bind-off technique. *Note:* Depending on the fiber content of your yarn, you may need to cast off stitches tightly or loosely. Just be sure to cast off stitches in a way that will create a finished edge that you prefer.

Sleeves


The sleeves are worked in the round on US 8 (5 mm)/16" [40 cm] circular needles or magic loop method. You will pick up sts at a ratio of approx. 2 sts from every 3 rows.

Right Sleeve

You will begin picking up sts at the bottom of the armhole opening in the middle of the sts you cast on at the underarm. Pick up and knit 78 (80) 84 (88) 88 (92) 94 (102) 102 sts divided as follows:

Pick up and knit 17 (18) 20 (20) 20 (22) 19 (23) 23 sts from the area between the underarm and the right back, PM (referred to as the first marker), break yarn, place 22 (22) 22 (24) 24 (24) 28 (28) 28 right back sts on needles, attach yarn at the top of the shoulder and pick up and knit 22 (22) 22 (24) 24 (24) 28 (28) 28 sts, PM (referred to as the second marker), continue to pick up and knit 17 (18) 20 (20) 20 (22) 19 (23) 23 sts, PM at underarm to mark BOR.

Proceed to **Both Sleeves** instructions.




Left Sleeve

You will begin picking up sts at the bottom of the armhole opening in the middle of the sts you cast on at the underarm. Pick up and knit 78 (80) 84 (88) 88 (92) 94 (102) 102 sts divided as follows:

Pick up and knit 17 (18) 20 (20) 20 (22) 19 (23) 23 sts along the front armhole opening, PM (referred to as the first marker), continue to pick up and knit 22 (22) 22 (24) 24 (24) 28 (28) 28 sts to the top of the shoulder, break yarn, place 22 (22) 22 (24) 24 (24) 28 (28) 28 left back sts on needles, PM (referred to as the second marker), attach yarn and pick up and knit 17 (18) 20 (20) 20 (22) 19 (23) 23 sts from the area between the left back and the underarm, PM at underarm to mark BOR.

Proceed to **Both Sleeves** instructions.



Both Sleeves (video support on Page 11 for K2tog-L)

You will now shape the upper sleeve with German Short Rows as follows:

Short Row 1 (RS): K across until second marker, SM, K3 (4) 4 (4) 4 (4) 4 (5) 5, turn, make ds.

Short Row 2 (WS): P across until first marker, SM, P3 (4) 4 (4) 4 (4) 4 (5) 5, turn, make ds.

You will continue working German Short Rows, each time turning 3 (4) 4 (4) 4 (4) 4 (5) 5 sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) or purling (WS) the ds as one st, work another 3 (4) 4 (4) 4 (4) 4 (5) 5 sts, and turn as follows:

Short Row 3 (RS): K across until second marker, SM, K to the ds, resolve by knitting ds, K3 (4) 4 (4) 4 (4) 4 (5) 5, turn, make ds.

Short Row 4 (WS): P across until first marker, SM, P to the ds, resolve by purling ds, P3 (4) 4 (4) 4 (4) 4 (5) 5, turn, make ds.

Repeat Short Rows 3 and 4, 2 **more** times, for a total of 6 rows. You have now worked 8 short rows. At the last turn there will be 5 (2) 4 (5) 4 (6) 5 (3) 3 unworked sts remaining after the ds on either side of the BOR marker. You are now at RS.

From your last turn, K across to BOR resolving the ds and removing the first and second markers as you come to them. You will resolve the final ds in the following round.

Continue to work in the round in stockinette st until the sleeves measure approx. 12½" [31 cm] as measured from underarm, while at the same time working a decrease round on every 6 (6) 5 (4) 4 (5) 4 (3) 3 rounds for a total of 12 (13) 15 (17) 17 (16) 17 (21) 21 decrease rounds. At the conclusion of your final decrease round, you should have 54 (54) 54 (54) 54 (60) 60 (60) 60 sts remaining.

Work the decrease round as follows:

Decrease round: K1, K2tog, K in stockinette st until 3 sts remain before marker, K2tog-L, K1. (2 sts decreased).

At this point, you may move on to knitting the sleeve cuff or continue working in stockinette until your sleeve measures 3¾" [9 cm] less than your desired final length. *Note:* Adding additional length will require more yardage.

Sleeve Cuffs (same for both)

With US 7 (4.5 mm)/16" [40 cm] circular needles or magic loop method, finish your sleeve by working the cuff as follows:

K5, P1 repeat *-* until cuff measures approx. 3¾" [9 cm].

With US 6 (4 mm)/16" [40 cm] circular needles work in stockinette as follows:

Rounds 1-3: K across.

Bind off all sts using the standard bind-off technique. *Note:* Depending on the fiber content of your yarn, you may need to cast off stitches tightly or loosely. Just be sure to cast off stitches in a way that will create a finished edge that you prefer.

Collar

With US 7 (4.5 mm)/16" [40 cm] circular needles and with RS facing, beginning at right back, pick up and knit 26 (26) 26 (28) 28 (28) 30 (30) 30 along the back (2 sts out of every 3 rows), 27 (27) 27 (28) 28 (28) 29 (29) 29 sts down the left neckline (1 st every shaping row and 2 sts every 3 straight rows), 16 (16) 16 (18) 18 (18) 20 (20) 20 sts along the center front (one in each stitch you cast-on when joining the right front and left front panels), 27 (27) 27 (28) 28 (28) 29 (29) 29 sts up the right neckline (1 st every shaping row and 2 sts every 3 straight rows). PM to establish BOR. 96 (96) 96 (102) 102 (102) 108 (108) 108 sts.

Note: The stitch counts for the collar are suggestions. You may pick up fewer stitches than suggested for a closely fitting collar or more stitches than suggested for a loosely fitting collar. Just be sure you have picked up multiples of 6 before moving forward so that you are able to correctly maintain a ribbing pattern. *Tip:* The wide ribbing will relax quite a bit once blocked, you may need to go down an additional needle size if the ribbing is too loose.

K5, P1 repeat *-* until collar measures approx. 3¾" [9 cm].

With US 6 (4 mm)/16" [40 cm] circular needles work in stockinette as follows:

Rounds 1-3: K across.

Bind off all sts using the standard bind-off technique. *Note:* Depending on the fiber content of your yarn, you may need to cast off stitches tightly or loosely. Just be sure to cast off stitches in a way that will create a finished edge that you prefer.

Finishing

Weave in loose ends. Block your #AirSweater to measurements listed in the schematic on Page 12. Wear forever.

Video Support for the Air Sweater

Back

Judy's magic cast-on (used for right back and left back) - <https://youtu.be/rJeTbC2mLsY>

Working on held provisional cast-on sts - <https://youtu.be/mlVZs6xIbb0>

Picking up sts along left back and right back - <https://youtu.be/RDYJby8LyGY>

Left Front

Picking up sts along left front - <https://bit.ly/3BRGJZE>

German Short Rows for left front - <https://bit.ly/3dQxiS4>


Join Right Front and Left Front

Backwards Loop Cast-On (used to connect right front and left front and casting on sts at the underarm) - <https://bit.ly/3AdsCM3>

Sleeves

K2tog-L (used on sleeve decreases) - <https://bit.ly/2S8uFAa>

Air Sweater Schematic



A - Finished Bust Circumference

41¼ (45¼) 46¾ (50¾) 53¼ (56) 57¼ (61¼) 65¼" [103.5 (113.5) 117 (127) 133.5 (140) 143.5 (153.5) 163.5 cm]

B - Total Length (as measured from mid back)

21½ (22) 22½ (23) 23 (23¾) 23¾ (24) 24" [54 (55) 56 (58) 58 (59) 59 (60) 60 cm]

C - Underarm To Hem Body Length

13¾" [33 cm]

D - Upper Sleeve Circumference

17¼ (17¾) 18¾ (19¾) 19¾ (20½) 21 (22¾) 22¾" [43.5 (44.5) 47 (49) 49 (51) 52 (57) 57 cm]

E - Cuff Circumference

12 (12) 12 (12) 12 (13½) 13½ (13½) 13½" [30 (30) 30 (30) 30 (33.5) 33.5 (33.5) 33.5 cm]

F - Sleeve Length From Underarm

16" [40 cm]

Pattern + images are the property of © Ozetta. Unauthorized reproduction in whole or in part is illegal. Distribution of patterns or content is not allowed. The sale of garments from this pattern is prohibited.