



***SHORELINE
SWEATER***

OZETTA

SHORELINE SWEATER

The Shoreline Sweater features saddle shoulders that are shaped using short rows for a comfortable yet structured fit. The sweater has a subtle all-over cable motif that adds texture without compromising drape. Both the saddle shoulders and gentle cables bring a timeless style with a polished result.

Sizes - XXS (XS) S (M/L) XL/2XL (3XL) 4XL (5XL)

Finished Bust Circumference - 38 (42) 45¾ (49½) 53¾ (57¼) 61 (64¾)" [95 (105) 114.5 (124) 133.5 (143) 152.5 (162) cm]

Length - 20¾ (20¾) 20¾ (20¾) 21½ (21½) 21½ (21½)" [50.5 (50.5) 50.5 (50.5) 54 (54) 54 (54) cm] (as measured from mid back)

Gauge - 21 sts and 28 rows = 4 x 4" [10 x 10 cm] in textured pattern worked flat on 5 mm (US Size 8) needles, blocked. *Tip:* Use the saddle instructions to create your swatch. Wet block and then measure gauge.

Needle Size -

5 mm (US Size 8) 16, 32 and/or 40" [40, 80 and/or 100 cm] circular needles, or the required needles to obtain gauge (main needles - used for body and sleeves)

4.5 mm (US Size 7) 16, 32 and/or 40" [40, 80 and/or 100 cm] circular needles or one size down from main needles, used for hem and cuffs

3.75 mm (US Size 5) 16" [40 cm] circular needles or three sizes down from main needles, used for collar

3.25 mm (US Size 3) 16" [40 cm] circular needles, used for double-knit edge at collar

Yarn - Sport or Light DK Weight-

350 (400) 400 (450) 500 (550) 550 (600) g

Lace Weight -

125 (150) 150 (175) 200 (200) 200 (225) g

Suggested Yarn - Ístex Fjallalopi (100% Icelandic wool, 50 g = 164 yds) in colorway Frost Grey 3054, 7 (8) 8 (9) 10 (11) 11 (12) skeins held together with Biches & Bûches Le Petit Silk & Mohair (30% silk and 70% mohair, 25 g = 230 yds) in colorway Grey Beige, 5 (6) 6 (7) 8 (8) 8 (9) skeins.

Note: Two strands are held together throughout the project: one strand of sport or light dk weight and one strand of lace weight yarn, but you may choose to knit this sweater using only a single strand of dk weight yarn, as long as you can meet the correct gauge

Notions - 3 stitch markers, including one to denote BOR; cable needle; extra cables; tapestry needle; row counter (optional)

Techniques - Knitting flat, knitting in the round, *cabling*, long-tail cast-on, *backwards loop cast-on*, *increasing*, *decreasing*, *German Short Rows*, holding stitches, picking up stitches, *Italian bind-off*, wet blocking.

Indicates linked video support that may be found on Page 15.

*All measurements and yardage are approximations and are rounded.



Notes on the Shoreline Sweater

Abbreviations

approx. - Approximately
BOR - Beginning of round
CO - Cast on
C6F - Cable 6 front
C6F-BOR - Cable 6 front over the BOR marker (see Page 3)
C6FP - Cable 6 front purlwise (see Page 3)
ds - Double stitch
K - Knit
kfb - Knit front back
K2tog - Knit 2 together
M1L - Make 1 left
M1R - Make 1 right
M1RP - Make 1 right purlwise
P - Purl
PM - Place marker
RS - Right side
Sbm - Slip beginning of round marker
SI - Slip
SM - Slip marker
st(s) - Stitch(es)
WS - Wrong side
wyib - With yarn in back
wyif - With yarn in front

The right front is the right side of chest. The left front is the left side of chest.

Choosing Size (schematic on Page 16)

The Shoreline Sweater has 10-12" [25-30 cm] of positive ease for sizes XXS-M and gradually less positive ease for sizes L-5XL. Sizes XXS (XS) S (M/L) XL/2XL (3XL) 4XL (5XL) correspond to a bust circumference of 28 (30) 34 (38/42) 45/48 (52) 56 (60)" [71 (76) 86 (96.5/106.5) 114/122 (132) 142 (152) cm] (the final size of garment will be an additional 10-12" [25-30 cm]). This means that if you measure a 34" [86 cm] bust you will make size (S) with a finished bust circumference of 45³/₄" [114.5 cm]. Sample shown modeled is 5' 2" [157 cm] tall wearing Size (S) with approx. 11³/₄" [29.5 cm] positive ease. Refer to Page 16 for additional details on final measurements.

Notes on the Shoreline Sweater

Cables (video support on Page 15)

A classic pattern of 6-stitch cables is worked over the entire body and sleeves of the sweater. Complete the cables as follows:

C6F - Cable 6 front - Sl next 3 sts onto cable needle and hold at front of work, K3 from left-hand needle, then K3 from the cable needle.

C6F-BOR - Cable 6 front over the BOR marker - This cable occurs when a C6F cable uses 3 sts from the current round and 3 sts from the next round, straddling the BOR marker. It is worked nearly identically to the C6F cable; the only difference is moving and replacing the BOR marker during the cabling process. To make this cable, with 3 sts remaining at the end of a round, C6F (Sl last 3 sts of round onto cable needle and hold at front of work, remove BOR marker, K3 from left-hand needle, place BOR marker, then K3 from cable needle).

C6FP (WS) - Cable 6 front purlwise - Sl next 3 sts onto cable needle and hold at front of work, P3 from left-hand needle, then P3 from the cable needle.

German Short Rows (video support on Page 15)

ds/make ds - Double stitch - With yarn in front, slip the first st. Pull working yarn over top of right needle from front to back, rotating the stitch so that the two legs of stitch stretch over the top of the needle and look like two stitches.

Increases

Increases are worked so that they lean to the right (M1R) or to the left (M1L). Work the increases as follows:

M1R - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and K normally (into the front of the stitch).

M1RP (WS) - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and P normally (into the front of the stitch).

M1L - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from front to back and K through the back loop.

Saddles (make two, one for each shoulder)

CO 28 sts on US 8 (5 mm)/16" [40 cm] circular needles using the long-tail cast-on method.

Row 1 (WS): P across.

Row 2 (RS): K across.

Rows 3-8: Repeat Rows 1 and 2, 3 times.

Row 9 (WS): P across.


Row 10 (RS): K1, *C6F, K4* repeat *-* until 7 sts remain, C6F, K1.

Repeat Rows 1-10, 3 (4) 4 (5) 5 (6) 6 (7) **more** times, for a total of 40 (50) 50 (60) 60 (70) 70 (80) rows, then work **one more** repeat of Row 1 **only**. Saddle measures approx. 6 (7½) 7½ (9) 9 (10¼) 10¼ (11¾)" [15 (18.5) 18.5 (22) 22 (26) 26 (29.5) cm]. You are now at RS. Break yarn and let sts rest.

Back (video support on Page 15 for picking up sts along saddles and German Short Rows)

You will shape the back of the sweater by using German Short Rows. You will work flat in stockinette st. With RS facing and sts on hold at outer edges pick up and knit 31 (37) 40 (45) 47 (53) 55 (61) sts along left saddle, CO 28 (26) 28 (28) 32 (30) 34 (32) sts in extension of left saddle using the backwards loop cast-on method, pick up and knit 31 (37) 40 (45) 47 (53) 55 (61) sts along right saddle. 90 (100) 108 (118) 126 (136) 144 (154) sts. *Note:* Sts will be picked up at a ratio of approx. 3 sts every 4 rows, or until sts are spread evenly.

Break yarn.



With WS facing, starting at the end from which you just broke the yarn, slip the first 31 (37) 40 (45) 47 (53) 55 (61) sts purlwise from the left needle to the right needle. You will not knit these sts for the first row, but you will instead knit them gradually in subsequent rows while utilizing German Short Rows to create a curved back foundation for your sweater.

Join with new yarn and P28 (26) 28 (28) 32 (30) 34 (32) sts until 31 (37) 40 (45) 47 (53) 55 (61) sts remain, turn, make ds. *Tip:* If you're having trouble keeping track of your ds, mark its place with a removable stitch marker.

Short Row 1 (RS): K until 27 (32) 34 (38) 40 (45) 47 (52) sts remain. Turn. Make ds.

Short Row 2 (WS): P until 27 (32) 34 (38) 40 (45) 47 (52) sts remain, resolving ds from previous row when you come to it. Turn. Make ds.

You will continue working German Short Rows, each time turning 4 (5) 6 (7) 7 (8) 8 (9) sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) or purling (WS) the ds as one st, work another 4 (5) 6 (7) 7 (8) 8 (9) sts, and turn as follows:

Short Row 3 (RS): K to the ds, resolve by knitting ds, K4 (5) 6 (7) 7 (8) 8 (9) sts, turn, make ds.

Short Row 4 (WS): P to the ds, resolve by purling ds, P4 (5) 6 (7) 7 (8) 8 (9) sts, turn, make ds.

Short Rows 5-10: Repeat Short Rows 3 and 4, 3 times.

Next, work the cable row. Work according to your chosen size as follows:

Sizes XXS (-) S (M/L) - (-) - (-) ONLY:

Short Row 11 (RS): *C6F, K4* repeat *-* until 6 sts remain before ds, C6F, resolve by knitting ds, K4 (-) 6 (7) - (-) - (-), turn, make ds. Proceed to **All Sizes** instructions.

Size XS ONLY:

Short Row 11 (RS): K9, *C6F, K4* repeat *-* until 5 sts remain before ds, K5, resolve by knitting ds, K5, turn, make ds. Proceed to **All Sizes** instructions.

Size XL/2XL ONLY:

Short Row 11 (RS): K7, *C6F, K4* repeat *-* until 3 sts remain before ds, K3, resolve by knitting ds, K7, turn, make ds. Proceed to **All Sizes** instructions.

Size 3XL ONLY:

Short Row 11 (RS): K6, *C6F, K4* repeat *-* until 2 sts remain before ds, K2, resolve by knitting ds, K8, turn, make ds. Proceed to **All Sizes** instructions.

Size 4XL ONLY:

Short Row 11 (RS): K3, *C6F, K4* repeat *-* until 9 sts remain before ds, C6F, K3, resolve by knitting ds, K8, turn, make ds. Proceed to **All Sizes** instructions.

Size 5XL ONLY:

Short Row 11 (RS): K2, *C6F, K4* repeat *-* until 8 sts remain before ds, C6F, K2, resolve by knitting ds, K9, turn, make ds. Proceed to **All Sizes** instructions.

All Sizes:

Short Row 12 (WS): P to the ds, resolve by purling ds, P4 (5) 6 (7) 7 (8) 8 (9) sts, turn, make ds.

Resolve ds Row 13 (RS): K to the ds, resolve by knitting ds, K7 (7) 4 (3) 5 (5) 7 (7) sts.

Resolve ds Row 14 (WS): P to the ds, resolve by purling ds, P7 (7) 4 (3) 5 (5) 7 (7) sts.

The back now measures approx. 1¾" [4.5 cm], as measured from center back cast-on edge.

You will continue working back and forth in stockinette st across all back sts while working cables on every 10th row for 22 (22) 28 (28) 32 (32) 36 (36) more rows. Work according to your chosen size as follows:

Sizes XXS (XS) S (M/L) XL/2XL (3XL) - (-) ONLY:

Row 15 (RS): K across.

Row 16 (WS): P across.

Rows 17-20: Repeat Rows 15 and 16, 2 times.

Cable Row 21 (RS): K2 (2) 1 (1) 0 (0) - (-) st(s), *C6F, K4* repeat *-* until 8 (8) 7 (7) 6 (6) - (-) sts remain, C6F, K2 (2) 1 (1) 0 (0) - (-) st(s).

Proceed to **All Sizes** instructions on Page 6.

Sizes 4XL (5XL) ONLY:

Row 15 (RS): K across.

Row 16 (WS): P across.

Rows 17-20: Repeat Rows 15 and 16, 2 times.

Cable Row 21 (RS): K5 sts, *K4, C6F* repeat *-* until 9 sts remain, K9 sts.

Proceed to **All Sizes** instructions below.

All Sizes:

Row 22 (WS): P across.

Row 23 (RS): K across.

Rows 24-29: Repeat Rows 22 and 23, 3 times.

Row 30 (WS): P across.

Cable Row 31 (RS): Repeat Cable Row 21 according to your chosen size.

Repeat Rows 22-31, 0 (1) 1 (1) 1 (1) 1 (1) **more** time, then work **one more** repeat of Row(s) 22-26 (22-26) 22 (22) 22-26 (22-26) 22-30 (22-30) **only**. You are now at RS. Back measures approx. 5¼ (5¼) 6 (6) 6½ (6½) 7¼ (7¼)" [13 (13) 15 (15) 16.5 (16.5) 18 (18) cm], as measured from center back cast-on edge.

Next, work increases to shape the armholes. Work according to your chosen size as follows:

Sizes XXS (XS) ONLY:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-4: Repeat Rows 1 and 2. (2 sts increased).

Cable Row 5 (RS): K4, M1L, *C6F, K4* repeat *-* until 10 sts remain, K6, M1R, K4. (2 sts increased).

Row 6 (WS): P across.

Rows 7-10: Repeat Rows 1 and 2, 2 times. (4 sts increased).

100 (110) sts. You are now at RS. Back measures approx. 6½" [16.5 cm], as measured from center back cast-on edge.

Break yarn and let sts rest. Proceed to **Left Front** instructions.

Sizes S (M/L) ONLY:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-8: Repeat Rows 1 and 2, 3 times. (6 sts increased).

Row 9 (RS): K4, M1L, K1, *C6F, K4* repeat *-* until 11 sts remain, C6F, K1, M1R, K4. (2 sts increased).

Row 10 (WS): P across.

Rows 11-12: Repeat Rows 1 and 2. (2 sts increased).

120 (130) sts. You are now at RS. Back measures approx. 7¾" [19.5 cm], as measured from center back cast-on edge.

Break yarn and let sts rest. Proceed to **Left Front** instructions.

Sizes XL/2XL (3XL) ONLY:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-4: Repeat Rows 1 and 2. (2 sts increased).

Cable Row 5 (RS): K4, M1L, K8, *C6F, K4* repeat *-* until 8 sts remain, K4, M1R, K4. (2 sts increased).

Row 6 (WS): P across.

Rows 7-14: Repeat Rows 1 and 2, 4 times. (8 sts increased).

140 (150) sts. You are now at RS. Back measures approx. 8½" [21.5 cm], as measured from center back cast-on edge.

Break yarn and let sts rest. Proceed to **Left Front** instructions.

Sizes 4XL (5XL) ONLY:

Cable Row 1 (RS): K4, M1L, K1, *K4, C6F* repeat *-* until 9 sts remain, K5, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Row 3 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 4 (WS): P across.

Rows 5-10: Repeat Rows 1 and 2, 3 times. (6 sts increased).

Cable Row 11 (RS): K4, M1L, *C6F, K4* repeat *-* until 10 sts remain, C6F, M1R, K4. (2 sts increased).

Row 12 (WS): P across.


Rows 13-16: Repeat Rows 1 and 2, 2 times. (4 sts increased).

160 (170) sts. You are now at RS. Back measures approx. 9½" [23.5 cm], as measured from center back cast-on edge.

Break yarn and let sts rest. Proceed to **Left Front** instructions.

Left Front (video support on Page 15 for picking up sts along left front)

With RS of back piece facing and CO sts on top, attach yarn and use the short end of the tail to pick up and knit 31 (37) 40 (45) 47 (53) 55 (61) sts along left saddle, beginning from inner slanted edge of left saddle. Slide sts to the needle's opposite end and begin work on the RS. *Note:* Sts will be picked up at a ratio of approx. 3 sts every 4 rows, or until sts are spread evenly.



Next, work German Short Rows as follows:

Short Row 1 (RS): K4 (5) 6 (7) 7 (8) 8 (9) sts, turn, make ds.

Short Row 2 (WS): P across.

Next, work German Short Rows and increases to shape the neck edge as follows:

Short Row 3 (RS): K3, M1L, K to the ds, resolve by knitting ds, K4 (5) 6 (7) 7 (8) 8 (9) sts, turn, make ds. (1 st increased).

Short Row 4 (WS): P across.

Short Rows 5-10: Repeat Short Rows 3 and 4, 3 times. (3 sts increased).

Next, work the cable row. Work according to your chosen size as follows:

Sizes XXS (-) S (-) - (-) - (-) ONLY:

Short Row 11 (RS): K3, M1L, *K4, C6F* repeat *-* until ds, resolve by knitting ds, K4 (-) 6 (-) - (-) - (-) sts, turn, make ds. (1 st increased).

Short Row 12 (WS): P across.

Size XS ONLY:

Short Row 11 (RS): K3, M1L, *C6F, K4* repeat *-* until 5 sts remain before ds, K5, resolve by knitting ds, K5, turn, make ds. (1 st increased).

Short Row 12 (WS): P across.

Size M/L ONLY:

Short Row 11 (RS): K3, M1L, K5, *K4, C6F* repeat *-* until ds, resolve by knitting ds, K7, turn, make ds. (1 st increased).
 Short Row 12 (WS): P across.

Size XL/2XL ONLY:

Short Row 11 (RS): K3, M1L, K2, *C6F, K4* repeat *-* until 3 sts remain before ds, K3, resolve by knitting ds, K7, turn, make ds. (1 st increased).
 Short Row 12 (WS): P across.

Size 3XL ONLY:

Short Row 11 (RS): K3, M1L, K8, *C6F, K4* repeat *-* until 2 sts remain before ds, K2, resolve by knitting ds, K8, turn, make ds. (1 st increased).
 Short Row 12 (WS): P across.

Size 4XL ONLY:

Short Row 11 (RS): K3, M1L, K1, *C6F, K4* repeat *-* until 9 sts remain before ds, C6F, K3, resolve by knitting ds, K8, turn, make ds. (1 st increased).
 Short Row 12 (WS): P across.

Size 5XL ONLY:


Short Row 11 (RS): K3, M1L, K7, *C6F, K4* repeat *-* until 8 sts remain before ds, C6F, K2, resolve by knitting ds, K9, turn, make ds. (1 st increased).
 Short Row 12 (WS): P across.

A total of 5 sts increased. You have now worked 12 short rows. 36 (42) 45 (50) 52 (58) 60 (66) sts. At the last turn, there will be 7 (7) 4 (3) 5 (5) 7 (7) unworked sts remaining after the ds on the left side of your work. You are now at RS.

Break yarn and let sts rest while working Right Front.

Right Front (video support on Page 15 for M1RP and C6FP)

With RS of back piece facing and CO sts on top, attach yarn and pick up and knit 31 (37) 40 (45) 47 (53) 55 (61) sts, beginning from outer slanted edge of right saddle. *Note:* Sts will be picked up at a ratio of approx. 3 sts every 4 rows, or until sts are spread evenly.



Next, work German Short Rows as follows:

Short Row 1 (WS): P4 (5) 6 (7) 7 (8) 8 (9) sts, turn, make ds.
 Short Row 2 (RS): K across.

Short Row 3 (WS): P3, M1RP, P to the ds, resolve by purling ds, P4 (5) 6 (7) 7 (8) 8 (9) sts, turn, make ds. (1 st increased).

Short Row 4 (RS): K across.

Short Rows 5-10: Repeat Short Rows 3 and 4, 3 times. (3 sts increased).

ozetta

Next, work the cable row. Work according to your chosen size as follows:

Sizes XXS (-) S (-) – (-) – (-) ONLY:

Short Row 11 (WS): P3, M1RP, *P4, C6FP* repeat *-* until ds, resolve by purling ds, P4 (-) 6 (-) – (-) – (-) sts, turn, make ds. (1 st increased).

Short Row 12 (RS): K across.

Size XS ONLY:

Short Row 11 (WS): P3, M1RP, *C6FP, P4* repeat *-* until 5 sts remain before ds, P5, resolve by purling ds, P5, turn, make ds. (1 st increased).

Short Row 12 (RS): K across.

Size M/L ONLY:

Short Row 11 (WS): P3, M1RP, P5, *P4, C6FP* repeat *-* until ds, resolve by purling ds, P7, turn, make ds. (1 st increased).

Short Row 12 (RS): K across.

Size XL/2XL ONLY:

Short Row 11 (WS): P3, M1RP, P2, *C6FP, P4* repeat *-* until 3 sts remain before ds, P3, resolve by purling ds, P7, turn, make ds. (1 st increased).

Short Row 12 (RS): K across.

Size 3XL ONLY:

Short Row 11 (WS): P3, M1RP, P8, *C6FP, P4* repeat *-* until 2 sts remain before ds, P2, resolve by purling ds, P8, turn, make ds. (1 st increased).

Short Row 12 (RS): K across.

Size 4XL ONLY:

Short Row 11 (WS): P3, M1RP, P1, *C6FP, P4* repeat *-* until 9 sts remain before ds, C6FP, P3, resolve by purling ds, P8, turn, make ds. (1 st increased).

Short Row 12 (RS): K across.

Size 5XL ONLY:

Short Row 11 (WS): P3, M1RP, P7, *C6FP, P4* repeat *-* until 8 sts remain before ds, C6FP, P2, resolve by purling ds, P9, turn, make ds. (1 st increased).

Short Row 12 (RS): K across.

All Sizes:

A total of 5 sts increased. You have now worked 12 short rows. 36 (42) 45 (50) 52 (58) 60 (66) sts. At the last turn, there will be 7 (7) 4 (3) 5 (5) 7 (7) unworked sts remaining after the ds on the right side of your work.

Break yarn. You will break yarn to maintain the same amount of rows worked on the fronts of the sweater. Slide sts to the needle's opposite end and begin work on the RS. You will resolve both ds and cast on new sts in extension of right front to form the neckline.

You will now join the right front and left front. Attach new yarn and continue working across as follows:

Resolve ds Row 13 (RS): K7 (7) 4 (3) 5 (5) 7 (7) sts, resolve by knitting ds, K across remaining right front sts, CO 18 (16) 18 (18) 22 (20) 24 (22) sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K across to the ds, resolve by knitting ds, K7 (7) 4 (3) 5 (5) 7 (7) sts. 90 (100) 108 (118) 126 (136) 144 (154) sts.

Row 14 (WS): P across.

You will continue working back and forth in stockinette st across all front sts while working cables on every 10th row for 22 (22) 28 (28) 32 (32) 36 (36) more rows. Work according to your chosen size as follows:

Sizes XXS (XS) S (M/L) XL/2XL (3XL) – (–) ONLY:

Row 15 (RS): K across.

Row 16 (WS): P across.

Rows 17-20: Repeat Rows 15 and 16, 2 times.

Cable Row 21 (RS): K2 (2) 1 (1) 0 (0) – (–) st(s), *C6F, K4* repeat *-* until 8 (8) 7 (7) 6 (6) – (–) sts remain, C6F, K2 (2) 1 (1) 0 (0) – (–) st(s).

Proceed to **All Sizes** instructions below.

Sizes 4XL (5XL) ONLY:

Row 15 (RS): K across.

Row 16 (WS): P across.

Rows 17-20: Repeat Rows 15 and 16, 2 times.

Cable Row 21 (RS): K5 sts, *K4, C6F* repeat *-* until 9 sts remain, K9 sts.

Proceed to **All Sizes** instructions below.

All Sizes:

Row 22 (WS): P across.

Row 23 (RS): K across.

Rows 24-29: Repeat Rows 22 and 23, 3 times.

Row 30 (WS): P across.

Cable Row 31 (RS): Repeat Cable Row 21 according to your chosen size.

Repeat Rows 22-31, 0 (1) 1 (1) 1 (1) 1 (1) **more** time, then work **one more** repeat of Row(s) 22-26 (22-26) 22 (22) 22-26 (22-26) 22-30 (22-30) **only**. You are now at RS. Front measures approx. 5¼ (5¼) 6 (6) 6½ (6½) 7¼ (7¼)" [13 (13) 15 (15) 16.5 (16.5) 18 (18) cm], as measured from inner edge from picked-up sts at either shoulder.

Next, work increases to shape the armholes. Work according to your chosen size as follows:

Sizes XXS (XS) ONLY:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-4: Repeat Rows 1 and 2. (2 sts increased).

Cable Row 5 (RS): K4, M1L, *C6F, K4* repeat *-* until 10 sts remain, K6, M1R, K4. (2 sts increased).

Row 6 (WS): P across.

Rows 7-10: Repeat Rows 1 and 2, 2 times. (4 sts increased).

100 (110) sts. You are now at RS. Front measures approx. 6½" [16.5 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

Sizes S (M/L) ONLY:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-8: Repeat Rows 1 and 2, 3 times. (6 sts increased).

Row 9 (RS): K4, M1L, K1, *C6F, K4* repeat *-* until 11 sts remain, C6F, K1, M1R, K4. (2 sts increased).

Row 10 (WS): P across.

Rows 11-12: Repeat Rows 1 and 2. (2 sts increased).

120 (130) sts. You are now at RS. Front measures approx. 7¾" [19.5 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

Sizes XL/2XL (3XL) ONLY:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-4: Repeat Rows 1 and 2. (2 sts increased).

Cable Row 5 (RS): K4, M1L, K8, *C6F, K4* repeat *-* until 8 sts remain, K4, M1R, K4. (2 sts increased).

Row 6 (WS): P across.

Rows 7-14: Repeat Rows 1 and 2, 4 times. (8 sts increased).

140 (150) sts. You are now at RS. Front measures approx. 8½" [21.5 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

Sizes 4XL (5XL) ONLY:

Cable Row 1 (RS): K4, M1L, K1, *K4, C6F* repeat *-* until 9 sts remain, K5, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Row 3 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 4 (WS): P across.

Rows 5-10: Repeat Rows 1 and 2, 3 times. (6 sts increased).

Cable Row 11 (RS): K4, M1L, *C6F, K4* repeat *-* until 10 sts remain, C6F, M1R, K4. (2 sts increased).

Row 12 (WS): P across.

Rows 13-16: Repeat Rows 1 and 2, 2 times. (4 sts increased).

160 (170) sts. You are now at RS. Front measures approx. 9½" [23.5 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

Body (video support on Page 15 for C6F-BOR)

You will now join the front panel to the back panel and form the armholes. With RS facing, work according to your chosen size as follows:

Sizes XXS (XS) S (M/L) – (–) 4XL (5XL) ONLY:

Round 1: K across 100 (110) 120 (130) – (–) 160 (170) front sts, place back sts on needles and K across 100 (110) 120 (130) – (–) 160 (170) sts, PM and join to work in the round. The BOR is now at the right underarm. 200 (220) 240 (260) – (–) 320 (340) sts.

Rounds 2-4 (2-4) 2-6 (2-6) – (–) 2-4 (2-4): K all sts.

Cable Round: K3, *K4, C6F* repeat *-* until 7 sts remain, K4, C6F-BOR.

Proceed to **All Sizes** instructions below.

Sizes XL/2XL (3XL) ONLY:

Cable Round: K3, *K4, C6F* repeat *-* until 7 sts remain on front, K7, place back sts on needles and K3, *K4, C6F* repeat *-* until 7 sts remain on back, K7, PM and join to work in the round. The BOR is now at the right underarm. 280 (300) sts.

Proceed to **All Sizes** instructions below.

All Sizes:

Rounds 1-9: K all sts.

Cable Round 10: K3, *K4, C6F* repeat *-* until 7 sts remain, K4, C6F-BOR.

Repeat Rounds 1-10, 5 (5) 4 (4) 5 (5) 4 (4) **more** times, then work **one more** repeat of Rounds 1-5 **only**. Body measures approx. 10 (10) 9 (9) 9½ (9½) 8½ (8½)" [25 (25) 22 (22) 23.5 (23.5) 21.5 (21.5) cm], as measured from the underarm. *Note:* To add additional length, continue to work in the established pattern (Rounds 1-10) until the body of your sweater measures 4" [10.5 cm] less than your desired final length. End by working a Round 5. Adding additional length will require more yardage.

Hem (video support on Page 15 for Italian bind-off)

With US 7 (4.5 mm)/32 or 40" [80 or 100 cm] circular needles, finish the body of your sweater by working the hem as follows:

K1, P1 repeat *-* until hem measures approx. 3½" [9 cm].

Work two set-up rounds at the end of your ribbing using the Italian bind-off method as follows:

Round 1: *K1, Sl 1 wyif* repeat *-*.

Round 2: *Sl 1 wyib, P1* repeat *-*.

Bind off all sts using the Italian bind-off method.

Sleeves (same for both)

Beginning at the bottom of the armhole opening with US 8 (5 mm)/16" [40 cm] circular needles, pick up and knit 26 (26) 31 (31) 36 (36) 41 (41) sts from the area between the underarm and the saddle (a ratio of approx. 2 sts from every 3 rows), PM (referred to as the first marker), break yarn, place 28 saddle sts on needles, PM (referred to as the second marker), attach yarn and pick up and knit 26 (26) 31 (31) 36 (36) 41 (41) sts from the area between the saddle and the underarm (a ratio of approx. 2 sts from every 3 rows). PM at underarm to mark BOR. 80 (80) 90 (90) 100 (100) 110 (110) sts.

You will now shape the upper sleeve with German Short Rows as follows:

Short Row 1 (RS): K across until second marker, SM, K6 (6) 7 (7) 8 (8) 9 (9) sts, turn, make ds.

Short Row 2 (WS): P across until first marker, SM, P6 (6) 7 (7) 8 (8) 9 (9) sts, turn, make ds.

You will continue working German Short Rows, each time turning 6 (6) 7 (7) 8 (8) 9 (9) sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) or purling (WS) the ds as one st, work another 6 (6) 7 (7) 8 (8) 9 (9) sts, and turn as follows:

Short Row 3 (RS): K across until second marker, SM, K to the ds, resolve by knitting ds, K6 (6) 7 (7) 8 (8) 9 (9) sts, turn, make ds.

Short Row 4 (WS): P across until first marker, SM, P to the ds, resolve by purling ds, P6 (6) 7 (7) 8 (8) 9 (9) sts, turn, make ds.

Repeat Short Rows 3 and 4, 2 **more** times, for a total of 6 rows. You have now worked 8 short rows. At the last turn there will be 2 (2) 3 (3) 4 (4) 5 (5) unworked sts remaining after the ds on either side of the BOR marker. You are now at RS.

Next, work the cable round and resolve the ds from your last turn. Work according to your chosen size as follows:

Sizes XXS (XS) ONLY:

Resolve ds and Cable Round: *K4, C6F* repeat *-* until 7 sts remain, K4, resolve by knitting ds, K2. You will resolve by knitting the final ds in the next round. Proceed to **All Sizes** instructions on Page 13.

Sizes S (M/L) ONLY:

Resolve ds and Cable Round: K8, *C6F, K4* repeat *-* until 8 sts remain, K4, resolve by knitting ds, K3. You will resolve by knitting the final ds in the next round. Proceed to **All Sizes** instructions on Page 13.

Sizes XL/2XL (3XL) ONLY:

Resolve ds and Cable Round: K2, *C6F, K4* repeat *-* until 13 sts remain, C6F, K2, resolve by knitting ds, K4. You will resolve by knitting the final ds in the next round. Proceed to **All Sizes** instructions below.

Sizes 4XL (5XL) ONLY:

Resolve ds and Cable Round: K6, *C6F, K4* repeat *-* until 8 sts remain, K2, resolve by knitting ds, K5. You will resolve by knitting the final ds in the next round. Proceed to **All Sizes** instructions below.

All Sizes:

Rounds 1-9: K all sts.

Work the cable round according to your chosen size as follows:

Sizes XXS (XS) – (-) XL/2XL (3XL) – (-) ONLY:

Cable Round 10: K3, *K4, C6F* repeat *-* until 7 sts remain, K4, C6F-BOR.

Sizes – (-) S (M/L) – (-) 4XL (5XL) ONLY:

Cable Round 10: K2, *C6F, K4* repeat *-* until 8 sts remain, C6F, K2.

Continue to work in the round in stockinette st while making a cable on every 10th round according to your chosen size until the sleeves measure approx. 11½" [29 cm], then work one more repeat of Rounds 1-4. *Note:* To add additional length, continue to work in the established pattern (Rounds 1-10) until the length of your sleeve measures 4" [10.5 cm] less than your desired final length. End by working a Round 4. Adding additional length will require more yardage.

Next, work a single decrease round according to your chosen size as follows:

Sizes XXS (XS) ONLY:

Decrease Round: K3, (K2tog, K4) 2 times, (K2tog, K5) 7 times, (K2tog, K4) 2 times, K2tog, K2. (12 sts decreased). 68 sts.

Sizes S (M/L) ONLY:

Decrease Round: K3, (K2tog, K6) 3 times, (K2tog, K5) 5 times, (K2tog, K6) 3 times, K2tog, K2. (12 sts decreased). 78 sts.

Sizes XL/2XL (3XL) ONLY:

Decrease Round: K4, (K2tog, K6) 4 times, (K2tog, K7) 3 times, (K2tog, K6) 4 times, K2tog, K3. (12 sts decreased). 88 sts.

Sizes 4XL (5XL) ONLY:

Decrease Round: K4, K2tog, K8, (K2tog, K7) 9 times, K2tog, K8, K2tog, K3. (12 sts decreased). 98 sts.

Sleeve Cuffs (same for both) (video support on Page 15 for Italian bind-off)

With US 7 (4.5 mm)/16" [40 cm] circular needles or magic loop method, finish your sleeve by working the cuff as follows:

K1, P1 repeat *-* until cuff measures approx. 3½" [9 cm].

Work two set-up rounds at the end of your ribbing using the Italian bind-off method as follows:

Round 1: *K1, Sl 1 wyif* repeat *-*.

Round 2: *Sl 1 wyib, P1* repeat *-*.

Bind off all sts using the Italian bind-off method.

Collar (video support on Page 15 for kfb)

With US 3 (3.25 mm)/16" [40 cm] circular needles and with RS facing, beginning at right back, pick up and knit 28 (26) 28 (28) 32 (30) 34 (32) sts along the back (one in each initial cast-on stitch), 27 sts along left saddle, 12 sts down the left neckline (1 st every row), 18 (16) 18 (18) 22 (20) 24 (22) sts along the center front (one in each stitch you cast-on when joining the Right Front and Left Front panels), 12 sts up the right neckline (1 st every row), and 27 sts along right saddle. PM to establish BOR. 124 (120) 124 (124) 132 (128) 136 (132) sts.

Note: The stitch counts for the collar are suggestions. You may choose to pick up fewer stitches than suggested for a closely fitting collar or more stitches than suggested for a loosely fitting collar. Just be sure to pick up an even number of stitches before moving forward, so you can maintain a correct ribbing pattern.

You will now work kfb increases to double the number of stitches for the double-knit edge. Work as follows:

Round 1: kfb to BOR. 248 (240) 248 (248) 264 (256) 272 (264) sts.

Round 2: *K1, Sl 1 wyif* repeat *-*.

Round 3: *Sl 1 wyib, P1* repeat *-*.

Rounds 4-5: Repeat Rounds 2 and 3.

You will now work decreases to half the number of stitches for the ribbing. Work as follows:

Decrease Round 6: K2tog to BOR. 124 (120) 124 (124) 132 (128) 136 (132) sts.

Change to US 5 (3.75 mm)/16" [40 cm] circular needles and work the ribbing as follows:

K1, P1 repeat *-* until collar ribbing measures approx. 2" [5.5 cm], as measured from ribbing edge.

Work two set-up rounds at the end of your ribbing using the Italian bind-off method as follows:

Round 1: *K1, Sl 1 wyif* repeat *-*.

Round 2: *Sl 1 wyib, P1* repeat *-*.

Bind off all sts using the Italian bind-off method.

Finishing

Weave in loose ends. Block your #ShorelineSweater to measurements listed in the schematic on Page 16. Wear forever.

Video Support for the Shoreline Sweater

Back

Picking up sts along left saddle, CO in extension, picking up sts along right saddle <https://bit.ly/3CiEC2z>

Slip sts without knitting to prep for German Short Rows - <https://bit.ly/3Snxp6G>

German Short Rows and resolving the ds - <https://bit.ly/3ShcrGC>

Cable

C6F - Cable 6 Front - <https://bit.ly/3HMz41L>

C6F-BOR - Cable 6 front over the BOR marker (used at the end of the round on body and sleeves) - <https://bit.ly/3DY0C32>

Left Front

Picking up sts along left front - <https://bit.ly/3BRGJZE>

German Short Rows for left front - <https://bit.ly/3dQxiS4>

Neck shaping + German Short Rows for left front - <https://bit.ly/3SjBYz9>

Right Front

M1RP - <https://bit.ly/3LBETR3>

C6FP - https://youtube.com/shorts/t-vS-leCzwe?si=gIH_r6j7igG_GvJM

Join Right Front and Left Front

Backwards Loop Cast-On (used to connect right front and left front) - <https://bit.ly/3AdsCM3>

Collar

kfb Increase - <https://youtu.be/4NK7TtmpYNU?si=dLy62oXBQ2sY9-A4>

Round 1 double-knit edge - <https://youtu.be/G5mHmPwda6E?si=-AAOTKES-4osdTsh>


Round 2 double-knit edge - <https://youtu.be/89CBppki5y0?si=YB5t1rfPAJgwSZjo>

k2tog decrease double-knit edge - <https://youtu.be/kc6nWPqvWBE?si=i5QIQaOcUMCBn5AK>

Hem, Cuffs, and Collar

Italian bindoff (used on hem, sleeve cuffs, and collar) - <https://bit.ly/3rddY5E>

Shogline Sweater Schematic



A - Finished Bust Circumference

38 (42) 45³/₄ (49¹/₂) 53¹/₄ (57¹/₄) 61 (64³/₄)" [95 (105) 114.5 (124) 133.5 (143) 152.5 (162) cm]

B - Total Length (as measured from mid back)

20¹/₄ (20¹/₄) 20¹/₄ (20¹/₄) 21¹/₂ (21¹/₂) 21¹/₂ (21¹/₂)" [50.5 (50.5) 50.5 (50.5) 54 (54) 54 (54) cm]

C - Underarm To Hem Body Length

13¹/₂ (13¹/₂) 12¹/₂ (12¹/₂) 13 (13) 12³/₄ (12³/₄)" [34 (34) 31 (31) 32.5 (32.5) 30.5 (30.5) cm]

D - Upper Sleeve Circumference

15¹/₄ (15¹/₄) 17¹/₄ (17¹/₄) 19 (19) 21 (21)" [38 (38) 43 (43) 47.5 (47.5) 52.5 (52.5) cm]

E - Cuff Circumference

13 (13) 15 (15) 16³/₄ (16³/₄) 18³/₄ (18³/₄)" [32.5 (32.5) 37 (37) 42 (42) 47 (47) cm]

F - Sleeve Length From Underarm

15¹/₂" [39 cm]

Pattern + images are the property of © Ozetta. Unauthorized reproduction in whole or in part is illegal. Distribution of patterns or content is not allowed. The sale of garments from this pattern is prohibited.