

Er Runio  
by Anne Regourd



A study in texture. Cables accentuate the geometric contrasts between the upper and lower part, this design is classical in yoke top down-construction.

First the yoke featuring twisted stitches, is worked in the round and then some short rows are worked back and forth to create a higher back neck, stockinette-stitch body is knit in the round to sleeve separation where stitches are placed on hold. The body is then worked in rounds down to the hem with a split at both side seam. The body and sleeves allowing easy length adjustments.

Sleeves are worked top down to the cuffs last.

Er Runio is designed for beauty, comfort and ease of movement This sweater is perfect for cold weather and can be worn with jeans or skirts alike.


Featuring high side vents bordered with ribbing and a turtle neck, as the neck is worked last optional length are possible. The stockinette drape, fold and swing to create alluring movement in the silhouette.

There are more than 100 rock formations or islands in Brittany. All my patterns are inspired by them.

Er Runio or The island Er Runio is a small island in the Gulf of Morbihan administratively attached to the town of Baden. In the 17th century, the island was called "Renard Island".

**Dimensions:**

Note on sizing! To choose the right size, measure yourself (or the intended wearer) around the largest part of the bust. You will want to choose a size that is 7-11" larger than this measurement for this design. For example, the model bust measurement is 35" and I knit the size 6, which has a finished measurement of 43" giving me 8" inches of positive ease to have a sweaters a little oversized. To measure your sleeve circumference, measure your upper arm approximately 3" down from the armpit. The size you choose should have a sleeve measurement 2-3" bigger than your arm measurement.



- A, Bust circumference :
- B, waist circumference :
- C, length (hem to underarm):
- E, Neck circumference:
- F, long sleeves length:
- G, cuff circumference:
- H Top sleeve circumference:

	1	2	3	4	5	6	7	8	9	10	
A	65,50	74,50	83,50	91,00	102,00	110,00	120,00	125,50	142,00	154,50	cm
	25,75	29,25	33,00	35,75	40,00	43,00	47,50	49,50	56,00	61,00	inch
B	0,00	0,00	0,00	80,00	91,00	98,00	110,00	114,50	131,00	143,50	cm
	0,00	0,00	0,00	31,50	35,75	38,75	43,00	45,00	51,50	56,50	inch
C	32,00	34,00	38,00	41,00	42,00	42,00	43,00	43,00	44,00	45,00	cm
	12,50	13,50	15,00	16,00	16,50	16,50	17,00	17,00	17,50	17,75	inch
D	16,50	18,00	19,00	20,00	21,00	21,00	23,00	25,00	26,00	28,00	cm
	6,50	7,00	7,50	8,00	8,25	8,25	9,00	10,00	10,25	11,00	inch
E	37,00	39,50	41,50	44,00	48,50	51,00	55,50	57,50	62,50	67,00	cm
	14,50	15,50	16,50	17,25	19,00	20,00	22,00	22,75	24,50	26,50	inch
F	32,00	34,00	38,00	44,00	46,00	46,00	47,00	48,00	49,00	50,00	cm
	12,50	13,50	15,00	17,50	18,00	18,00	18,50	19,00	19,25	19,50	inch
G	16,50	17,50	18,00	18,00	19,00	19,00	20,00	21,00	21,50	24,00	cm
	6,50	7,00	7,25	7,25	7,50	7,50	8,00	8,25	8,50	9,50	inch
H	25,50	26,00	27,00	27,00	29,00	33,00	34,50	39,00	42,00	46,00	cm
	10,00	10,25	10,75	10,75	11,50	13,00	13,50	15,25	16,50	18,25	inch
I	12	14	18	21	22	22	23	23	24	25	cm
	4,50	5,50	7,00	8,00	8,50	8,50	9,00	9,00	9,50	9,75	inch

**This is a diagram for you to enter your measurements according to design preferences.**

Start by measuring these six part: bust, waist, hips, wrist, upper arm and sleeve length, they are the key measurements you want to check as you choose a sweater size.

As the sleeve has less ease than the body, it is important to choose a size that will comfortably fit around the upper arm.

Review the upper arm circumference measurement for your size in the table below. If needed, expand it by adding increases to bring the sleeve stitch total up to that of the next size.

## MATERIAL

### Yarn

-Fonty- Nimbus - 2 Ply (100% wool [150m] 164 yds per 50gr skein) colour red 707.

**Yardage:** Please keep in mind that yardage is an estimate.

(7, 7, 8)(8, 8, 9) 10 (10, 11, 11) skeins yarn per 50gr skein

### Notion:

(16, 17, 18) (19, 21, 22) 24 (25, 27, 29) stitch markers (ma), stitch holders or wastes yarn, tapestry needle.


### Circular Needles:

Adjust needle size if necessary to obtain the correct gauge, (dpns or circular(s) for your preferred method of knitting small circumferences in the round). [ ]  $\frac{1}{4}$   $\frac{1}{2}$   $\frac{3}{4}$

Size US 2½ [3mm], 10" [25cm], 16" [40cm], 32" [80cm].

Size US 3 [3.25mm], 24" [60cm], 36" [90cm].

Size US 4 [3.5mm], 24" [60cm], 36" [90cm].



### Gauge in pattern: (after wet blocking)

22 sts and 32 rounds= 4" [10cm] in St st on US4 [3.5mm]

26 sts and 35 rounds= 4" [10cm] in charted yoke pattern on US 3 [3.25mm].

38sts and 38 rounds= 4" [10cm] in ribbing on US 2½ [3mm].

Gauge and needle size are suggestions only. Individual knitting style and yarn characteristics affect the result, so adjust needle size to get preferred results.

## GLOSSARY

### Cables:

**1/1CL twist over knit**, slip 1 st to cn and place at front of work, knit 1 st from LH needle and then knit 1 st though the back loop from cn.

**1/1CR twist over knit**, slip 1 st to cn and place at back of work, knit 1 st though the back loop from LH needle and then knit 1 st from cn.

**1/1CLp twist** (1x1 CLp): slip 1 st to cn and place at front of work, purl 1 st from LH needle and then knit 1 st though the back loop from cn.

**1/1CRp twist** (1x1 CRp): slip 1 st to cn and place at back of work, then knit 1 st though the back loop from LH needle and then purl 1 st from cn.

**Twisted stitches:** To twist a stitch you need to knit it through the back loop. To twist a twisted stitch, knit it through the front loop.

**Make 1 stitch (M)**

For yoke part:

M1pL make 1 purl st left leaning: Insert left needle, from front to back, under strand of yarn that runs between last st on right needle and first st on left needle; purl this st through back loop (1 st increased).

M1pR make 1 purl st right leaning: Insert left needle, from back to front, under strand of yarn that runs between last st on right needle and first st on left needle; purl this st through front loop (1 st increased).

For body/waist part:

M1L make a stitch with a left slanting, with the left needle tip lift strand between needles from front to back. Knit lifted loop through the back. (1 st increased).

M1R make a stitch with a right slanting, with the left needle tip, lift strand between needles from back to front. Knit lifted loop through the front. (1 st increased).

**ABBREVIATIONS**

-	your size is not included here	p	purl
0	do nothing, move to the next instruction	p2tog	purl 2 sts together (1 st dec)
circ	circular (needle)	Pm	place marker
C	cross	R	right
cm	centimeter	r	row
cn	cable needle	rem	remain(s)(ing)
dec	decrease / decreasing	rep	repeat
dpn	double pointed needle	rev St st	reverse-stockinette stitch
g	gramme	RH	right hand
in	inch(es)	Rs	right side(s)
inc	increase / increasing	rnd(s)	round(s)
inc-rnd(s)	increase round(s)	ssk	dec slants to the left slip next 2 sts one at a time, return to RH needle, knit 2 slipped sts together tbl. (1 st decreased)
k	knit	sl ma	slip marker
k2tog	dec slants to the right knit 2 sts together (1st dec)	st (s)	stitch(es)
L	left	St st	stocking stitch (stockinette)
LH	left hand	tbl	through the back loop
m.	meter	tog	together
ma	marker	w&t	wrap and turn
M1pL	make 1 purl st left leaning inc	Ws	wrong side
M1pR	make 1 purl st right leaning inc	yds	yards

## INSTRUCTIONS

### Neck band:

**Note:** As an option you could cast-on provisionally together with the last, decrease one stitch when so you can decide later whether to add a turtle-neck or leave as crew-neck length or what ever you wish. (Or you could choose the crew-neck and knit a textured cowl matching the yoke part. (bonus pattern at the end of the pattern)).

With smaller US2.5 (3mm) and shorter circ needle, cast-on: **(96, 102, 108)(114, 126, 132) 144 (150, 162, 174) sts.** Place a marker and joint for working in the round. Being careful not to twist.

**Tip:** cast on an extra stitch and knit the first together with the last, decrease one stitch when joining for working on the round: slip the last cast on stitch onto the left needle and knit it together with the first cast on stitch. This will prevent the gap left when joining in the round.

### Ribbing:

**For size (1, -, 3) (-, -, 6) 7(-, -, -)**  
round 1: \* (p2, k2) rep from \* to end;  
repeat round 1.

**For size (-, 2, -) (4, 5, -) - (8, 9, 10)**  
round 1: (k1, p1) x (0, 1, 0)(1, 1, 0) 0(1, 1, 1) times \*  
(p2, k2), rep from \* to end;  
repeat round 1.

If you start with the turtle neck work in ribbing until work meas 7" [18cm], or depending of the amount of neck-band you wish: to roll the collar once knit the neck 6" [15 cm] and 9" [23cm] to roll it twice.

I sometime find it difficult to quickly differentiate the front from the back of my sweater, so I use a little visual trick, when knitting the neck ribbing. On each side of the back ma, instead of the (k2, p2) ribbing, I work small group of sts in (k1, p1) as:  
\* knit in (k2, p2) to 2 to 4 sts before ma, (k1, p1) to ma, sl ma, (k1, p1) 2 to 4 sts after ma, (k2, p2) ribbing around repeat from \*.



**Yoke:**

Change to larger needle US3 [3.25mm].  
You will work the chart once but repeat the stitch pattern within the rows  
(16, 17, 18) (19, 21, 22) 24 (25, 27, 29) times.


For sizes (1, 2, 3) (-,-,-)-(-,-,-)only:  
Work rows 1-34 of Chart A  
(16, 17, 18)(-,-,-)-(-,-,-) times.

For sizes (-,-,-) (4, 5, 6) 7 (8, 9, 10) only:  
Work rows 1-54 of Chart A  
(-,-,-)(19, 21, 22) 24 (25, 27, 29) times  
(see diagram below).

Increased occur at row: 5, 11, 18, 26, 35 (+2 sts inc). all increased rounds are purl rounds  
**when increases occur, proceed as follows: M1pR and M1pL into the same piece of yarn.**  
Continue working chart in this manner, increasing where indicated, through round 5, 11, 18, 26, 35.  
Changing to smaller, longer circular needle when necessary.

**For sizes (1, 2, 3) only:** (after round 34),  
next round (Incr rnd): k3, M1L, \* k15, M1L, rep from \* to last 12 sts, k12. - (16, 17, 18) sts incr'd.

At the end of the charted yoke part: (160, 170, 180) (190, 210, 220) 240 (250, 270, 290)sts increased.  
**(256, 272, 288)(304, 336, 352) 384 (400, 432, 464) sts.**




Note: This is the end of the cable chart, from this round on, there will only be stockinette (St st) Knitting. Change for needle US4 [3.5mm].

Remove all markers between section, keep only the first one for central middle back.



**Circular Needles:**

Diagram 1



### Back neck

shape back neck with short rows as follows:

short row 1 (RS): knit (13, 14, 15) (6, 9, 10) 12 (14, 15, 19) sts wrap and turn (w&t),

SR 2 (WS): purl to marker (ma), slip marker (sl ma), purl(13, 14, 15)(6, 9, 10) 12 (14, 15, 19) sts w&t.

SR 3 (RS): knit to ma, sl ma k(18, 19, 20)(11, 14, 15) 17 (19, 20, 24) sts w&t.

SR 4 (WS): purl to ma, sl ma, p(18, 19, 20)(11, 14, 15) 17 (19, 20, 24) sts w&t.

SR 5 (RS): knit to ma, sl ma k(-, -, -)(16, 19, 20) 22 (23, 25, 29) sts w&t.

SR 6 (WS): purl to ma, sl ma, p(-, -, -)(16, 19, 20) 22 (23, 25, 29)sts w&t.


SR 7 (RS): knit to ma, sl ma k(-, -, -)(21, 24, 25) 27 (28, 30, 34) sts wrap and turn (w&t).

SR 8 (WS): purl to ma, sl ma, p(-, -, -)(21, 24, 25) 27 (28, 30, 34)sts w&t.

Next row (RS) knit round to ma.

Work even until piece measures (6½, 7, 7½) (8, 8½, 8½) 9 (9¾, 10¼, 11)" [(16.5, 18, 19) (20, 21,21) 23 (25, 26, 28) cm] from start of the charted section at centre back then Divide for body and sleeves.

**Note:** Be aware that up to this point the reference 's marker had been positioned middle back; now on it will be place underarm for each part.



**Diagram 2**

↑ Knitting direction

- A) cast on (96, 102, 108)(114, 126, 132) 144 (150, 162, 174) sts.
- B) end of chart (256, 272, 288)(304, 336, 352) 384 (400, 432, 464) sts.

**Divide for body and sleeves:**

Next round k (36, 40, 44)(48, 54, 56) 62 (63, 70, 75) sts for half Back  
place next (56, 56, 56)(56, 60, 64) 68 (74, 76, 82) sts on holder for right sleeve,  
cast-on (0, 1, 2) (2, 2, 4) 4 (6, 8, 10) sts for underarm, pm for side,  
Cast-on (0, 1, 2) (2, 2, 4) 4 (6, 8, 10) sts for underarm,  
k (72, 80, 88)(96, 108, 112) 124 (126, 140, 150) for Front,  
place next (56, 56, 56)(56, 60, 64) 68 (74, 76, 82) sts on holder for left sleeve,  
cast-on (0, 1, 2) (2, 2, 4) 4(6, 8, 10) sts for underarm, pm for side,  
cast-on (0, 1, 2) (2, 2, 4) 4 (6, 8, 10) sts for underarm,  
knit to end.

**Body:**

(144, 164, 184)(200, 224, 240) 264 (276, 312, 340) sts

**Optional waist shaping for sizes (-,-,-)(4, 5, 6)7(8, 9, 10) only:**

Work even until piece measures 1½ "[3cm] (10 rounds) from underarm.

**Decrease-round:** \* knit to 3 sts before ma, ssk, k1, sl ma, k1, k2tog, repeat from \* once more, knit to end. (4sts dec'd)

repeat dec-rnd every 8th round 5 more times.

Waist circumference: (-, -, -)(176, 200, 216) 240 (252, 288, 316) sts remain - 24sts decr'd

**Variation:** The easiest way to add in slight waist shaping without using decrease as explain above, is to used needles of slightly differing smaller sizes to alter the tension of the fabric. This will gently pull it in and then let it out again.

**All sizes:** Work even until piece measure 8" [20cm] from underarm.

**Side slit** allows the pullover to skim the hips without clinging.

When your sweater body is the desired length from the underarm, split for the front and back hems by knitting across the Front to the side marker. You can slip the back stitches to a holder or another needle, or just leave it on your circular needle, while you work the Front to the hem.



Now you'll be working across the Front sts only:

Next row work: (k1, p1) x 3, purl to 6 sts before end, (p1, k1) x 3, turn.

Next row work: (p1, k1) x 3, knit to 6 sts before end, (k1, p1) x 3, turn.

Repeat 2 last rows until piece measure (12½, 13½, 15)(16, 16½, 16½) 17, (17, 17½, 18)", [(32, 34, 38)(41, 42, 42) 43, (43, 44, 45) cm] from underarm

The ribbing stitch border provides a nice edge to the hem and help keep it from rolling.

Work in **Ribbing**: (dec sts at each side if necessary to reconcile with rib pattern)

Change for smaller needle US3 [3.25mm].

- For sizes: (1, -, 3)(-, -, 6)7(-, -, -)

round 1: \* p2, k2, rep from \* to end; repeat round 1, 4 rounds, then change for smaller needle US2.5 [3mm] and work 4 more rounds in rib.

- For sizes: (-, 2, -) (4, 5, -) - (8, 9L, 10)

round 1: (p1, k1), \* p2, k2, rep from \* to end; repeat round 1, 4 rounds, then change for smaller needle US2.5 [3mm] and work 4 more rounds in rib.

You could add more round of rib if you like.  
Bind off all sts.

Work the Back as the Front.

## SLEEVES

Before starting the sleeves, review the upper arm circumference measurement for your size in the schematic on Page 2. If needed, the circumference for each sleeve can be expanded by adding evenly distributed increases on the next round at each of the underarm areas to bring the sleeve stitch total up to that of the next size. You can then knit the sleeves as written for that size.

**Tip:** To prevent little holes at both sides of the underarm, pick up and knit one extra st each between live sleeve sts and the sts you cast on for the underarm (they are not included in the number and instruction below!), then work them tog with the next st in the first sleeve round.

Place (56, 56, 56)(56, 60, 64,) 68 (74, 76, 82) sleeves sts onto larger needle. With RS facing, begin at centre of underarm, pick up and knit (0, 1, 2) (2, 2, 4) 4 (6, 8, 10) sts along underarm cast-on (from body part), k (56, 56, 56)(56, 60, 64) 68 (74, 76, 82) the sleeves sts from holder, pick up and knit (0, 1, 2) (2, 2, 4) 4 (6, 8, 10) sts along underarm cast-on, place a marker of beginning of round (BOR).

**(56, 58, 60)(60, 64, 72) 76 (86, 92, 102) sts**, pm (is in the middle of cast on sts) and join to work in the round.

**Knit** (18 18, 18)(12, 12, 9) 8, (7, 7, 6) rounds in stockinette (St st).

**dec-round:** k1, k2tog, knit to last 3sts, ssk, k1. (2 sts dec'd).

Repeat dec-round every (6, 6, 6)(12, 12, 9) 8 (7, 7, 6) th rounds (8, 8, 8) (8, 9, 13) 14 (18, 20, 22) more times.

Total of (16, 16, 16)(16, 18, 26) 28 (36, 40, 44) sts dec'd, (40, 42, 44)(44, 46, 46) 48 (50, 52, 58) sts remaining, change for smaller needle US3 [3.25mm].

Work even in until piece measure the desired length from underarm.

(If you're unsure about the length of the sleeve, or considering shortening/lengthening it, you can easily try the jumper on as you work on it).

### Cuff:

Work in **Ribbing:**

- For sizes: (1, -, 3)(-, -, 6)7(-, -, -) only:

Round 1: \* p2, k2, rep from \* to end; repeat rnd 1, 4 times.

- For sizes: (-, 2, -)(4, 5, -) 7 (8, 9, 10) only:

Round 1: (p1, k1), \* p2, k2, rep from \* to end; repeat rnd 1, 4 times.

All size: change for smaller needle US2.5 [3mm] work 4 more rounds in rib. You could add more round of rib if you like. Bind off all sts

**Finishing:** Weave in ends with tapestry needle, wet block to the given or desired measurements.

Thanks for knitting! To see what else I've been up to, visit my

instagram page:

<https://www.instagram.com/anneregourd/>.

I'd love to see pictures of your finished projects.'

Hashtag your Instagram with #anneregourd


#ErRunio

or tag me @Anneregourd



- r1: p2, k2, p2. (6sts)  
r2: p1, 1x1CR, 1X1CL, p1.(6sts)  
r3: 1x1CR, k2, 1X1CL.(6sts)  
r4: k6.(6sts)  
r5: M, p6, M.(8sts)  
r6: k8.(8sts)  
r7 1X1CLp, k4, 1X1CRp.(8sts)  
r8: p1, 1X1CLp, k2, 1X1CRp, p1.(8sts)  
r9: p2, 1X1CLp, 1X1CRp, p2.(8sts)  
r10: p3, k2, p3.(8sts)  
r11: M, p8, M.(10sts)  
r12: p4, k2, p4.(10sts)  
r13: p3, 1x1CR, 1X1CL, p3.(10sts)  
r14: p2, 1x1CR, k2, 1X1CL, p2.(10sts)  
r15: p1, 1x1CR, k4, 1X1CL, p1.(10sts)  
r16: 1x1CR, k6, 1X1CL.(10sts)  
r17: k10.(10sts)  
r18: M, p10, M.(12sts)  
r19: k12.(12sts)  
r20: 1X1CLp, k8, 1X1CRp.(12sts)  
r21: p1, 1X1CLp, k6, 1X1CRp, p1.(12sts)  
r22: p2, 1X1CLp, k4, 1X1CRp, p2.(12sts)  
r23: p3, 1X1CLp, k2, 1X1CRp, p3.(12sts)  
r24: p4, 1X1CLp, 1X1CRp, p4.(12sts)  
r25: p5, k2, p5.(12sts)  
r26: M, p12, M.(14sts)  
r27: p6, k2, p6.(14sts)  
r28: p5, 1x1CR, 1X1CL, p5.(14sts)  
r29: p4, 1x1CR, k2, 1X1CL, p4.(14sts)  
r30: p3, 1x1CR, k4, 1X1CL, p3.(14sts)  
r31: p2, 1x1CR, k6, 1X1CL, p2.(14sts)  
r32: p1, 1x1CR, k8, 1X1CL, p1.(14sts)  
r33: 1x1CR, k10, 1X1CL.(14sts)  
r34: k14.(14sts)  
r35: M, p14, M.(16sts)  
r36: k16.  
r37: 1X1CLp, k12, 1X1CRp.(16sts)  
r38: p1, 1X1CLp, k10, 1X1CRp, p1.(16sts)  
r39: p2, 1X1CLp, k8, 1X1CRp, p2.(16sts)  
r40: p3, 1X1CLp, k6, 1X1CRp, p3.(16sts)  
r41: p4, 1X1CLp, k4, 1X1CRp, p4.(16sts)  
r42: p5, 1X1CLp, k2, 1X1CRp, p5.(16sts)  
r43: p6, 1X1CLp, 1X1CRp, p6.(16sts)  
r44: p7, k2, p7.(16sts)  
r45: p16.  
r46: as r44.  
r47: p6, 1x1CR, 1X1CL, p6.(16sts)  
r48: p5, 1x1CR, k2, 1X1CL, p5.(16sts)  
r49: p4, 1x1CR, k4, 1X1CL, p4.(16sts)  
r50: p3, 1x1CR, k6, 1X1CL, p3.(16sts)  
r51: p2, 1x1CR, k8, 1X1CL, p2.(16sts)  
r52: p1, 1x1CR, k10, 1X1CL, p1.(16sts)  
r53: 1x1CR, k12, 1X1CL.(16sts)  
r54: k16.

## Bonus pattern HAT



**Size:** Baby (Toddler, Kid, Adult Small, Adult Large)  
**A finished Circumference:** 12 (14<sup>3</sup>/<sub>4</sub>, 16, 18<sup>3</sup>/<sub>4</sub>, 20)"  
[30.5 (37.5, 40.5, 47.5, 51)]cm

**B finished Height:** 6<sup>1</sup>/<sub>2</sub> (7<sup>1</sup>/<sub>2</sub>, 8<sup>1</sup>/<sub>2</sub>, 9, 10)" [16.5 (19, 21.5, 23, 25.5) cm].

**Yardage:** approximately 73 (97, 121, 152, 165) m  
or 18 (25, 30, 38, 42) gr required.

**Hat** is knit from the top down in the round. So you can try it on as you knit it to make sure the head circumference and length are just perfect for your head. After the crown and body are knit from the chart the brim of the hat is just simple 1x1 ribbing. You can easily adjust the size and length of the hat to get the fit you want. When it is the desired length you could begin to work in the round create a thick and comfy brim. This brim can be as tall as you want! Increases are incorporated into the lace design

### Hat Pattern

**Crown:** With needle US3 [3.25mm], cast 12 (14, 16, 18, 20) stitches onto three double pointed needles. Distribute stitches evenly among needles. Place unique marker and join for working in the round, being careful not to twist the stitches.

NOTE: For Kid, Adult Small, and Adult Large sizes, change to 16-inch circular needles size US3 [3.25mm], when necessary.

Round 1: work row1 of chart B 6 (7, 8, 9, 10) times.

Work row1-4 of chart B

**24 (28, 32, 36, 40) sts.**


### Body:

Round 5: work row1 of chart C 6 (7, 8, 9, 10) times.

Work row1-57 of chart C

**96 (112, 128, 144, 160) sts**

keep repeating the last round until piece measures 6<sup>1</sup>/<sub>2</sub> (7<sup>1</sup>/<sub>2</sub>, 8<sup>1</sup>/<sub>2</sub>, 9, 10)" [16.5 (19, 21.5, 23, 25.5) cm] from cast-on edge, or to desired height. Bind off all stitches loosely in patt.



### Bonus pattern: Cowl

This cowl is knit bottom up in the round.

Cast on 160 (320)sts. (32\*5sts ( 32\*10sts)) with needles size US2.5 [3mm],

Pm to mark beg of round and joint for working in the round, being careful not to twist sts. You could place marker between rep if it help.

Next round: Work (k2, p2) around for 8 rounds.

Change for needles size US3 [3,25mm],


Next round: Work Row 1 of chart C 10 (20)times (see page 17 below).

Continue as establish to end row 43 of chart C, repeat 0 (1) time chart D

Change for needles size US2.5 [3mm], next round: Work (k2, p2) around for 8 rounds.

Cast off loosely in rib.

**Finishing:** Weave in ends with tapestry needle. Wet block, take care not to flatten cable texture.




**Sizes:** Neck warmer small / Large Infinity


**Finished Circumference:** 20(40)" [50(100)cm].

**Finished Height:** 16(32)" [6.25 (12.5)cm].

**Yardage:** approximately 40 (80) gr or 160 (320) m required.

**Adjusting the pattern:** To make the cowl bigger/smaller around, you can add/subtract to circumference in multiples of 16 stitches






- ktbl
- knit
- purl
- Make 1st
- 1x1 CLp, twist over purl
- 1x1 CL, twist over knit
- 1x1 CRp, purl over twist
- 1x1 CR, knit over twist

Chart C

Highlighted box:  
this box indicated the  
pattern repeat



160(320)sts  
Work 16sts  
10(20) times