



FALL
KIM by Kim Hargreaves

FOURTEEN
DESIGNS






























RANDALL ●●●

picture on page 35



THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm
32 34 36 38 40 43 46 49 in

ROWAN KID CLASSIC AND KIDSILK
HAZE / Cement and Smoke

Kid Classic Cement

9 9 10 10 11 11 12 12 x 50gm

Kidsilk Haze Smoke

6 6 7 7 7 8 9 9 x 25gm

NEEDLES

1 pair 3¼mm (no 9) (US 5) needles

1 pair 4mm (no 8) (US 6) needles

1 pair 4½mm (no 7) (US 7) needles

TENSION

16 sts and 40 rows to 10 cm measured
over pattern using 4½mm (US 7) needles
and one strand of each yarn held together.

Special abbreviation

KI below = K into next st one row below
and at same time slipping off st above.

BACK

Cast on 81 (85:89:95:99:105:111:117) sts
using 3¼mm (US 5) needles **and one
strand of each yarn held together.**

Next row (RS): Purl.

Now work in patt as follows:

Row 1 (WS): Sl 1, *K1, KI below (see special
abbreviation), rep from * to last 2 sts, K2.

Row 2: Sl 1, *K1 below, KI, rep from * to end.

These 2 rows form patt.

Cont in patt until back measures 10 cm,
ending with a WS row.

Change to 4½mm (US 7) needles.

Cont in patt until back measures
19 (19:20:20:20:20:21:21) cm from cast-on
edge, ending with a WS row.

Shape armholes

Keeping patt correct, cast off 4 sts at beg of
next 2 rows. 73 (77:81:87:91:97:103:109) sts.

Next row (RS): Sl 1, (KI below, P1) twice,
patt to last 5 sts, (P1, KI below) twice, KI.

Next row: Sl 1, (P1, KI below) twice, patt
to last 5 sts, (KI below, P1) twice, KI.

Every foll row with no shaping has first and
last 5 sts of each row as set by last 2 rows
and all other sts in patt.

Next row (RS): Sl 1, KI below, P1, sl 1,
K2tog, pssso, P1, patt to last 7 sts, P1, K3tog,
P1, KI below, KI.

Work 5 rows, working 5 sts at each edge as
set, and rem sts in patt.

Rep last 6 rows twice more.

61 (65:69:75:79:85:91:97) sts.

Now working all sts in patt, cont straight
until armhole measures 22 (23:23:24:25:26:
26:27) cm, ending with a WS row.

Shape shoulders and back neck

Keeping patt correct, cast off 4 (4:4:5:5:6:7:7) sts
at beg of next 2 rows, then 4 (4:5:5:6:6:7:8)
sts at beg of foll 2 rows.

45 (49:51:55:57:61:63:67) sts.

Next row (RS): Cast off 4 (4:5:5:6:7:8) sts,
patt until there are 8 (9:9:10:10:11:11:12) sts
on right needle and turn, leaving rem sts
on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 4 (5:5:6:6:7:7:8) sts.

With RS facing, rejoin yarns and cast off centre
21 (23:23:25:25:27:27:27) sts, patt to end.

Complete to match first side, reversing
shapings.

FRONT

Work as given for back until 18 (18:18:20:
20:22:22:22) rows less have been worked
than on back to beg of shoulder shaping,
ending with a WS row.

Shape front neck

Next row (RS): Patt 24 (25:27:30:32:
35:38:41) sts and turn, leaving rem sts on a
holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of
next 4 rows, then on foll 2 (2:2:3:3:4:4)
alt rows, then on 2 foll 4th rows.

16 (17:19:21:23:25:28:31) sts.

Work 1 row, ending with a WS row.

Shape shoulder

Cast off 4 (4:4:5:5:6:7:7) sts at beg of next
and foll 2 (2:-:2:-:2:2:-) alt rows, then
-(-:5:-:6:-:8) sts at beg of foll -(-:2:-:2:-:2)
alt rows.

Work 1 row.

Cast off rem 4 (5:5:6:6:7:7:8) sts.

With RS facing, slip centre 13 (15:15:15:15:
15:15:15) sts onto a holder (for neckband),
rejoin yarns and patt to end.

Complete to match first side, reversing
shapings.

SLEEVES (both alike)

Cast on 55 (57:57:59:61:63:63:65) sts using
4½mm (US 7) needles **and one strand of
each yarn held together.**

Next row (RS): Purl.

Sizes XS, XL, 2XL, 3XL & 4XL only:

Row 1 (WS): Sl 1, *K1, KI below (see
special abbreviation), rep from * to last 2 sts, K2.

Row 2: Sl 1, *K1 below, KI, rep from
* to end.

These 2 rows form patt.

Sizes S, M & L only:

Row 1 (WS): Sl 1, *K1 below, K1, rep from * to end.

Row 2: Sl 1, *K1, K1 below, rep from * to last 2 sts, K2.

These 2 rows form patt.

All sizes:

Work 23 rows, ending with a WS row.

Cont in patt throughout as follows:

Inc 1 st at each end of next and every foll 16th (14th: 14th: 12th: 10th: 10th: 10th) row to 63 (67: 71: 77: 81: 69: 73: 79) sts, then on every foll 18th (16th: 16th: -: -: 12th: 12th: 12th) row until there are 71 (75: 75: -: -: 83: 83: 85) sts, taking inc sts into patt.

Cont straight until sleeve measures 41 (41: 40: 39: 38: 37: 36: 35) cm, ending with a WS row.

Shape top

Keeping patt correct, cast off 4 sts at beg of next 2 rows. 63 (67: 67: 69: 73: 75: 75: 77) sts.

Next row (RS): Sl 1, (K1 below, P1) twice, patt to last 5 sts, (P1, K1 below) twice, K1.

Next row: Sl 1, (P1, K1 below) twice, patt to last 5 sts, (K1 below, P1) twice, K1.

Now working first and last 5 sts of rows with no shaping as set by last 2 rows and all other sts in patt, cont as follows:

Work 6 rows, ending with a WS row.

Next row: Sl 1, K1 below, P1, sl 1, K2tog, pssso, P1, patt to last 7 sts, P1, K3tog, P1, K1 below, K1.

59 (63: 63: 65: 69: 71: 71: 73) sts.

Work 7 rows, ending with a WS row.

Cast off **quite loosely** in patt.

Turnback cuff

With RS facing and using 3¾mm (US 5) needles, pick up and knit 55 (57: 57: 59: 61: 63: 63: 65) sts along cast-on edge of sleeve.

Knit 1 row.

Next row (RS of sleeve WS of cuff):

Sl 1, *K1, K1 below, rep from * to last 2 sts, K2.

Row 2: Sl 1, *K1 below, K1, rep from * to end.

These 2 rows form patt.

Cont in patt until cuff measures 5 cm from pick-up row.

Change to 4½mm (US 7) needles.

Cont in patt until cuff measures 20 cm from pick-up row, ending with a WS of cuff row (row 2).

Cast off **quite loosely** in patt as follows: K1, *K1 below, cast off one st, P1, cast off one st, rep from * to end.

MAKING UP

Press all pieces with a warm iron over a damp cloth, **do not press** the first 10 cm of rib at the lower edge of the front and back. Join right shoulder seam with back stitch, or mattress stitch if preferred.

Polo neck

With RS facing, using 4mm (US 6) needles and **and one strand of each yarn held together**, pick up and knit 16 (15: 15: 16: 16: 17: 18: 17) sts down left side of front neck, patt across 13 (15: 15: 15: 15: 15: 15) sts on front neck holder; pick up and knit 16 (15: 15: 16: 16: 17: 18: 17) up right side of front neck, and 32 (34: 34: 36: 36: 38: 38: 38) sts from back.



77 (79: 79: 83: 83: 87: 89: 87) sts.


Row 1 (WS): K1, *K1, K1 below, rep from * to last 2 sts, K2.

Row 2: K1, *K1 below, K1, rep from * to end. Rep last 2 rows until polo neck measures 11 cm, ending with a WS row.

Cast off **quite loosely** in patt as follows: K1, *K1 below, cast off one st, P1, cast off one st, rep from * to end.

Join left shoulder and polo seam. Join side seams. Join sleeve seams, reversing seams for turnback cuffs. Insert sleeves into armholes. Stitch cuff seam to sleeve to hold it in place.





MS JOHNSON ●●

picture on page 11

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm

32 34 36 38 40 43 46 49 in

ROWAN KIDSILK HAZE / Anthracite,
Smoke, Steel & Crown Jewel

A Anthracite

4 4 5 5 6 6 7 7 x 25gm

B Smoke

1 2 2 2 2 3 3 3 x 25gm

C Steel

1 1 2 2 2 2 3 3 x 25gm

D Crown Jewel

2 2 3 3 3 4 4 4 x 25gm

NEEDLES

1 pair 3¼mm (no 9) (US 5) needles

1 pair 4½mm (no 7) (US 7) needles

TENSION

20 sts and 25 rows to 10 cm measured over stocking stitch using 4½mm (US 7) needles and 2 strands of Kidsilk Haze held together.

Special note: We found it preferable to knit the two yarns together from separate balls rather than winding them together.

BACK

Cast on 96 (102: 108: 114: 122: 128: 138: 146) sts using 3¼mm (US 5) needles and 2 strands of yarn A held together.

Row 1 (RS): P1 (0: 0: 0: 0: 1: 0: 0), K2 (2: 1: 0: 0: 2: 0: 0), *P2, K2, rep from * to last 1 (0: 3: 2: 2: 1: 2: 2) sts, P1 (0: 2: 2: 2: 1: 2: 2), K0 (0: 1: 0: 0: 0: 0: 0).

Row 2: K1 (0: 0: 0: 0: 1: 0: 0), P2 (2: 1: 0: 0: 2: 0: 0), *K2, P2, rep from * to last 1 (0: 3: 2: 2: 1: 2: 2) sts, K1 (0: 2: 2: 2: 1: 2: 2), P0 (0: 1: 0: 0: 0: 0: 0).

These 2 rows form rib.

Cont in rib until back measures 8 (8: 8: 8: 9: 9: 9: 9) cm, ending with a **RS** row.

Next row (WS): Rib 3 (6: 1: 4: 0: 3: 0: 4), K2tog, *rib 6, K2tog, rep from * to last 3 (6: 1: 4: 0: 3: 0: 4) sts, rib 3 (6: 1: 4: 0: 3: 0: 4). 84 (90: 94: 100: 106: 112: 120: 128) sts

Change to 4½mm (US 7) needles.

Beg with a K row, now work in st st throughout as follows:

Work 2 (2: 4: 4: 4: 4: 4: 4) rows, ending with a WS row.

Next row (RS): K3, M1, K to last 3 sts, M1, K3.

Working all side increases as set by last row, inc 1 st at each end of 4th and 1 (1: 1: 1: 1: 1: 0: 0) foll 4th rows, then on 2 (2: 2: 2: 2: 2: 3: 3) foll 6th rows. 94 (100: 104: 110: 116: 122: 130: 138) sts. Work 5 rows, ending with a WS row.

Break off one strand of yarn A and join in one strand of yarn B.

Work 2 rows, then inc 1 st at each end of foll row. 96 (102: 106: 112: 118: 124: 132: 140) sts. Work 9 rows, ending with a WS row.

Break off yarn A and join in a second strand of yarn B.

Work 10 rows, ending with a WS row. (Back should measure approx 28 (28: 29: 29: 30: 30: 30.5: 30.5) cm.)

Shape armholes

Break off one strand of yarn B and join in one strand of yarn C.

Cast off 3 (3: 3: 4: 4: 5: 6: 7) sts at beg of next 2 rows. 90 (96: 100: 104: 110: 114: 120: 126) sts.

Dec 1 st at each end of next 3 (5: 5: 5: 6: 6: 6: 6) rows, then on foll 1 (0: 0: 0: 0: 0: 0: 0) alt rows. 82 (86: 90: 94: 98: 102: 108: 114) sts.

Work 1 (1: 1: 1: 0: 0: 0: 0) rows, ending with a WS row.

Break off yarn B and join in a second strand of yarn C.

Dec 1 st at each end of next 1 (1: 1: 1: 1: 1: 3: 5) rows, then on foll 2 (2: 2: 2: 2: 2: 1: 0) alt rows. 76 (80: 84: 88: 92: 96: 100: 104) sts.

Work 1 row.

Break off one strand of yarn C and join in one strand of yarn D.

Dec 1 st at each end of next and foll 0 (1: 1: 2: 2: 2: 2: 2) alt rows, then on 1 (0: 0: 0: 0: 0: 0: 0) foll 4th row. 72 (76: 80: 82: 86: 90: 94: 98) sts.

Work 1 (3: 3: 1: 1: 1: 1: 1) rows, ending with a WS row.

Break off yarn C and join in a second strand of yarn D.

Complete back using 2 strands of yarn D as follows:

Sizes S, M, L, XL, 2XL, 3XL and 4XL only

Dec 1 st at each end of – (next: next: 3rd: 3rd: next: next: next) and – (0: 0: 0: 0: 0: 0: 1) foll alt rows, then on – (0: 0: 0: 0: 1: 1: 1) foll 4th rows. – (74: 78: 80: 84: 86: 90: 92) sts.

All sizes

Cont straight until armhole measures 19 (20: 20: 21: 22: 23: 23: 24) cm, ending with a WS row.

Shape shoulders and back neck

Cast off 6 (6: 7: 7: 7: 7: 8: 8) sts at beg of next 2 rows. 60 (62: 64: 66: 70: 72: 74: 76) sts.

Next row (RS): Cast off 6 (6: 7: 7: 8: 8: 8: 9) sts, K until there are 11 (11: 11: 11: 12: 12: 13: 13) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 7 (7: 7: 7: 8: 8: 9: 9) sts.

With RS facing, rejoin 2 strands of yarn D and cast off centre 26 (28: 28: 30: 30: 32: 32: 32) sts, K to end.

Complete to match first side, reversing shapings.

FRONT

Work as given for back until 12 (12: 12: 14: 14: 16: 16: 16) rows less have been worked than on back to beg of shoulder shaping, ending with a WS row.

Shape front neck

Next row (RS): K27 (27: 29: 30: 32: 33: 35: 36) and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st neck edge of next 6 rows, then on

foll 1 (1: 1: 2: 2: 3: 3: 3) alt rows.

20 (20: 22: 22: 24: 24: 26: 27) sts.

Work 3 rows, ending with a WS row.

Shape shoulder

Cast off 6 (6: 7: 7: 7: 8: 8) sts at beg of next row, then 6 (6: 7: 7: 8: 8: 9) sts at beg of foll alt row **and at same time** dec 1 st at neck edge of next row.

Work 1 row.

Cast off rem 7 (7: 7: 7: 8: 8: 9) sts.

With RS facing, rejoin 2 strands of yarn D and cast off centre 18 (20: 20: 20: 20: 20: 20) sts, K to end.

Complete to match first side, rev shapings.

SLEEVES (both alike)

Cast on 48 (50: 50: 52: 54: 58: 60: 62) sts using 3¼mm (US 5) needles and 2 strands of yarn A held together.

Row 1 (RS): P1 (0: 0: 0: 0: 0: 0), K2 (0: 0: 1: 2: 0: 1: 2), *P2, K2, rep from * to last 1 (2: 2: 3: 0: 2: 3: 0) sts, P1 (2: 2: 2: 0: 2: 2: 0), K0 (0: 0: 1: 0: 0: 1: 0).

Row 2: K1 (0: 0: 0: 0: 0: 0), P2 (0: 0: 1: 2: 0: 1: 2), *K2, P2, rep from * to last 1 (2: 2: 3: 0: 2: 3: 0) sts, K1 (2: 2: 2: 0: 2: 2: 0), P0 (0: 0: 1: 0: 0: 1: 0). These 2 rows form rib.

Cont in rib until sleeve measures 15 cm, ending with a RS row.

Next row (WS): Rib 3 (4: 4: 5: 6: 0: 1: 2), K2tog, *rib 6, K2tog, rep from * to last 3 (4: 4: 5: 6: 0: 1: 2) sts, rib 3 (4: 4: 5: 6: 0: 1: 2). 42 (44: 44: 46: 48: 50: 52: 54) sts.

Change to 4½mm (US 7) needles.

Beg with a K row, now work in st st throughout as follows:

Working all sleeve increases in same way as side increases on back and front, inc 1 st at each end of 3rd and every foll 4th row to 54 (56: 60: 64: 66: 70: 74: 78) sts, then on 6 (6: 4: 3: 3: 2: 1: 0) foll 6th rows.

66 (68: 68: 70: 72: 74: 76: 78) sts.

Work 5 (5: 5: 5: 5: 5: 3) rows, ending with a WS row.

Break off one strand of yarn A and join in one strand of yarn B.

Inc 1 st at each end of next and foll 8th row. 70 (72: 72: 74: 76: 78: 80: 82) sts.

Work 3 rows, ending with a WS row.

Break off yarn A and join in a second strand of yarn B.

Work 10 rows, ending with a WS row.

(Sleeve should measure approx 49 (49: 48: 47: 47: 46: 45: 44) cm.)

Shape top

Break off one strand of yarn B and join in one strand of yarn C.

Cast off 3 (3: 3: 4: 4: 5: 6: 7) sts at beg of next 2 rows.

64 (66: 66: 66: 68: 68: 68: 68) sts.

Dec 1 st at each end of next 3 rows, then on foll alt row. 56 (58: 58: 58: 60: 60: 60: 60) sts.

Work 1 row, ending with a WS row.

Break off yarn B and join in a second strand of yarn C.

Dec 1 st at each end of next and foll alt row. 52 (54: 54: 54: 56: 56: 56: 56) sts.

Work 3 rows, ending with a WS row.

Break off one strand of yarn C and join in one strand of yarn D.

Dec 1 st at each end of next and foll 4th row. 48 (50: 50: 50: 52: 52: 52: 52) sts.

Work 1 row, ending with a WS row.

Break off yarn C and join in a second strand of yarn D.

Complete sleeve using 2 strands of yarn D as follows:

Dec 1 st at each end of 3rd and 0 (0: 0: 1: 1: 2: 2: 3) foll 4th rows, then on foll 2 (3: 3: 2: 3: 2: 2: 1) alt rows, then on foll 5 rows, ending with a WS row.

Cast off rem 32 sts.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join right shoulder seam using back stitch or mattress stitch if preferred.

Neckband

With RS facing, using 3¼mm needles and 2 strands of yarn D held together, pick up and knit 17 (17: 17: 18: 18: 19: 19: 19) sts down left side of front neck, 18 (20: 20: 20: 20: 20: 20: 20) sts from front, 17 (17: 17: 18: 18: 19: 19: 19) sts up right side of front neck, and 37 (38: 38: 39: 39: 40: 40: 40) sts from back. 89 (92: 92: 95: 95: 98: 98: 98) sts.

Row 1 (WS): P2, *inc in next st, P2, rep from * to end. 118 (122: 122: 126: 126: 130: 130: 130) sts.



Row 2: K2, *P2, K2, rep from * to end.


Row 3: P2, *K2, P2, rep from * to end.

Rows 2 and 3 form rib.

Cont in rib for a further 4 rows, ending with a WS row. Cast off in rib.

Join left shoulder and neckband seam. Join side seams. Join sleeve seams. Insert sleeves into armholes.





TAYLOR ●●●●

picture on page 08

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm
32 34 36 38 40 43 46 49 in

ROWAN PEBBLE ISLAND / Elephant

11 12 12 13 14 14 15 16 x 50gm

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles
1 pair 3¾mm (no 9) (US 5) needles
1 pair 4½mm (no 7) (US 7) needles
Cable needle

TENSION

22 sts and 30 rows to 10cm over double moss stitch using 4½mm (US 7) needles.

SPECIAL ABBREVIATIONS

C4B = slip next 2 sts onto cn and leave at back of work, K2, then K2 from cn; **C4F** = slip next 2 sts onto cn and leave at front of work, K2, then K2 from cn; **C5B** = slip next 3 sts onto cn and leave at back of work, K2, slip centre st of this group of 5 sts back onto left and P this st, then K2 from cn; **C5F** = slip next 3 sts onto cn and leave at front of work, K2, slip centre st of this group of 5 sts back onto left needle and P this st, then K2 from cn; **Tw2L** = K into back of second st on left needle, then K first st and slip both sts off left needle together; **Tw2R** = K into front of second st on left needle, then K first st and slip both sts off left needle together; **Cr3L** = slip next 2 sts onto cn and leave at front of work, K1, then K2 from cn; **Cr3R** = slip next st onto cn and leave at back of work, K2, then K1 from cn.

BACK

Cast on 117 (123: 130: 136: 143: 152: 161: 170) sts using 3¾mm (US 5) needles.

Row 1 (RS): P0 (0: 1: 0: 0: 0: 0: 1), K0 (3: 3: 2: 3: 0: 2: 3), *P2, K3, rep from * to last 2 (0: 1: 4: 0: 2: 4: 1) sts, P2 (0: 1: 2: 0: 2: 2: 1), K0 (0: 0: 2: 0: 0: 2: 0).

Row 2: K0 (0: 1: 0: 0: 0: 0: 1), P0 (3: 3: 2: 3: 0: 2: 3), *K2, P3, rep from * to last 2 (0: 1: 4: 0: 2: 4: 1) sts, K2 (0: 1: 2: 0: 2: 2: 1), P0 (0: 0: 2: 0: 0: 2: 0).

These 2 rows form rib.

Cont in rib until back measures 6 (6: 6: 6: 7: 7: 7: 7) cm, ending with a **RS** row.

Next row (WS): Rib 0 (3: 4: 7: 3: 5: 2: 4), K2tog, *rib 8, K2tog, rep from * to last 5 (8: 4: 7: 8: 5: 7: 4) sts, rib 5 (8: 4: 7: 8: 5: 7: 4). 105 (111: 117: 123: 129: 137: 145: 153) sts.

Change to 3¼mm (US 3) needles.

Work in g st for 7 rows, ending with a **RS** row. Change to 4½mm (US 7) needles.

Next row (WS): P1 (1: 0: 1: 0: 0: 0: 0), (K1, P1) 0 (0: 1: 1: 2: 2: 3: 3) times, K3, *(P1, inc purlwise in next st, P1, K3) twice, P0 (1: 1: 1: 1: 1: 1: 1), (K1, P1) 4 (5: 6: 7: 8: 10: 11: 13) times, (K3, P1, inc purlwise in next st, P1) twice**, K8, inc purlwise in next st, P1, inc purlwise in next st, K11, inc purlwise in next st, P1, inc purlwise in next st, K8, rep from * to ** once more, K3, (P1, K1) 0 (0: 1: 1: 2: 2: 3: 3) times, P1 (1: 0: 1: 0: 0: 0: 0).

117 (123: 129: 135: 141: 149: 157: 165) sts.

Now work in patt and place charts A, B and C as follows:

Row 1 (RS): Inc in first st, P0 (0: 1: 0: 1: 1: 1: 1), (K1, P1) 0 (0: 0: 1: 1: 1: 2: 2) times, work next 17 sts as row 1 of chart A, P0 (1: 1: 1: 1: 1: 1: 1), (K1, P1) 4 (5: 6: 7: 8: 10: 11: 13) times, work next 65 sts as row 1 of chart B, (P1, K1) 4 (5: 6: 7: 8: 10: 11: 13) times, P0 (1: 1: 1: 1: 1: 1: 1), work next 17 sts as row 1 of chart C, (P1, K1) 0 (0: 0: 1: 1: 1: 2: 2) times, P0 (0: 1: 0: 1: 1: 1: 1), inc in last st.

119 (125: 131: 137: 143: 151: 159: 167) sts.

Row 2: K0 (0: 1: 0: 1: 1: 1: 1), (P1, K1) 1 (1: 1: 2: 2: 2: 3: 3) times, work next 17 sts as row 2 of chart C, K0 (1: 1: 1: 1: 1: 1: 1), (P1, K1) 4 (5: 6: 7: 8: 10: 11: 13) times, work next 65 sts as

row 2 of chart B, (K1, P1) 4 (5: 6: 7: 8: 10: 11: 13) times, K0 (1: 1: 1: 1: 1: 1: 1), work next 17 sts as row 2 of chart A, (K1, P1) 1 (1: 1: 2: 2: 2: 3: 3) times, K0 (0: 1: 0: 1: 1: 1: 1).

Row 3: K0 (0: 1: 0: 1: 1: 1: 1), (P1, K1) 1 (1: 1: 2: 2: 2: 3: 3) times, work next 17 sts as row 3 of chart A, K0 (1: 1: 1: 1: 1: 1: 1), (P1, K1) 4 (5: 6: 7: 8: 10: 11: 13) times, work next 65 sts as row 3 of chart B, (K1, P1) 4 (5: 6: 7: 8: 10: 11: 13) times, K0 (1: 1: 1: 1: 1: 1: 1), work next 17 sts as row 3 of chart C, (K1, P1) 1 (1: 1: 2: 2: 2: 3: 3) times, K0 (0: 1: 0: 1: 1: 1: 1).

Row 4: P0 (0: 1: 0: 1: 1: 1: 1), (K1, P1) 1 (1: 1: 2: 2: 2: 3: 3) times, work next 17 sts as row 4 of chart C, P0 (1: 1: 1: 1: 1: 1: 1), (K1, P1) 4 (5: 6: 7: 8: 10: 11: 13) times, work next 65 sts as row 4 of chart B, (P1, K1) 4 (5: 6: 7: 8: 10: 11: 13) times, P0 (1: 1: 1: 1: 1: 1: 1), work next 17 sts as row 4 of chart A, (P1, K1) 1 (1: 1: 2: 2: 2: 3: 3) times, P0 (0: 1: 0: 1: 1: 1: 1).

These 4 rows form double moss st patt between chart sts and at side edges.

Keeping sts correct as set, repeating the 6 row patt repeat from charts A and C and the 24 row patt repeat from chart B throughout, cont in patt as follows:

Inc 1 st at each end of next and 3 foll 4th rows, then on foll 6th row, then on foll 8th row, taking inc sts into double moss st patt. 131 (137: 143: 149: 155: 163: 171: 179) sts. Cont straight until back measures 22.5 (22.5: 23.5: 23.5: 24.5: 24.5: 25: 25) cm, ending with a WS row.

Shape raglan armholes

Keeping patt correct, cast off 9 (9: 10: 11: 12: 12: 14: 14) sts at beg of next 2 rows.

113 (119: 123: 127: 131: 139: 143: 151) sts.





Size XS only

Next row (RS): P2, patt 4 sts, P1, P2tog, patt to last 9 sts, P2tog tbl, P1, patt 4 sts, P2. 111 sts.

Next row: K2, P4, K2, patt to last 8 sts, K2, P4, K2.

Next row: P2, patt 4 sts, P2, patt to last 8 sts, P2, patt 4 sts, P2.

Next row: K2, P4, K2, patt to last 8 sts, K2, P4, K2.



Size S only

Next row (RS): P2, patt 4 sts, P1, P2tog, patt to last 9 sts, P2tog tbl, P1, patt 4 sts, P2. 117 sts.

Next row: K2, P4, K2, patt to last 8 sts, K2, P4, K2.

Sizes M, L, XL, 2XL, 3XL and 4XL only

Next row (RS): P2, patt 4 sts, P1, P2tog, patt to last 9 sts, P2tog tbl, P1, patt 4 sts, P2.

Next row: K2, P4, K1, K2tog tbl, patt to last 9 sts, K2tog, K1, P4, K2.

– (-: 119: 123: 127: 135: 139: 147) sts.

Rep last 2 rows – (-: 1: 0: 2: 3: 5: 7) times more, ending with a WS row.

– (-: 115: 123: 119: 123: 119: 119) sts.

All sizes

Working all raglan armhole decreases as set, dec 1 st at each end of next and every foll alt row until 37 (39: 39: 41: 41: 43: 43: 43) sts rem.

Work 1 row, ending with a WS row.

Cast off in patt.

FRONT

Work as given for back until 51 (53: 53: 57: 57: 61: 61: 61) sts rem.

Work 1 row, ending with a WS row.

Shape front neck

Next row (RS): P2, patt 4 sts, P1, P2tog, patt 1 (1: 1: 3: 3: 5: 5: 5) sts and turn, leaving rem sts on a holder.

9 (9: 9: 11: 11: 13: 13: 13) sts.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next row. 8 (8: 8: 10: 10: 12: 12: 12) sts.

Sizes L and XL only

Next row (RS): P2, patt 4 sts, P1, P3tog, 8 sts.

Sizes 2XL, 3XL and 4XL only

Next row (RS): P2, patt 4 sts, P1, P2tog, patt 1 st, work 2 tog. 10 sts.

Dec 1 st at neck edge of next row. 9 sts.

Next row: P2, patt 4 sts, P3tog, 7 sts.

All sizes

Dec 1 st at neck edge of next 5 (5: 5: 4: 4: 2: 2) rows, then on foll 1 (1: 1: 2: 2: 3: 3) alt rows. 2 sts.

Next row (WS): K2.

Next row: P2tog and fasten off.

With RS facing, rejoin yarn and cast off centre 31 (33: 33: 33: 33: 33: 33: 33) sts, patt until there are 1 (1: 1: 3: 3: 5: 5: 5) sts on right needle, P2tog tbl, P1, patt 4 sts, P2.

9 (9: 9: 11: 11: 13: 13: 13) sts.

Complete to match first side, reversing shapings.

SLEEVES (both alike)

Cast on 63 (63: 66: 68: 70: 70: 74: 74) sts using 3¼mm (US 5) needles.

Row 1 (RS): K0 (0: 2: 0: 0: 0: 1: 1), P0 (0: 2: 0: 1: 1: 2: 2), *K3, P2, rep from * to last 3 (3: 2: 3: 4: 4: 1: 1) sts, K3 (3: 2: 3: 3: 3: 1: 1), P0 (0: 0: 0: 1: 1: 0: 0).

Row 2: P0 (0: 2: 0: 0: 0: 1: 1), K0 (0: 2: 0: 1: 1: 2: 2), *P3, K2, rep from * to last 3 (3: 2: 3: 4: 4: 1: 1) sts, P3 (3: 2: 3: 3: 3: 1: 1), K0 (0: 0: 0: 1: 1: 0: 0).

These 2 rows form rib.

Cont in rib until sleeve measures 6 (6: 6: 6: 7: 7: 7: 7) cm, ending with a RS row.

Next row (WS): Rib 3 (3: 2: 3: 4: 4: 6: 6), K2tog, *rib 8, K2tog, rep from * to last 8 (8: 2: 3: 4: 4: 6: 6) sts, rib 8 (8: 2: 3: 4: 4: 6: 6).

57 (57: 59: 61: 63: 63: 67: 67) sts.

Change to 3¼mm (US 3) needles.

Work in g st for 7 rows, ending with a RS row.

Change to 4½mm (US 7) needles.

Next row (WS): K0 (0: 1: 0: 1: 1: 1: 1), (P1, K1) 3 (3: 3: 4: 4: 4: 5: 5) times, P1, K4, P1, inc purlwise in next st, P1, K3, place marker on needle, P1, place marker on needle, K3, (P1, inc purlwise in next st, P1, K3) 3 times, place marker on needle, P1, place marker on needle, K3, P1, inc purlwise in next st, P1, K4, P1, (K1, P1) 3 (3: 3: 4: 4: 4: 5: 5) times, K0 (0: 1: 0: 1: 1: 1: 1).

62 (62: 64: 66: 68: 68: 72: 72) sts and two sets of 2 markers across row.

Now work in patt and place chart D as follows:

Row 1 (RS): K0 (0: 1: 0: 1: 1: 1: 1), (P1, K1) 4 (4: 4: 5: 5: 5: 6: 6) times, P3, Tw2R, Tw2L, P3,

slip marker, M1, P1, M1, slip marker, work next 24 sts as row 1 of chart D, slip marker, M1, P1, M1, slip marker, P3, Tw2R, Tw2L, P3, (K1, P1) 4 (4: 4: 5: 5: 5: 6: 6) times, K0 (0: 1: 0: 1: 1: 1: 1).

66 (66: 68: 70: 72: 72: 76: 76) sts.

Row 2: P0 (0: 1: 0: 1: 1: 1: 1), (K1, P1) 4 (4: 4: 5: 5: 5: 6: 6) times, K3, P4, K3, slip marker, P1, K1, P1, slip marker, work next 24 sts as row 2 of chart D, slip marker, P1, K1, P1, slip marker, K3, P4, K3, (P1, K1) 4 (4: 4: 5: 5: 5: 6: 6) times, P0 (0: 1: 0: 1: 1: 1: 1).

Row 3: P0 (0: 1: 0: 1: 1: 1: 1), (K1, P1) 4 (4: 4: 5: 5: 5: 6: 6) times, P3, Tw2R, Tw2L, P3, slip marker, M1, P1, K1, P1, M1, slip marker, work next 24 sts as row 3 of chart D, slip marker, M1, P1, K1, P1, M1, slip marker, P3, Tw2R, Tw2L, P3, (P1, K1) 4 (4: 4: 5: 5: 5: 6: 6) times, P0 (0: 1: 0: 1: 1: 1: 1).

70 (70: 72: 74: 76: 76: 80: 80) sts.


Row 4: K0 (0: 1: 0: 1: 1: 1: 1), (P1, K1) 4 (4: 4: 5: 5: 5: 6: 6) times, K3, P4, K3, slip marker, P1, (K1, P1) twice, slip marker, work next 24 sts as row 4 of chart D, slip marker, P1, (K1, P1) twice, slip marker, K3, P4, K3, (K1, P1) 4 (4: 4: 5: 5: 5: 6: 6) times, K0 (0: 1: 0: 1: 1: 1: 1).

These 4 rows form patt, with double moss st and braid patt at each edge, centre 24 sts from chart D, and start of the integral sleeve shaping within the two sets of markers.

Keeping sts correct as set, repeating the 6 row patt repeat from chart D and working side braid patts every RS row throughout, and working all sleeve increases within the two sets of markers as set by last 4 rows, cont in patt as follows:

Inc 2 sts within each set of markers - 4 sts increased in total - on 3rd and 1 (1: 1: 2: 2: 3: 4: 5) foll 4th rows, then on 5 (7: 7: 6: 7: 6: 5: 4) foll 6th rows, then on 4 (2: 2: 2: 1: 1: 1: 1) foll

Chart D



8th rows, taking inc sts into double moss st. 114 (114: 116: 118: 120: 120: 124: 124) sts.

Remove markers.

Cont straight until sleeve measures 39 (38: 37: 36: 36: 35: 34: 33) cm, ending with a WS row.

Shape raglans

Keeping patt correct, cast off 9 (9: 10: 11: 12: 12: 14: 14) sts at beg of next 2 rows. 96 sts.

Next row (RS): P2, patt 4 sts, P1, P2tog, patt to last 9 sts, P2tog tbl, P1, patt 4 sts, P2.

Next row: K2, P4, K2, patt to last 8 sts, K2, P4, K2.

Next row: P2, patt 4 sts, P2, patt to last 8 sts, P2, patt 4 sts, P2.

Next row: K2, P4, K2, patt to last 8 sts, K2, P4, K2. 94 sts.

Working all raglan decreases as set by first of these 4 rows, dec 1 st at each end of next and 2 (3: 3: 5: 5: 7: 7: 9) foll 4th rows, then on every foll alt row until 28 sts rem.

Work 1 row, ending with a WS row.

Keeping raglan shaping correct as set, cont as follows:

Left sleeve only

Dec 1 st at each end of next row, then cast off 8 sts at beg of foll row. 18 sts.

Dec 1 st at beg of next row, then cast off 9 sts at beg of foll row.

Right sleeve only

Cast off 9 sts at beg and dec 1 st at end of next row. 18 sts.

Work 1 row.

Rep last 2 rows once more.

Both sleeves

Cast off rem 8 sts.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join both front and right back raglan seams using back stitch or mattress stitch if preferred.

Neckband

With RS facing and using 3³/₄mm (US 5) needles, pick up and knit 23 sts from top of

left sleeve, 10 (10: 10: 13: 13: 14: 14: 14) sts down left side of front neck, 24 (26: 26: 26: 26: 26: 26: 26) sts from front, 10 (10: 10: 13: 13: 14: 14: 14) sts up right side of front neck, 22 sts from top of right sleeve, and 30 (32: 32: 34: 34: 36: 36: 36) sts from back. 119 (123: 123: 131: 131: 135: 135: 135) sts.

Next row (WS): P3, *inc knitwise in next st, P3, rep from * to end.

148 (153: 153: 163: 163: 168: 168: 168) sts.

Next row: K3, *P2, K3, rep from * to end.

Next row: P3, *K2, P3, rep from * to end.



Last 2 rows form rib.


Cont in rib for a further 7 rows, ending with a RS row.

Cast off in rib (on WS).

Join left back raglan and neckband seam.

Join side and sleeve seams.





OAKLEY ●●

picture on page 12

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm

32 34 36 38 40 43 46 49 in

ROWAN KIDSILK HAZE

Ombre cardigan / Smoke & Steel

A Smoke

6 7 7 8 8 8 9 9 x 25gm

B Steel

1 1 1 1 1 1 1 1 x 25gm

Single colour cardigan / not photographed

6 7 8 8 8 9 9 10 x 25gm

NEEDLES

1 pair 4½mm (no 7) (US 7) needles

1 pair 6mm (no 4) (US 10) needles

1 pair 4mm (no 8) (US 6) double-pointed needles

TENSION

15 sts and 20 rows to 10 cm measured over stocking stitch using 6mm (US 10) needles and 2 strands of Kidsilk Haze held together.

Single colour cardigan

Work as given for ombre sweater (below) but using same colour throughout.

Ombre cardigan

Please note that the ombre stripes are only on the sleeves – back and fronts are knitted in 2 strands of yarn A held together throughout.

BACK

Cast on 74 (78: 84: 88: 92: 100: 106: 110) sts using 4½mm (US 7) needles and 2 strands of yarn A held together.

Row 1 (RS): K0 (0: 1: 0: 1: 1: 0: 0), P2 (0: 2: 1: 2: 2: 2: 0), *K2, P2, rep from * to last 0 (2: 1: 3: 1: 1: 0: 2) sts, K0 (2: 1: 2: 1: 1: 0: 2), P0 (0: 0: 1: 0: 0: 0: 0).

Row 2: P0 (0: 1: 0: 1: 1: 0: 0), K2 (0: 2: 1: 2: 2: 2: 0), *P2, K2, rep from * to last 0 (2: 1: 3: 1: 1: 0: 2) sts, P0 (2: 1: 2: 1: 1: 0: 2), K0 (0: 0: 1: 0: 0: 0: 0).

These 2 rows form rib.

Cont in rib until back measures 8 cm, ending with a **RS** row.

Next row (WS): Rib 4 (6: 1: 3: 5: 1: 4: 6), K2tog, *rib 6, K2tog, rep from * to last 4 (6: 1: 3: 5: 1: 4: 6) sts, rib 4 (6: 1: 3: 5: 1: 4: 6). 65 (69: 73: 77: 81: 87: 93: 97) sts.

Change to 6mm (US 10) needles.

Beg with a K row, now work in st st throughout as follows:

Work 10 rows, ending with a WS row.

Next row (RS): K3, K2tog, K to last 5 sts, K2tog tbl, K3.

Working all side decreases as set by last row, dec 1 st at each end of 6th and foll 6th row.

59 (63: 67: 71: 75: 81: 87: 91) sts.

Work 3 rows.

Place a marker at end of last row (to denote base of right side seam opening).

Work 6 (6: 6: 6: 8: 8: 8: 8) rows, ending with a WS row.

Next row (RS): K3, M1, K to last 3 sts, M1, K3.

Working all side increases as set by last row, inc 1 st at each end of 4th and 4 (4: 3: 3: 3: 3: 2) foll 4th rows, then on 1 (1: 2: 2: 2: 2: 2: 3) foll 6th rows.

73 (77: 81: 85: 89: 95: 101: 105) sts.

Work 5 rows, ending with a WS row. (Back should measure approx 40 (40: 41: 41: 42: 42: 42: 43) cm.)

Shape armholes

Cast off 2 (3: 4: 4: 5: 5: 6: 7) sts at beg of next 2 rows. 69 (71: 73: 77: 79: 85: 89: 91) sts.

Dec 1 st at each end of next and foll 1 (1: 1: 2: 2: 3: 4: 4) alt rows, then on foll 4th row. 63 (65: 67: 69: 71: 75: 77: 79) sts.

Work 25 (27: 27: 27: 27: 27: 27: 27) rows, ending with a WS row.

Shape back neck

Next row (RS): K23 (23: 24: 24: 25: 26: 27: 28) and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 2 rows.

21 (21: 22: 22: 23: 24: 25: 26) sts.

Work 1 row, ending with a WS row.

(Armhole should measure approx 19 (20: 20: 21: 21: 22: 23: 23) cm.)

Shape shoulder

Cast off 6 (6: 6: 6: 7: 7: 7: 8) sts at beg of next and foll 1 (1: 0: 0: 1: 1: 0: 1) alt rows, then – (-: 7: 7: -: 8: -) sts at beg of foll – (-: 1: 1: -: 1: -) alt row **and at same time** dec 1 st at neck edge of next and foll alt row.

Work 1 row.

Cast off rem 7 (7: 7: 7: 7: 8: 8) sts.

With RS facing, rejoin yarns and cast off centre

17 (19: 19: 21: 21: 23: 23: 23) sts, K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Cast on 60 (62: 65: 67: 69: 73: 76: 78) sts using 4½mm (US 7) needles and 2 strands of yarn A held together.

Row 1 (RS): K0 (0: 1: 0: 1: 1: 0: 0), P2 (0: 2: 1: 2: 2: 2: 0), *K2, P2, rep from * to last 2 sts, K2.

Row 2: K4, *P2, K2, rep from * to last 0 (2: 1: 3: 1: 1: 0: 2) sts, P0 (2: 1: 2: 1: 1: 0: 2), K0 (0: 0: 1: 0: 0: 0: 0).

These 2 rows set the sts – 2 sts at front opening edge in g st and all other sts in rib.

Cont as set until left front measures 8 cm, ending with a **RS** row.

Next row (WS): K4, P2, K2tog, *rib 6, K2tog, rep from * to last 4 (6: 1: 3: 5: 1: 4: 6) sts, rib 4 (6: 1: 3: 5: 1: 4: 6).

53 (55: 57: 59: 61: 64: 67: 69) sts.

Change to 6mm (US 10) needles.

Row 1 (RS): Knit.

Row 2: K2, P to end.

These 2 rows set the sts – 2 sts at front opening edge in g st and all other sts in st st. Keeping sts correct as set throughout, cont as follows:

Work 8 rows, ending with a WS row.

Working all side decreases in same way as side decreases on back, dec 1 st at beg of next and 2 foll 6th rows.

50 (52: 54: 56: 58: 61: 64: 66) sts.

Work 5 rows, ending with a WS row.

Shape front slope

Next row (RS): K to last 15 sts, K2tog tbl, K13.

Working all front slope decreases as set by last row, dec 1 st at front slope edge of 2nd and foll 0 (0: 0: 0: 1: 1: 1: 1) alt row.

48 (50: 52: 54: 55: 58: 61: 63) sts.

Work 1 row, ending with a WS row.

Now working all side increases in same way as side increases on back, inc 1 st at beg of next and 5 (5: 4: 4: 4: 4: 4: 3) foll 4th rows, then on 1 (1: 2: 2: 2: 2: 2: 3) foll 6th rows **and at same time** dec 1 st at front slope edge as set of next and foll 5 (6: 5: 6: 4: 5: 4: 3) alt rows, then on 4 (3: 4: 4: 5: 4: 5: 6) foll 4th rows. 45 (47: 49: 50: 52: 55: 58: 60) sts.

Work 3 (1: 1: 3: 3: 1: 3: 3) rows, ending with a WS row.

Dec 1 st at front slope edge of next row.

44 (46: 48: 49: 51: 54: 57: 59) sts.

Work 1 (3: 3: 1: 1: 3: 1: 1) rows, ending with a WS row. (Left front should measure approx 40 (40: 41: 41: 42: 42: 43) cm.)

Shape armhole

Cast off 2 (3: 4: 4: 5: 5: 6: 7) sts at beg (armhole edge) and dec 0 (1: 1: 0: 0: 1: 0: 0) st at front slope edge of next row.

42 (42: 43: 45: 46: 48: 51: 52) sts.

Work 1 row.

Dec 1 st at armhole edge of next and foll 1 (1: 1: 2: 2: 3: 4: 4) alt rows, then on foll 4th row **and at same time** dec 1 st at front slope edge of next (3rd: 3rd: next: next: 3rd: next: next) and 1 (1: 1: 2: 2: 3: 3) foll 4th rows. 37 (37: 38: 38: 39: 40: 41: 42) sts.

Dec 1 st at front slope edge **only** of

2nd (4th: 4th: 4th: 4th: 4th: 4th: 4th) and 4 foll 4th rows, then on foll 6th row.

31 (31: 32: 32: 33: 34: 35: 36) sts.

Work 5 rows, ending with a WS row.

(Armhole should measure approx 19 (20: 20: 21: 21: 22: 23: 23) cm.)

Shape shoulder

Cast off 6 (6: 6: 6: 7: 7: 7: 8) sts at beg of next and foll 1 (1: 0: 0: 2: 1: 0: 2) alt rows, then

7 (7: 7: 7: 8: 8: 8: 8) sts at beg of foll 1 (1: 2: 2: 1: 2: 2) alt rows. 12 sts.

Inc 1 st at end of next row. 13 sts.

Cont on these 13 sts (for back neck border extension) until this strip measures 9.5 (10: 10: 11: 11: 11.5: 11.5: 11.5) cm, ending with a WS row. Cast off.

RIGHT FRONT

Cast on 60 (62: 65: 67: 69: 73: 76: 78) sts using 4½mm (US 7) needles and 2 strands of yarn A held together.

Row 1 (RS): *K2, P2, rep from * to last 0 (2: 1: 3: 1: 1: 0: 2) sts, K0 (2: 1: 2: 1: 1: 0: 2), P0 (0: 0: 1: 0: 0: 0: 0).

Row 2: P0 (0: 1: 0: 1: 1: 0: 0), K2 (0: 2: 1: 2: 2: 2: 0), *P2, K2, rep from * to last 2 sts, K2.

These 2 rows set the sts – 2 sts at front opening edge in g st and all other sts in rib. Cont as set until right front measures 8 cm, ending with a **RS** row.

Next row (WS): Rib 4 (6: 1: 3: 5: 1: 4: 6), K2tog, *rib 6, K2tog, rep from * to last 6 sts, P2, K4. 53 (55: 57: 59: 61: 64: 67: 69) sts.

Change to 6mm (US 10) needles.

Row 1 (RS): Knit.

Row 2: P to last 2 sts, K2.

These 2 rows set the sts – 2 sts at front opening edge in g st and all other sts in st st. Keeping sts correct as set throughout, cont as follows:

Work 8 rows, ending with a WS row.

Working all side decreases in same way as side decreases on back, dec 1 st at end of next and 2 foll 6th rows.

50 (52: 54: 56: 58: 61: 64: 66) sts.

Work 3 rows.

Place a marker at beg of last row (to denote base of right side seam opening).

Work 2 rows, ending with a WS row.

Shape front slope

Next row (RS): K13, K2tog, K to end.

Working all front slope decreases as set by last row, complete to match left front, reversing shapings.

SLEEVES (both alike)

Cast on 38 (42: 42: 42: 46: 46: 46: 50) sts using 4½mm (US 7) needles and 2 strands of yarn B held together.

Row 1 (RS): K2, *P2, K2, rep from to end.

Row 2: P2, *K2, P2, rep from * to end.

These 2 rows form rib.

Cont in rib until sleeve measures 10 cm, ending with a WS row.

Change to 6mm (US 10) needles.

Break off one strand of yarn B and join in one strand of yarn A.

Beg with a K row cont in st st throughout as follows:

Working all sleeve increases in same way as side increases on back and front, inc 1 st at each end of 3rd and foll 1 (1: 1: 1: 0: 1: 1: 1) alt rows, then on 2 (1: 1: 1: 1: 1: 1: 1) foll 4th rows, then on 2 (1: 1: 2: 1: 1: 1: 1) foll 6th rows, then on 0 (1: 1: 1: 1: 1: 1: 1) foll 8th rows. 50 (52: 52: 54: 54: 56: 56: 60) sts.

Work 5 (7: 7: 1: 9: 7: 7: 7) rows, ending with a WS row.

Break off yarn B and join in a second strand of yarn A.

Complete sleeve using 2 strands of yarn A as follows:

Inc 1 st at each end of 5th (3rd: 3rd: 7th: next: 3rd: next: 3rd) and 0 (0: 0: 0: 0: 0: 2: 0) foll 8th rows, then on 0 (0: 0: 1: 0: 0: 1: 1) foll 10th rows, then on 1 (1: 1: 1: 1: 2: 0: 1) foll 12th rows, then on 1 (1: 1: 0: 1: 0: 0: 0) foll 14th rows. 56 (58: 58: 60: 60: 62: 64: 66) sts.

Work 17 (17: 15: 13: 15: 13: 11: 11) rows, ending with a WS row. (Sleeve should measure approx 49 (48: 47: 46: 46: 45: 44: 43) cm.)

Continued on next page ...



HARDY

picture on page 27

ROWAN BRUSHED FLEECE / Crag & Rock

A Crag 1x 50gm

B Rock 1x 50gm

NEEDLES

1 pair 7mm (no 2) (US 10½) needles

1 pair 9mm (no 00) (US 13) needles

TENSION

9 sts and 14 rows to 10 cm over stocking stitch using 9mm (US 13) needles and yarn used **DOUBLE**.

HAT

Cast on 59 sts using 7mm (US 10½) needles and 2 strands of yarn **A**.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

These 2 rows form rib.

Work in rib for a further 6 rows, ending with a WS row.

Change to 9mm (US 13) needles and cont in

rev st st as folls:

Next row (RS)(dec): *P2tog, P2, to last 3 sts, P2tog, P1. 44 sts.

Work 1 row.

Using one strand each of A and B, work 12 rows.

Using 2 strands of yarn B, work 6 rows.

Shape top

Using 2 strands of yarn B, cont as folls:

Row 1 (RS): P1, *P2tog, P4; 7 times, P1. 37 sts.

Rows 2 & 4: Knit.

Row 3: P1, *P2tog, P3; 7 times, P1. 30 sts.

Row 5: P1, *P2tog, P2; 7 times, P1. 23 sts.

Row 6: K1, *K1, K2tog; 7 times, K1. 16 sts.

Row 7: P1, *P2tog; 7 times, P1. 9 sts.

Break yarn and thread through rem 9 sts.

Pull up tight and fasten off securely.

Sew back seam.

Oakley - Continued from previous page.

Shape top

Cast off 2 (3: 4: 4: 5: 5: 6: 7) sts at beg of next 2 rows. 52 (52: 50: 52: 50: 52: 52: 52) sts.

Dec 1 st at each end of next and 0 (0: 1: 1: 1: 1: 1: 2) foll 4th rows, then on foll 3 (4: 2: 3: 3: 4: 5: 4) alt rows, then on foll 3 rows, ending with a WS row.

38 (36: 36: 36: 34: 34: 32: 32) sts.

Cast off 4 (3: 3: 3: 3: 3: 3: 3) sts at beg of next 2 rows.

Cast off rem 30 (30: 30: 30: 28: 28: 26: 26) sts.

TIES

Shorter tie

Cast on 6 sts using 4mm (US 6) double-pointed needles.

Row 1 (RS): K6, *without turning work, slip these 6 sts to opposite end of needle and bring yarn to opposite end of work pulling it tightly across **WS** of work, K these 6 sts, rep from * until tie is 92 cm long.

Next row (RS): Without turning work, slip these 6 sts to opposite end of needle and

bring yarn to opposite end of work pulling it tightly across **WS** of work, K6tog and fasten off.

Longer tie



Work as for shorter tie until tie is 110 cm long before working last row.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join both shoulder seams using back stitch or mattress stitch if preferred. Join cast-off ends of back neck border extensions, then sew one edge to back neck. Join left side seam.

Join right side seam from cast-on edge to markers at base of side seam opening. Leaving a gap of 3 cm from markers, sew remainder of right side seam from top of side seam opening. Join sleeve seams. Insert sleeves into armholes. Positioning the ties on the inside edge of the fronts at beg of front slope shaping, sew one end of the shorter tie to the left front and one end of the longer tie to the right front.





BYRON ●●●

picture on page 16

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm

32 34 36 38 40 43 46 49 in

ROWAN FELTED TWEED & KIDSILK

HAZE / Boulder, Carbon & Blushes

A Felted Tweed Boulder

4 4 4 5 5 5 6 6 x 50gm

B Felted Tweed Carbon

2 2 2 2 3 3 3 4 x 50gm

C Kidsilk Haze Blushes

1 1 1 1 1 1 1 1 x 25gm

NEEDLES

1 pair 2½mm (no 12) (US 2) needles

1 pair 3¼mm (no 10) (US 3) needles

TENSION

25 sts and 35 rows to 10 cm measured over stocking stitch using 3¼mm (US 3) needles.



FRONT

Cast on 147 (153: 161: 171: 179: 189: 201: 211) sts using 2½mm (US 2) needles and yarn A.

Row 1 (RS): K0 (3: 2: 2: 1: 1: 2: 2), P2, *K3, P2, rep from * to last 0 (3: 2: 2: 1: 1: 2: 2) sts, K0 (3: 2: 2: 1: 1: 2: 2).

Row 2: P0 (3: 2: 2: 1: 1: 2: 2), K2, *P3, K2, rep from * to last 0 (3: 2: 2: 1: 1: 2: 2) sts, P0 (3: 2: 2: 1: 1: 2: 2).

These 2 rows form rib.

Cont in rib until front measures 7 cm, ending with a **RS** row.

Next row (WS): P0 (3: 2: 2: 1: 1: 2: 2), K2tog, *P3, K2tog, rep from * to last 0 (3: 2: 2: 1: 1: 2: 2) sts, P0 (3: 2: 2: 1: 1: 2: 2).

117 (123: 129: 137: 143: 151: 161: 169) sts.

Change to 3¼mm (US 3) needles.**

Beg and ending rows as indicated and using the **intarsia** technique, repeating the 16 st patt repeat 7 (7: 7: 7: 8: 9: 9: 9) times across each row and repeating the 32 row patt repeat throughout, now work in patt from front chart, which is worked entirely in st st beg with a K row, as follows:

Cont straight until front measures 28 (28: 29: 29: 30: 30: 30: 30) cm, ending with a WS row.

Shape armholes

Keeping patt correct, cast off 2 (2: 3: 4: 5: 5: 6: 7) sts at beg of next 2 rows.

113 (119: 123: 129: 133: 141: 149: 155) sts.

Dec 1 st at each end of next and foll

6 (8: 8: 8: 8: 8: 8) alt rows, then on 1 (0: 0: 0: 0: 0: 0) foll 4th rows.

97 (101: 105: 111: 115: 123: 131: 137) sts.

Work 3 (1: 1: 1: 1: 1: 1) rows, ending with a WS row.

Divide for front neck

Next row (RS): (K2tog) 1 (0: 0: 1: 1: 1: 1) times, patt 46 (50: 52: 53: 55: 59: 63: 66) sts and turn, leaving rem sts on a holder.

47 (50: 52: 54: 56: 60: 64: 67) sts.

Work each side of neck separately.

Work 1 row, ending with a WS row.

Dec 1 st at armhole edge of 3rd (next: next: 3rd: 3rd: next: next: next) and foll 0 (0: 0: 0: 0: 2: 5: 6) alt rows, then on 1 (2: 2: 2: 2: 1: 1)

foll 4th rows, then on foll 6th row **and at same time** dec 1 st at neck edge of next

and foll 6 (7: 7: 8: 8: 9: 10: 10) alt rows.

37 (38: 40: 41: 43: 44: 45: 47) sts.

Dec 1 st at neck edge **only** of 2nd and foll 6 (5: 5: 4: 4: 3: 1: 0) alt rows, then on 8 (9: 9: 10: 10: 11: 12: 13) foll 4th rows, then on foll 6th row. 21 (22: 24: 25: 27: 28: 30: 32) sts.

Cont straight until armhole measures 27 (28: 28: 29: 29: 30: 31: 32) cm, ending with a WS row.

Shape shoulder

Cast off 7 (7: 8: 8: 9: 9: 10: 10) sts at beg of next and foll 1 (1: 1: 1: 1: 1: 0) alt rows, then - (-: -: -: -: 1) sts at beg of foll - (-: -: -: -: 1) alt row.

Work 1 row.

Cast off rem 7 (8: 8: 9: 9: 10: 10: 11) sts.

With RS facing, slip centre st onto a holder (for neckband), rejoin appropriate yarns and patt to last 2 (0: 0: 2: 2: 2: 2) sts, (K2tog) 1 (0: 0: 1: 1: 1: 1) times.

47 (50: 52: 54: 56: 60: 64: 67) sts.

Complete to match first side, rev shapings.

BACK

Work as given for front to **.

Beg with a K row, work in st st for 8 rows, ending with a WS row.

Now work in striped st st patt throughout as follows:

Rows 1 and 2: Using yarn B.

Rows 3 to 8: Using yarn A.

These 8 rows form striped st st patt.

Cont in patt until back matches front to beg of armhole shaping, ending with a WS row.

Shape armholes

Keeping patt correct, cast off 2 (2: 3: 4: 5: 5: 6: 7) sts at beg of next 2 rows.

113 (119: 123: 129: 133: 141: 149: 155) sts.

Dec 1 st at each end of next and foll 7 (8: 8: 9: 9: 12: 15: 16) alt rows, then on 3 (3: 3: 3: 3: 2: 1: 1) foll 4th rows, then on foll 6th row.

89 (93: 97: 101: 105: 109: 113: 117) sts.

Cont straight until back matches front to beg of shoulder shaping, ending with a WS row.

Shape shoulders and back neck

Cast off 7 (7: 8: 8: 9: 9: 10: 10) sts at beg of next 2 rows. 75 (79: 81: 85: 87: 91: 93: 97) sts.

Next row (RS): Cast off 7 (7: 8: 8: 9: 9: 10: 11) sts, patt until there are 11 (12: 12: 13: 13: 14: 14: 15) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.
 Cast off 4 sts at beg of next row.
 Cast off rem 7 (8: 8: 9: 9: 10: 10: 11) sts.
 With RS facing, rejoin appropriate yarns and cast off centre 39 (41: 41: 43: 43: 45: 45: 45) sts, patt to end.
 Complete to match first side, reversing shapings.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Swiss embroidery

Using 2 strands of yarn C held together, thread a blunt darning needle with a length of yarn and using swiss embroidery chart as a guide, swiss embroider trellis onto front.

Please note: Each swiss embroidered stitch covers **ONE** stitch and **TWO** rows, rather than the conventional method of one stitch and one row.

Join right shoulder seam using back stitch or mattress stitch if preferred.

Neckband

With RS facing, using 2 3/4mm (US 2) needles and yarn A, pick up and knit 55 (59: 59: 63: 63: 67: 67: 71) sts down left side of front neck, K

st on holder at base of V and mark this st with a coloured thread, pick up and knit 55 (59: 59: 63: 63: 67: 67: 71) sts up right side of front neck, and 48 (52: 52: 52: 52: 56: 56: 56) sts from back. 159 (171: 171: 179: 179: 191: 191: 199) sts.

Row 1 (WS): (P3, inc knitwise in next st) 25 (27: 27: 28: 28: 30: 30: 31) times, P1, P2tog, K1 tbl, P2tog tbl, P1, (inc knitwise in next st, P3) 13 (14: 14: 15: 15: 16: 16: 17) times.

195 (210: 210: 220: 220: 235: 235: 245) sts.
Row 2: *K3, P2, rep from * to within 2 sts of marked centre st, K2tog tbl, P1 tbl, K2tog, **P2, K3, rep from ** to end.

Keeping rib correct as set and dec 1 st on each side of centre st on every row as set by last 2 rows, cont in rib as follows:

Work 1 row in yarn A, 2 rows in yarn B and 4 rows in yarn A, ending with a WS row. 179 (194: 194: 204: 204: 219: 219: 229) sts.

Cast off in rib, still decreasing on each side of marked st as before.

Join left shoulder and neckband seam.

Armhole borders (both alike)

With RS facing, using 2 3/4mm (US 2) needles and yarn A, beg and ending at side edges pick

up and knit 65 (69: 69: 71: 71: 73: 75: 77) sts along one side of armhole edge to shoulder seam, 1 st from shoulder seam, and 65 (69: 69: 71: 71: 73: 75: 77) sts along other side of armhole edge.

131 (139: 139: 143: 143: 147: 151: 155) sts.

Row 1 (WS): P3, *inc knitwise in next st, P3, rep from * to end.

163 (173: 173: 178: 178: 183: 188: 193) sts.

Row 2: K2tog, K1, P2, *K3, P2, rep from * to last 3 sts, K1, K2tog tbl.

Row 3: P2tog tbl, K2, *P3, K2, rep from * to last 2 sts, P2tog. 169 sts.

Keeping rib correct as set and dec 1 st at each end of every row as set by last 2 rows, cont in rib as follows:


Work 2 rows in yarn B and 4 rows in yarn A, ending with a WS row.

147 (157: 157: 162: 162: 167: 172: 177) sts.


Cast off in rib.

Join side seams and armhole borders.


Front chart



Swiss embroidery chart



Using 2 strands of yarn C held together, swiss embroider over one st and two rows



HEATHER ●●

picture on page 20

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm

32 34 36 38 40 43 46 49 in

ROWAN FELTED TWEED / Rage

6 7 7 8 8 8 9 9 x 50gm

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles

1 pair 3¾mm (no 9) (US 5) needles

BUTTONS – 6 button frames or buttons

TENSION

25 sts and 34 rows to 10 cm measured over double moss stitch using 3¾mm (US 5) needles.

BACK

Cast on 101 (107: 113: 121: 127: 137: 147: 155) sts using 3¾mm (US 5) needles.

Work in double moss st patt as follows:

Row 1 (RS): K0 (1: 0: 0: 1: 0: 1: 1), *P1, K1, rep from * to last 1 (0: 1: 1: 0: 1: 0: 0) sts, P1 (0: 1: 1: 0: 1: 0: 0).

Row 2: K1 (0: 1: 1: 0: 1: 0: 0), *P1, K1, rep from * to last 0 (1: 0: 0: 1: 0: 1: 1) sts, P0 (1: 0: 0: 1: 0: 1: 1).

Row 3: As row 2.

Row 4: As row 1.

These 4 rows form double moss st patt.

Cont in patt for a further 6 rows, ending with a WS row.

Keeping patt correct, dec 1 st at each end of next and 3 foll 10th rows.

93 (99: 105: 113: 119: 129: 139: 147) sts.

Cont straight for 21 (21: 23: 23: 23: 23: 25: 25) rows, ending with a WS row.

Inc 1 st at each end of next and 3 foll 12th rows, taking inc sts into patt.

101 (107: 113: 121: 127: 137: 147: 155) sts.

Cont straight until back measures

35 (35: 36: 36: 36: 36: 37: 37) cm, ending

with a WS row.

Shape armholes

Keeping patt correct, cast off 4 (4: 4: 4: 4: 5: 6: 6) sts at beg of next 2 rows.

93 (99: 105: 113: 119: 127: 135: 143) sts.

Dec 1 st at each end of next 5 (5: 7: 7: 7: 9: 9) rows, then on foll 2 (3: 2: 3: 4: 5: 5: 6) alt rows, and then on foll 4th row.

77 (81: 85: 91: 95: 101: 105: 111) sts.

Cont straight until armhole measures

18 (19: 19: 20: 21: 22: 22: 23) cm, ending

with a WS row.

Shape shoulders and back neck

Cast off 7 (7: 8: 9: 9: 10: 10: 11) sts at beg of next 2 rows. 63 (67: 69: 73: 77: 81: 85: 89) sts.

Next row (RS): Cast off 7 (7: 8: 9: 9: 10:

10: 11) sts, patt until there are 10 (12: 11: 12:

13: 14: 15: 16) sts on right needle and turn,

leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 6 (8: 7: 8: 9: 10: 11: 12) sts.

With RS facing, rejoin yarn and cast off centre

29 (29: 31: 31: 33: 33: 35: 35) sts, patt to end.

Complete to match first side, rev shapings.

LEFT FRONT

Cast on 60 (63: 66: 70: 73: 78: 83: 87) sts using 3¾mm (US 5) needles.

Work in patt as follows:

Row 1 (RS): K0 (1: 0: 0: 1: 0: 1: 1), *P1, K1, rep from * to end.

Row 2: (K1, P1) 6 times, K2, *P1, K1, rep from * to last 0 (1: 0: 0: 1: 0: 1: 1) sts, P0 (1: 0: 0: 1: 0: 1: 1).

Row 3: P0 (1: 0: 0: 1: 0: 1: 1), *K1, P1, rep from * to last 14 sts, (P1, K1) 7 times.

Row 4: (K1, P1) 6 times, K2, *K1, P1, rep from * to last 0 (1: 0: 0: 1: 0: 1: 1) sts, K0 (1: 0: 0: 1: 0: 1: 1).

These 4 rows set the sts – 13 sts at front opening edge in moss st, 1 st in rev st st and all other sts in double moss st.

Keeping sts correct as set, cont in patt for a further 6 rows, ending with a WS row.

Keeping patt correct, dec 1 st at beg of next and 3 foll 10th rows.

56 (59: 62: 66: 69: 74: 79: 83) sts.

Cont straight for 21 (21: 23: 23: 23: 23: 25: 25) rows, ending with a WS row.

Inc 1 st at beg of next and 3 foll 12th rows, taking inc sts into patt.

60 (63: 66: 70: 73: 78: 83: 87) sts.

Cont straight until left front matches back to beg of armhole shaping, ending with a WS row.

Shape armhole

Keeping patt correct, cast off 4 (4: 4: 4: 4: 5: 6: 6) sts at beg of next row.

56 (59: 62: 66: 69: 73: 77: 81) sts.

Work 1 row.

Dec 1 st at armhole edge of next

5 (5: 7: 7: 7: 9: 9) rows, then on 2 (3: 2: 3: 4:

5: 5: 6) foll alt rows, then on foll 4th row.

48 (50: 52: 55: 57: 60: 62: 65) sts.

Cont straight until 23 (23: 25: 25: 27: 27: 29: 29)

rows less have been worked than on back to start of shoulder shaping, ending with

a **RS** row.

Shape front neck

Cast off 16 sts at beg of next row.

32 (34:36:39:41:44:46:49) sts.

Work 1 row.

Dec 1 st at neck edge of next 8 rows, then on foll 2 (2:3:3:4:4:5:5) alt rows, then on 2 foll 4th rows. 20 (22:23:26:27:30:31:34) sts.

Work 1 row, ending with a WS row.

Shape shoulder

Cast off 7 (7:8:9:9:10:10:11) sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 6 (8:7:8:9:10:11:12) sts.

Mark positions of 6 button on left front, the 2nd to come 50 rows up from cast-on edge, the 6th to come 8 rows down from beg of neck shaping, with the 3rd, 4th and 5th buttons evenly spaced between, then the first button evenly spaced between the cast-on edge and the 2nd button.

RIGHT FRONT

Cast on 60 (63:66:70:73:78:83:87) sts using 3¼mm (US 5) needles.

Work in patt as follows:

Row 1 (RS): *K1, P1, rep from * to last 0 (1:0:0:1:0:1:1) sts, K0 (1:0:0:1:0:1:1).

Row 2: P0 (1:0:0:1:0:1:1), *K1, P1, rep from * to last 14 sts, K2, (P1, K1) 6 times.

Row 3: (K1, P1) 7 times, *P1, K1, rep from * to last 0 (1:0:0:1:0:1:1) sts, P0 (1:0:0:1:0:1:1).

Row 4: K0 (1:0:0:1:0:1:1), *P1, K1, rep from * to last 14 sts, K2, (P1, K1) 6 times.

These 4 rows set the sts – 13 sts at front opening edge in moss st, 1 st in rev st st and all other sts in double moss st.

Keeping sts correct as set, cont in patt for a further 6 rows, ending with a WS row.

Complete to match left front, reversing shapings and working buttonholes to correspond with positions marked for buttons on left front as follows:

Buttonhole row 1 (RS): Patt 6 sts, cast off next 3 sts, patt to end.

Buttonhole row 2: Patt to where 3 sts have been cast-off on previous row, (yarn

3 times – work into back of each of these 'yarn' on next row working them in moss st as set - patt 6 sts.

SLEEVES (both alike)

Cast on 158 (162:166:170:174:182:186:190) sts using 3¼mm (US 5).

Work sleeve edging as follows:

Row 1 (RS): *K2, then slip first of these sts over 2nd st and off needle, rep from * to end. 79 (81:83:85:87:91:93:95) sts.

Row 2: K1, *P1, K1, rep from * to end.

Now work in double moss st patt as follows:

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

Row 3: As row 2.

Row 4: As row 1.

These 4 rows form double moss st patt.

Cont in patt until sleeve measures 34 (33:33:32:31:31:30:30) cm, ending with a WS row.

Shape top

Keeping patt correct, cast off 4 (4:4:4:4:5:6:6) sts at beg of next 2 rows.

71 (73:75:77:79:81:81:83) sts.

Dec 1 st at each end of next 5 rows, then on foll 3 alt rows. 55 (57:59:61:63:65:65:67) sts. Work 3 rows, ending with a WS row.

Dec 1 st at each end of next row and every foll 4th row until 45 (45:47:47:49:49:49:51) sts rem. Work 1 row, ending with a WS row.

Dec 1 st at each end of next and foll 1 (1:1:1:1:2:3)

alt rows, then on every foll row until 31 (31:33:33:35:35:37:37) sts rem, ending with a WS row.

Cast off 3 sts at beg of next 2 rows.

Cast off rem 25 (25:27:27:29:29:31:31) sts.

Collar

Cast on 113 (113:119:119:125:125:131:131) sts using 3¼mm (US 3) needles.

Work in double moss st as given for sleeves until collar measures 7.5 (7.5:8:8.5:9:9.5:9.5:10) cm, ending with a WS row.

Keeping patt correct, cast off 10 sts at beg of next 4 rows, then 18 (18:20:20:22:22:24:24) sts at beg of foll 2 rows.

Place markers at both ends of last row.

Cast off rem 37 (37:39:39:41:41:43:43) sts.

MAKING UP


Press all pieces with a warm iron over a damp cloth.


Join both shoulder seams using back stitch or mattress stitch if preferred.

Positioning ends of the shaped edge of collar halfway across front moss st borders, matching centre of shaped edge of collar to centre back neck and markers to shoulder seams, pin and then neatly sew collar in place around neck edge. Join side seams. Join sleeve seams. Insert sleeves into armholes.

Buttons

Thread a needle with three strands of yarn. Secure yarn to centre back of button frame, and then using the diagram as a guide (see page 71), weave the yarn around the framework of the button. Fasten off securely. Sew on buttons to correspond with buttonholes.





TWEED ●●●

picture on page 19

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm
32 34 36 38 40 43 46 49 in

ROWAN FELTED TWEED ARAN / Carbon
11 11 12 12 13 13 14 14 x 50gm

NEEDLES

1 pair 5mm (no 6) (US 8) needles
4.00mm (no 8) (US G6) crochet hook
Cable needle

BUTTONS - 4

TENSION

18 sts and 23 rows to 10 cm measured
over double moss stitch using 5mm (US 8)
needles.

SPECIAL ABBREVIATIONS

C3B = slip next 2 sts onto cn and leave at
back of work, K1, then K2 from cn; **C3F**
= slip next st onto cn and leave at front of
work, K2, K1 from cn; **Tw2L** = K into back
of second st on left needle, then K first st
and slip both sts off left needle together;
Tw2R = K into front of second st on left
needle, then K first st and slip both sts off left
needle together; **yfrn** = bring yarn to front
and round needle.

CROCHET ABBREVIATIONS

ch = chain; **dc** = double crochet.

BACK

Cast on 73 (77:81:87:91:97:105:111) sts
using 5mm (US 8) needles.

Work in patt as follows:

Row 1 (RS): P0 (0:0:0:0:0:1), (K1, P1)
6 (7:8:9:10:11:13:14) times, *Tw2R, Tw2L,
P1, K7, P1, Tw2R, Tw2L*, P1, (K1, P1) 7 (7:7:8:
8:9:9:9) times, rep from * to * once more,
(P1, K1) 6 (7:8:9:10:11:13:14) times, P0 (0:
0:0:0:0:0:1).

Row 2: K1 (1:1:1:1:1:1:0), (P1, K1) 5 (6:7:
8:9:10:12:14) times, *P5, K1, P7, K1, P5*, K1,
(P1, K1) 6 (6:6:7:7:8:8:8) times, rep from *
to * once more, (K1, P1) 5 (6:7:8:9:10:12:14)
times, K1 (1:1:1:1:1:1:0).

Row 3: K0 (0:0:0:0:0:0:1), (P1, K1) 6 (7:8:
9:10:11:13:14) times, *Tw2R, Tw2L, P1, C3B,
K1, C3F, P1, Tw2R, Tw2L*, K1, (P1, K1) 7 (7:7:
8:8:9:9:9) times, rep from * to * once more,
(K1, P1) 6 (7:8:9:10:11:13:14) times, K0 (0:
0:0:0:0:0:1).

Row 4: K0 (0:0:0:0:0:0:1), (P1, K1) 6 (7:
8:9:10:11:13:14) times, *P4, K1, P7, K1, P4*,
K1, (P1, K1) 7 (7:7:8:8:9:9:9) times, rep
from * to * once more, (K1, P1) 6 (7:8:9:10:
11:13:14) times, K0 (0:0:0:0:0:0:1).

These 4 rows form patt – double moss st at
side edges and at centre between two 17 st
cable panels.

Work a further 30 (30:32:32:32:34:36:36)
rows in patt, ending with RS facing for next row.
Place a marker at each end of last row (to
denote top of side seam openings).

Shape side seams and inner back
Keeping patt correct, inc 1 st at each end of
next row, taking inc sts into double moss st.
75 (79:83:89:93:99:107:113) sts.

Work 11 rows, ending with a WS row.
Place a marker at each edge of the two 17 st
cable panels (4 markers across row).

Next row (RS): Inc in first st, patt to 2 sts
before first marker, work 2 tog, slip marker
onto right needle, patt 17 sts, slip marker
onto right needle, M1, patt to next marker,
M1, slip marker onto right needle, patt 17 sts,
slip marker onto right needle, work 2 tog,

patt to last st, inc in last st.
77 (81:85:91:95:101:109:115) sts.

Last row sets the shaping for inner back – 1
st decreased on the outside edge of each
cable panel and 1 st increased on the inside
edge of each cable panel (taking inc sts into
double moss st) – with side seam increases at
each end of rows.

Working inner back shaping as set by last
row, cont as folls:

Taking side seam increases into double moss
st, inc 1 st at each end of 6th and 4 foll
6th rows **and at same time** dec 1 st at
outside edge of each cable panel and increase
1 st at inside edge of each cable panel on
12th and foll 12th row.

87 (91:95:101:105:111:119:125) sts.

Work 3 rows, ending with a WS row. (Back
should measure approx 35 (35:35.5:35.5:
35.5:36.5:37.5:37.5) cm.)

Shape armholes

Keeping patt correct, cast off 3 (3:4:4:4:5:6:6)
sts at beg of next 2 rows.

81 (85:87:93:97:101:107:113) sts.

Dec 1 st at each end of next 3 (3:3:5:5:5:
7:9) rows, then on foll 3 (4:4:4:4:5:4:4)
alt rows **and at same time** dec 1 st at
outside edge of each cable panel and increase
1 st at inside edge of each cable panel on
next and 0 (0:0:1:1:1:1:1) foll 12th rows.
69 (71:73:75:79:81:85:87) sts.

Work 3 (1:1:1:1:1:9:9:7) rows, ending with
a WS row.

Keeping armhole edges straight, dec 1 st at
outside edge of each cable panel and increase
1 st at inside edge of each cable panel on
next and 2 (2:2:1:1:1:1:1) foll 12th rows.
69 (71:73:75:79:81:85:87) sts.

Inner back shaping is now complete –
remove markers at each side of cable panels.
Work 7 (9:9:11:13:15:15:17) rows, ending
with a WS row.

(Armhole should measure approx 20 (20.5:
21:22:23:23.5:23.5:24) cm.)

Shape shoulders and back neck

Note: When casting off over the cable panel

sts, dec 1 st over each 4 st cable and 2 sts evenly over each 7 st cable as you cast off – each of these decreases should be counted as 2 sts cast off.

Keeping patt correct, cast off 8 (8: 8: 8: 9: 9: 9: 10) sts at beg of next 2 rows.

53 (55: 57: 59: 61: 63: 67: 67) sts.

Next row (RS): Cast off 8 (8: 8: 8: 9: 9: 9: 10) sts, patt until there are 11 (11: 12: 12: 12: 14: 13) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 7 (7: 8: 8: 8: 8: 10: 9) sts.

With RS facing, rejoin yarn and cast off centre 15 (17: 17: 19: 19: 21: 21: 21) sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Cast on 41 (43: 45: 48: 50: 53: 57: 60) sts using 5mm (US 8) needles.

Work in patt as follows:

Row 1 (RS): P0 (0: 0: 0: 0: 0: 1), (K1, P1) 6 (7: 8: 9: 10: 11: 13: 14) times, Tw2R, Tw2L, P1, K7, P1, Tw2R, Tw2L, (P1, K1) 6 (6: 6: 6: 6: 7: 7) times, P0 (0: 0: 1: 1: 0: 0: 0).

Row 2: K1 (1: 1: 0: 0: 1: 1: 1), (P1, K1) 5 (5: 5: 6: 6: 6: 6: 6) times, P5, K1, P7, K1, P5, (K1, P1) 5 (6: 7: 8: 9: 10: 12: 14) times, K1 (1: 1: 1: 1: 1: 1: 0).

Row 3: K0 (0: 0: 0: 0: 0: 0: 1), (P1, K1) 6 (7: 8: 9: 10: 11: 13: 14) times, Tw2R, Tw2L, P1, C3B, K1, C3F, P1, Tw2R, Tw2L, (K1, P1) 6 (6: 6: 6: 6: 7: 7: 7) times, K0 (0: 0: 1: 1: 0: 0: 0).

Row 4: K0 (0: 0: 1: 1: 0: 0: 0), (P1, K1) 6 (6: 6: 6: 6: 7: 7: 7) times, P4, K1, P7, K1, P4, (K1, P1) 6 (7: 8: 9: 10: 11: 13: 14) times, K0 (0: 0: 0: 0: 0: 0: 1).

These 4 rows form patt – double moss st at side edge and front opening edge with 17 st cable panel in between.

Work a further 30 (30: 32: 32: 32: 34: 36: 36) rows in patt, ending with a WS row.

Place a marker at end of last row (to denote top of side seam opening).

Shape side seam and inner front

Inc 1 st at beg of next row, taking inc st into double moss st.

42 (44: 46: 49: 51: 54: 58: 61) sts.

Work 11 rows, ending with a WS row.

Place a marker at each edge of the 17 st cable panel (2 markers across row).

Next row (RS): Inc in first st, patt to 2 sts before first marker, work 2 tog, slip marker onto right needle, patt 17 sts, slip marker onto right needle, M1, patt to end.

43 (45: 47: 50: 52: 55: 59: 62) sts.

Last row sets the shaping for inner front – 1 st decreased on the outside edge of the cable panel and 1 st increased on the inside edge of the cable panel (taking inc sts into double moss st) – with side seam increases at beg of rows.

Working inner front shaping as set by last row, cont as follows:

Taking side seam increases into double moss st, inc 1 st at beg of 6th and 4 foll 6th rows **and at same time** dec 1 st at outside edge of cable panel and increase 1 st at inside edge of cable panel on 12th and foll 12th row.

48 (50: 52: 55: 57: 60: 64: 67) sts.

Work 3 rows, ending with a WS row. (Left front should measure approx 35 (35: 35.5: 35.5: 35.5: 36.5: 37.5: 37.5) cm.)

Shape armhole

Keeping patt correct, cast off 3 (3: 4: 4: 4: 5: 6) sts at beg of next row. 45 (47: 48: 51: 53: 55: 58: 61) sts. Work 1 row.

Dec 1 st at armhole edge of next 3 (3: 3: 5: 5: 5: 7: 9) rows, then on foll 3 (4: 4: 4: 4: 5: 4: 4) alt rows **and at same time** dec 1 st at outside edge of cable panel and increase 1 st at inside edge of cable panel on next and 0 (0: 0: 1: 1: 1: 1: 1) foll 12th rows. 39 (40: 41: 42: 44: 45: 47: 48) sts.

Work 3 (1: 1: 1: 1: 1: 9: 9: 7) rows, ending with a WS row.

Keeping armhole edge straight, dec 1 st at outside edge of cable panel and increase 1 st at inside edge of cable panel on next and 1 (1: 1: 0: 0: 0: 0: 0) foll 12th rows.

39 (40: 41: 42: 44: 45: 47: 48) sts.

Work 5 (7: 7: 7: 9: 9: 9: 9) rows, ending with a WS row.

Shape front neck

Next row (RS): Patt to last 7 (8: 8: 8: 8: 8: 8: 8) sts, cast off last 7 (8: 8: 8: 8: 8: 8: 8) sts. Fasten off.

With **WS** facing, rejoin yarn to rem 32 (32: 33: 34: 36: 37: 39: 40) sts and cont as follows: Dec 1 st at neck edge of next 6 (4: 4: 4: 4: 2: 2) rows **and at same time** dec 1 st at outside edge of cable panel and increase 1 st at inside edge of cable panel on 6th (4th: 4th: 4th: 4th: 2nd: 2nd: 2nd) row.

26 (28: 29: 30: 32: 35: 37: 38) sts.

Inner front shaping is now complete – remove markers at each side of cable panel.

Dec 1 st at neck edge of 2nd (next: next: next: next: next: next) and foll 0 (1: 1: 1: 1: 3: 3: 3) rows, then on foll 1 (2: 2: 3: 3: 4: 4: 3) alt rows, then on 0 (0: 0: 0: 0: 0: 0: 1) foll 4th row. 24 (24: 25: 25: 27: 27: 29: 30) sts.

Work 3 rows, ending with a WS row.

Shape shoulder

Note: When casting off over the cable panel sts, dec 1 st over each 4 st cable and 2 sts evenly over each 7 st cable as you cast off – each of these decreases should be counted as 2 sts cast off.

Keeping patt correct, cast off 8 (8: 8: 8: 9: 9: 9: 10) sts at beg of next and foll alt row **and at same time**, dec 1 st at neck edge on first of these rows.

Work 1 row.

Cast off rem 7 (7: 8: 8: 8: 8: 10: 9) sts.

RIGHT FRONT

Cast on 41 (43: 45: 48: 50: 53: 57: 60) sts using 5mm (US 8) needles.

Work in patt as follows:

Row 1 (RS): P0 (0: 0: 1: 1: 0: 0: 0), (K1, P1) 6 (6: 6: 6: 6: 7: 7: 7) times, Tw2R, Tw2L, P1, K7, P1, Tw2R, Tw2L, (P1, K1) 6 (7: 8: 9: 10: 11: 13: 14) times, P0 (0: 0: 0: 0: 0: 0: 1).

Row 2: K1 (1: 1: 1: 1: 1: 1: 0), (P1, K1) 5 (6: 7: 8: 9: 10: 12: 14) times, P5, K1, P7, K1, P5, (K1, P1) 5 (5: 5: 6: 6: 6: 6: 6) times, K1 (1: 1: 0: 0: 1: 1: 1).

Row 3: K0 (0:0:1:1:0:0:0), (P1, K1) 6 (6:6:6:6:7:7:7), Tw2R, Tw2L, P1, C3B, K1, C3F, P1, Tw2R, Tw2L, (K1, P1) 6 (7:8:9:10:11:13:14) times, K0 (0:0:0:0:0:0:1).

Row 4: K0 (0:0:0:0:0:0:1), (P1, K1) 6 (7:8:9:10:11:13:14) times, P4, K1, P7, K1, P4, (K1, P1) 6 (6:6:6:6:7:7:7) times, K0 (0:0:1:1:0:0:0).

These 4 rows form patt – double moss st at side edge and front opening edge with 17 st cable panel in between.

Work a further 30 (30:32:32:32:34:36:36) rows in patt, ending with a WS row.

Place a marker at beg of last row (to denote top of side seam opening).

Shape side seam and inner front

Inc 1 st at end of next row, taking inc st into double moss st. 42 (44:46:49:51:54:58:61) sts.

Work 1 (3:3:3:5:5:5:5) rows, ending with a WS row.

Sizes XS, M, XL and 2XL only

Next row (RS): K1, P2tog tbl, yon, yrn (to make a buttonhole), K2tog, patt to end.

Sizes S, L, 3XL and 4XL only

Next row (RS): P1, K2tog tbl, yfrn – see special abbreviation, yrn (to make a buttonhole), P2tog, patt to end.

All sizes

Working a further 3 buttonholes as set by last row on 24th and 2 foll 24th rows and noting that no further reference will be made to buttonholes, cont as follows:

Work 9 (7:7:7:5:5:5:5) rows, ending with a WS row.

Place a marker at each edge of the 17 st cable panel (2 markers across row).

Next row (RS): Patt to first marker, M1, slip marker onto right needle, patt 17 sts, slip marker onto right needle, work 2 tog, patt to last st, inc in last st.

43 (45:47:50:52:55:59:62) sts.

Last row sets the shaping for inner front – 1 st decreased on the outside edge of the cable panel and 1 st increased on the inside edge of the cable panel – with side seam increases at end of rows.

Working inner front shaping as set by last row, complete to match left front, reversing shapings and working first row of neck shapings as follows:

Shape front neck

Next row (RS): Cast off first 7 (8:8:8:8:8:8:8) sts, patt to end.

32 (32:33:34:36:37:39:40) sts.

SLEEVES (both alike)

Cast on 42 (44:44:46:48:48:50:52) sts using 5mm (US 8) needles.

Work in patt as follows:

Row 1 (RS): P0 (1:1:0:1:1:0:1), (K1, P1) 3 (3:3:4:4:4:5:5) times, Tw2R, Tw2L, *P1, (K1, P1) 4 times, Tw2R, Tw2L, rep from * once more, (P1, K1) 3 (3:3:4:4:4:5:5) times, P0 (1:1:0:1:1:0:1).

Row 2: K1 (0:0:1:0:0:1:0), (P1, K1) 2 (3:3:4:4:4:5) times, P6, *K1, (P1, K1) 3 times, P6, rep from * once more, (K1, P1) 2 (3:3:3:4:4:4:5) times, K1 (0:0:1:0:0:1:0).

Row 3: K0 (1:1:0:1:1:0:1), (P1, K1) 3 (3:3:4:4:4:5:5) times, Tw2R, Tw2L, *K1, (P1, K1) 4 times, Tw2R, Tw2L, rep from * once more, (K1, P1) 3 (3:3:4:4:4:5:5) times, K0 (1:1:0:1:1:0:1).

Row 4: K0 (1:1:0:1:1:0:1), (P1, K1) 3 (3:3:4:4:4:5:5) times, P4, *K1, (P1, K1) 4 times, P4, rep from * once more, (K1, P1) 3 (3:3:4:4:4:5:5) times, K0 (1:1:0:1:1:0:1).

These 4 rows form patt – double moss st at side edges and between three 4 st cables.

Work a further 12 (12:12:10:10:10:10:10) rows, ending with a WS row.

Place a marker at each edge of the centre 4 st cable (2 markers across row).

Shape sleeves

Next row (RS): Patt 10 (11:11:12:13:13:14:15) sts, M1, patt to first marker, M1, slip marker to right needle, patt 4 sts, slip marker to right needle, M1, patt to last 10 (11:11:12:13:13:14:15) sts, M1, patt 10 (11:11:12:13:13:14:15) sts.

46 (48:48:50:52:52:54:56) sts.

Working all increases 10 (11:11:12:13:13:14:15) sts in from each side edge and at outside of markers as set by last row, inc 4 sts on 16th (16th:16th:14th:14th:14th:14th:14th) and 2 (1:0:0:0:0:0:0) foll 16th rows, then on 2 (3:4:4:4:3:2:1) foll 14th rows, then on 0 (0:0:0:0:1:2:3) foll 12th rows, taking inc sts into double moss st. 66 (68:68:70:72:72:74:76) sts.

Inner sleeve shaping is now complete – remove makers.

Cont straight for 13 (13:13:13:11:11:11:11) rows, ending with a WS row. (Sleeve should measure approx 46 (45:44:43:42:41:40:39) cm).


Shape top


Keeping patt correct, cast off 3 (3:4:4:4:5:6:6) sts at beg of next 2 rows.

60 (62:60:62:64:62:62:64) sts.

Dec 1 st at each end of next 5 rows, then on foll 4 (5:6:7:8:10:10:11) alt rows, then on foll 5 (5:3:3:3:0:0:0) rows. 32 sts.

Continued on next page ...





HARLEY ●

picture on page 24

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm

32 34 36 38 40 43 46 49 in

ROWAN SOFT BOUCLÉ / Ash

9 9 10 10 11 11 12 12 x 50gm

NEEDLES

1 pair 5mm (no 6) (US 8) needles

1 pair 6mm (no 4) (US 10) needles

TENSION

14 sts and 20 rows to 10 cm measured over reverse stocking stitch using 6mm (US 10) needles.

Yarn note: Please see information page for advice about knitting with Soft Bouclé.

BACK

Cast on 78 (82: 86: 90: 94: 98: 104: 108) sts using 5mm (US 8) needles.

Noting that row 1 is a **WS** row, work in g st for 11 rows, ending with a WS row.

Change to 6mm (US 10) needles.

Beg with a P row, work in rev st st until back measures 38 (39: 40: 40: 41: 42: 42: 43) cm, ending with a WS row.

Shape sides and armholes

Next row (RS): P3, M1p, P to last 3 sts, M1p, P3.

Working all increases as set by last row, inc 1 st at each end of 14th and 2 foll 14th rows. 86 (90: 94: 98: 102: 106: 112: 116) sts.

Cont straight until back measures 65 (66: 67: 68: 69: 70: 71: 72) cm, ending with a WS row.

Shape shoulders and back neck

Cast off 5 (5: 5: 5: 6: 6: 6: 7) sts at beg of next 8 (8: 6: 4: 8: 8: 4: 8) rows, then - (-: 6: 6: -: -: 7: -) sts at beg of foll - (-: 2: 4: -: -: 4: -) rows.

46 (50: 52: 54: 54: 58: 60: 60) sts.

Next row (RS): Cast off 5 (5: 6: 6: 6: 6: 7: 7) sts, P until there are 9 (10: 10: 10: 10: 11: 11: 11) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 5 (6: 6: 6: 6: 7: 7: 7) sts.

With RS facing, rejoin yarn and cast off centre 18 (20: 20: 22: 22: 24: 24: 24) sts, P to end.

Complete to match first side, reversing shapings.

FRONT

Work as given for back until 2 (2: 2: 4: 4: 6: 6: 6) rows less have been worked than on back to beg of shoulder shaping, ending with a WS row.

Shape front neck

Next row (RS): P36 (37: 39: 41: 43: 45: 48: 50) and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 1 (1: 1: 3: 3: 4: 4: 4) rows. 35 (36: 38: 38: 40: 41: 44: 46) sts.

Work 0 (0: 0: 0: 0: 1: 1: 1) row, ending with a WS row.

Continued on next page ...

Tweed - Continued from previous page.

Work 0 (0: 0: 0: 0: 1: 1: 1) row, end with a WS row.
Cast off 3 sts at beg of next 4 rows.
Cast off rem 20 sts.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join both shoulder seams using back stitch or mattress stitch if preferred.

Back edging

With RS facing and using 4.00mm (US G6) crochet hook, rejoin yarn at marker denoting top of side opening on left side seam of back, 1 ch (does NOT count as a st), work in dc

evenly down left side opening edge to cast-on edge, work 3 dc in corner, work in dc evenly across cast-on edge, work 3 dc in corner, then work in dc up right side opening edge to marker, do NOT turn.

Next row (RS): Working from left to right instead of right to left, work 1 dc into each dc of previous row.
Fasten off.

Front and neck edging

With RS facing, beg at marker denoting top of front right side opening, and working 3 dc into each corner, work front and neck edging

as given for back edging, working down right side opening edge, across right front cast on edge, up front opening edge, around front and back neck, down left front opening edge, across cast on edge and up left side opening edge to marker. Without turning, still with RS facing, work from left to right across previous row.

Sleeve edgings (both alike)

Work as given for back edging along cast-on edge of sleeves.

Join sides seams from top of side openings. Join sleeve seams. Insert sleeves into armholes. Sew on buttons.

Shape shoulder

Cast off 5 (5: 5: 5: 6: 6: 7) sts at beg of next and foll 4 (4: 2: 1: 4: 4: 1: 4) alt rows, then – (-: 6: 6: -: -: 7: -) sts at beg of foll – (-: 2: 3: -: -: 3: -) alt rows **and at same time** dec 1 st at neck edge of next 3 (3: 3: 1: 1: 1: 1) rows, then on foll 2 (2: 2: 3: 3: 3: 3) alt rows. Work 1 row.

Cast off rem 5 (6: 6: 6: 6: 7: 7) sts.

With RS facing, slip centre 14 (16: 16: 16: 16: 16: 16) sts onto a holder (for collar), rejoin yarn and P to end.

Complete to match first side, rev shapings.

SLEEVES (both alike)

Cast on 50 (52: 52: 54: 56: 56: 58: 60) sts using 5mm (US 8) Noting that row 1 is a **WS** row, work in g st for 11 rows, ending with a WS row.

Change to 6mm (US 10) needles.

Beg with a P row, work in rev st st throughout as follows:

Work 2 (2: 4: 2: 4: 4: 4: 2) rows, ending with a WS row.

Next row (RS): P3, M1p, P to last 3 sts, M1p, P3.

Working all increases as set by last row, inc 1 st at each end of 10th (10th: 10th: 10th: 10th: 8th: 8th: 10th) and 4 (4: 6: 6: 1: 1: 2: 3) foll 10th (10th: 10th: 10th: 10th: 8th: 8th: 10th) rows, then on 2 (2: -: -: 4: 5: 4: 2)

foll 12th (12th: -: -: 12th: 10th: 10th: 12th) rows.

66 (68: 68: 70: 70: 72: 74: 74) sts.

Cont straight until sleeve measures 48 (48: 47: 46: 46: 45: 44: 43) cm, ending with a WS row.

Cast off quite loosely.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join right shoulder seam with back stitch, or mattress stitch if preferred.

Polo neck



With RS facing and using 6mm (US 10) needles, pick up and knit 10 (10: 10: 12: 12: 14: 14: 14) sts down left side of neck, P across 14 (16: 16: 16: 16: 16: 16) sts on front holder, pick up and knit 10 (10: 10: 12: 12: 14: 14: 14) sts up right side of front neck, and 26 (28: 28: 30: 30: 32: 32: 32) sts from back.


60 (64: 64: 70: 70: 76: 76: 76) sts.

Beg with a K row, work in rev st st for 14 cm, ending with a **RS** row.

Cast off quite loosely knitwise (on **WS**).

Join left shoulder and polo seam. Mark points along side seam edges 23.5 (24: 24: 25: 25: 25.5: 26.5: 26.5) cm either side of shoulder seams and sew cast-off edge of sleeves to body between these points. Join side and sleeve seams.





SUTTON ●●

picture on page 14

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124cm

32 34 36 38 40 43 46 49 in

ROWAN BRUSHED FLEECE / Crag

13 13 14 14 15 15 16 16 x 50gm

NEEDLES

1 pair 5½mm (no 5) (US 9) needles

1 pair 6mm (no 4) (US 10) needles

1 pair 9mm (no 00) (US 13) needles

BUTTONS - 1 large & 1 small

TENSION

14 sts and 21 rows to 10 cm measured over moss stitch using 6mm (US 10) needles.

SPECIAL ABBREVIATIONS

Tw2R = K into front of second st on left needle, then K first st and slip both sts off left needle together; **Tw2L** = K into back of second st on left needle, then K first st and slip both sts off left needle together.

BACK

Cast on 81 (85:89:93:97:101:107:111) sts using 6mm (US 10) needles.

Work in moss st as follows:

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form moss st.

Cont in moss st for a further 80 rows, ending with a WS row.

Place markers at both ends of last row (to denote top of side openings).

Inc 1 st at each end of next row, taking inc sts into moss st. 83 (87:91:95:99:103:109:113) sts.

Work 25 rows, ending with a WS row. (Back should measure approx 51.5 cm.)

Shape armholes

Keeping moss st correct, cast off 4 sts at beg of next 2 rows.

75 (79:83:87:91:95:101:105) sts.

Dec 1 st at each end of next 5 (5:5:5:3:3:

3:3) rows, then on foll 3 (4:4:4:4:4:6:5)

alt rows, then on 5 (2:2:1:3:2:1:2) foll 4th

rows. 49 (57:61:67:71:77:81:85) sts.

Work 5 rows, ending with a WS row.

Dec 1 st at each end of next and 2 (4:4:5:3:

4:4:4) foll 6th rows, then on 0 (0:0:0:1:1:1:1)

foll 8th row.

43 (47:51:55:61:65:69:73) sts.

Work 7 rows, ending with a WS row.

(Armhole should measure approx 27.5 (28.5:

28.5:29.5:30.5:31.5:31.5:32.5) cm.)

Shape shoulders and back neck

Cast off 3 (4:4:5:6:6:7:7) sts at beg of next 2 rows. 37 (39:43:45:49:53:55:59) sts.

Next row (RS): Cast off 4 (4:5:5:6:6:7:8) sts, patt until there are 8 (8:9:9:10:11:11:12) sts

on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 4 (4:5:5:6:7:7:8) sts.

With RS facing, rejoin yarn and cast off centre 13 (15:15:17:17:19:19:19) sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Cast on 40 (42:44:46:48:50:53:55) sts using 6mm (US 10) needles.

Row 1 (RS): (K1, P1) 16 (17:18:19:20:21:22:23) times, K0 (0:0:0:0:0:1:1), P1, K7.

Row 2: K8 (8:8:8:8:8:9:9), (P1, K1) 16 (17:18:19:20:21:22:23) times.

These 2 rows set the sts - 7 sts at front opening edge in g st, 1 st in rev st st and rem sts in moss st.

Keeping sts correct as set throughout, cont as follows:

Work 2 rows, ending with a WS row.

Shape front opening edge

Next row (RS): (K1, P1) 16 (17:18:19:20:21:22:23) times, K0 (0:0:0:0:0:1:1), M1, P1, K7.

Working all increases 8 sts inside front opening edge as set by last row, inc 1 st at front opening edge of 12th and 5 foll 12th rows, taking inc sts into moss st.

47 (49:51:53:55:57:60:62) sts.

Work 5 rows, ending with a WS row.

Place a marker at end of last row (to denote top of side opening).

Inc 1 st at beg (side edge) of next row, taking inc st into moss st.

48 (50:52:54:56:58:61:63) sts.

Inc 1 st as before at front opening edge of 6th and foll 12th row.

50 (52:54:56:58:60:63:65) sts.

Work 7 rows, ending with a WS row. (Left front should measure approx 51.5 cm.)

Shape armhole

Keeping patt correct, cast off 4 sts at beg of next row. 46 (48:50:52:54:56:59:61) sts.

Work 1 row.

Dec 1 st at armhole edge on next 5 (5:5:5:3:3:3:3) rows, on foll 3 (4:4:4:4:4:6:5) alt rows, on 5 (2:2:1:3:2:1:2) foll 4th rows, then on 1 (3:3:3:3:3:3:3) foll 6th rows,

and at the same time inc 1 st as before at front opening edge of 3rd and 2 foll 12th rows. 35 (37:39:42:44:47:49:51) sts.

Work 1 (1:1:5:1:5:5:5) rows, ending with a WS row.

Shape front neck

Next row (RS): (Work 2 tog) 0 (0:0:1:0:1:1:1) time, moss st to last 8 sts and turn, leaving these 8 sts on a holder (for neckband).

27 (29:31:33:36:38:40:42) sts.

Keeping moss st correct, cast off 3 (4:4:4:4:4:4:4) sts at beg of next row, then 3 sts at

beg of foll alt row. 21 (22:24:26:29:31:33:35) sts.

Dec 1 st at neck edge of next 3 rows, then on foll 4 (4:4:5:5:6:6:6) alt rows **and at same time** dec 1 st at armhole edge of next (next: next: 3rd: next: 3rd: 3rd: 3rd) and foll 6th (6th: 6th: 6th: 8th: 8th: 8th: 8th) row. 12 (13:15:16:19:20:22:24) sts.

Work 3 rows, ending with a WS row.

Shape shoulder

Cast off 3 (4:4:5:6:6:7:7) sts at beg of next row, then 4 (4:5:5:6:6:7:8) sts at beg of foll alt row **and at same time** dec 1 st at neck edge of next row.

Work 1 row. Cast off rem 4 (4:5:5:6:7:7:8) sts.

RIGHT FRONT

Cast on 40 (42:44:46:48:50:53:55) sts using 6mm (US 10) needles.

Row 1 (RS): K7, P1, K0 (0:0:0:0:0:1:1), (P1, K1) 16 (17:18:19:20:21:22:23) times.

Row 2: (K1, P1) 16 (17:18:19:20:21:22:23) times, K8 (8:8:8:8:8:9:9).

These 2 rows set the sts – 7 sts at front opening edge in g st, 1 st in rev st st and rem sts in moss st.

Keeping sts correct as set throughout, cont as follows:

Work 2 rows, ending with a WS row.

Shape front opening edge

Next row (RS): K7, P1, M1, K0 (0:0:0:0:0:1:1), (P1, K1) 16 (17:18:19:20:21:22:23) times.

Working all increases 8 sts inside front opening edge as set by last row, inc 1 st at front opening edge of 12th and 5 foll 12th rows, taking inc sts into moss st.

47 (49:51:53:55:57:60:62) sts.

Work 5 rows, ending with a WS row.

Place a marker at beg of last row (to denote top of side opening).

Inc 1 st at end (side edge) of next row, taking inc st into moss st.

48 (50:52:54:56:58:61:63) sts.

Inc 1 st as before at front opening edge of 6th and foll 12th row.

50 (52:54:56:58:60:63:65) sts.

Work 7 rows, ending with a WS row. (Right front should measure approx 51.5 cm.)

Shape armhole

Work 1 row, ending with a **RS** row.

Keeping patt correct, cast off 4 sts at beg of next row.

46 (48:50:52:54:56:59:61) sts.

Dec 1 st at armhole edge on next 5 (5:5:5:3:3:3:3) rows, on foll 3 (4:4:4:4:4:6:5) alt rows, on 5 (2:2:1:3:2:1:2) foll 4th rows, then on 0 (2:2:2:2:2:2:2) foll 6th rows,

and at the same time inc 1 st as before at front opening edge of 3rd and 2 foll 12th rows.

36 (38:40:43:45:48:50:52) sts.

Work 1 (1:1:5:1:5:5:5) rows, ending with a WS row.

Next row (RS): K2, K2tog tbl, yfwd, yrn (to make a buttonhole – K into front and back of this 'yfwd, yrn' on next row), K2tog, K1, P1, patt to last 0 (0:0:2:0:2:2:2) sts, (work 2 tog) 0 (0:0:1:0:1:1:1) time.

36 (38:40:42:45:47:49:51) sts.

Work 5 rows, dec 1 (1:1:0:1:0:0:0) st at armhole edge of 4th (4th:4th:-:4th:-:-) of these 5 rows and ending with a WS row.

35 (37:39:42:44:47:49:51) sts.

Shape front neck

Next row (RS): K7, P1, slip these 8 sts onto a holder (for neckband), moss st to last 0 (0:0:2:0:2:2:2) sts, (work 2 tog) 0 (0:0:1:0:1:1:1) time.

27 (29:31:33:36:38:40:42) sts.

Complete to match left front, rev shapings.

SLEEVES (both alike)

Cast on 51 (53:53:55:57:57:59:59) sts using 6mm (US 10) needles.

Work in moss st as given for back working incs as follows:

Inc 1 st at each end of 13th (13th:13th:13th:11th:11th:11th:11th) and 2 (2:3:3:3:1:2:3) foll 14th (14th:14th:14th:14th:12th:12th:12th) rows, then on 1 (1:-:-:2:1:-) foll 16th (16th:-:-:14th:14th:-) rows, taking inc sts into moss st. 59 (61:61:63:65:65:67:67) sts. Cont straight until sleeve measures 33 (33:32:31:30:29:28:27) cm, ending with a WS row.



Shape top


Keeping moss st correct, cast off 4 sts at beg of next 2 rows. 51 (53:53:55:57:57:59:59) sts.

Dec 1 st at each end of next and foll 2 alt rows, then on 2 (1:1:2:4:4:4:4) foll 4th rows, then on 2 (2:2:2:1:2:1:2) foll 6th rows. 37 (41:41:41:41:39:43:41) sts.

Work 3 rows, ending with a WS row.

Continued on next page ...





CARTER ●●

picture on page 23

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm

32 34 36 38 40 43 46 49 in

ROWAN SOFT BOUCLÉ / Slate

8 9 9 10 10 11 11 12 x 50gm

NEEDLES

1 pair 5mm (no 6) (US 8) needles

1 pair 6mm (no 4) (US 10) needles

TENSION

14 sts and 20 rows to 10 cm measured over reverse stocking stitch using 6mm (US 10) needles.

Yarn note: Please see information page for advice about knitting with Soft Bouclé.

BACK

Cast on 58 (61: 64: 67: 70: 73: 77: 81) sts using 5mm (US 8) needles.

Row 1 (RS): K0 (2: 1: 0: 0: 0: 0: 2), P0 (2: 2: 2: 1: 0: 2: 2), *K3, P2, rep from * to last 3 (2: 1: 0: 4: 3: 0: 2) sts, K3 (2: 1: 0: 3: 3: 0: 2), P0 (0: 0: 0: 1: 0: 0: 0).

Row 2: P0 (2: 1: 0: 0: 0: 0: 2), K0 (2: 2: 2: 1: 0: 2: 2), *P3, K2, rep from * to last 3 (2: 1: 0: 4: 3: 0: 2) sts, P3 (2: 1: 0: 3: 3: 0: 2), K0 (0: 0: 0: 1: 0: 0: 0).

These 2 rows form rib.

Cont in rib until back measures 8 cm, ending with a **RS** row.

Next row (WS): K3 (3: 3: 3: 3: 3: 2: 4), *yfwd, K3, rep from * to last 4 (4: 4: 4: 4: 4: 3: 5) sts, yfwd, K4 (4: 4: 4: 4: 4: 3: 5).

76 (80: 84: 88: 92: 96: 102: 106) sts.

Change to 6mm (US 10) needles.**

Beg with a P row, now work in rev st st

throughout as follows:

Cont straight until back measures 35 (35: 36:

36: 37: 37: 38: 38) cm, ending with a WS row.

Shape armholes

Cast off 4 (4: 5: 5: 6: 6: 7: 7) sts at beg of next 2 rows. 68 (72: 74: 78: 80: 84: 88: 92) sts.

Dec 1 st at each end of next 3 (3: 3: 3: 3: 3: 5: 5) rows, then on foll 2 (3: 3: 4: 4: 4: 3: 4) alt rows, then on foll 4th row.

56 (58: 60: 62: 64: 68: 70: 72) sts.

Cont straight until armhole measures 22 (23: 23: 24: 24: 25: 25: 26) cm, ending with a WS row.

Shape shoulders and back neck

Cast off 3 (3: 3: 3: 3: 4: 4: 4) sts at beg of next 4 (4: 4: 4: 2: 4: 4: 4) rows, then – (–: –: –: 4: –: –: –) sts at beg of foll – (–: –: –: 2: –: –: –) rows.

44 (46: 48: 50: 50: 52: 54: 56) sts.

Next row (RS): Cast off 3 (3: 4: 4: 4: 4: 5)

sts, P until there are 8 (8: 8: 8: 8: 9: 9) sts on right needle and turn, leaving rem sts on a holder. Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 4 (4: 4: 4: 4: 4: 5) sts.

With RS facing, rejoin yarn and cast off centre 22 (24: 24: 26: 26: 28: 28: 28) sts, P to end.

Complete to match first side, reversing shapings.

Continued on next page ...

SUTTON - Continued from previous page.

Dec 1 st at each end of next and 1 (2: 2: 1: 1: 0: 1: 0) foll 4th rows, then on every foll alt row until 23 sts rem, then on foll 5 rows. Cast off rem 13 sts.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join both shoulder seams with back stitch, or mattress stitch if preferred.

Neckband

With RS facing and using 5½mm (US 9) needles, slip 8 sts on right front holder onto right needle, rejoin yarn and pick up and knit

23 (23: 23: 25: 25: 27: 27: 27) sts up right side of front neck, 23 (25: 25: 27: 27: 29: 29: 29) sts from back, 23 (23: 23: 25: 25: 27: 27: 27) sts down left side of front neck, then patt across 8 sts on left front holder.

85 (87: 87: 93: 93: 99: 99: 99) sts.

Work in g st for 4 rows, ending with a **RS** row. Cast off knitwise on WS.

Fringe border (worked sideways)

Cast on 15 sts using 9mm (US 13) needles and yarn DOUBLE.

Row 1 (RS): K4, Tw2R, Tw2L, K7.

Row 2: (P4, K3) twice, P1.

These 2 rows form patt.

Cont in patt until border, unstretched, fits along cast-on edge of right front, across back and across left front, ending with a **RS** row.

Next row (WS): P4, cast off rem sts knitwise on WS.

Drop the rem 4 sts on needle and unravel back down to cast-on edge to form the fringe. Join side and sleeve seams. Insert sleeves.

Sew straight edge of hem borders to cast-on edges of back and fronts. Sew button onto left front to correspond with buttonhole on right front. Make a small loop on the left front close to the cast off of the neck edging. Sew the small button onto the inside of right front to correspond with loop on left front.

FRONT

Lower inside section of pocket

Cast on 56 sts using 6mm (US 10) needles.

Beg with a P row, work in rev st st for 6 rows, ending with a WS row.

Break yarn and leave sts on a holder.

Main section of front

Work as given for back to **.

Beg with a P row, work in rev st st for 6 rows, ending with a WS row.

Divide for pocket front

Next row (RS): P10 (12: 14: 16: 18: 20: 23: 25) and slip these 10 (12: 14: 16: 18: 20: 23: 25) sts onto a holder (for left side edge of front), K5, P46, K5 and turn, leaving rem 10 (12: 14: 16: 18: 20: 23: 25) sts on another holder (for right side edge of front).

Cont on these 56 sts for pocket front as follows:

Next row (WS): Knit.

Next row: K5, P46, K5.

These 2 rows set the sts for pocket front – 5 sts at each side in g st and rem 46 sts in rev st st. Keeping sts correct as set, work a further 25 (25: 25: 25: 27: 27: 27: 27) rows, ending with a WS row.

Break yarn and leave sts on a holder (for pocket front).

Work sides and inside of pocket

With RS facing and using 6mm (US 10) needles, slip 10 (12: 14: 16: 18: 20: 23: 25) sts from left side edge holder onto right needle, rejoin yarn and P across 56 sts on holder for lower inside section of pocket, then P across 10 (12: 14: 16: 18: 20: 23: 25) sts on right side edge holder.

76 (80: 84: 88: 92: 96: 102: 106) sts.

Beg with a K row, work in rev st st for 27 (27: 27: 27: 29: 29: 29: 29) rows, ending with a WS row.

Join sections

Next row (RS): P10 (12: 14: 16: 18: 20: 23: 25), now holding pocket front section in front, *P next st from inside of pocket together with next st from pocket front section, rep from * until all sts from inside of

pocket and pocket front section have been worked together; P10 (12: 14: 16: 18: 20: 23: 25). 76 (80: 84: 88: 92: 96: 102: 106) sts.

Beg with a K row, now work in rev st st throughout as follows:

Cont straight until front matches back to beg of armhole shaping, ending with a WS row.

Shape armholes

Cast off 4 (4: 5: 5: 6: 6: 7: 7) sts at beg of next 2 rows. 68 (72: 74: 78: 80: 84: 88: 92) sts.

Dec 1 st at each end of next 3 (3: 3: 3: 3: 3: 5: 5) rows, then on foll 2 (3: 3: 4: 4: 4: 3: 4) alt rows, then on foll 4th row.

56 (58: 60: 62: 64: 68: 70: 72) sts.

Cont straight until 6 (6: 6: 8: 8: 10: 10: 10) rows less have been worked than on back to beg of shoulder shaping, ending with a WS row.

Shape front neck

Next row (RS): P21 (21: 22: 23: 24: 26: 27: 28) and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 5 (5: 5: 6: 6: 6: 6) rows, then on foll 0 (0: 0: 0: 0: 1: 1: 1) alt rows. 16 (16: 17: 17: 18: 19: 20: 21) sts.

Work 0 (0: 0: 1: 1: 1: 1: 1) rows, ending with a WS row.

Shape shoulder

Cast off 3 (3: 3: 3: 3: 4: 4: 4) sts at beg of next and foll 2 (2: 1: 1: 0: 2: 2: 1) alt rows, then – (-: 4: 4: 4: -: -: 5) sts at beg of foll – (-: 1: 1: 2: -: -: 1) alt rows **and at same time** dec 1 st at neck edge of next and foll 2 alt rows.

Work 1 row.

Cast off rem 4 (4: 4: 4: 4: 4: 5: 5) sts.

With RS facing, rejoin yarn and cast off centre 14 (16: 16: 16: 16: 16: 16) sts, P to end.

Complete to match first side, reversing shapings.

SLEEVES (both alike)

Cast on 34 (36: 36: 38: 40: 40: 40: 42) sts using 5mm (US 8) needles.

Row 1 (RS): K1 (2: 2: 0: 0: 0: 0: 0), P2 (2: 2: 0: 1: 1: 1: 2), *K3, P2, rep from * to last 1 (2: 2: 3: 4: 4: 4: 0) sts, K1 (2: 2: 0: 3: 3: 3: 0), P0 (0: 0: 0: 1: 1: 1: 0).

Row 2: P1 (2: 2: 0: 0: 0: 0: 0), K2 (2: 2: 0: 1: 1: 1: 2), *P3, K2, rep from * to last 1 (2: 2: 3: 4: 4: 4: 0) sts, P1 (2: 2: 3: 3: 3: 3: 0), K0 (0: 0: 0: 1: 1: 1: 0).

These 2 rows form rib.

Cont in rib until sleeve measures 8 cm, ending with a **RS** row.

Next row (WS): K2 (3: 3: 4: 5: 2: 2: 3), *yfwd, K3, rep from * to last 2 (3: 3: 4: 5: 2: 2: 3) sts, yfwd, K2 (3: 3: 4: 5: 2: 2: 3).

45 (47: 47: 49: 51: 53: 53: 55) sts.

Change to 6mm (US 10) needles.

Beg with a P row, now work in rev st st throughout as follows:

Work 2 rows, ending with a WS row.

Next row (RS): P3, M1p, P to last 4 sts, M1p, P3.

Working all sleeve increases as set by last row, inc 1 st at each end of 14th (14th: 14th: 14th: 16th: 16th: 12th: 12th) and 4 (3: 2: 1: 3: 2: 4: 4) foll 14th (14th: 14th: 14th: 16th: 16th: 12th: 12th) rows, then on – (1: 2: 3: -: 1: -: -) foll – (12th: 12th: 12th: -: 14th: -: -) rows.

57 (59: 59: 61: 61: 63: 65: 67) sts.

Cont straight until sleeve measures 50 (49: 48: 47: 47: 46: 45: 44) cm, ending with a WS row.

Shape top

Cast off 4 (4: 5: 5: 6: 6: 7: 7) sts at beg of next 2 rows. 49 (51: 49: 51: 49: 51: 51: 53) sts.

Dec 1 st at each end of next and foll 2 alt rows, then on 1 (1: 2: 2: 3: 3: 3: 3) foll 4th rows. 41 (43: 39: 41: 37: 39: 39: 41) sts.

Work 1 row, ending with a WS row.

Dec 1 st at each end of next and every foll alt row until 33 sts rem, then on foll 5 rows. Cast off rem 23 sts.

HOOD

Cast on 39 (40: 40: 43: 43: 46: 46: 46) sts using 6mm (US 10) needles.

Shape left lower edge

Row 1 (RS): P to last 5 sts, K5.

Row 2: K7 (8: 8: 8: 8: 9: 9: 9), wrap next st (by slipping next st from left needle onto right needle, taking yarn to opposite side of work between needles and then slipping

same st back onto left needle – when working back across wrapped sts work the wrapped st and the wrapping loop tog as one st) and turn.

Rows 3, 5, 7 and 9: P to last 5 sts, K5.

Row 4: K15 (16: 16: 16: 16: 18: 18: 18), wrap next st and turn.

Row 6: K23 (24: 24: 25: 25: 27: 27: 27), wrap next st and turn.

Row 8: K31 (32: 32: 34: 34: 36: 36: 36), wrap next st and turn.

Row 10 (WS): K across all 39 (40: 40: 43: 43: 46: 46: 46) sts.

Keeping sts correct as set throughout with 5 sts at front opening edge in g st and all other sts in rev st st, cont straight for 34 (34: 34: 34: 36: 36: 36) rows, ending with a WS row.

Shape left back edge

Dec 1 st at beg (left back edge) of next and foll 8th row, then on foll 6th row, then on foll 4th row, then on foll 2 alt rows **and at same edge** on foll 4 rows, ending with a **RS** row.

29 (30: 30: 33: 33: 36: 36: 36) sts.

Shape top

Next row (WS): K24 (25: 25: 28: 28: 31: 31: 31), wrap next st and turn.

Work 1 row.

Next row: K21 (22: 22: 25: 25: 28: 28: 28), wrap next st and turn.

Work 1 row.

Next row: K13 (14: 14: 17: 17: 20: 20: 20), wrap next st and turn.

Work 1 row.

Next row: K across all sts to last 2 sts, K2tog.

28 (29: 29: 32: 32: 35: 35: 35) sts.

Dec 1 st at beg (back edge) of next row.

27 (28: 28: 31: 31: 34: 34: 34) sts.

Place a marker at beg of last row (to denote centre back point of hood).

Inc 1 st at back edge of next 2 rows, ending with a **RS** row.

29 (30: 30: 33: 33: 36: 36: 36) sts.

Next row (WS): K13 (14: 14: 17: 17: 20: 20: 20), wrap next st and turn.

Work 1 row.

Next row: K21 (22: 22: 25: 25: 28: 28: 28), wrap next st and turn.

Work 1 row.

Next row: K24 (25: 25: 28: 28: 31: 31: 31), wrap next st and turn.

Work 1 row.

Next row (WS): K across all 29 (30: 30: 33: 33: 36: 36: 36) sts.

Shape right back edge

Inc 1 st at beg (right back edge) of next row **and at same edge** of foll 4 rows, then on foll 2 alt rows, then on foll 4th row, then on foll 6th row, then on foll 8th row.

39 (40: 40: 43: 43: 46: 46: 46) sts.

Cont straight for 34 (34: 34: 34: 36: 36: 36) rows, ending with a **RS** row.

Shape right lower edge

Next row (WS): K31 (32: 32: 34: 34: 36: 36: 36), wrap next st and turn.

Work 1 row.

Next row: K23 (24: 24: 25: 25: 27: 27: 27), wrap next st and turn.

Work 1 row.

Next row: K15 (16: 16: 16: 16: 18: 18: 18), wrap next st and turn.

Work 1 row.

Next row: K7 (8: 8: 8: 8: 9: 9: 9), wrap next st and turn.

Work 1 row.

Next row (WS): K across all 39 (40: 40: 43: 43: 46: 46: 46) sts. Cast off.



MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join both shoulder seams using back stitch or mattress stitch if preferred.

Join back seam of hood from cast-edge to marker at centre back point. Overlapping right front border over left front border at centre front, sew lower edges of hood in place around neck edge easing any excess fabric evenly around neck.

Sew lower inside section of pocket in place to WS of front. Join side seams. Join sleeve seams. Insert sleeves into armholes.



Row 1 (RS): K2, *P2, K3, rep from * to last 4 sts, P2, K2.

Row 2: P2, *K2, P3, rep from * to last 4 sts, K2, P2.

These 2 rows form rib.

Cont in rib until sleeve measures 8.5 cm, ending with a **RS** row.

Next row (WS): P2, *K2tog, P3, rep from * to last 4 sts, K2tog, P2.

77 (81:81:81:85:85:89:89) sts.

Change to 3mm (US 2/3) needles.

Work in g st for 6 rows, ending with a **WS** row.

Change to 4mm (US 6) needles.

Beg with a **K** row, now work in st st throughout as follows:

Work 4 (4:4:4:4:4:2) rows, end with a **WS** row.

Next row (RS): K3, M1, K to last 3 sts, M1, K3.

Working all increases as set by last row, inc 1 st at each end of 6th and every foll 6th row to 89 (93:103:105:101:113:111:121) sts, then on every foll 8th (8th:8th:8th:8th:8th:8th:-) row until there are 107 (111:113:113:115:117:119:-) sts.

Cont straight until sleeve measures 49 (49:48:47:47:46:45:44) cm, ending with a **WS** row. Cast off.

TIES (make 4)

Cast on 4 sts using 2¾mm (US 2) double-pointed needles.

Row 1 (RS): K4, *without turning work, slip these 4 sts to opposite end of needle and bring yarn to opposite end of work pulling it tightly across **WS** of work, K these 4 sts, rep from * until tie is 32 cm long.

Next row (RS): Without turning work, slip these 4 sts to opposite end of needle and bring yarn to opposite end of work pulling it tightly across **WS** of work, K4tog and fasten off.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join right shoulder seam with back stitch, or mattress stitch if preferred.

Polo neck

With **RS** facing and using 3mm (US 2/3) needles, pick up and knit 16 (16:16:17:17:20:20:20) sts down left side of front neck, 29 (31:31:31:31:31:31:31) sts from front, 16 (16:16:17:17:20:20:20) sts up right side of front neck and 44 (46:46:48:48:50:50:50) sts across back.

105 (109:109:113:113:121:121:121) sts.

Work in g st for 6 rows, ending with a **RS** row.

Next row (WS): P2, *K1, yon (to make a stitch), P3, rep from * to last 3 sts, K1, yon, P2. 131 (136:136:141:141:151:151:151) sts.

Change to 3¼mm (US 3) needles.

Next row: K2, *P2, K3, rep from * to last 4 sts, P2, K2.

Next row: P2, *K2, P3, rep from * to last 4 sts, K2, P2.



Last 2 rows form rib.

Cont in rib until polo neck measures 11 cm from pick-up row, ending with a **WS** row.

Cast off in rib.

Join left shoulder and polo seam. Mark points along side seam edges 24.5 (25:25.5:25.5:26:26.5:27:27.5) cm either side of shoulder seams and sew cast-off edge of sleeves to body between these points. Join side and sleeve seams, leaving side seams open below markers.

Placing each tie 23 (24:25:25:26:27:27:28) cm up from cast-on edge, sew ties in place to **WS** at each side of back and front.





ROYAL ●●●●

picture on page 33

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm
32 34 36 38 40 43 46 49 in

ROWAN KID CLASSIC & KIDSILK HAZE

/ Pumice and Steel

Kid Classic Pumice

6 7 7 8 8 9 9 10 x 50gm

Kidsilk Haze Steel

4 5 5 5 6 6 7 7 x 25gm

NEEDLES

1 pair 4mm (no 8) (US 6) needles

1 pair 5mm (no 6) (US 8) needles

Cable needle

BUTTONS - 6

TENSION

17 sts and 23 rows to 10 cm measured over double moss stitch using 5mm (US 8) needles and one strand of each yarn held together.

Special note: We found it preferable to knit the two yarns together from separate balls rather than winding them together.

SPECIAL ABBREVIATIONS

C8B = slip next 4 sts onto cn and leave at back of work, K4, then K4 from cn; **C8F** = slip next 4 sts onto cn and leave at front of work, K4, then K4 from cn; **C12B** = slip next 6 sts onto cn and leave at back of work, K6, then K6 from cn; **C12F** = slip next 6 sts onto cn and leave at front of work, K6, then K6 from cn; **MB** = make bobble as follows: (K1, yfwd, K1, yfwd, K1) all into next st, turn, K5, turn, P5, turn, K1, sl 1, K2tog, pssso, K1, turn, P3tog; **Tw2L** = K into back of second

st on left needle, then K first st and slip both sts off left needle together; **Tw2R** = K into front of second st on left needle, then K first st and slip both sts off left needle together.

BACK

Cast on 90 (94: 100: 106: 114: 122: 130: 138) sts using 4mm (US 6) needles and one strand of each yarn held together.

Row 1 (RS): P0 (2: 1: 0: 0: 0: 0: 0), K2, *P2, K2, rep from * to last 0 (2: 1: 0: 0: 0: 0: 0) sts, P0 (2: 1: 0: 0: 0: 0: 0).

Row 2: K0 (2: 1: 0: 0: 0: 0: 0), P2, *K2, P2, rep from * to last 0 (2: 1: 0: 0: 0: 0: 0) sts, K0 (2: 1: 0: 0: 0: 0: 0).

These 2 rows form rib.

Cont in rib until back measures 6 cm, ending with a **RS** row.

Next row (WS): K0 (2: 1: 0: 0: 0: 0: 0), P2, (K2tog, P2) 7 (7: 8: 9: 10: 11: 12: 13) times, K2, P2, K2, M1p, P2, M1p, K2, (P2, K2) 3 times, M1p, P2, M1p, (K2, P2) twice, (K2tog, P2) 7 (7: 8: 9: 10: 11: 12: 13) times, K0 (2: 1: 0: 0: 0: 0: 0). 80 (84: 88: 92: 98: 104: 110: 116) sts.

Change to 5mm (US 8) needles.

Setting 4 row repeating moss patt, and placing body chart as indicated for back, cont as follows:

Row 1 (RS): K1 (1: 1: 1: 0: 1: 0: 1), (P1, K1) 11 (12: 13: 14: 16: 17: 19: 20) times, P2, work next 30 sts as row 1 of body chart, P2, (K1, P1) 11 (12: 13: 14: 16: 17: 19: 20) times, K1 (1: 1: 1: 0: 1: 0: 1).

Row 2: K1 (1: 1: 1: 0: 1: 0: 1), (P1, K1) 11 (12: 13: 14: 16: 17: 19: 20) times, K2, work next 30 sts as row 2 of body chart, K2, (K1, P1) 11 (12: 13: 14: 16: 17: 19: 20) times, K1 (1: 1: 1: 0: 1: 0: 1).

With RS facing, place markers just before the first st of the first 12 st cable and just after the last st of the second 12 st cable.

Row 3: Inc in first st, P0 (0: 0: 0: 1: 0: 1: 0), (K1, P1) 10 (11: 12: 13: 14: 16: 17: 19) times, K1, P2tog tbl, P1, slip marker onto right needle, work next 32 sts as row 3 of body chart, slip marker onto right needle, P1, P2tog, K1, (P1, K1) 10 (11: 12: 13: 14: 16: 17: 19) times, P0 (0: 0: 0: 1: 0: 1: 0), inc in last st. 82 (86: 90: 94: 100: 106: 112: 118) sts.

Row 4: P0 (0: 0: 0: 1: 0: 1: 0), (K1, P1)

11 (12: 13: 14: 15: 17: 18: 20) times, K3, slip marker onto right needle, work next 32 sts as row 4 of body chart, slip marker onto right needle, K3, (P1, K1) 11 (12: 13: 14: 15: 17: 18: 20) times, P0 (0: 0: 0: 1: 0: 1: 0).

These 4 rows form double moss st patt at each side of chart sts.

Keeping double moss st patt and chart correct as set throughout, slipping markers on every row and working decreases as set by row 3 (above), cont as follows:

Dec 1 st at each side of 12 st cables on 5th and 6 (6: 6: 6: 6: 6: 7: 7) foll 6th rows **and at same time** inc 1 st at each end (side seam edges) of 11th and 2 foll 12th rows, taking inc sts into double moss st.

88 (92: 96: 100: 106: 112: 118: 124) sts.

Work 3 (3: 5: 5: 5: 5: 1: 1) rows, ending after row 48 (48: 50: 50: 50: 50: 52: 52) of chart and with RS facing for next row. (Back should measure approx 27 (27: 28: 28: 28: 28: 29: 29) cm.)

Shape armholes

Keeping patt correct and dec 1 st as before at each side of 12 st cables to correspond with increases on chart until row 96 of chart has been completed, cast off 3 (3: 4: 4: 5: 5: 6: 6) sts at beg of next 2 rows.

82 (86: 88: 92: 96: 102: 106: 112) sts.

Dec 1 st at each end of next and foll 5 (5: 5: 4: 4: 5: 6) alt rows, then on 1 (1: 1: 2: 2: 2: 2) foll 4th rows. 68 (72: 74: 78: 82: 86: 90: 94) sts.

Cont straight until row 96 of chart has been worked, ending with a WS row. Remove markers.

Keeping sts correct as set by last row, continuing to work cables on every foll 12th row from previous cable row but omitting to work any further bobbles, cont in patt for a further 0 (2: 4: 6: 8: 10: 12: 14) rows, ending with a WS row.

Shape shoulders and back neck

Keeping pattern correct, cast off 6 (7: 7: 7: 8: 8: 9: 10) sts at beg of next 2 rows.

56 (58: 60: 64: 66: 70: 72: 74) sts.

Next row (RS): Cast off 9 (9: 9: 10: 10: 11: 11: 11) sts, patt until there are 11 (11: 12: 12: 13: 13: 14: 15) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 7 (7: 8: 8: 9: 9: 10: 11) sts.

With RS facing, rejoin yarns and cast off centre 16 (18: 18: 20: 20: 22: 22: 22) sts, patt to end.

Complete to match first side, rev shapings.

LEFT FRONT

Cast on 50 (52: 55: 58: 62: 66: 70: 74) sts using 4mm (US 6) needles.

Row 1 (RS): P0 (2: 1: 0: 0: 0: 0: 0), *K2, P2, rep from * to last 6 sts, K6.

Row 2: K8, P2, *K2, P2, rep from * to last 0 (2: 1: 0: 0: 0: 0: 0) sts, K0 (2: 1: 0: 0: 0: 0: 0).

These 2 rows set the sts – 6 sts in g st at front opening edge and all other sts in rib. Cont as set until left front measures 6 cm, ending with a **RS** row.

Next row (WS): K8, P2, K2, M1p, P2, M1p, (K2, P2) twice, (K2tog, P2) 7 (7: 8: 9: 10: 11: 12: 13) times, K0 (2: 1: 0: 0: 0: 0: 0).

45 (47: 49: 51: 54: 57: 60: 63) sts.

Change to 5mm (US 8) needles.

Setting 4 row repeating moss patt, and placing body chart as indicated for left front, cont as follows:

Row 1 (RS): K1 (1: 1: 1: 0: 1: 0: 1), (P1, K1) 11 (12: 13: 14: 16: 17: 19: 20) times, P2, work next 14 sts as row 1 of body chart as indicated for left front, K6.

Row 2: K6, work next 14 sts as row 2 of body chart, K2, (K1, P1) 11 (12: 13: 14: 16: 17: 19: 20) times, K1 (1: 1: 1: 0: 1: 0: 1).

With RS facing, place a marker just before the first st of the 12 st cable.

Row 3: Inc in first st, P0 (0: 0: 0: 1: 0: 1: 0), (K1, P1) 10 (11: 12: 13: 14: 16: 17: 19) times, K1, P2tog tbl, P1, slip marker onto right needle, work next 15 sts as row 3 of body chart, K6. 46 (48: 50: 52: 55: 58: 61: 64) sts.


Row 4: K6, work next 15 sts as row 4 of body chart, slip marker onto right needle, K3, (P1, K1) 11 (12: 13: 14: 15: 17: 18: 20) times, P0 (0: 0: 0: 1: 0: 1: 0).

These 4 rows set the sts – double moss st patt at side edge, 2 sts in rev st st before the 12 st cable, 6 sts in g st at front opening edge and rem sts in patt from chart.

Key

- K on RS, P on WS
- P on RS, K on WS
- No stitch
- M1p
- MB
- MB
- Tw2R
- Tw2L
- C8B
- C12B
- C12F

Body chart
Note: Front neck shaping is NOT shown on chart



Keeping double moss st patt and chart correct as set throughout, slipping marker on every row and working decreases as set by row 3 (above), cont as follows:

Dec 1 st at marked side of 12 st cable on 5th and 6 (6: 6: 6: 6: 6: 7: 7) foll 6th rows **and at same time** inc 1 st at beg (side seam edge) of 11th and 2 foll 12th rows, taking inc sts into double moss st. 49 (51: 53: 55: 58: 61: 64: 67) sts. Work 3 (3: 5: 5: 5: 5: 1: 1) rows, ending after row 48 (48: 50: 50: 50: 50: 52: 52) of chart and with RS facing for next row. (Left front should measure approx 27 (27: 28: 28: 28: 28: 29: 29) cm.)

Shape armholes

Keeping patt correct and dec 1 st as before at marked side of 12 st cable to correspond with increases on chart until row 96 of chart has been completed, cast off 3 (3: 4: 4: 5: 5: 6: 6) sts at beg of next row. 46 (48: 49: 51: 53: 56: 58: 61) sts.

Work 1 row.

Dec 1 st at armhole edge of next and foll 5 (5: 5: 4: 4: 5: 5: 6) alt rows, then on 1 (1: 1: 2: 2: 2: 2) foll 4th rows.

39 (41: 42: 44: 46: 48: 50: 52) sts.

Cont straight until row 84 (86: 88: 88: 90: 90: 92: 94) of chart has been worked, ending with a WS row.

Shape front neck

Note: Front neck shaping is **not** shown on chart.

Working a further 12 (10: 8: 8: 6: 6: 4: 2) from chart until row 96 of chart has been worked, then keeping sts correct as set and continuing to work cables on every foll 12th row from previous cable row but omitting to work any further bobbles, cont as follows:

Next row (RS): Patt to last 10 (11: 11: 11: 11: 11: 11: 11) sts and turn, leaving rem sts on a holder (for neckband).

29 (30: 31: 33: 35: 37: 39: 41) sts.

Keeping patt correct, dec 1 st at neck edge of next 4 rows, then on foll 2 (2: 2: 3: 3: 4: 4) alt rows. 23 (24: 25: 26: 28: 29: 31: 33) sts.

Work 3 rows, ending with a WS row.

Shape shoulder

Keeping patt correct, cast off 6 (7: 7: 7: 8: 8: 9: 10) sts at beg of next row, then 9 (9: 9: 10: 10: 11: 11: 11) sts at beg of foll alt row **and at**

same time dec 1 st at neck edge of next row. Work 1 row.

Cast off rem 7 (7: 8: 8: 9: 9: 10: 11) sts.

Mark positions for 6 buttons along left front opening edge – first button to come level with row 5 of rib, second button to come level with row 1 of chart, last button to come just above beg of front neck shaping and rem 3 buttons evenly spaced between.

RIGHT FRONT

Cast on 50 (52: 55: 58: 62: 66: 70: 74) sts using 4mm (US 6) needles.

Row 1 (RS): K6, *P2, K2, rep from * to last 0 (2: 1: 0: 0: 0: 0: 0) sts, P0 (2: 1: 0: 0: 0: 0: 0).

Row 2: K0 (2: 1: 0: 0: 0: 0: 0), P2, *K2, P2, rep from * to last 8 sts, K8.

These 2 rows set the sts – 6 sts in g st at front opening edge and all other sts in rib. Work 2 rows, ending with a WS row.

Row 5 (RS): K2, K2tog tbl, yfwd (to make first buttonhole), K2, rib to end.

Cont as set until right front measures 6 cm, ending with a **RS** row.

Next row (WS): K0 (2: 1: 0: 0: 0: 0: 0), P2, (K2tog, P2) 7 (7: 8: 9: 10: 11: 12: 13) times, K2, P2, K2, M1p, P2, M1p, K2, P2, K8. 45 (47: 49: 51: 54: 57: 60: 63) sts.

Change to 5mm (US 8) needles.

Setting 4 row repeating moss patt, and placing body chart as indicated for right front, cont as follows:

Row 1 (RS): K2, K2tog tbl, yfwd (to make 2nd buttonhole), K2, work next 14 sts as row 1 of body chart as indicated for right front, P2, (K1, P1) 11 (12: 13: 14: 16: 17: 19: 20) times, K1 (1: 1: 1: 0: 1: 0: 1).

Making a further 3 buttonholes in this way to correspond with positions marked for buttons on left front and noting that no further reference will be made to buttonholes, cont as follows:

Row 2: K1 (1: 1: 1: 0: 1: 0: 1), (P1, K1) 11 (12: 13: 14: 16: 17: 19: 20) times, K2, work next 14 sts as row 2 of body chart, K6.

With RS facing, place a marker just after the last st of the 12 st cable.

Row 3: K6, work next 15 sts as row 3 of body chart, slip marker onto right needle, P1,

P2tog, K1, (P1, K1) 10 (11: 12: 13: 14: 16: 17: 19) times, P0 (0: 0: 0: 1: 0: 1: 0), inc in last st.

46 (48: 50: 52: 55: 58: 61: 64) sts.

Row 4: P0 (0: 0: 0: 1: 0: 1: 0), (K1, P1) 11 (12: 13: 14: 15: 17: 18: 20) times, K3, slip marker onto right needle, work next 15 sts as row 4 of body chart, K6.

These 4 rows set the sts – double moss st patt at side edge, 2 sts in rev st st after the 12 st cable, 6 sts in g st at front opening edge and rem sts in patt from chart.

Keeping double moss st patt and chart correct as set throughout, slipping marker on every row and working decreases as set by row 3 (above), complete to match left front, reversing shapings and working first row of neck shaping as follows:

Shape front neck

Next row (RS): K6, patt 4 (5: 5: 5: 5: 5: 5) sts and slip these 10 (11: 11: 11: 11: 11: 11) sts onto a holder (for neckband), patt to end. 29 (30: 31: 33: 35: 37: 39: 41) sts.

SLEEVES

Left sleeve

Cast on 48 (50: 52: 54: 58: 60: 62: 64) sts using 4mm (US 6) needles and one strand of each yarn held together.

Row 1 (RS): K0 (0: 1: 0: 0: 1: 0: 0), P1 (2: 2: 0: 2: 2: 0: 1), (K2, P2) 2 (2: 2: 3: 3: 3: 4: 4) times, (Tw2R, Tw2L, P2) twice, (K2, P2) twice, (Tw2R, Tw2L, P2) twice, (K2, P2) 1 (2: 2: 2: 3: 3: 3: 3) times, K2 (0: 1: 2: 0: 1: 2: 2), P1 (0: 0: 0: 0: 0: 0: 1).

Row 2: P0 (0: 1: 0: 0: 1: 0: 0), K1 (2: 2: 0: 2: 2: 0: 2: 0: 1), (P2, K2) 2 (2: 2: 3: 3: 3: 4: 4) times, (P4, K2) twice, (P2, K2) twice, (P4, K2) twice, (P2, K2) 1 (2: 2: 2: 3: 3: 3: 3) times, P2 (0: 1: 2: 0: 1: 2: 2), K1 (0: 0: 0: 0: 0: 0: 1).

These 2 rows form rib patt.

Cont in rib patt until sleeve measures 6 cm, ending with a **RS** row.

Next row (WS): Patt 3 (4: 5: 6: 0: 1: 2: 3) sts, K2tog, (patt 6 sts, K2tog) 0 (0: 0: 0: 1: 1: 1) times, patt 18 sts, M1, patt 2 sts, M1, patt 18 sts, K2tog, (patt 6 sts, K2tog) 0 (0: 0: 0: 1: 1: 1) times, patt 3 (4: 5: 6: 0: 1: 2: 3) sts.

48 (50: 52: 54: 56: 58: 60: 62) sts.

Change to 5mm (US 8) needles.

Now work in patt and place left sleeve chart as follows:

Row 1 (RS): K0 (1:0:1:0:1:0:1), (P1, K1) 3 (3:4:4:5:5:6:6) times, work next 36 sts as row 1 of left sleeve chart, (K1, P1) 3 (3:4:4:5:5:6:6) times, K0 (1:0:1:0:1:0:1).

Row 2: K0 (1:0:1:0:1:0:1), (P1, K1) 3 (3:4:4:5:5:6:6) times, work next 36 sts as row 2 of left sleeve chart, (K1, P1) 3 (3:4:4:5:5:6:6) times, K0 (1:0:1:0:1:0:1).

Row 3: P0 (1:0:1:0:1:0:1), (K1, P1) 3 (3:4:4:5:5:6:6) times, work next 38 sts as row 3 of left sleeve chart, (P1, K1) 3 (3:4:4:5:5:6:6) times, P0 (1:0:1:0:1:0:1).

50 (52:54:56:58:60:62:64) sts.
Row 4: P0 (1:0:1:0:1:0:1), (K1, P1) 3 (3:4:4:5:5:6:6) times, work next 38 sts as row 4 of left sleeve chart, (P1, K1) 3 (3:4:4:5:5:6:6) times, P0 (1:0:1:0:1:0:1).

These 4 rows form 6 (7:8:9:10:11:12:13) sts in double moss st patt at each side of sts worked from chart.

Keeping double moss st patt and chart correct as set throughout, work a further 16 rows, ending after row 20 of chart and with a WS row. 56 (58:60:62:64:66:68:70) sts. Now working centre 8 sts as C8B on next and every foll 10th row, working Tw2R and Tw2L on every RS row as set, working bobbles in positions as set on next and every foll 6th row, and working increases as set 12 (13:14:15:16:17:18:19) sts in from each side edge, cont as follows:

Inc 1 st at each side edge on next and 4 (5:6:6:6:6:6) foll 6th rows, then on 3 (2:1:1:1:1:1) foll 8th rows, then on foll 10th row, taking inc sts into rev st st.

74 (76:78:80:82:84:86:88) sts.

Cont straight until sleeve measures 50 (49:48:47:47:46:45:44) cm, ending with a WS row.

Shape top

Keeping patt correct, cast off 3 (3:4:4:5:5:6:6) sts at beg of next 2 rows.

68 (70:70:72:72:74:74:76) sts.

Dec 1 st at each end of next 3 rows, then on foll 2 (3:3:3:5:5:7:8) alt rows, then on foll 5 (5:5:5:3:3:1:1) rows, ending with a WS row. 48 (48:48:50:50:52:52:52) sts.

Cast off 3 (3:3:3:3:4:4:4) sts at beg of next 4 (4:4:2:2:6:6:6) rows, then 4 (4:4:4:4:--:--:--) sts at beg of foll 2 (2:2:4:4:--:--:--) rows.

Cast off rem 28 sts in patt.

RIGHT SLEEVE

Work as given for left sleeve but working centre 8 st cable as **C8F instead of C8B**.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join both shoulder seams using back stitch or mattress stitch if preferred.

Neckband

With RS facing, using 4mm (US 6) needles and one strand of each yarn held together, slip 10 (11:11:11:11:11:11:11) sts on right front holder onto right needle, rejoin yarns and pick up and knit 14 (14:14:16:16:18:18:18) sts up right side of front neck, 27 (28:28:30:30:32:32:32) sts from back, 14 (14:14:16:16:18:18:18) sts down left side of front neck, then work across 10 (11:11:11:11:11:11:11) sts on left front holder as follows: patt 4 (5:5:5:5:5:5:5) sts, K6.

75 (78:78:84:84:90:90:90) sts.

Row 1 (WS): K8, P2, *inc knitwise in next st,

P2, rep from * to last 8 sts, K8.

94 (98:98:106:106:114:114:114) sts.



Row 2: K2, K2tog tbl, yfwd (to make 6th buttonhole), K2, *P2, K2, rep from * to last 8 sts, P2, K6.

Row 3: K8, P2, *K2, P2, rep from * to last 8 sts, K8.

Keeping sts correct as set, work a further 5 rows, ending with a **RS** row.


Cast off in patt.


Join side seams. Join sleeve seams. Insert sleeves into armholes. Sew on buttons to correspond with buttonholes.



Key

- K on RS, P on WS
- ▣ P on RS, K on WS
- ⊗ No stitch
- ▽ M1p
- MB
- ▤ Tw2R
- ▥ Tw2L
- ▨ C8B
- ▩ C12B
- C12F





CHARLTON ●●

picture on page 36

THE PATTERN

XS S M L XL 2XL 3XL 4XL

To fit bust

81 86 91 97 102 109 117 124 cm
32 34 36 38 40 43 46 49 in

ROWAN ALPACA CLASSIC / Feather Grey Mélange, Charcoal Mélange & Dark Burgundy

A Feather Grey Mélange

7 8 8 9 10 10 11 11 x 25gm

B Charcoal Mélange

2 2 2 3 3 3 3 4 x 25gm

C Dark Burgundy

(optional – see pattern note below)

1 1 1 1 1 1 1 1 x 25gm

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles

1 pair 3¾mm (no 9)(US 5) needles

TENSION

23 sts and 31 rows to 10 cm measured over stocking stitch using 3¾mm (US 5) needles.

Pattern note: The coloured stripes on the sleeves can all be knitted in yarn B, or, as an option, the second coloured stripe can be knitted in yarn C.

BACK

Cast on 117 (123: 129: 135: 141: 149: 159: 167) sts using 3¼mm (US 3) needles and yarn A.

Beg with a K row, work in st st throughout as follows:

Work 10 rows, ending with a WS row.

Change to 3¾mm (US 5) needles.

Cont in st st for 12 (14: 18: 18: 22: 22: 26: 28) rows, ending with a WS row.

Joining in and breaking off colours as required, now work in st st and stripe patt as follows:

Rows 1 to 8: Using yarn B.

Rows 9 to 22: Using yarn A.

These 22 rows form stripe patt.

Work a further 54 rows in stripe patt, ending after 2 rows in yarn A and with a WS row.

(Back should measure approx 31.5 (32.5: 33.5: 33.5: 35: 35: 36: 37) cm.)

Shape raglan armholes

Keeping stripe patt correct, cast off 4 (5: 5: 6: 6: 7: 8: 9) sts at beg of next 2 rows.

109 (113: 119: 123: 129: 135: 143: 149) sts.

Sizes XS and S only

Next row (RS): K2, K2tog, K to last 4 sts, K2tog tbl, K2.

Working all raglan armhole decreases as set by last row, dec 1 st at each end of 4th (2nd: -: -: -: -: -: -) and foll 6 (7: -: -: -: -: -: -) alt rows. 93 (95: -: -: -: -: -: -) sts.

Sizes M, L, XL, 2XL, 3XL AND 4XL only

Next row (RS): K2, K2tog, K to last 4 sts, K2tog tbl, K2.

Next row: P2, P2tog tbl, P to last 4 sts, P2tog, P2.

Working all raglan armhole decreases as set by last 2 rows, dec 1 st at each end of next – (-: 5: 3: 9: 9: 16: 16) rows, then on foll – (-: 5: 6: 3: 3: 0: 0) alt rows. – (-: 95: 101: 101: 107: 107: 113) sts.

All sizes

Work 1 (1: 1: 1: 1: 1: 0: 0) rows, ending after 8 rows in yarn B and with a WS row.

Break off yarn B and complete back using yarn A **only**.

Dec 1 st as before at each end of next

1 (1: 1: 1: 1: 1: 1: 7) rows, then on every foll alt row until 37 (39: 39: 41: 41: 43: 43: 43) sts rem.

Work 1 row, ending with a WS row.

Cast off.

FRONT

Work as given for back until 55 (57: 57: 61: 61: 65: 65: 65) sts rem in raglan armhole shaping.

Work 1 row, ending with a WS row.

Shape front neck

Next row (RS): K2, K2tog, K13 (13: 13: 15: 15: 17: 17: 17) and turn, leaving rem sts on a holder. 16 (16: 16: 18: 18: 20: 20: 20) sts.

Work each side of neck separately.

Dec 1 st at neck edge of next 8 rows, then on foll 0 (0: 0: 1: 1: 2: 2: 2) alt rows **and at same time** dec 1 st as before at raglan armhole edge of 2nd and foll 3 (3: 3: 4: 4: 5: 5: 5) alt rows. 4 sts.

Next row (WS): P4.

Next row: K1, K3tog. 2 sts.

Next row: P2.

Next row: K2tog and fasten off.

With RS facing, rejoin yarn A and cast off centre 21 (23: 23: 23: 23: 23: 23: 23) sts, K to last 4 sts, K2tog tbl, K2.

16 (16: 16: 18: 18: 20: 20: 20) sts.

Complete to match first side, reversing shapings.

SLEEVES (both alike)

Cast on 52 (52: 54: 56: 58: 60: 62: 64) sts using 3¾mm (US 5) needles and yarn A.

Beg with a K row, work in st st throughout as follows:

Work 14 (14: 10: 8: 8: 18: 14: 12) rows, ending with a WS row.

Joining in and breaking off colours as required, cont as follows:

Next row (RS): Using yarn B (B: B: B: B: A: A: A), K3, M1, K to last 3 sts, M1, K3.

54 (54: 56: 58: 60: 62: 64: 66) sts.

Using yarn B (B: B: B: B: A: A: A), work 7 rows, ending with a WS row.

Sizes 2XL, 3XL and 4XL only

Using yarn B, work last 8 rows once more, ending with a WS row. – (-: -: -: 64: 66: 68) sts.

All sizes

Using yarn A, inc 1 st as before at each end of next and foll 8th row.

58 (58: 60: 62: 64: 68: 70: 72) sts.

Work 5 rows, ending with a WS row.

Using yarn B **OR** yarn C, work 8 rows, ending with a WS row **and at same time** inc 1 st as before at each end of 3rd of these 8 rows. 60 (60: 62: 64: 66: 70: 72: 74) sts.

Beg with row 9, now work in stripe patt as given for back, inc 1 st as before at each end of 3rd and 9 (9: 9: 9: 9: 1: 1: 1) foll 8th rows, then on 4 (4: 4: 4: 4: 11: 11: 11) foll 6th rows.

88 (88: 90: 92: 94: 96: 98: 100) sts.

Cont straight for 13 rows, ending after 2 rows using yarn A and with a WS row.

(Sleeve should measure approx 50 (50: 49: 48: 48: 47: 46: 45) cm.)

Shape raglans

Keeping stripe patt correct, cast off 4 (5: 5: 6: 6: 7: 8: 9) sts at beg of next 2 rows.

80 (78: 80: 80: 82: 82: 82: 82) sts.

Working all raglan decreases in same way as armhole raglan decreases, dec 1 st at each end of next and 4 foll 4th rows.

70 (68: 70: 70: 72: 72: 72: 72) sts.

Work 1 row, ending after 8 rows using yarn B and with a WS row.

Break off yarn B and complete sleeve using yarn A **only**.

Dec 1 st at each end of next (3rd: next: 3rd: 3rd: 3rd: 3rd: 3rd) and 0 (0: 0: 1: 0: 2: 2: 2) foll 4th rows, then on every foll alt row until 20 sts rem.

Work 1 row, ending with a WS row.

Left sleeve only

Dec 1 st at each end of next row, then cast off 4 sts at beg of foll row. 14 sts.

Dec 1 st at beg of next row, then cast off 4 sts at beg of foll row. 9 sts.

Rep last 2 rows once more.

Right sleeve only

Cast off 5 sts at beg and dec 1 st at end of next row. 14 sts.

Work 1 row.

Cast off 4 sts at beg and dec 1 st at end of next row. 9 sts.

Work 1 row.

Rep last 2 rows once more.

Both sleeves

Cast off rem 4 sts.

MAKING UP

Press all pieces with a warm iron over a damp cloth.

Join both front and right back raglan seams using back stitch or mattress stitch if preferred.

Polo neck

With RS facing, using 3 $\frac{3}{4}$ mm (US 5) needles and yarn A, pick up and knit 17 sts from top of left sleeve, 11 (11: 11: 13: 13: 15: 15: 15) sts down left side of front neck, 21 (23: 23: 23: 23: 23: 23: 23) sts from front, 11 (11: 11: 13: 13: 15: 15: 15) sts up right side of front neck, 16 sts from top of right sleeve, and 36 (38: 38: 40: 40: 42: 42: 42) sts from back. 112 (116: 116: 122: 122: 128: 128: 128) sts.

Beg with a P row, work in st st until polo neck measures 11 (11: 11: 11: 11: 12: 12: 12) cm, ending with a **RS** row.

Cast off knitwise (on **WS**).

Join left back raglan and polo seam. Join side and sleeve seams.

