


FISKEN COAT

crochet pattern
by wavelengths



FISKEN COAT

Thank you for purchasing the Fisken Coat pattern!
I'd love to see what colour palette you come up with! Feel free to share your WIPs and finished sweaters on Instagram tagging @_wavelengths and/or #FiskenCoat.

Please don't sell, change or claim this pattern as your own.

SUPPLIES & MATERIALS

Yarn

Yarn weight - size 5 (chunky/bulky). Recommended using a wool or wool mix yarn for extra warmth.

Suggested yarn - Check out what chunky/bulky yarns LoveCrafts has to offer by [clicking here](#).

Amount of yarn

Yardage is listed for the **mid** length option. See measurements on page 8 for more information about different length options.

XX-Small and **X-Small** (1,490 yards/1,360 metres)

Small and **Medium** (1,639 yards/1,496 metres)

Large and **X-Large** (1,788 yards / 1,632 metres)

2X-Large and **3X-Large** (1,937 yards/ 1,768 metres)

For the **short** or **long** options, consider subtracting or adding 2 (for the size on the left) or 3 (for the size on the right) skeins/balls of yarn.

Hooks

Hook sizes will depend on your tension/gauge (see gauge below).
If you are a tighter crocheter, use the first hooks listed.
If you are a looser crocheter, use the hook sizes in the brackets.
Please adjust your hook sizes accordingly to meet gauge (gauge on next page).

5.5mm (3.75mm) hook for ribbing.

6.5mm (4.5mm) hook for sc row above ribbing.

8mm (5.5mm) hook for mesh stitch.

Buttons + Other

You'll need 6 (short), 7 (mid), or 8 (long) buttons that are about 1 inch / 25mm in diameter. Avoid anything smaller, but can be slightly bigger.

You'll also need:

- tapestry needle
- sewing needle
- sewing thread



Photo by: @vero.suna



Photo by: @pansycrafts



FISKEN COAT

Gauge

IMPORTANT BEFORE STARTING!

In mesh stitch with 8mm hook, chain 16, turn, start second chain from the hook, 8 mesh stitches across, turn 8 mesh stitches (see 'Stitches' for info on mesh stitch) x 13 rows = 4" x 4" square. Also note the ribbing gauge in the photo on the right.

Stitches (US terms)

ch - chain

sc(s) - single crochet(s)

dc - double crochet

ch sp - chain space

sl st - slip stitch

st - stitch

BLO - back loops only

inc - increase

dec - decrease

R# - row number

MS - mesh stitch – not to be confused with the moss stitch!

I have a [video on my Instagram page \(@_wavelengths\)](#)

(click to access) showing how to work the mesh stitch.

For your reference, I wear the Medium of this pattern. I'm generally a US size 8 or 10 and am 5'10" (177cm) tall. The Fiskén Coat is meant to have a bulkier/oversized look. For measurements, see page 8.

Let's get started!

BODY

Bottom ribbing

- Using 5.5mm (3.75mm) hook, ch 11.

- Second ch from the hook, sc 10, ch 1, turn.

- BLO sc 10, ch 1.

- Repeat for 144, 156, 168, 180, 204, 226, 246, 258 rows total for bottom ribbing.

- **Do not** fasten off when done.



Photo by: @crochet_by_darb



Photo by: @gothgrandma27

FISKEN COAT

Body

R 1 - Change to 6.5mm (4.5mm) hook. Continuing from the ribbing band - ch 1, then sc on top of ribbing following this sequence (1 sc in the next 11, 11, 10, 11, 13, 19, 17, 19 sts, then inc (2 scs in the same st) in the next stitch) repeat for your size, see below:

* for the **xx-small**, you'll do the sequence 13 times, then finish with 3 scs in the last stitch.

* for the **x-small**, you'll do the sequence 13 times.

* for the **small**, you'll do the sequence 15 times, then finish with 3 scs.

* for the **medium**, you'll do the sequence 15 times.

* for the **large**, you'll do the sequence 15 times, then finish with 9 scs.

* for the **x-large** you'll do the sequence 11 times, then finish with 6 scs.

* for the **2x-large**, you'll do the sequence 13 times, finish with 12 scs.

* for the **3x-large**, you'll do the sequence 13 times, then finish with 11 scs.

You'll have 157, 169, 183, 195, 219, 237, 259, 271 stitches across. Do not fasten off (unless changing colours).

R 2 - Switch to 8mm (5.5mm) hook. For this first row of MS, you'll be doing the sc part of the stitch in every other stitch from R 1. MS for 78, 85, 92, 98, 110, 119, 130, 136 (I usually count the sc of the stitch to keep track). You'll finish with a sc in the last sc from R 1, ch 1, turn.

R 3 - Start row with a sc in the last sc from R 2. Continue with MS (sc 1, ch 1), doing your scs in the scs of R 2, not the chain space.

You have **3 length options** you can follow (see measurements on page 8). Here is the amount of rows you'll need to work for each length:

1 (short) - work 32 rows.

2 (mid) - work 50 rows.

3 (long) - work 68 rows.

Body Split

Once you've finished the bottom length of the body, you'll need to split the project into 3 panels - 2 front panels + 1 back panel.

With your project laid flat, from left to right, you'll have:

front panel 1 - back panel - front panel 2

The amounts below are counting the sc of the MS for each panel.

Here are those splits:

xx-small - 19 - 41 - 19

x-small - 21 - 43 - 21

small - 23 - 46 - 23

medium - 24 - 50 - 24

large - 27 - 56 - 27

x-large - 30 - 59 - 30

2x-large - 32 - 66 - 32

3x-large - 34 - 68 - 34



Photo by: @doom.and.loom



Photo by: @kayla.etc



Photo by: @yarnbelcrafts

FISKEN COAT

Continue your rows of MS on these panels for:

20, 20, 20, 22, 22, 24, 24, 24 rows for both front panels. You'll continue this panel with your shoulder

extensions, see "Shoulder Extensions – Front Panels" below.

28, 28, 28, 30, 30, 32, 32, 32 rows for back panel. Do not fasten off, you'll continue with the shoulder

extensions, see "Shoulder Extensions – Back Panel" below.

Do not fasten off, you'll continue with you shoulder extensions.

Shoulder Extensions – Front Panels

For both panels, start on the outside (where the coat will sit open) after your 20, 20, 20, 22, 22, 24, 24, 24 rows with your 8mm (5.5mm) hook Continue with MS.

R 1 - 19, 21, 23, 24, 27, 30, 32, 34 MS, sc in last st, ch 1, turn.

R 2-3 - 18, 20, 22, 23, 26, 29, 31, 33 MS, sc in last st, ch 1, turn.

R 4-5 - 17, 19, 21, 22, 25, 28, 30, 32 MS, sc in last st, ch 1, turn.

R 6-7 - 16, 18, 20, 21, 24, 27, 29, 31 MS, sc in last st, ch 1, turn.

R 8-9 - 15, 17, 19, 20, 23, 26, 28, 30 MS, sc in last st, ch 1, turn.

R 10 - 14, 16, 18, 19, 22, 25, 27, 29 MS, sc in last st, fasten off.

Repeat on second front panel.

Shoulder Extensions – Back Panel

Continuing with your 8mm (5.5mm) hook, start on whatever side you just finished your 28, 28, 28, 30, 30, 32, 32, 32 rows. Continue with MS.

R 1-2 - 14, 16, 18, 19, 22, 25, 27, 29 MS, sc in the last st, ch 1, turn.

After doing 2 rows, fasten off leaving a long tail for sewing.

Attach yarn to the other side and repeat R 1-2.

Sewing Shoulders

Fold the front panels over back panel, lining up the shoulder extension, with front sides facing in. Whip stitch shoulder with yarn needle.

Pockets (x2)

You'll be making 2 pockets + 2 pocket flaps. Pocket sizes vary from size to size. Feel free to play around with the size to best suit your taste and the length your working with. Below is what I suggest:

Pockets

The pockets are simply 2 rectangles made in MS.

With you 8mm (5.5mm) hook, ch 16, 20, 20, 24, 24, 24, 28, 28, turn.

R 1 - Start from the second ch from the hook, work 8, 10, 10, 12, 12, 12, 14, 14 MS along the ch, skipping every other ch. Ch 1, turn.

R 2 - 20 or 25 - Continue for about 20 to 25 rows with the amount of MS listed in R 1. Fasten off leaving a very long tail for sewing (you'll be sewing along 3 sides).



Photo by: @les.terribles



Photo by: @crochetedcasser01



Photo by: @threefatescrochet

FISKEN COAT

Pocket Flaps

With you 8mm (5.5mm) hook, ch 18, 22, 22, 26, 26, 26, 30, 30, turn.

R 1 - Start from the second ch from the hook, work 9, 11, 11, 13, 13, 13, 15, 15 MS along the chain,

skipping every other chain. Ch 1, turn.

R 2 - Work 9, 11, 11, 13, 13, 13, 15, 15 MS across. Ch 1, turn.

R 3 - Work 4, 5, 5, 6, 6, 6, 7, 7 MS, ch 3, skip the next sc from the MS of R 2, finish your

row with the remaining 4, 5, 5, 6, 6, 6, 7, 7 MS (this will create the button hole). Ch 1, turn.

R 4 - Work 9, 11, 11, 13, 13, 13, 15, 15 MS across. You'll work that middle MS in the centre ch of the ch 3 you did in R 3. Ch 1, turn.

R 5-6 - Work MS across. When finished R 6, fasten off leaving a long tail for sewing (you'll be sewing just across the top).

Sewing the Pockets

Line up the top corner on the outside of the pocket about 24 rows down from the shoulder seam. Have the side closest to the opening of the coat be 3 MS in from the opening. I would suggest pinning pockets down before sewing to make sure they line up nicely. With the long tail you've left, sew one side, then the bottom, then the other side. Fasten off.

The pocket flap, with the long tail you've left, will be sewn on the second row of MS above the top of the pocket, centering it with the pocket. Please be mindful of where the button will line up.

Sew your button on the pocket, lined up with the button hole of the flap.

Edging

With your 6.5mm (4.5mm) hook, you'll be working the edging on the front opening of the coat from the bottom until just before the shoulder extensions start to decrease.

Seeing as this pattern is unisex, it'll be up to you on which side you'd like to have the buttons and which side you'd like to have the button holes.

Typically, buttons on women's shirts are lined up on the left side (when worn) and men's on the right (also when worn). The instructions below are for lining up on the left side. If you'd prefer them on the right, you'll just do the button holes on the left side vs the right.

Right Side

With the coat facing you and with the right side out, start on the **bottom right corner** of the opening, starting at the bottom of the ribbing.

- ch 8.

- From the second ch from the hook, sc 7.



Photo by: @homebodydiy_




Photo by: @gothgrandma27



Photo by: @doom.and.loom

FISKEN COAT

Right Side - Continued

- sl st into the next 2 sts of the ribbing, turn.
- Going back up the row of sc you've just done, sc in BLO up those 7 sc. ch 1, turn.
- Going back down, sc in BLO down the 7 sc you've just done.
- sl st into the next 2 sts of the ribbing, turn.

You'll continue this sort of zigzag sequence all the way up to just before the collar decreases. Once past the ribbing, you'll be doing your 2 sl st in the next 2 rows of MS.

Left Side

With the coat facing you and with the right side facing out, start at the **top left corner** of the opening, starting at the edge of the flat section (don't include the "steps"/decrease of the collar section). Work similarly as the left side, but you'll be leaving button holes on rows:

- 1 (short) – **4, 22, 40, 58**
- 2 (mid) – **4, 22, 40, 58, 76**
- 3 (long) – **4, 22, 40, 58, 76, 94**

To create button holes, do your first 2 sc going BLO, ch 3, skip 3, and finish with the last 2 sc going BLO.

Sewing Buttons

If you're setting up as the pattern suggests, you'll be sewing your buttons on the left ribbed edging. To line up with the button holes, sew the buttons between rows (from top to bottom):

4 and 5

22 and 23

40 and 41

58 and 59 (stop here for the **short** option)

76 and 77 (stop here for the **mid** option)

94 and 95 (for the **long** option)

Collar

With your 6.5mm (4.5mm) hook and the right side facing out, fasten on at the outer point before the shoulder extensions begin to decrease. With the garment laying flat and facing you, you'll want to fasten on on the left side.

- ch **14, 14, 14, 16, 16, 18, 18, 18**.
- From second ch from the hook, sc **13, 13, 13, 15, 15, 17, 17, 17**.
- sl st into the corner of the "step" (see **1** on bottom right image), turn.
- Going back up the row of sc, sc in BLO **13, 13, 13, 15, 15, 17, 17, 17** ch 1, turn.
- Going back down, sc in BLO **13, 13, 13, 15, 15, 17, 17, 17**.



Photo by: @yarnbellocrafts




Photo by: @meandthebumblebee

FISKEN COAT

Collar - Continued

- sl st into the outer corner of the “step” (see **2** on top right image), turn.
- Repeat this sort of zigzag sequence all the way up the steps.
- ** When you get to the flat part on the back panel, do your sl st in the sc of that top row of MS.
- Repeat that “step” sequence once you get to the other side.
- Once you get to that last outer corner on the right side, sl st in that corner, do 1 more row of sc in BLO, then fasten off. Weave ends in.

Sleeves

NOTE if you’re looking to have a longer sleeve length (see measurements on page 8).

You’ll be working the MS around the opening. Once you get back to the beginning, you’ll do a sl st, ch 1, turn. You’ll be working your rows going back and forth like that.

R 1 - Using 8mm (5.5mm) hook, start in armpit. Start with ch 1, then do first sc of the MS in the next row end on the body. For this first round, you’ll be skipping every other row of MS row ends on the body as you go around to finish with **30, 30, 30, 32, 32, 34, 34, 34** MS around. Sl st to the ch 1 you started with, ch 1, turn.

R 2-50 - Continue with MS going back and forth, sl stitching in the ch 1 at the beginning of the row.

NOTE Feel free to add or subtract rows for desired sleeve length here. Sleeve measurement on page 8.

R 51 - Switch to 6.5mm (4.5mm) hook. Working in the ch sp **AND** the sc of the MS, you’ll be doing a round of sc decreases. Work your way around, finishing with **30, 30, 30, 32, 32, 34, 34, 34** sc. Do not fasten off.

Cuffs

Pull your sleeve inside out. The cuffs are worked similarly to the edging and collar. Switch hooks to use your 5.5mm (3.75mm) hook.

- ch 11.
- From the second ch from the hook, sc 10.
- sl st into the next 2 sts of R 51, turn.
- Going back up the row of sc you’ve just done, sc in BLO up those 10 sc. ch 1, turn.
- Going back down, sc in BLO down the 10 sc you’ve just done.
- sl st into the next st of R 51, turn.

NOTE you’ll be alternating doing 2 sl st and 1 sl st into R 51 as you work the cuff around.

You’ll continue this sort of zigzag sequence all the way around the sleeve opening. Once at the end, fasten off leaving a long tail. Pull the sleeve inside out, and sew both ends of the cuff together.




Photo by: @meandthebumblebee



Photo by: @les.terribles



Photo by: @vero.suna

FISKEN COAT

MEASUREMENTS

This is meant to be a bulky/oversized coat.
Bust measurement taking from armpits across.

XX-Small

Bust/Chest (flat) = 19 1/4 in / 49 cm

X-Small

Bust/Chest (flat) = 22 in / 56 cm

Small

Bust/Chest (flat) = 23 in / 58.5 cm

Medium

Bust/Chest (flat) = 26 3/4 in / 61.5 cm

Large

Bust/Chest (flat) = 27 1/2 in / 69.5 cm

X-Large

Bust/Chest (flat) = 28 1/2 in / 72.5 cm

2X-Large

Bust/Chest (flat) = 30 1/2 in / 77.5 cm

3X-Large

Bust/Chest (flat) = 32 1/2 in / 82.5 cm

Body Length

Measurement taken from shoulder seam to end of bottom ribbing.

There are 3 length options to work with:

- 1 (short) – about 19 1/4 in / 49 cm.
- 2 (mid) – about 24 in / 61 cm.
- 3 (long) – about 28 3/4 in / 73 cm.

Sleeve length (shoulder seam to end of cuff) = about 16 1/2 in / 42 cm if done according to pattern.

Feel free to adjust by adding or subtracting rows of mesh stitch for desired length.



Photo by: @madebypepito



Photo by: @crochetedcasser01



Photo by: @threefatescrochet