

FREMSTRIKK

440 – 1 Haraboji Cardigan

2023

A magazine from
Rauma Garn



Aegyoknit

Haraboji Cardigan



This pattern is part of Fremstrikk 2023. Fremstrikk is a magazine from Rauma Garn made with the intention of promoting those who work with, engage in, and create using Norwegian wool. In Fremstrikk 2023 we have teamed up with six talented and inspiring designers. Each of them have created a pattern using one of our softest yarn qualities made from Norwegian wool, Fivel.

Karoline Skovgaard Bentsen was inspired by the yarn when designing for Fremstrikk. She read about Fivel and Norwegian wool and decided that the best way to showcase the wool's qualities was through cables and texture. "I knew right away that it would be a cardigan. There was no doubt about it. A cardigan made the way Aegyoknit does best: playing around and having fun with knitting." To make it innovative and exciting, and of course, different, as is always a welcome element in Aegyoknit's patterns, it would be knitted from sleeve to sleeve. The design is called Haraboji, which is South Korean for grandfather, as it resembles a typical "grandpa cardigan".

HARABOJI CARDIGAN**440 - 1****ABOUT**

Oversized fit, cables and pure wool characterizes Haraboji. This cardigan will become a friend for life as soon as you put it on. You start by knitting the right sleeve and work your way up to the shoulder. You then knit the front and back of the body before you join the work to knit the left sleeve. The pattern is both charted and written.

SIZES

1 (2) 3

MEASUREMENTS FINISHED GARMENT**Circumference:** ca. 120 (130) 140 cm**Sleeve to sleeve:** ca. 146 (152) 158 cm**Length from neck to hem including rib:** ca. 55 (57) 60 cm

The model in the photo is wearing a size 1. She is 160 cm tall and has a breast circumference of 78 cm. This gives her 42 cm positive ease. We recommend choosing a size that has no more than 48 cm positive ease and a minimum of 7 cm positive ease. Measure yourself before choosing your size.

YARN

Rauma Fivel (100% Norwegian wool, 100 m / 50 g)

YARN QUANTITY

700 g (850 g) 1000 g

COLOR

Fivel 01 – Natur

GAUGE

18 sts x 32 rows = 10 x 10 cm on needle 4.5 in moss stitch after blocking.

NEEDLE SUGGESTION

Circular needle: 3 mm (40 or 60 cm)

2 x circular needle: 4.5 mm (60, 80 or 100 cm)c

Cable needle 4.5 mm

ABBREVIATIONS AND TECHNIQUES

Make sure to read the whole pattern before you start knitting so you do not miss out on important information.

M = stitch marker

sts = stitches

K = knit

P = purl

tog = together

PM = place marker

CN = cable needle

YO = yarn over

M1R = make 1 stitch right leaning

M1L = make 1 stitch left leaning

Make 1 stitch right leaning (M1R): Insert the left-hand needle from back to front, pick up the yarn between two stitches. Knit.

Make 1 stitch left leaning (M1L): Insert the left-hand needle from front to back, pick up the yarn between two stitches. Knit through back loop.

INTRODUCTION

Haraboji cardigan is knit from sleeve to sleeve. You start on the right sleeve and knit in the round before you knit the back and front piece back and forth over the right shoulder and divide for neck opening. You then knit the back and front separate before you join to knit the left shoulder and sleeve. The cardigan is knit in a pattern of cables and seed stitch. Make sure your cables are knit with the correct slant when knitting back and forth.

CHECKERED CABLES

This cable has 2 sts with 1 st crossing over the other to either left or right.

1/1-L from the right side: Place right needle in 2nd st from the back and K, K1. Move both sts to right-hand needle. The first st will now cross over the second st to the left.

1/1-L from the wrong side: Slip 2 sts off needle as if you were to p2tog, place them back onto left needle twisted – the should now have changed places, p2 sts through back loop.

1/1-R from the right side: K 2nd sts from the front, K1. Move both sts to right-hand needle. The second st will now cross the first st to the right.

1/1-R from the wrong side: Purl into 2nd st from the front, p1. Move both sts to right-hand needle.

BIG CABLE 1

Right side.

Row 1 through 3: K on the right side, p on the wrong side.

Row 4: place 5 sts on CN in front of work, K5, K5 sts from CN, place 5 sts on CN in back of work, K5, K5 sts from CN.

Row 5 and 6: As Row 1.


BIG CABLE 2

Left side.


Row 1 through 3: K on the right side, p on the wrong side.

Haraboji Cardigan


Checked cables – simple cable with 2 sts: 1 st over 1 st left leaning (1/1-L):




Checked cables – simple cable with 2 sts: 1 st over 1 st right leaning (1/1-R):



Big cable 1 – 20 sts and 6 rows (5/5-R + 5/5-L):



Big cable 2 – 20 sts and 6 rows (5/5-L + 5/5-R):



- = K on the right side, p on the wrong side
- ◻ = p on the right side, K on the wrong side
- ⊘ = Cable: 1/1 right leaning
- ⊙ = Cable: 1/1 left leaning
- ⊚ = Cable: 5/5 right leaning
- ⊛ = Cable: 5/5 left leaning

Row 4: place 5 sts on CN in back of work, K5, K5 sts from CN, place 5 sts on CN in front of work, K5, K 5 sts from CN.

Row 5 and 6: As Row 1.

SEED STITCH

Row 1: *K1, p1* repeat *–*

Row 2: *p1, K1* repeat *–*

PATTERN

SLEEVE RIBBING

Cast on 92 sts on circular needle 3 mm 40 cm and join to knit in the round. PM for beginning of round. Knit rib: K1, p2, *K2, p2* repeat *–* until 1 sts remain, K1. Knit rib in the round until it measures 8 cm.

Change for needle 4.5 mm and divide for cables as follows: K5, PM, p2, K26, p2, K2, K2tog though back loop, K14, K2tog, K2, p2, K26, p2, PM, K5.

You now have 90 sts.

ESTABLISH CABLE PATTERN

Knit row 1 through 6 as follows:

Row 1:

p1, K1, p1, K1, p1, slip M, p2, K3, 1/1-L, K4, 1/1-L, K4, 1/1-L, K4, 1/1-L, K3, p2, K20, p2, K3, 1/1-R, K4, 1/1-R, K4, 1/1-R, K4, 1/1-R, K3, p2, slip M, p1, K1, p1, K1, p1.

Row 2:

K1, p1, K1, p1, K1, slip M, p2, K2, 1/1-R, 1/1-L, 2r, 1/1-R, 1/1-L, K2, 1/1-R, 1/1-L, K2, 1/1-R, 1/1-L, K2, p2, K20, p2, K2, 1/1-R, 1/1-L, K2, 1/1-R, 1/1-L, K2, 1/1-R, 1/1-L, K2, 1/1-R, 1/1-L, K2, p2, slip M, K1, p1, K1, p1, K1.

Row 3:

p1, K1, p1, K1, p1, slip M, p2, K1, 1/1-R, K2, 1/1-L, 1/1-R, K2, 1/1-L, 1/1-R, K2, 1/1-L, 1/1-R, K2, 1/1-L, K1, p2, K20, p2, K1, 1/1-R, K2, 1/1-L, 1/1-R, K2, 1/1-L, 1/1-R, K2, 1/1-L, 1/1-R, K2, 1/1-L, K1, p2, slip M, p1, K1, p1, K1, p1.

Row 4:

K1, p1, K1, p1, K1, M1L, slip M, p2, K6, 1/1-L, K4, 1/1-L, K4, 1/1-L, K6, p2, place 5 sts on CN in front of work, K5, K5 sts from CN, place 5 sts on CN in back of work, K5, K5 sts from CN, p2, K6, 1/1-R, K4, 1/1-R, K4, 1/1-R, K6, p2, slip M, M1R, K1, p1, K1, p1, K1.

Row 5:

p1, K1, p1, K1, p1, K1, slip M, p2, K1, 1/1-L, 2 r, 1/1-R, 1/1-L, 2 r, 1/1-R, 1/1-L, 2 r, 1/1-R, 1/1-L, 2 r, 1/1-R, K1, p2, 20 r, p2, K1, 1/1-L, 2 r, 1/1-R, 1/1-L, 2 r, 1/1-R, 1/1-L, 2 r, 1/1-R, 1/1-L, 2 r, 1/1-R, K1, p2, slip M, K1, p1, K1, p1, K1, p1.

Row 6:

K1, p1, K1, p1, K1, p1, slip M, p2, 2 r, 1/1-L, 1/1-R, 2 r, 1/1-L, 1/1-R, 2 r, 1/1-L, 1/1-R, 2 r, 1/1-L, 1/1-R, 2 r, p2, 20 r, p2, 2 r, 1/1-L, 1/1-R, 2 r, 1/1-L, 1/1-R, 2 r, 1/1-L, 1/1-R, 2 r, 1/1-L, 1/1-R, 2 r, p2, slip M, p1, K1, p1, K1, p1, K1.

NB! When pattern mentions Row 1 through 6, these are the rows in question.

Continue knitting “Row 1” through “Row 6” up the sleeve. Remember to increase on “Row 4” (every 6th row – the same row you make the big cable) a total of 11 times. The new sts are worked into the seed st-pattern.

When you have increased 11 times (=22 new sts) you continue knitting “Row 1” through “Row 6” but skip the increases. You now have 112 sts. Continue in pattern until the sleeve measures 42 (42) 44 cm including ribbing. Your last row should be “Row 3”.

CAST ON FOR BODY

You will now cast on sts for front and back and knit back and forth. Row 1, 3 and 5 will be knit from the wrong side.

Cast on as follows: Remove M that marks beginning of round, K1 and place the st purl-wise back on the left-hand needle, K1 in your new st and place it purl-wise back on the left-hand needle, continue like this until you have made 14 (16) 18 new sts for the front.

Knit your new sts from the right side: *K1, p1* until you reach the cables on the sleeve and continue knitting “Row 4” to end of row. Cast on 14 (16) 18 sts in the same way on the other side for the back.

Turn so you are on the wrong side. K the new sts in seed stitch, starting with *K1, p1* until you reach your cables, and knit following “Row 5” and finish with seed stitch down the front.

NB! Make sure your small cables are slanting the correct way when knitting on the wrong side. Use a CN if needed.

You are now back on the right side (Row 6). Make an additional 14 (16) 18 sts the same way as last time. Do the same when you get to the back. You have now increased 28 (32) 36 sts on each side and have a total of 168 (176) 184 sts.

Continue knitting back and forth following “Row 1” through “Row 6” until it measure about 6 (8) 8 cm from the last cast on-edge. Your last row should be “Row 3”.

SHOULDER INCREASE

You will now increase for shoulder on each side of the big cable. You start by doing a 3 in 1-increase on each side, and continue with regular increases (M1L and M1R) on the following increase rows. All increases are done on "Row 4": K to the 2 p sts before the big cable, P1, PM, pick up the thread between two sts and make 3 new sts from this strand as follows: K1, YO, K1, PM, p1, knit big cable (Row 4), p1, PM, make 3 new sts as on the other side: K1, YO, K1, PM, p1, knit following "Row 4" to end of row. You have increased a total of 6 sts. The new sts are knit in seed stitch.

Continue to knit following "Row 1" through "Row 6". The next time you get to "Row 4" you will increase as follows: Knit pattern to the M in front of your first triple-increase, slip M, M1R, knit the 3 sts in seed stitch, M1L, slip M, knit cable to next M by triple-increase, slip M, M1R, knit the 3 sts in seed stitch, M1L, slip M, knit pattern to end of row.

Do this increase every time you get to "Row 4" in the pattern a total of 3 (3) 4 times. Your new sts will become a part of the seed stitch pattern. When all increases are done you have made a total of 18 (18) 22 new sts, including the triple increases. You now have 186 (194) 206 sts.

NB! It is helpful to place a marker where you made your last increase as a reference for when you knit the other shoulder.

Continue back and forth following "Row 1" through "Row 6" until it measures ca 10 (10) 10 cm from your last increase. Your last row should be "Row 3" on the wrong side.

You will now divide for front and back that will be knit separate. The front pieces will be knit later. Be sure to end on the suggested row so it will match when you knit the pieces together. I suggest making a note of the row.

BACK

You will now cast off for collar and knit the back separate. Knit "Row 4" until you get to the big cable, K7, cast off 6 sts (K2, slip 1 st over the second, *K1, slip one st over* repeat *-* until you have cast off 6 sts), K7, continue down the back following pattern.

Let the front rest while you knit the back. It might be helpful to place the front sts on another cable or thread.

You now have 90 (94) 100 sts on the back.

Cast off for collar as follows: Knit following pattern on the wrong side (Row 5). Turn.

You are now on the right side (Row 6): cast off 2 sts (K2, slip 1 st over the second, K1, slip one st over), knit following pattern to end of row. Turn and knit (Row 1) the wrong side. Turn. You are now on the right side (Row 2): Cast off 2 sts and knit following pattern. You have now cast off 4 sts by the collar and you have 86 (90) 96 sts on the back.

From this point on you will be knitting edge stitches on the first and last st on the row. It will always be a K-stitch, both on the right and wrong side. Continue knitting back and forth over the back piece starting on "Row 3" until it measures about 20 (20) 24 cm measured from where you divided for collar. Your last row should be "Row 4" on the right side.

On the next row you will cast on new sts for the collar and the shoulder cable.

Cast on as follows:

Knit "Row 5" on the wrong side to end of row. Cast on 2 new sts. Turn.

K the new sts, the rest follows "Row 6" from pattern. Turn.

Knit from the wrong side following "Row 1"-pattern. Cast on 2 new sts. Turn.

K the 4 new sts, the rest follows "Row 2"-pattern. You now have 90 (94) 100 sts on the back.

Turn and knit "Row 3" from the wrong side. Cast on 6 new sts. Break yarn. Next you will knit the front.

FRONT

Front right

Start by the neckline from the wrong side to continue where you left off (before you started on the back piece where your last row was "Row 4" on the right side). Knit "Row 5" from the wrong side and "Row 6" from the right side.

You are now ready to start "Row 1" from the wrong side, and will decrease 2 stitches by the collar as follows: *Cast off 2 sts (p2, slip 1 st over the second, p1, slip one st over), knit following pattern. Turn. You have now decreased 2 sts. It is helpful to mark where you started your decreases.

Knit from the right side following pattern. Turn.* Repeat these two rows until you have decreased in all 8 sts. Remember to follow pattern as you go.

Next you will decrease only 1 st on every wrong side row as follows:

Wrong side-row: p2, slip one st over the other, knit following pattern.

Right side–row: Knit following pattern.
Repeat wrong side–row one more time.

You have now decreased 2 more sts, for a total decrease of 10 (10) 10 sts on the front to shape the neckline. You now have 80 (84) 90 sts on the front.

Continue to knit back and forth while following pattern until it measures 8 (8) 10 cm from where you divided for front and back (measure from M). The last rows should be “Row 4” in pattern.

Cast off from the wrong side in seed st–pattern, and in stockinette on the checkered pattern.

Front left

This piece is knit separate. Cast on 80 (84) 90 sts on a fresh 4.5 mm (60–80 cm) needle.

The first row is the wrong side: Knit 7 (7) 9 sts in seed stitch (K1, p1 – starting with a K–st), K1, p26, K2, knit 44 (48) 52 sts in seed stitch (p1, K1 – starting with a p–st).

On the next row you will establish pattern starting on “Row 4” in the chart–pattern so the front left will mirror the front right piece.

Continue in pattern back and forth until it measures about 4 (4) 6 cm. Your last row should be “Row 3” in pattern from the wrong side. Next you will increase on every other row to mirror the right side: Knit all stitches following “Row 4” and cast on 1 st at the end of row. Knit “Row 5” from the wrong side. Knit “Row 6” to end of row and cast on 1 sts. Knit “Row 1” on the wrong side.

Next you will increase 2 sts on every other row:

Knit “Row 2” on the right side to end of row, cast on 2 sts. Knit “Row 3” on the wrong side. Remember that the cast on–stitches will be knit in pattern as on the opposite side continue knitting back and forth in pattern while increasing 2 sts at the end of every right side–row a total of 4 times. You have now increased 8 sts + 2 from earlier for a total of 10 sts increased. Your last row should be “Row 3” on the wrong side.

JOIN FRONT AND BACK

Join the front and back as follows: Knit following “Row 4” on the front, continue knitting all sts on the back piece. Knit back and forth following patten, but change for BIG CABLE 2–chart for the cable in the middle of the shoulder so it slants the other way. When it measures about 10 cm from where you joined you will start decreasing on each side of the big cable on the shoulder on every “Row 4”. The decreases will be place where the increases were places on the opposite shoulder.

Knit «Row 4» as follows: Knit following pattern on the front piece, past the first checkered cables, p1, the first 2 seed stitches will now be K 2 tog through the back loop, continue in seed sts until 2 seed stitches are left, K2tog, p1, knit the big cable until you reach the seed sts, K 2 tog through the back loop, continue in seed sts until there are two seed sts left before the checkered cables, K2tog, knit the back following pattern. You have now decreased 4 sts. Do this decrease on every “Row 4” a total of 3 (3) 4 times.

Knit until you get to “Row 4”. Now you will decrease 3 sts on each side of the big cable as follows: Knit following pattern on the front piece, past the first checkered cables, K2tog, K3tog. Two purl sts remain. Knit the big cable until you reach the moss sts, K3tog, K2tog. Two purl sts remain. Knit following patten to end of row.

You have now decreased a total of 18 (18) 22 sts and have 168 (176) 184 sts on needles.

Continue to knit back and forth following pattern until work measure 5 (5) 7 cm – or has the same measurements as the opposite side. Your last row should be a “Row 5” on the wrong side.

Next you will cast off the front and back before you knit the sleeve in the round: Cast off 14 (16) 18 sts in seed sts on the font, knit following pattern to end of row. Turn to wrong side and cast off 14 (16) 18 sts, knit following pattern to end of row.

Turn to right side and cast off 14 (16) 18 sts, knit following pattern to end of row.

Turn to wrong side and cast off 14 (16) 18 sts, knit following pattern to end of row.

Turn to the right side. The front and back is now cast off. Join remaining sts to knit in the round, and place a M for beginning of round.

LEFT SLEEVE

Before you start: Check where the increases stopped on the right sleeve, and start decreasing in the same place on the left sleeve. Continue in the round with decreases on every “Row 4” in the same place you increases on the left. Repeat until you have done 11 decrease rounds (= 22 sts dec). Your last row should be “Row 1”. Your sleeve should now measure about 34 (34) 36 cm, and you have 90 sts.

Knit «Row 5»: K5, p2, K26, p2, M1R, K20, M1L, p2, K26, p2, K5. You now have 92 sts.

Change for needle 3 mm and knit ribbing in the round: K1, p2 *K2, p2* repeat *–* until 1 st remains, K1. Knit

rib until it measures ca. 8 cm and the whole sleeve measures 42 (42) 44 cm. Cast off in pattern.

Fasten loose ends and sew together the side seam using mattress stitch or your preferred method.

COLLAR

Use needle 3 mm. Start by picking up stitches along the neckline. 3 sts for every 4th stich along the edge. This should be about 96 (96) 104 sts. Make sure to have a number that can be divided by four.

Knit rib from the wrong side: K1 (edge st), p2, *K2, p2* repeat to last st, K1 (edge st).

Knit rib from the right side: K1 (edge st), K2, *p2, K2* repeat *-* to last st, K1 (edge st).

Continue to knit rib back and forth until it measure 5 cm. Cast off in pattern from the right side.

BOTTOM RIB:

Use needle 3 mm and start to pick up and knit from the bottom edge of the left front piece. Pick up 2 sts for every 3 sts along the edge. Make sure to have a number of sts that can be divided by four. Knit rib the same way you did at the collar until rib measures 5 cm. Cast off in pattern.

FRONT POST RIBBING:

Right post:

Using needle 3 mm, pick up and knit sts along the right front piece from the right side. Make sure to have a

number that can be divided by four. Knit rib the same way you did at the collar until l measures 5 cm. Cast off in pattern.

Left post:

Pick up and knit the same way you did on the right post. Knit ribbing until it measures 2.5 cm. Make 6 (6) 7 button holes evenly spaces.

Button hole: K2tog, YO. The yarn over is knit into rib-pattern on the next row. Continue with ribbing until it measure 5 cm. Cast off in pattern.

FINISHING

Sew on buttons, wash and block.

HAPPY KNITTING!

Please tag us in images shared on Instagram using **#harabojicardigan**, **#fremstrikk2023**, **@aegyoknit** and **@raumagarn** so we can admire your work.

www.aegyoknit.com Instagram: aegyoknit

Haraboji Cardigan

9

“Picking up two needles and yarn and transform it into a garment. That’s the reason I knit. It’s so simple, yet so unique.”

Karoline Skovgaard Bentsen

