

---

# May Replay

by Deb Hoss

Delicate pink cables feel like spring to me. Introducing *May Replay* – a shaped, V-neck, hip-length pullover. It's a reimagining of *May*, an earlier design, and this time with 2 sleeve options – 3/4 length and long. *May Replay* is worked bottom up, in the round, until the start of the V-neckline where it splits and is worked flat, back and forth. Sleeves are worked bottom up, in the round as well, with short row cap shaping, and set in. Stitches are picked up around the neckline for rib trimming. Enjoy!



Photographed by Deb Hoss, modeled by Juliet Hoss Aborn

## SIZES

30¾(34½, 38½, 43, 46¾, 51, 55)" / 78.1(87.6, 97.8, 109.2, 118.7, 129.5, 139.7) cm – shown in size 34½"/ 87.6 cm, worn with no ease.

## SKILLS REQUIRED

*Long-tail CO*, circular knitting, decreases (*ssk*, *k2tog*, *p2tog*, *p2tog tbl*), increases (*RLI*, *LLI*), cables, stitch pick up for neckline trim, short row shaping, *3-needle BO* (at shoulders), setting in sleeves, and blocking.

## FINISHED MEASUREMENTS

*Bust:* 30¾(34½, 38½, 43, 46¾, 51, 55)" / 78.1(87.6, 97.8, 109.2, 118.7, 129.5, 139.7) cm

*Waist:* 27(30¾, 34½, 39, 43, 47¼, 51)" / 68.6(78.1, 87.6, 99.1, 109.2, 120, 129.5) cm

*Hips:* 30¾(34½, 38½, 43, 46¾, 51, 55)" / 78.1(87.6, 97.8, 109.2, 118.7, 129.5, 139.7) cm

*Length:* 24¾(24¾, 25, 25¼, 25½, 25¾, 26)" / 61.6(62.9, 63.5, 64.1, 64.8, 65.4, 66) cm

## MATERIALS

### Yarn

Shown in *Chickadee* wool by Quince & Co. (100% wool; 181 yards /166 m per 50g skein); color – *Dogwood* #135;  
*3/4 sleeve version:* 6(7, 8, 9, 10, 11, 12) skeins, or for comparable yarn, approximately 1075(1230, 1400, 1555, 1735, 1935, 2110) yards / 985(1125, 1280, 1420, 1585, 1770, 1930) m.

*Long sleeve version:* add 1 skein to above, or for comparable yarn total approximately 1250(1420, 1600, 1775, 1970, 2180, 2370) yards / 1145(1300, 1465, 1625, 1800, 1995, 2165) m

*I always have additional yarn on-hand for swatching.*

### Needles

US5 / 3.75mm or size to obtain gauge

- 1 24" / 60 cm to 32" / 80 cm circular (*use length shorter than waist measurement*)
- 1 24" / 60 cm circular (*for upper bodice, sleeve caps, and neckline trim*)
- 1 cable needle
- 1 set double-pointed (*or preferred needle style for working small circumferences of the sleeves in the round*)

### Notions

- Stitch markers
- Stitch holders
- Tapestry needle
- Pins for blocking (*blocking wires optional*)

### GAUGE (*after blocking*)

- 24 sts and 32 rows = 4" / 10.2 cm in *Stockinette Stitch*
- 25.2 sts and 33.6 rows (35.2 rnds) = 4" / 10.2 in *Cable Rib*

## PATTERN NOTES

Refer to last pages for

- **SCHEMATICS** for overall sizing
- **STANDARD ABBREVIATIONS** and **DEFINITIONS** relevant to this pattern
- **ROW TRACKER** for managing *AT THE SAME TIME* upper bodice, V-neckline, and armhole shaping instructions.


## HELPFUL LINKS

For instructions on:

- *Long-tail cast on:* [www.knitty.com/ISSUEsummer05/FEATsum05TT.html](http://www.knitty.com/ISSUEsummer05/FEATsum05TT.html)
- Wrap and turn short rows: <http://www.knitty.com/ISSUEsummer03/FEATbonnetric.html>
- *3-needle bind off:* <https://www.purlsoho.com/create/3-needle-bind-off/>
- *Cables:* <https://brooklyntweed.com/pages/cable-knitting-101>

My website: [www.debhossknits.com](http://www.debhossknits.com)

**CABLE RIB** – 9 stitch x 8 row repeat worked throughout



*Description*


– worked in the round

Rows 1 – 6, 8: \*p1, k4, p1, k3; rep from \*  
 Row 7: \*p1, sl 2 sts to cn hold in back, k2, k2 from cn, p1, k3; rep from \*

– worked flat

Rows #1, 3, 5 (RS): \*p1, k4, p1, k3; rep from \*  
 Rows #2, 4, 6, 8 (WS): \*p3, k1, p4, k1; rep from \*  
 Row #7 (RS): \*p1, sl 2 sts to cn hold in back, k2, k2 from cn, p1, k3; rep from \*

**Chart**



*Shaping notes for managing partial cable stitch sets*

When fewer than the 4 sts of the cable exist

- when 3 sts exist, work cable as – sl 1 st to cn hold in back, k2, k1 from cn,
- when 2 sts exist, work cable as – sl 1 st to cn hold in back, k1, k1 from cn

When a cable set is split by a (side or BOR) marker

- when 3 sts exist on each side of the marker, work 2 3-st cables as described above,
- when 2 sts exist on each side, work a normal 4-st cable over the combined 2 sts from each side.
- when 1 st exists on each side, work a 2-st cable over the combined 1 st from each side as described above

**PATTERN**


**Bodice**

*Trim hem*

Using *Long-tail* CO and longer circ, CO 194(218, 242, 270, 294, 322, 346) sts. Pm (BOR) and join to work in the rnd being careful not to twist sts. Next rnd work \*k1, p1\* rib to end placing m at half point – after st count 97(109, 121, 135, 147, 161, 173). Continue rib rnds evenly until trim measures 1½"/ 3.8 cm.

*Establish Cable Rib*

*The Cable Rib st patt is centered on front and back panels.*



Next rnd, \*beginning at st points indicated for each size (*above*), work shaded row on the chart (same as *Cable Rib* row #1) to half point m, sl m; rep from \* to end of rnd.

*Shape lower bodice*

*Shaping is made on even numbered Cable Rib rows, at each edge of the front and back panels next to m's. Choose dec type based on the st that rem after dec is made – the 2<sup>nd</sup> st after m at the beginning of the front or back panel, and 2<sup>nd</sup> st before m at the end. If rem st is a knit, use ssk or k2tog; if a purl use p2tog or p2tog tbl – as indicated.*

Next rnd, work *Cable Rib* row #1. From this point continue the 8 row st patt rep worked throughout. Work next rnd (row #2) evenly.

\*Work 7 rnds evenly.

Next rnd – **dec rnd** – (ssk or p2tog, work to 2 sts before side m, k2tog or p2tog tbl, sl m) 2 times.

Rep from \* 5 more times.

Work evenly on rem 170(194, 218, 246, 270, 298, 322) sts for 15 rnds, ending after a *Cable Rib* row #1.

Pc measures 9"/ 22.9 cm from hem.

*The shaping of the upper bodice, armholes, and V-neckline slopes overlap – described next. Refer to ROW TRACKER (last page) for ease in managing these AT THE SAME TIME instructions. The ROW TRACKER begins at this point (rnd 67).*

Shape upper bodice below armholes

**Inc rnd** – (RLI, work to next m, LLI, sl m) 2 times – 4 sts inc'd.


- Sizes XS Next rnd, work **inc rnd** (see above). Work 7 rnds evenly.  
 and S: \*Next rnd, work **inc rnd**. Work 9 rnds evenly. Rep from \* 4 more times.
- Size M: \*Next rnd, work **inc rnd** (see above). Work 7 rnds evenly. Rep from \* 2 more times.  
 \*Next rnd, work **inc rnd**. Work 9 rnds evenly. Rep from \* 2 more times.
- Size L: \*Next rnd, work **inc rnd** (see above). Work 7 rnds evenly. Rep from \* 4 more times.  
 Next rnd, work **inc rnd**. Work 9 rnds evenly.
- Size 1X: \*Next rnd, work **inc rnd** (see above). Work 5 rnds evenly. Rep from \* 1 more time.  
 \*Next rnd, work **inc rnd**. Work 7 rnds evenly. Rep from \* 3 more times.
- Size 2X: \*Next rnd, work **inc rnd** (see above). Work 5 rnds evenly. Rep from \* 3 more times.  
 \*Next rnd, work **inc rnd**. Work 7 rnds evenly. Rep from \* 1 more time.
- Size 3X: \*Next rnd, work **inc rnd** (see above). Work 5 rnds evenly. Rep from \* 4 more times.  
 Next rnd, work **inc rnd**. Work 7 rnds evenly.

AT THE SAME TIME

After 49(49, 49, 51, 51, 51, 51) *upper bodice shaping* rows, ending after an even *Cable Rib* row, pc measures 14½(14½, 14½, 14¾, 14¾, 14¾, 14¾)" / 36.8(36.8, 36.8, 37.5, 37.5, 37.5, 37.5) cm from hem.  
 Place locking stitch marker on the center stitch of front bodice – after st count 48(54, 60, 67, 73, 80, 86).

Shape V-neckline – left

Using shorter circ, next row (RS), work across to center front m. Turn, keeping rem sts (including this center st) on longer circ as holder.



From this point pc is worked flat, back and forth. The bodice is split, and left front is worked separately from right front and back. Rows replace rnds – odd numbered rows are RS and even numbered are WS. Selv sts are established on neckline and armhole edges – knit the first and last st of every row. Shaping is made at by working decs into selv on WS *Cable Rib* rows. See AT THE SAME TIME armhole shaping instructions, described next.

Next row (WS), k1(as selv) – *this new selv becomes V-neckline's first dec*, work to end in patt as established.

Next row (RS), CO 1 st at underarm and knit (as selv), work to last st at neckline, k1(selv).

\*Next row (WS) – **dec row** – ssk(selv), work to last st, k1(selv).

Work next row evenly within selv. Rep from \* 9(13, 16, 20, 21, 22, 23) more times.

\*Next row, work **dec row** (see above). Work next 3 rows evenly within selv.

Rep from \* 11(10, 9, 7, 7, 7, 7) more times.

AT THE SAME TIME

*Shape front armhole – left*

With V-neckline shaping underway, work evenly at side edge until pc measures 16½(16½, 16¼, 16, 15¾, 15½, 15¼)"/ 41.9(41.9, 41.3, 40.6, 40, 39.4, 38.7) cm from hem, ending after a WS *Cable Rib* row.

Next row (RS), BO 6(8, 9, 10, 12, 14, 16) sts, work to neckline.

*Sizes XS – 1X*

\*Next row (WS) – **dec row** – work to last 2 sts before armhole, k2tog(selv).

Work next row evenly within selv. Rep from \* 1(2, 3, 8, 9) more times.

\*Next row, work **dec row** (see above). Work next 3 rows evenly within selv.

Rep from \* 2(2, 2, -, -) more times.

*Sizes 2X – 3X*

\*Next row (WS) – **dec row** – work to last 2 sts before armhole, k2tog(selv).

Work next row evenly within selv. Rep from \* 13(14) more times.

Work evenly at armhole edge until armhole measures 7(7½, 8, 8½, 9, 9½, 10)"/ 17.8(19.1, 20.3, 21.6, 22.9, 24.1, 25.4) cm, ending after a WS row – 16(16, 18, 19, 21, 22, 24) sts.

*Shape front shoulder – left*

Next row (RS), work to neckline within selv.

Next row (WS), k1(selv), work 7(7, 8, 9, 10, 10, 11) sts, w&t.

Next row (RS), work back.


Next row (WS), work across all shoulder sts picking up wrap.

Work 2 more rows evenly, ending after a WS row at armhole edge.

Place sts on holder for later joining with *back shoulder – left*.

*Shape V-neckline – right*

From this point V-neckline shaping begins while upper bodice continues to the armhole on front – right and bodice back. See AT THE SAME TIME armhole shaping instructions, described below.



Returning to start point at V-neckline on circ sts held (see start point above), drop center st held on locking st m from ndl and join new yarn.

Next row (RS), work to end in patt as established, CO 1 st at left underarm (as selv).

Next row (WS), k1(selv), work to last st, k1(selv) – *this new selv becomes V-neckline's first dec.*

Next row (RS), k1 (selv), work to last st, k1(selv).

\*Next row (WS) – **dec row** – k1(selv), work to last 2 sts, k2tog(selv).

Work next row evenly within selv.

Rep from \* 9(13, 16, 20, 21, 22, 23) more times.

\*Next row, work **dec row** (see above). Work next 3 rows evenly within selv.

Rep from \* 11(10, 9, 7, 7, 7, 7) more times.


**AT THE SAME TIME**

With V-neckline shaping underway, when pc measures 16½(16½, 16¼, 16, 15¾, 15½, 15¼)"/ 41.9(41.9, 41.3, 40.6, 40, 39.4, 38.7) cm from hem, ending after a WS Cable Rib row (the same row point as the armhole start on left front), BO underarms –

Next row (RS), work to last 5(7, 8, 9, 11, 13, 15) sts, before right side m, BO 10(14, 16, 18, 22, 26, 30) sts removing side m, work to last 6(8, 9, 10, 12, 14, 16) sts before end, BO these sts at left underarm, and break yarn.

*Shape front armhole – right*

Slip front right sts to shorter circ, keeping back sts on longer circ as holder.



With V-neckline shaping underway – join new yarn (see start point above).

Sizes XS – 1X

- \*Next row (WS) – **dec row** – ssk(selv), work across to neckline.
- Work next row evenly within selv. Rep from \* 1(2, 3, 8, 9) more times.
- \*Next row, work **dec row** (see above). Work next 3 rows evenly within selv.
- Rep from \* 2(2, 2, -, -) more times.

Sizes 2X – 3X

- \*Next row (WS) – **dec row** – ssk(selv), work across to neckline.
- Work next row evenly within selv. Rep from \* 13(14) more times.


Work evenly at armhole edge until armhole measures 7(7½, 8, 8½, 9, 9½, 10)" / 17.8(19.1, 20.3, 21.6, 22.9, 24.1, 25.4) cm, ending after a WS row – 16(16, 18, 19, 21, 22, 24) sts.

Shape front shoulder – right

Next row, RS from neckline edge, k1(selv), work 7(7, 8, 9, 10, 10, 11) sts, w&t. Next row (WS), work back.  
 Next row (RS), work across all shoulder sts picking up wrap.  
 Work 2 more rows evenly, ending after a RS row at armhole edge.  
 Place sts on holder for later joining with *back shoulder – right*.

Bodice back – shape armholes

From rem sts held, next row WS from left armhole (see start point below), join new yarn.



Sizes XS – 1X

- \*Next row (WS) – **dec row** – ssk(selv), work to last 2 sts, k2tog(selv).
- Work next row evenly within selv. Rep from \* 1(2, 3, 8, 9) more times.
- \*Next row, work **dec row** (see above). Work next 3 rows evenly within selv.
- Rep from \* 2(2, 2, -, -) more times.

Sizes 2X – 3X

- \*Next row (WS) – **dec row** – ssk(selv), work to last 2 sts, k2tog(selv).
- Work next row evenly within selv. Rep from \* 13(14) more times.

Work evenly on rem 77(83, 91, 97, 103, 107, 113) sts until armhole measures 6½(7, 7½, 8, 8¼, 8¾, 9¼)" / 16.5(17.8, 19.1, 20.3, 21, 22.2, 23.5) cm, ending after a WS row.

*Shape back neckline and shoulder – right*

Next row RS from armhole edge, k1(selv), work 16(16, 18, 19, 21, 22, 24) sts, k1(selv), turn.

Place rem 59(65, 71, 76, 80, 83, 87) sts on holder.

\*Next row (WS), ssk(selv), work to last st, k1(selv). Work next row evenly within selv.

Rep from \* 1 more time – 16(16, 18, 19, 21, 22, 24) sts.

Work next 2 rows evenly within selv.

Next row (WS), k1(selv), work 7(7, 8, 9, 10, 10, 11) sts, w&t. Next row (RS), work back.

Next row (WS), work across all shoulder sts picking up wrap.

Work 2 more rows evenly, ending after a WS row at armhole edge.

Place sts on holder for later joining with *front shoulder – right*.

*Shape back neckline and shoulder – left*

Retain center 41(47, 51, 55, 57, 59, 61) sts on holder and slip rem 18(18, 20, 21, 23, 24, 26) sts onto ndl.

Join new yarn.

Next row RS from neckline edge, k1(selv), work 16(16, 18, 19, 21, 22, 24) sts, k1(selv).

\*Next row (WS), k1(selv), work to last 2 sts, k2tog(selv). Work next row evenly within selv.

Rep from \* 1 more time – 16(16, 18, 19, 21, 22, 24) sts.

Work next row evenly within selv.

Next row (RS), k1(selv), work 7(7, 8, 9, 10, 10, 11) sts, w&t. Next row (WS), work back.

Next row (RS), work across all shoulder sts picking up wrap.

Work 2 more rows evenly, ending after a RS row at armhole edge.

Join back and front edges of left shoulders and right shoulders together using *3-needle BO*.

*Trim neckline*

Using shorter circ and new yarn, beginning RS at right shoulder, pick up a total of 188(202, 210, 214, 220, 226, 232) sts inside selv edges along neckline and from sts held, as follows.

*I like to use a very thin ndl for the initial pick up, and follow it with the designated ndl size on rem rnds.*

*Suggested pickup rate is approximate at 3 sts every 4 rows.*

*The center st at front neckline is worked as a knit st on all rnds. If your pickup counts vary from those shown, make sure the total of side sts (between back neckline sts and the center front point) is an odd number.*

- Pick up 8 sts from right side back,
- work 41(47, 51, 55, 57, 59, 61) sts held at back neckline in *Cable rib* patt as established,
- pick up 8 sts from left side back,
- pick up 65(69, 71, 71, 73, 75, 77) sts from front – left slope, pm,
- k1 from front center st held, pm,
- pick up 65(69, 71, 71, 73, 75, 77) sts from front – right slope, pm (*BOR*).

Next rnd, establish rib – work (k1, p1) to first neckline m at center front ending p1, sl m, k1, sl m, work (p1, k1) to BOR, ending p1.


\*Next rnd, work rib to 2 sts before first center neckline m, ssk, sl m, k1, sl m, k2tog, continue rib as established to end. Rep from \* until trim measures 1½" / 3.2 cm (*approximately 1¾" / 4.4 cm at V-neckline front center point*).

Next rnd, BO all sts *in patt*.

**Sleeves (make 2 in desired length)**

*3/4 Length*

Using *Long-tail CO* and US5/3.75mm dpn, CO 56(60, 64, 66, 68, 72, 76) sts. Distribute sts across ndls and join to work in the rnd being careful not to twist sts. Place m at BOR. Next rnd, \*k1, p1; rep from \* to end. Continue rib rnds evenly until trim measures 1½"/ 3.8 cm. On the last rnd, work to end, LLI – 57(61, 65, 67, 69, 73, 77) sts.



*Establish Cable Rib*

Next rnd, center the *Cable Rib* st patt by working the first row shaded on the chart above (same as *Cable Rib* row #1) starting at st point indicated for each size.

*Shape sleeve*

Work next 11 rnds evenly beginning at row point indicated for each size on the chart above, ending after *Cable Rib* row #3(5, 7, 1, 3, 3, 5). *The staggered row start positions the st patt end point at underarm to match bodice.*

**Inc rnd** – (RLI, work to end, LLI, sl m) – 2 sts inc'd.

Size XS: \*Next rnd, work **inc row** (see above). Work next 9 rnds evenly. Rep from \* 1 more time.  
\*Next rnd, work **inc row**. Work next 11 rnds evenly. Rep from \* 4 more times – 71 sts.

Sizes S(M): \*Next rnd, work **inc row** (see above). Work next 7 rnds evenly. Rep from \* 3(7) more times.  
\*Next rnd, work **inc row**. Work next 9 rnds evenly. Rep from \* 4(1) more times – 79(85) sts.

Size L: \*Next rnd, work **inc row** (see above). Work next 5 rnds evenly. Rep from \* 5 more times.  
\*Next rnd, work **inc row**. Work next 7 rnds evenly. Rep from \* 5 more times – 91 sts.


Sizes 1X(2X, 3X): \*Next rnd, work **inc row** (see above). Work next 3 rnds evenly. Rep from \* 3(8, 14) more times.  
\*Next rnd, work **inc row**. Work next 5 rnds evenly. Rep from \* 10(7, 3) more times – 99(107, 115) sts.

Work next 8(12, 14, 18, 24, 28, 32) rnds evenly, ending after *Cable Rib* row #3(3, 1, 7, 5, 3, 1).  
Sleeve measures 13(13½, 14, 14½, 15, 15½, 16)" / 33(34.3, 35.6, 36.8, 38.1, 39.4, 40.6) cm.

Skip to *Shape cap* page 12.

**Long Length**

Using *Long-tail CO* and US5/3.75mm dpn, CO 48(50, 52, 56, 58, 60, 63) sts. Distribute sts across ndls and join to work in the rnd being careful not to twist sts. Place m at BOR. Next rnd, \*k1, p1; rep from \* to end. Continue rib rnds evenly until trim measures 1½"/ 3.8 cm. On the last rnd, work to end, LLI – 49(51, 53, 57, 59, 61, 63) sts.



**Establish Cable Rib**

Next rnd, center the *Cable Rib* st patt by working the first row shaded on the chart above (same as *Cable Rib* row #1) starting at st point indicated for each size.

**Shape sleeve**

Work next 11 rnds evenly, beginning at row point indicated for each size on the chart above, ending after *Cable Rib* row #7(3, 7, 3, 7, 3, 7). The staggered row start positions the st patt end point at underarm to match bodice.

**Inc rnd** – (RLI, work to end, LLI, sl m) – 2 sts inc'd.

Size XS: \*Next rnd, work **inc row** (see above). Work next 11 rnds evenly. Rep from \* 5 more times.  
\*Next rnd, work **inc row**. Work next 13 rnds evenly. Rep from \* 4 more times – 71 sts.

Size S: \*Next rnd, work **inc row** (see above). Work next 9 rnds evenly. Rep from \* 13 more times – 79 sts.

Sizes M(L): \*Next rnd, work **inc row** (see above). Work next 7 rnds evenly. Rep from \* 9(14) more times.  
\*Next rnd, work **inc row**. Work next 9 rnds evenly. Rep from \* 5(1) more times – 85(91) sts.

Size 1X: \*Next rnd, work **inc row** (see above). Work next 5 rnds evenly. Rep from \* 11 more times.  
\*Next rnd, work **inc row**. Work next 7 rnds evenly. Rep from \* 7 more times – 99 sts.

Sizes 2X(3X): \*Next rnd, work **inc row** (see above). Work next 3 rnds evenly. Rep from \* 2(12) more times.  
\*Next rnd, work **inc row**. Work next 5 rnds evenly. Rep from \* 19(12) more times – 107(115) sts.

Work next 6(12, 14, 16, 22, 28, 32) rnds evenly, ending after *Cable Rib* row #3(3, 1, 7, 5, 3, 1).  
Sleeve measures 19¾(20, 20¼, 20½, 20¾, 21, 21¼)" / 50.2(50.8, 51.4, 52.1, 52.7, 53.3, 54) cm.

### Shape cap

Next rnd, work to last 5(7, 8, 9, 11, 13, 15) sts. BO these sts removing BOR marker.

Next rnd, BO 5(7, 8, 9, 11, 13, 15) sts, work to last st, k1(selv) – 61(65, 69, 73, 77, 81, 85) sts.

*From this point sleeve cap is worked flat, back and forth. Rows replace rnds – odd numbered rows are RS and even numbered are WS. Selv sts are established at cap edges and shaping is worked into selv on WS Cable Rib rows.*

\*Next row (WS) – **dec row** – ssk(selv), work to last 2 sts, k2tog(selv). Work next 3 rows evenly within selv.

Rep from \* 2(3, 3, 3, 3, 3) more times – 55(57, 61, 65, 69, 73, 77) sts.

\*Next row (WS), work **dec row** (see above). Work next row evenly within selv.

Rep from \* 12(12, 13, 14, 15, 16, 17) more times – 29(31, 33, 35, 37, 39, 41) sts.

Next row (WS), sl1 knit-wise, work to 4 sts from end, w&t. Next row (RS), work back to 4 sts from end, w&t.

Next row (WS), knit to 7 sts from end, w&t. Next row (RS), work back to 7 sts from end, w&t.

Next row (WS), work to end picking up wraps.

Next row (RS), sl1 knit-wise, work to last st picking up wraps, k1(selv).

Next row (WS), BO all sts.

### Finishing

Block bodice and sleeves to measures (see **SCHEMATICS**, next page).


Sew short side seam at upper left underarm.

Set sleeve caps into armholes.

Weave in ends, steam lightly overall.



**SCHEMATICS**



		XS		S		M		L		1X		2X		3X	
		"	cm												
* bust (1/2)	A	15 3/8	39.1	17 1/4	43.8	19 1/4	48.9	21 1/2	54.6	23 3/8	59.4	25 1/2	64.8	27 1/2	69.9
* waist (1/2)	B	13 1/2	34.3	15 3/8	39.1	17 1/4	43.8	19 1/2	49.5	21 1/2	54.6	23 5/8	60.0	25 1/2	64.8
* hip (1/2)	C	15 3/8	39.1	17 1/4	43.8	19 1/4	48.9	21 1/2	54.6	23 3/8	59.4	25 1/2	64.8	27 1/2	69.9
crossback	D	12	30.5	13	33.0	14	35.6	15	38.1	16	40.6	16 3/4	42.5	17 1/2	44.5
neckline width	E	5	12.7	6	15.2	6 1/2	16.5	7 1/4	18.4	7 1/2	19.1	7 3/4	19.7	8	20.3
shoulder	F	3 1/2	8.9	3 1/2	8.9	3 3/4	9.5	3 7/8	9.8	4 1/4	10.8	4 1/2	11.4	4 3/4	12.1
neckline depth	G	8	20.3	8 1/2	21.6	8 3/4	22.2	8 3/4	22.2	9	22.9	9 1/4	23.5	9 1/2	24.1
armhole height	H	7 1/2	19.1	8	20.3	8 1/2	21.6	9	22.9	9 1/2	24.1	10	25.4	10 1/2	26.7
underarm to waist	I	9	22.9	9	22.9	8 3/4	22.2	8 1/2	21.6	8 1/4	21.0	8	20.3	7 3/4	19.7
waist to hem	J	7 1/2	19.1	7 1/2	19.1	7 1/2	19.1	7 1/2	19.1	7 1/2	19.1	7 1/2	19.1	7 1/2	19.1
hem to nape	K	24 1/4	61.6	24 3/4	62.9	25	63.5	25 1/4	64.1	25 1/2	64.8	25 3/4	65.4	26	66.0
sleeve cap height	L	5 1/4	13.3	5 3/4	14.6	6	15.2	6 1/4	15.9	6 1/2	16.5	6 3/4	17.1	7	17.8
upper arm width		11 1/4	28.6	12 1/2	31.8	13 1/2	34.3	14 1/2	36.8	15 3/4	40.0	17	43.2	18 1/4	46.4
upper arm width (1/2)	M	5 5/8	14.3	6 1/4	15.9	6 3/4	17.1	7 1/4	18.4	7 7/8	20.0	8 1/2	21.6	9 1/8	23.2
3/4 sleeve cuff width		9	22.9	9 3/4	24.8	10 1/4	26.0	10 1/2	26.7	11	27.9	11 1/2	29.2	12 1/4	31.1
3/4 sleeve cuff width (1/2)	N	4 1/2	11.4	4 7/8	12.4	5 1/8	13.0	5 1/4	13.3	5 1/2	14.0	5 3/4	14.6	6 1/8	15.6
3/4 sleeve length	O	13	33.0	13 1/2	34.3	14	35.6	14 1/2	36.8	15	38.1	15 1/2	39.4	16	40.6
long sleeve cuff width		7 3/4	19.7	8	20.3	8 1/2	21.6	9	22.9	9 1/2	24.1	9 3/4	24.8	10	25.4
long sleeve cuff width (1/2)	P	3 7/8	9.8	4	10.2	4 1/4	10.8	4 1/2	11.4	4 3/4	12.1	4 7/8	12.4	5	12.7
long sleeve length	Q	19 3/4	50.2	20	50.8	20 1/4	51.4	20 1/2	52.1	20 3/4	52.7	21	53.3	21 1/4	54.0

\* see page 2 for full measures

## STANDARD ABBREVIATIONS

BO	bind off, cast off	p2tog	purl 2 sts together – left leaning decrease
BOR	beginning of round	p2tog tbl	purl 2 sts together through back loops – right leaning decrease
circ	circular needle	rem	remain(ing)
cm	centimeter(s)	rep	repeat; repeating
cn	cable needle	RLI	right leaning increase
CO	cast on	rnds	rounds
dec('d)	decrease(d)	RS	right side
inc('d)	increase(d)	selv	selvage
k	knit	sl	slip
k2tog	knit 2 sts together – right leaning decrease	sl m	slip marker
LLI	left leaning increase	ssk	slip, slip, knit – left leaning decrease
m(s)	marker(s)	st(s)	stitch(es)
ndl(s)	needle(s)	St st	stockinette st
p	purl	w&t	wrap and turn (for short rows)
patt	pattern	WS	wrong side
pc(s)	piece(s)	yd(s)	yard(s)
pm	place marker		

## DEFINITIONS

k2tog	Insert right needle from front to back, into the front loops of the next 2 sts on the left needle; knit these 2 sts together.
LLI	Knit or purl into the left shoulder of the 2nd stitch below the stitch just worked on right needle.
p2tog	Insert the right needle purlwise into the next 2 sts on the left needle; purl these 2 sts together.
p2tog tbl	With the right needle behind left needle, insert the right needle into the back loop of the second st, then into the back loop of the first st on the left needle (which twists the 2 sts); purl these 2 sts together.
RLI	Knit or purl into the right shoulder of the stitch below next stitch on left needle
ssk	Slip 2 sts one at a time knit-wise to the right needle; return sts to left needle in turned position and knit them together through the back loops.
w&t	Slip next st purl-wise to the right needle and bring yarn between needles to the front of work. Return slipped st to the left needle. Turn work, now ready to work next row, and knit back. Next row, knit across to end. When working a st that has been wrapped, insert right needle under the wrap and work it together with the corresponding st on needle.

ROW TRACKER – for ease in managing AT THE SAME TIME upper bodice, V-neckline, and armhole shaping.

row/rnd count	XS		S		M		L		1X		2X		3X	
	cable rows	armhole/side shaping V neckline shaping												
66	1													
67	2	I												
68	3													
69	4													
70	5													
71	6													
72	7													
73	8													
74	1													
75	2	I		I		I								
76	3													
77	4													
78	5													
79	6													
80	7													
81	8													
82	1													
83	2				I		I							
84	3													
85	4	I		I							I		I	
86	5													
87	6									I				
88	7													
89	8													
90	1													
91	2					I		I						
92	3										I		I	
93	4													
94	5													
95	6	I		I										
96	7													
97	8													I
98	1													
99	2						I				I			
100	3													
101	4					I								
102	5													
103	6									I				
104	7													
105	8	I		I										
106	1													
107	2						I							
108	3													
109	4													
110	5													
111	6					I								
112	7													
113	8													
114	1													
115	2	I		I										
116	3	V		V		V								
117	4	S		S		S								
118	5						V		V		V		V	
119	6		D		D		S		S		S		S	
120	7													
121	8		D		D		D		D		D		D	
122	1													
123	2		D		D		D		D		D		D	
124	3													
125	4		D		D		D		D		D		D	
126	5													
127	6		D		D		D		D		D		D	
128	7								A		D		D	
129	8		D		D		D		D		D		D	
130	1						A							
131	2		D		D		D		D		D		D	
132	3													
133	4		D		D		D		D		D		D	
134	5		A		A									
135	6		D		D		D		D		D		D	
136	7													
137	8		D		D		D		D		D		D	
138	1													
139	2		D		D		D		D		D		D	

I increase    D decrease    V neckline start    S selvage (first decrease of neckline)    A underarm bind off