



Cool Air Fine **05** | **06** Slow Wool Canapa (hand dyed)
& Slow Wool Canapa

Patentgestrickt und mit schmalem Schalkragen ist diese klassische Strickjacke mit schickem Hemd darunter durchaus in der Lage, es in die Chefetage zu schaffen, zumindest an Casual Fridays, sodass man nach Büroschluss ohne Verzögerung in die Berge düsen kann.

JACKET · COOL AIR FINE

Design 05 from Filati Classici 17



www.lanagrossa.com

Size 46/48 (50/52, 54/56)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: 350 (400, 450) g of Lana Grossa **Cool Air Fine** (50% Merino wool, 28% baby alpaca, 22% acrylic; 240 m/50 g) in Jeans (col 4). Size 3 and 4 mm needles; five 23 mm buttons [by Union Knopf, item 453185, col 16].

Rib patt: K1, p1.

Slip stitch patt: Multiple of 2 + 1 + 2 selvage sts. **Row 1 (RS):** Selvage st, k1, * sl 1 pwise wyif, k1; rep from *, end selvage st. **Row 2 (WS):** Selvage st, p2, * sl 1 pwise wyib, p1; rep from * to last 2 sts, p1, selvage st. Rep rows 1 and 2.

Half-brioche rib: **Row 1 (RS):** Selvage st, * k1, p1; rep from * to last 2 sts, k1, selvage st. **Row 2 (WS):** Selvage st, * make a yo, then sl next st pwise, k1; rep from * to last 2 sts, make a yo, then sl next st pwise, selvage st. **Row 3 (RS):** Selvage st, * ktog next st and yo, p1; rep from * to last 2 sts, ktog next st and yo, selvage st. Work rows 1 – 3 once, then rep rows 2 and 3. **Note:** 1 stitch and 1 yo are treated as 1 stitch.

St st: K on RS, p on WS.

Two-stitch selvage: **On RS row,** k1, sl 1 pwise wyib, patt to last 2 sts, sl 1 pwise wyib, k1. **On WS row,** sl 1 pwise wyif, p1, patt to last 2 sts, p1, sl 1 pwise wyif.

Full-fashion dec: **At beg of RS row,** selvage st, p2tog; **at end of RS row,** work to last 3 sts, p2tog, selvage st.

Gauge: 18 sts and 32 rows = 10 x 10 cm in half-brioche rib on size 4 mm needles.

Back: With size 3 mm needles cast on 97 (103, 109) sts. Next row (WS): Selvage st, * p1, k1; rep from * to last 2 sts, p1, selvage st. Cont in rib patt as established until piece meas 5 cm from cast-on, ending with a WS row. Change to size 4 mm needles. Work in slip st patt for 2.5 cm, ending with a WS row. Work in half-brioche rib until piece meas 41 cm from cast-on, ending with a WS row. Shape armholes: Bind off 4 sts at beg of next 2 rows, 2 sts at beg of next 2 rows, 1 st at beg of next 6 rows = 79 (85, 91) sts. Work even until armhole meas 18 (19, 20) cm, ending with a WS row. Work in slip st patt until piece meas 62 (63, 64) cm from cast-on, ending with a WS row. Shape neck: Next row (RS): Bind off center 23 sts. Working each side separately, bind off 3 sts at each neck edge 1 time, 2 sts 1 time. Bind off rem 23 (26, 29) sts for each shoulder.

Pocket lining: Make 2 alike. With size 4 mm needles cast on 25 sts. Work in St st for 10 cm, ending with a WS row. Place sts on holder, cut yarn.

Left front: With size 3 mm needles cast on 47 (51, 55) sts. Next row (WS): Selvage st, * p1, k1; rep from * to last 2 sts, p1, selvage st. Cont in rib patt as established until piece meas 5 cm from cast-on, ending with a WS row. Change to size 4 mm needles. Work in slip st patt for 2.5 cm, ending with a WS row. Work in half-brioche rib until piece meas 16.5 cm from cast-on, ending with a WS row. Next RS (pocket opening) row: Selvage st, work in half-brioche rib over next 8 (10, 12) sts, place next 25 sts on holder for pocket opening, then with RS of pocket lining facing, work half-brioche rib over 25 sts of lining, patt to end. Cont in half-brioche rib across all sts until piece meas 32 (33, 34) cm from cast-on, ending with a WS row. Shape neck: Next RS (dec) row: Working full-fashion dec, dec 1 st at end of row = 46 (50, 54) sts. Cont in patt, rep dec row every 6th row 14 times (every 4th row 2 times, then every 6th row 13 times / every alt 4th and 6th row 16 times. **At same time,** when piece meas 41 cm from cast-on, shape armhole as foll: At beg of RS rows, bind off 4 sts 1 time, 2 sts 1 time, 1 st 3 times = 23 (26, 29) sts rem after neck and armhole shaping is complete. **At same time,** when armhole meas 18 (19, 20) cm, work in slip st patt beginning on next RS row until piece meas 64 (65, 66) cm from cast-on, ending with a WS row. Bind off rem 23 (26, 29) shoulder sts.

Right front: Work same as left front, reversing all shaping.

Sleeves: With size 3 mm needles cast on 41 sts. Next row (WS): Selvage st, * p1, k1; rep from * to last 2 sts, p1, selvage st. Cont in rib patt as established until piece meas 5 cm from cast-on, ending with a WS row. Change to size 4 mm needles. Work in slip st patt for 2.5 cm, ending with a WS row. Work in half-brioche rib and shape sleeve as foll: Inc 1 st at each end of 13 (11, 11)th row, then every 12th row 9 times (then every 10th row 11 time / then every 10th row 4 times, then every 8th row 9 times) = 61 (65, 69) sts. Work increased sts into patt. Work even until piece meas 49 cm from cast-on, ending with a WS row. Shape sleeve cap: Bind off 4 sts at beg of next 2 rows, 3 sts at beg of next 2 rows, 2 sts at beg of next 2 rows. Working full-fashion dec, dec 1 st at each end of every alt RS row 2 times, then every 6th row 6 times, then every alt RS row 2 times (every alt RS row 5 times, then every 6th row 2 times, then every alt RS row 5 times / every RS row 1 time, then every alt RS row 12 times, then every foll RS row 1 time). Bind off rem 23 sts.

JACKET · COOL AIR FINE

Design 05 from Filati Classici 17



www.lanagrossa.com

Right front band and collar: With size 3 mm needles cast on 9 sts. Next row (WS): Selvage st, [p1, k1] 3 times, two-stitch selvage. Cont in patt as established until piece meas 32 (33, 34) cm from cast-on, ending with a WS row. Next RS (inc row): Patt to last st, M1L or M1R as needed to maintain rib patt, selvage st. Cont in patt, rep inc row every foll RS row 7 times, then every alt RS row 17 times = 34 sts. Work even until piece meas 59 (60, 61) cm from cast-on. Bind off all sts.

Left front band and collar: Work same as right front band and collar, reversing collar shaping and patt placement and working five buttonholes on RS rows as foll: Selvage st, k1, p1, k1, [yo, k2tog] for buttonhole, p1, two-stitch selvage. Work first buttonhole when band meas 1.5 (2.5, 3.5) cm from cast-on, rem four buttonholes spaced 7.5 cm apart.

Finishing: Pin pieces to measurements and block. Sew shoulder seams. **Back collar:** With size 3 mm needles, pick up and k 14 sts along top 5 cm of right front, 33 sts along back and 14 sts along top 5 cm of left front neck edge = 61 sts. Next row (WS): Selvage st, * k1, p1; rep from * to last 2 sts, k1, selvage st. Cont in rib patt as established until collar meas 14 cm from pick-up row. Loosely bind off all sts in rib. Sew front bands to fronts, sew short edges of back collar to top edges of front bands. **Pocket trims:** Return sts from pocket holders to size 3 mm needle and with RS facing, rejoin yarn. Next row (RS): Selvage st, * k1, p1; rep from * to last 2 sts, k1, selvage st. Cont in rib patt as established until trim meas 2 cm. Bind off all sts in rib. Sew trim edges to front. Sew pocket linings in place. Sew in sleeves. Sew side and sleeve seams. Sew on buttons.

