

filcolana

OBSESSED WITH QUALITY YARN SINCE 1952



Imprint

Design: Thea Vesterby // VesterbyCrea

Strong women throughout the ages have helped to inspire each other and left a strong imprint on our contemporary everyday life; women who have helped to write the history we are a part of today. That is why it is rewarding to highlight all the many paths they have carved out for us.

Imprint is a sweater with a classic and feminine expression, with a pattern formed by the fine and clear rows of trails formed by crossing stitches.

Imprint can be used as part of a set, together with the Crossing Story skirt.





Sizes & Measurements

XS (S) M (L) XL (2XL) 3XL

Fits chest circumference

88 (94) 104 (115)
121 (132) 138 cm

Circumference (A)

87 (95) 109 (116) 124 (131) 139 cm


Entire length (B)

52 (53) 61 (62) 65 (68) 69 cm

Sleeve length (C)

51 (51) 51 (51) 51 (51) 51 cm

Knitting direction (D)



Materials

YARN FROM FILCOLANA

Saga colour 977 (Marzipan)

250 (300) 300 (350) 350 (400) 400 g
and

Alva colour 977 (Marzipan)

200 (200) 225 (250) 250 (275) 275 g

Throughout the piece, 1 strand Saga and 1 strand Alva are held together.

NEEDLES

3 mm circular needles, 60 cm
3.5 mm circular needles, 60-80 cm
3 mm and 3.5 mm DPNs
(short circular needles and DPN can be omitted if using Magic Loop technique)
1 cable needle

NOTIONS

15 -24 stitch markers for separating the pattern repeats
Stitch markers that can be placed into the work
2 stitch holders or stitch wires

Gauge

29 stitches and 28 rows in the chart pattern, with 1 strand Saga and 1 strand Alva held together on 3.5 mm = 10 x 10 cm

28 stitches and 34 rows in twisted ribbing (k1tbl, p1) with 1 strand Saga and 1 strand Alva held together on 3 mm = 10 x 10 cm.

The gauge is measured after washing.

The needle size is only a guide. If you have more stitches per 10 cm, change to bigger needles. If you have fewer stitches per 10 cm, change to smaller needles.



Techniques

ABBREVIATIONS

st(s): stitch(es)

rnd(s): round(s)

k: knit

p: purl

tbl: through the back loop

tog: together

WS: wrong side

RS: right side

BOR: beginning of the round

Edge stitch

Edges stitches are always worked knit-wise on all rows.

3ksk

knit 1 stitch, slip 1 stitch purl-wise with yarn held in front of the work, knit 1 stitch.

3skt

slip 1 stitch purl-wise with yarn in front of the work, knit 1 stitch, slip 1 stitch purl-wise with yarn held in front of the work.

M1R (right-leaning knit increase)

With the left needle, lift the strand between two stitches from the back and knit it through the front loop.

M1R-P (right-leaning purl increase)

Insert the left needle from the back in towards you under the loop between two stitches, lift the loop onto the needle and purl it.

M1L (left-leaning knit increase)

With the left needle, lift the strand between the two stitches from the front and knit it through the back loop.

M1L-P (left-leaning purl increase)

Insert the left needle from the front away from you under the loop between two stitches, lift the loop onto the needle and purl it through the back loop.

1front2behind

Place 1 stitch on a cable needle in front of the work, k1tbl, p1, knit the stitch on the cable needle through the back loop.

2behind1front

Place 2 stitches on a cable needle behind the work, k1tbl, work the stitches on the cable needle purl-wise, k1tbl.

SPECIAL TECHNIQUES

Backwards loop cast on

Make a loop of yarn as follows: place the long tail (with the skein of yarn at the other end), over the thread that is on the needle. Knit through this loop with the right needle from the front and pull tightly so that the ring becomes a stitch. Repeat this for the desired number of stitches.



Workflow

Imprint is worked from top to bottom. First the upper back is worked, where the first rows have stitches casted on each side to shape the shoulders. Afterwards, stitches are picked up along the shoulder and each side of the neck opening is worked separately. Then stitches are casted on for the mid-front, the pieces are joined, and the front piece is worked down to the bottom of the armhole, where the back and front piece are joined and the body is worked in the round. The body is finished with a twisted ribbing edge and bound off in Italian bind off. Stitches are picked up along the armhole and the sleeves are worked in the round from top to bottom and finished with a twisted ribbing edge, which is worked back and forth, so that a slit is formed. The ribbing of the sleeves is bound off with Italian bind off. Finally, stitches are picked up along the neck opening and the neckline is worked in the round in double knitting and bound off in Italian bind off.

Chart

The chart is found at the end of the pattern. The chart is read from bottom to top. When working back and forth, the chart is read from right to left for rows on the right side and from left to right for rows on the wrong side. When working in the round, the chart is read from right to left for all rounds.



Pattern

BACK

Cast 36 (44) 52 (60) 60 (68) 68 sts onto 3.5 mm circular needles, with 1 strand of each yarn type held together. Work back and forth.

Row 1 (WS): *k1, p1tbl*, repeat from * to * the whole row.

Now sts are casted on for the shoulders, as follows:

Row 1 (RS): Work *k1tbl, p1*, repeat from * to * the whole row, cast on 24 (24) 28 (32) 36 (40) 44 sts with backwards loop cast on in extension to the sts on the needle.

Row 2: Work *k1, p1tbl*, repeat from * to * the whole row, cast on 24 (24) 28 (32) 36 (40) 44 sts with backwards loop cast on in extension to the sts on the needle.

Row 3: Work *k1tbl, p1*, repeat from * to * the whole row, cast on 19 sts with backwards loop cast on in extension to the sts on the needle.

Row 4: 1 edge st, p1tbl, *k1, p1tbl*, repeat from * to * the whole row, cast on 18 sts with backwards loop cast on in extension to the sts on the needle.

There are now 121 (129) 145 (161) 169 (185) 193 sts.

Now work according to chart A as follows:

Row 1 (RS): 1 edge st, *insert marker, work the chart's 8 sts*, repeat from * to *, until 8 sts remain, insert maker, work the first 7 sts of the chart, insert marker, 1 edge st.

Row 2: 1 edge st, work the first 7 sts of the chart, then repeat all 8 sts in the patternrepeat to the last st, 1 edge stitch.

There are now 8 sts corresponding to one pattern repeat, in between each marker, the last patternrepeat seen from RS consist only of the first 7 sts of the repeat.

Repeat rows 1-2 until the chart's 8th row is worked a total of 7 (7) 8 (8) 9 (10) 10 times. Finish with a WS row.

The upper part of the back is now finished. Break the yarn and move the sts to a stitch holder and let them rest.

LEFTFRONT

Hold the back piece in front of you, so you see the work from the RS with the cast-on edge upwards.

Count 33 (33) 41 (49) 49 (57) 57 sts in along the cast-on edge, from the left edge in towards the middle and insert a marker.

With 3.5 mm needles and 1 strand of each yarn type held together, pick 33 (33) 41 (49) 49 (57) 57 sts up along the RS of the shoulder, from the marker out towards the edge. The first st that is picked up is a purl-stitch, which is also the last st in a pattern repeat. From here pick 1 st up in each st along the edge.

Row 1 (WS): 1 edge st, work [p1tbl, k1] 3 times, p1tbl, insert marker, *work [k1, p1tbl] 4 times, insert marker*, repeat from * to *, until there is 1 st remaining, 1 edge st.

There are now 8 sts corresponding to one pattern repeat, in between each marker, the last patternrepeat seen from RS consist only of the first 7 sts of the repeat.

Row 2: 1 edge st, *k1tbl, p1*, repeat from * to *, until 2 sts remain, k1tbl, 1 edge st.

Row 3: 1 edge st, p1tbl, *k1, k1tbl*, repeat from * to *, until 1 st remains, 1 edge st.

Repeat rows 2-3 one more time. The last row worked is a WS.

Continue according to chart B, repeating the sts in the red box 3 (3) 4 (5) 5 (6) 6 times, the last 8 sts is worked according to the sts on the other side of the box.

Work row 1-16 (1-16) 1-16 (1-16) 1-20 (1-20) 1-20 of the chart, the last row worked is a WS.

There are now 41 (41) 49 (57) 59 (67) 67 sts.

The left side of the neck is now worked. Break the yarn and move the sts to a stitch holder and let them rest, while the right front piece is worked.



RIGHTFRONT

Hold the back piece in front of you, so that you see the work from the RS, with the cast-on edge upwards. Count 34 (34) 42 (50) 50 (58) 58 sts in along the cast-on edge, from the right edge in towards the middle and insert a marker.

With 3.5 mm circular needles and 1 stand of each yarn type held together, pick 34 (34) 42 (50) 50 (58) 58 sts up along the RS of the shoulder, from the back's outermost edge stitch and over to the marker. Pick 1 st up for each st in the cast-on edge, the last sti is picked up as a knit-stitch.

Row 1 (WS): 1 edge st, insert marker, *work [k1, p1tbl] 4 times, insert marker*, repeat from * to *, until 1 st remain, 1 edge st.

There are now 8 sts, corresponding to 1 pattern repeat in between each marker.

Row 2: 1 edge st, *k1tbl, p1*, repeat from * to *, until 1 st remain, 1 edge st.

Row 3: 1 edge st, *k1, p1tbk*, repeat from * to *, until 1 st remain, 1 edge st.

Repeat rows 2-3 one more time. The last row worked is the WS.

Continue according to chart C, repeating the sts in the red box 4 (4) 5 (6) 6 (7) 7 times.

Work row 1-16 (1-16) 1-16 (1-16) 1-20 (1-20) 1-20 of the chart, the last row worked is a WS.

There are now 42 (42) 50 (58) 60 (68) 68sts.

FRONT

Now join the left and right pieces, as follows:

1 edge st, continue according to chart A, begin on 1st (1st) 1st (1st) 5th (5th) 5th row of the chart and repeat the sts in the red box to the last st, k1tbl, cast on 7 (7) 7 (7) 5 (5) 5 sts with backwards loop cast on, insert marker, * cast on 8 sts, insert marker*, repeat from * to * 2 (3) 3 (3) 4 (4) 5 more times, cast on 7 (7) 7 (7) 5 (5) 5 sts, put the left front piece sts back on the needle, work the edge st k1tbl, insert marker, continue the left front piece according to the 1st (1st) 1st (1st) 5th (5th) 5th row of the chart, to the last st, 1 edge st.

There are now 121 (129) 145 (161) 169 (185) 193 sts.

Continue back and forth across all sts of the front piece until the chart's 8 rows are worked a total of 7 (7) 8 (8) 9 (10) 10 times, counted from the picked-up shoulder sts. Finish with a WS row.





BODY

Next row (RS): Slip the first st purlwise, change the marker here to one that you can recognize from the others, this will be the BOR marker. Work row 1 of chart A to the last marker, remove the marker, p1, insert the marker, cast on 7 new sts with backwards loop cast on, slip the back's sts back to the needle and work the back's first st as p1, slip marker, continue according to row 1 of the chart to the last st, remove the marker, p1, insert the marker, cast on 7 new sts with backwards loop cast on, p1.

There are now 256 (272) 304 (336) 352 (384) 400 sts, divided with 32 (34) 38 (42) 44 (48) 50 pattern repeats per 8 sts.

Continue in the rnd according to chart A and work the chart's 8 rnds a total of 8 (8) 10 (10) 10 (10) 10 times, from where the work was joined.

Next rnd: Work [k1tbl, p1] 3 times, *k3togtbl, p1, [k1tbl, p1] 6 times*, repeat from * to * 6 sts remain, work [k1tbl, p1] 3 times.

There are now 224 (238) 266 (294) 308 (336) 350 sts.

Change to 3 mm needles.

Ribbing

Work ribbing (k1tbl, p1), until the ribbing edge measures 9 (10) 10 (11) 11 (11) 12 cm.

Turn the work to the WS and bind the sts off with Italian bind off, as follows:

K1, *p1, slip both sts back to the left needle, pull the second st over the first, knit the first st together with the next st*, repeat from * to * until all sts are bound off.

SLEEVES

Begin at the bottom of the armhole in the middle of the 3 casted-on sts, and with 3.5 mm needles and 1 strand of each yarn type held together, pick up 120 (120) 128 (128) 136 (144) 152 sts evenly along the RS of the armhole. Insert a BOR marker and join in the rnd.

Work 1 rnd in twisted rib (k1tbl, p1).

From here work in the rnd according to the chart and repeat the 8 rnds of the chart a total of 15 times, or until desired length, measured from the picked-up sts.

Change to 3 mm needles.

Ribbing

Next rnd: *k3togtbl, p1*, repeat from * to * the whole rnd = 60 (60) 64 (64) 68 (72) 76 sts.

Turn the work, now work back and forth in twisted ribbing as follows:

Row 1 (WS): 3ksk, *p1tbl k1*, repeat from * to *, until 3 sts remain, 3sks.

Row 2: 3ksk, *p1, k1tbl*, repeat from * to * until 3 sts remain, 3sks.

Repeat rows 1-2 until the ribbing edge measures 8 cm. Finish with a RS row.

Bind off on the WS with knitted Italian bind off, as follows:

K2, move both sts back to the left needle, pull the second stitch over the first, knit the first st together with the next stitch, *p1, slip both sts back to the left needle, pull the second st over the first, knit the first st together with the next st* repeat from * to *, until all sts are bound off. On the last repeat, the second last stitch is worked knit-wise instead of purl-wise.

Work the other sleeve the same way.

NECKLINE

Start at the right shoulder and with 3 mm circular needles and 1 strand of each yarn type held together, pick 138 (142) 142 (142) 152 (152) 168 sts up along the RS of the neck opening.

Insert a BOR marker and join in the rnd.

Next rnd: Work ribbing (k1, p1) the whole rnd.

Now work in the rnd in double knitting, as follows:

Rnd 1: *k1, slip the next st purl-wise with yarn held in front of the work*, repeat from * to * the whole rnd.

Rnd 2: *Slip the next st purl-wise with yarn held behind the work, p1*, repeat from * to * the whole rnd.

Repeat these 2 rnds until the edge measures 3 (3) 3 (4) 4 (4) 4 cm.

Bind off with Italian bind off as follows:

Break the yarn with a length that is about 3 times the circumference of the ribbing. Thread a darning needle with the tail.

1. Insert the needle into the 1st st on the left needle purl-wise, pull the yarn through.

2. Insert the needle between the 1st and 2nd st from back to front.

3. Insert the needle knit-wise into the 2nd st from front



to back.

4. Insert the needle into the 1st st knit-wise and slip the st off the needle.

5. From the front, insert the needle into the 2nd st's front leg from right to left, pull the yarn through.

6. Insert the needle into the 1st st purl-wise and slip the st off the needle.

Repeat points 2-6 until there is one (purl) st remaining on the left needle.

Finishing:

7. From the front side, insert the needle into the bound off st from right to left, and pull the yarn through.

8. As point 6.

Weave the end in thoroughly.

FINISHING

Weave in all ends.

Wash the sweater according to the directions on the label and leave to dry flat on a towel.





Charts

 Knit on the RS, purl on the WS.

 Purl on the RS, knit on the WS.

 K1tbl on the RS, p1tbl on the WS.

 MIL

 MIR

 MILP

 MIRP

 Repeat

 1 front 2 behind: Place 1 stitch on a cable needle in front of the work, k1tbl, p1, knit the stitch on the cable needle through the back loop.

 2 behind 1 front: Place 2 stitches on a cable needle behind the work, k1tbl, work the stitches on the cable needle purl-wise, k1tbl.

CHART B




CHART A




CHART C

