

# Ladybird

**FINISHED SIZE** Approx. 7.5cm/ 3in long

**YARN A** Small amount 4-ply/ fingering weight yarn in **ORANGE**

**YARN B** Small amount 4-ply/ fingering weight yarn in **BLACK**

**YARN C** Small amount 4-ply/ fingering weight yarn in **WHITE**

**YARN D** Small amount fuzzy yarn for the legs (*optional, or use yarn B*)

*I used: A - Drops Alpaca 2925 Rust-Mix; B - Drops Alpaca 0506 Dark-Grey Mix;*

*C - Drops Alpaca 1101 White; D - Drops Brushed Alpaca Silk 6 Black*

**KNITTING NEEDLES** Pair size 2mm/ US 2 straight knitting needles

**TENSION** 12.5 rows and 11 stitches over 2.5cm with 2mm needles and 4-ply yarn

**EXTRAS** Pair 4mm black toy safety eyes with washers, *or* 4mm glue in eyes *or* 4mm half-round sew-on button eyes; toy filling (*for small items you'll only need a tiny bit of regular toy filling or just use scrap yarn*); 6 x locking type stitch markers (*see colour guide on Page 2*); scrap yarn or small safety pin for holding stitches when not in use; Scissors and yarn-sewing needle

**PLUS:** If you want to add wire into the limbs and body, you'll need two x 26cm/ 10in long x 22 gauge ones

And an optional pebble - about 4cm/ 1.5in x 3.25cm/ 1.25in (*see Page 9*)

This is the website for the eyes I bought washer-backed ones [Cello-Express](#)

This is the website for the wires [HeidifeathersOnEtsy](#)



**COLOURED MARKER GUIDE:**

This guide is here to pull out and use together with the pattern should to wish to use similar coloured guides to mine for ease of following, especially at the making-up stage:

**YELLOW** WING

**PINK** MARKS CENTRE OF WING CAST-OFF EDGE

**BLUE** NECK

**PATTERN NOTES & TIPS:**

- . I cast on with Cable Cast On Method but you can use your regular cast-on method if desired
- . I sew all my seams with a single strand of mohair
- . **WIRE:** I found the best wires to create an armature with are paper-wrapped (easier to handle) ones - the best gauge for this project being 22 (0.6mm)

**SPECIAL INSTRUCTIONS:**

**W+Tk** bring working yarn to the front of the work, slip next stitch purl-wise onto the RH needle, take working yarn to the back, slip the slipped stitch back onto the LH needle, turn the knitting = W+Tk (wrap and turn knit)

**W+Tp** take working yarn to the back of the work, slip next stitch knit-wise onto the RH needle, bring working yarn to the front, slip the slipped stitch back onto the LH needle, turn the knitting = W+Tp (wrap and turn purl)

**GENERAL ABBREVIATIONS:**

**K** = knit

**P** = purl

**inc** = increase

**dec** = decrease

**K2tog/ K3tog** = knit two together/ knit three together

**P2tog/ P3tog** = purl two together/ purl three together

**RH/LH** = right hand/ left hand **RS/WS** = right side/ wrong side

**st/ sts** =stitch/ stitches

**Skpo** = slip one stitch, knit next stitch, pass slipped stitch over knit stitch to decrease by one stitch

**Kfb** = Knit into front then into back of stitch to increase by one stitch

**Pfb** = Purl into front then knit into back of stitch to increase by one stitch

**p-wise** = purl-wise

**WINGS**

Starting at the head end of the wings with yarn **A** (red) cast on 10 sts

**Add Dot #1**

You'll now start to work yarn **B** (black) with yarn **A** to create the dots, so, cut a length of yarn **B** (about 1m/ 40in long), hold yarn **B** at the back of the work, stranding it across the back of the work until needed as follows:

**Row 1.** inc) In yarn **A** k1, kfb, k2; yarn **B** k2; **A** k2, kfb, k1 - 12sts

**Row 2.** inc) In yarn **A** pfb, p3; yarn **B** p4; **A** p3, pfb - 14sts

**Row 3.** inc) In yarn **A** k1, kfb, k3; yarn **B** k4; **A** k3, kfb, k1 - 16sts

**Row 4.** inc) In yarn **A** pfb, p6; yarn **B** p2; **A** p6, pfb - 18sts

Continue with yarn **A** only as follows:

**Row 5.** inc) K1, kfb, knit to last 2 sts, kfb, k1 - 20sts

**Row 6.** inc) Pfb, purl to last st, pfb - 22sts

**Rows 7-8.** inc) Repeat last 2 rows once - 26sts

**PM** (place marker) at each end of last row (*purl row*) for left and right **Wing Markers**

**Work short rows to shape Wings**

Short Row 1 K25, W+Tk

Short Row 2 P24, W+Tp

**Add Dots #2 & #3**

Short Row 3 In yarn **A** k7; yarn **B** k2; **A** k6; **B** k2; **A** k6, W+Tk

Short Row 4 In yarn **A** p5; yarn **B** p4; **A** p4; **B** p4; **A** p5, W+Tp

Short Row 5 In yarn **A** k5; yarn **B** k4; **A** k4; **B** k4; **A** k4, W+Tk

Short Row 6 In yarn **A** p5; yarn **B** p2; **A** p6; **B** p2; **A** p5, W+Tp

Short Row 7 In yarn **A** K19, W+Tk

Short Row 8 In yarn **A** P18, W+Tp

Short Row 9 In yarn **A** K17, W+Tk

Short Row 10 In yarn **A** P16, W+Tp

Short Row 11 In yarn **A** K15, W+Tk

Short Row 12 P14, W+Tp

Short Row 13 In yarn **A** k3; yarn **B** k2; **A** k4; **B** k2; **A** k2, W+Tk

Short Row 14 In yarn **A** p1; yarn **B** p4; **A** p2; **B** p4; **A** p1, W+Tp

Short Row 15 In yarn **A** k1; yarn **B** k4; **A** k2; **B** k4; **A** W+Tk

Short Row 16 In yarn **A** p1; yarn **B** p2; **A** p4; **B** p2; **A** p1, W+Tp

Short Row 17 In yarn **A** K9, W+Tk

Short Row 18 In yarn **A** P8, W+Tp

Short Row 19 In yarn **A** dec) K2, skpo, k2tog, k11 to end of row - 24sts

Continue with yarn **A** only as follows:

**Row 9.** Purl

**Row 10.** dec) K10, skpo, k2tog, k10 to end of row - 22sts

**Row 11.** Purl

**Row 12.** dec) K9, skpo, k2tog, k9 to end of row - 20sts


**Row 13.** Purl

Cast off all 20 Wing sts, find centre of this edge and **PM**

**Head**

*Ref. Fig. 1, pick up and knit from A to B & Fig. 2*

RS, ladybird's Back facing you, with yarn **B** pick up and knit 7 sts, evenly into knitted stitches along the Neck Cast-On Edge



**FIG. 1**



FIG. 2. showing stitches picked up and knitted across the cast-on edge

**Row 1.** Purl all 7 Head sts

**Row 2. inc)** K1, kfb, k3, kfb, k1 to end - 9sts

**Row 3. inc)** Pfb, purl to last st, pfb - 11sts

Join yarn **C** (white) with yarn **B** to create the markings as the sides of the Head, cut a length of yarn **C** (about 50cm/ 20in long), hold yarn **C** at the back of the work, stranding it across the back of the work until needed as follows:

**Row 4.** In yarn **C** k3; yarn **B** k5; **C** k3 to end of row

**Row 5.** In yarn **C** p3; yarn **B** p5; **C** p3 to end of row

**Row 6. dec)** In yarn **C** k3; yarn **B** skpo, k1, k2tog; **C** k3 to end of row - 9sts

Cut yarn **C**, continue with yarn **B** only as follows:

**Row 7.** Purl across all 9 sts

**Row 8. dec)** K3, k3tog, k3 to end of row - 7sts

### Work short rows to shape Front of Head

Short Row 1 P6, W+Tp

Short Row 2 K5, W+Tk

Short Row 3 P4, W+Tp

Short Row 4 K3, W+Tk

Short Row 5 P2, W+Tp

Short Row 6 K1, W+Tk

Short Row 7 P4 to end of row

**Row 9.** Knit across all 7 sts

**Row 10. dec)** P2, p3tog, p2 - 5sts

**Row 11. inc)** Kfb twice, k1, kfb twice - 9sts

**Row 12. inc)** P3, pfb, p1, pfb, p3 to end - 11sts

**Row 13. inc)** Kfb, knit to last st, kfb - 13sts

**PM** at each end of last row for left and right Neck Markers

**Row 14. inc)** Cast on 4 sts for Right Abdomen Front, purl across all 17 sts

**Row 15. inc)** Cast on 4 sts for Left Abdomen Front, knit across all 21 sts

**Rows 16-18.** Starting on a purl row work three rows stocking stitch

**Row 19. dec)** K2tog, knit to last 2 sts, k2tog - 19sts

**Row 20.** Purl

**Rows 21-32. dec)** Repeat last 2 rows six times - 7sts

**Row 33. dec)** K2tog, k3tog, k2tog - 3sts

**Row 34. dec)** P3tog, fasten off for Tail Point

### Join Tail Tip to Centre of Wing Cast-Off Edge

Ref. Fig. 3

1. Tuck all your yarn endings inside the body.
  2. With WS together match Centre-Point Marker from Wings Cast-Off Edge (A) with Tail Point (B) , work a stitch or two to hold in place.
- Remove Centre-Point Marker

### Join Head Side Seams

Ref. Fig. 4, dotted line showing where to join for Left-Side of Head

With WS, working on one side at a time, match Neck Marker with where you joined the black yarn for the head and mattress stitch from this point to the fold at the Head Front. Remove Neck Markers



FIG. 3



FIG. 4

### Insert the Eyes

Ref. Fig. 5

Push the eyes in place and either glue in place, sew in place or fasten the washers onto the eye backs.

The Head is barely stuffed except for a little of the yarn endings.

### Join Abdomen to Wings Seams

Ref. Figs. 6 & 7

1. Insert the small pebble (if using).

**At this stage you can stuff the body continuuc joining the remaining seams OR, if you want to add wire legs, see Page 11 before joining the following Abdomen to Wings Seams:**

2. With WS together, working on one side at a time, match the Wing Marker (Fig. 7, A) to corner of Abdomen Front Cast-On Edge (Fig. 7, B) and work mattress stitch to join the Wing Row Ends to the Abdomen Front Cast-On Edge.
3. Then join the remaining Wing to Abdomen Seams along each side from the markers to the tail point/ centre of wing cast-off edge at the holding stitches.




FIG. 5



FIG. 6

## Wire Legs

## Ref. Figs. 8, 9 &amp; 10

1. Cut each wire in half to give you 4 x 18cm/ 7in (approx) wires
2. Find the centre of each of three wires (you won't need the fourth) and take care as you bend both cut edges in towards the centre to give you 3 x 9cm/ 3.5in (approx) bent wires
3. Working on one wire at a time, bind yarn D (or B) around the entire wire passing the yarn through the loops created at the bent ends to cover the wire before threading the needle and yarn through the wrapped yarn to secure it
4. Insert the first pair of legs (just one wire become two legs) just behind the head seam and under the pebble (if using), pulling the legs out either side of the body so that both legs are even in length.
5. Secure the legs in place by joining a little of the seam behind the wire legs (leaving space for the next pair of legs), as you do so catching in a little of the yarn that wraps the legs to fully secure
6. Insert the second pair of legs under the pebble as before and more near the top of the abdomen, in front of the wing makers, pulling the legs out either side of the body so that both legs are even in length.
7. Secure the legs in place by joining the seam in front of and behind the wire legs, as you do so catching in a little of the yarn that wraps the legs to fully secure
8. The third and final pair of legs sits a little behind the second pair, about 1cm/ 1/4in away - once in place secure the legs as before then complete the remainder of the abdomen to wings seam.



FIG. 7, dashed line shows Head Side seam



FIG. 8



FIG. 9



FIG. 10

### FACE FINISHING TOUCHES

Ref. Fig. 11

#### Antennae

With a short length black sewing thread secure the thread either side near the front of the head so that two ends emerge, knot these two ends and trim just behind the knots.

#### Wings Separation

To give the impression of the wings being separate as they are with a real ladybird, with a short length natural or beige sewing thread secure the thread at the tail end and bring the other end over the wings so that the dots are parallel to each other either side of the 'two' wings pull the thread to create a slight dip in the body secure the second end near the top edge of the wings




FIG. 11

DotPebbles



@dotpebbles\_knits

Remember to get in touch if you need a little extra advice  
And of course, there is more, much more, to learn, create and be  
inspired by here [@dotpebbles\\_knits](#)



Please also remember that this pattern, like all of my patterns, is copyrighted.  
This prohibits copying or reproducing any of its writing content for your own profit.  
However if you want to sell what you've made from any of my patterns then that is  
perfectly fine - I actually encourage it and have an Instagram account  
[@imadethisrabbit\\_shop](#) to promote you  
reach out with [#imadethisrabbit\\_shop](#)  
And please do share what you've created from this pattern:  
[#Dotpebbles\\_knits](#) [#dotpebblescreatureland](#)

