



LAKES V-NECK PULLOVER

OZETTA

LAKES V-NECK PULLOVER

The Lakes V-neck Pullover is worked from the top down. The saddle shoulders are shaped for a comfortable oversized fit, adding a structural element. The pullover features shaping at the most important parts of the garment to create the best fit. It features a classic V-neck kept at a shallower depth.

Sizes - XS (S) M (L) XL (2XL) 3XL (4XL) 5XL

Finished Bust Circumference - 40 (44) 46½ (50½) 55 (58¾) 62½ (66¼) 70"
[100 (110) 116 (126) 137.5 (147) 156 (165.5) 175 cm]

Length - 20 (20) 20¼ (20½) 21¼ (22¼) 22½ (23½) 23½"
[50 (50) 51 (51.5) 53 (55.5) 56 (58) 58 cm]
as measured from mid back

Gauge - 17 sts and 26 rows = 4 x 4" [10 x 10 cm] in stockinette st worked flat on 5.5 mm (US Size 9) needles, blocked

Needle Size -

5.5 mm (US Size 9) 16" and 32-40" circular needles, or the required needles to obtain gauge (main needles - used for body and sleeves)
5 mm (US Size 8) 16" circular needles (used for cuffs and hem)
4 mm (US Size 6) 16" circular needles (used for v-neck)

Yarn - Heavy Fingering Weight -

960 (1200) 1200 (1440) 1440 (1680) 1680 (1920) 1920 yds
878 (878) 1097 (1097) 1317 (1317) 1536 (1536) 1756 m
200 (250) 250 (300) 300 (350) 350 (400) 400 g

Heavy Fingering Weight -

960 (1200) 1200 (1440) 1440 (1680) 1680 (1920) 1920 yds
878 (878) 1097 (1097) 1317 (1317) 1536 (1536) 1756 m
200 (250) 250 (300) 300 (350) 350 (400) 400 g

Lace Weight-

924 (1155) 1155 (1386) 1386 (1617) 1617 (1848) 1848 yds
845 (1056) 1056 (1267) 1267 (1479) 1479 (1690) 1690 m
100 (125) 125 (150) 150 (175) 175 (200) 200 g

Note: Three strands are held together throughout the project: one strand each of heavy fingering weight (a total of two strands) and one strand of lace weight yarns, but you may choose to knit this pullover using only a single strand of worsted weight yarn as long as you can meet the correct gauge

Suggested Yarn - Wooldreamers Saona (50% Merino & Manchega Wool + 50% Andalusian Cotton, 50 g = 240 yds) in colorway Fratelli, 4 (5) 5 (6) 6 (7) 7 (8) 8 skeins held together with Wooldreamers Saona (50% Merino & Manchega Wool + 50% Andalusian Cotton, 50 g = 240 yds) in colorway Fratelli, 4 (5) 5 (6) 6 (7) 7 (8) 8 skeins held together with Isager Silk Mohair (70% Kid Mohair & 30% Silk, 25 g = 231 yds) in colorway 41 Skyline, 4 (5) 5 (6) 6 (7) 7 (8) 8 skeins.

Notions - 3 stitch markers, including one to denote BOR; scrap yarn or extra cables; tapestry needle; row counter (optional)

Techniques - Knitting flat, knitting in the round, long-tail cast-on, *backward loop cast-on*, increasing, *decreasing*, *German Short Rows*, holding stitches, picking up stitches, *sewn tubular bind-off*, wet blocking. (*Indicates linked video support that may be found on Page 12*).

*All measurements and yardage are approximations and are rounded.

all content ©2024 Hailey Smedley

ozetta



Notes on the Lakes V-neck Pullover

Abbreviations

approx. - Approximately	P - Purl
BOR - Beginning of round	PM - Place marker
CO - Cast on	RS - Right side
ds - Double stitch	Sl - Slip
est - Established	SM - Slip marker
K - Knit	st(s) - Stitch(es)
K2tog - Knit 2 together	WS - Wrong side
K2tog-L - Knit 2 together left	wyib - With yarn in back
M1L - Make 1 left	wyif - With yarn in front
M1R - Make 1 right	YO - Yarn over
M1RP - Make 1 right purlwise	

The right front is the right side of chest. The left front is the left side of chest.

Choosing Size (schematic on Page 13)

The Lakes V-neck Pullover has around 10-10¾" [25-27 cm] of positive ease built into the pattern. Sizes XS (S) M (L) XL (2XL) 3XL (4XL) 5XL correspond to a bust circumference of 30 (34) 36 (40) 45 (48) 52 (56) 60" [76 (86) 91 (101.5) 113.5 (122) 131.5 (140) 152 cm] (the final size of garment will be an additional 10-10¾" [25-27 cm]). This means that if you measure a 34" [86 cm] bust you will make size (S) with a finished bust circumference of 44" [110 cm]. Sample shown modeled is 5' 2" [157 cm] tall wearing Size (S) with approx. 10" [25 cm] positive ease. Refer to Page 13 for additional details on final measurements.

Increases

Increases are worked so that they lean to the right (M1R and M1RP) or to the left (M1L). Work the increases as follows:

M1R (RS) - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and K normally (into the front of the stitch).

M1RP (WS) - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and P normally (into the front of the stitch).

M1L (RS) - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from front to back and K through the back loop.

K2Tog-L (video support on Page 12)

Sl 1 knitwise, Sl 1 purlwise, insert left hand needle into the front of both sts, wrap yarn and drop only first st from left hand needle, pull tightly on second st to remove any excess yarn, then allow second st to drop from left hand needle. *Note:* This tidier left-leaning decrease can also be replaced by slip slip knit.

German Short Rows (video support on Page 12)

ds/make ds - Double stitch - With yarn in front, slip the first st. Pull working yarn over top of right needle from front to back, rotating the stitch so that the two legs of stitch stretch over the top of the needle and look like two stitches.

Saddles (make two, one for each shoulder)

CO 22 (22) 22 (24) 24 (24) 26 (26) 26 sts on US 9 (5.5 mm)/16" circular needles using the long-tail cast-on method. Work as follows:


Row 1 (WS): P across.

Row 2 (RS): K across.

Repeat Rows 1 and 2, 20 (23) 24 (27) 31 (33) 35 (37) 39 **more** times, for a total of 42 (48) 50 (56) 64 (68) 72 (76) 80 rows, then work **one more** repeat of Row 1 **only**. Saddle measures approx. 6½ (7¼) 7¾ (8¾) 10 (10½) 11 (11¾) 12¼" [16 (18.5) 19 (21.5) 25 (26) 28 (29) 31 cm]. You are now at RS. Break yarn and let sts rest on cable or scrap yarn.

Back (video support on Page 12 for picking up sts along saddles and German Short Rows)

You will shape the back of the pullover by using German Short Rows. You will work flat in stockinette st. With RS facing and sts on hold at outer edges pick up and knit 27 (31) 33 (37) 42 (44) 47 (50) 52 sts along left saddle (a ratio of approx. 3 sts from every 5 saddle rows), CO 21 (21) 21 (23) 23 (23) 25 (25) 25 sts in extension of left saddle, pick up and knit 27 (31) 33 (37) 42 (44) 47 (50) 52 sts along right saddle (a ratio of approx. 3 sts from every 5 saddle rows). Break yarn. 75 (83) 87 (97) 107 (111) 119 (125) 129 sts.



With WS facing, starting at the end from which you just broke the yarn, slip the first 27 (31) 33 (37) 42 (44) 47 (50) 52 sts from the left needle to the right needle. You will not knit these sts for the first row, but you will instead knit them gradually in subsequent rows while utilizing German Short Rows to create a curved back foundation for your pullover.

Join with new yarn and P21 (21) 21 (23) 23 (23) 25 (25) 25 sts until 27 (31) 33 (37) 42 (44) 47 (50) 52 sts remain, turn, make ds.

Short Row 1 (RS): K until 24 (27) 29 (32) 37 (38) 41 (44) 45 sts remain. Turn. Make ds.

Short Row 2 (WS): P until 24 (27) 29 (32) 37 (38) 41 (44) 45 sts remain, resolving ds from previous row when you come to it. Turn. Make ds.

You will continue working German Short Rows, each time turning 3 (4) 4 (5) 5 (6) 6 (6) 7 sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) or purling (WS) the ds as one st, work another 3 (4) 4 (5) 5 (6) 6 (6) 7 sts, and turn as follows:

Short Row 3 (RS): K to the ds, resolve by knitting ds, K3 (4) 4 (5) 5 (6) 6 (6) 7, turn, make ds.

Short Row 4 (WS): P to the ds, resolve by purling ds, P3 (4) 4 (5) 5 (6) 6 (6) 7, turn, make ds.

Tip: If you're having trouble keeping track of your ds, mark its place with a removable stitch marker.

Repeat Short Rows 3 and 4, 5 **more** times, for a total of 12 rows. You have now worked 14 short rows. At the last turn there will be 6 (3) 5 (2) 7 (2) 5 (8) 3 unworked sts remaining after the ds on both the left and right side of your work. The next row will be a RS row.

The back now measures approx. 2¼" [5.5 cm], as measured from center back cast-on edge.

You will continue working back and forth in stockinette st across **all** back sts, resolving the final two ds as you work, for 30 (30) 30 (34) 38 (42) 46 (48) 46 more rows. End by working a WS row. Back measures approx. 6¾ (6¾) 6¾ (7½) 8 (8¾) 9¼ (9½) 9¼" [17 (17) 17 (18.5) 20 (21.5) 23 (24) 23 cm], as measured from center back cast-on edge.

Next, work increases to shape the armholes as follows:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).


Row 2 (WS): P across.

Repeat Rows 1 and 2, 4 (4) 5 (4) 4 (5) 5 (6) 7 **more** times, for a total of 10 (10) 12 (10) 10 (12) 12 (14) 16 rows. 85 (93) 99 (107) 117 (123) 131 (139) 145 sts. Back measures approx. 8¼ (8¼) 8¾ (9) 9½ (10½) 11 (11¾) 11¾" [21 (21) 21.5 (22.5) 24 (26) 28 (29) 29 cm], as measured from center back cast-on edge.

You are now at RS. Break yarn and let sts rest on cable or scrap yarn.

Left Front (video support on Page 12 for picking up sts along left front)

With RS of back piece facing and CO sts on top, attach yarn and use the short end of the tail to pick up and knit 27 (31) 33 (37) 42 (44) 47 (50) 52 sts along left saddle, beginning at center back. Slide sts to the needle's opposite end and begin work on the RS.



Next, work German Short Rows as follows:

Short Row 1 (RS): K3 (4) 4 (5) 5 (6) 6 (6) 7 sts, turn, make ds.

Short Row 2 (WS): P across.

You will continue working German Short Rows, each time turning 3 (4) 4 (5) 5 (6) 6 (6) 7 sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) the ds as one st, work another 3 (4) 4 (5) 5 (6) 6 (6) 7 sts, and turn as follows:

Short Row 3 (RS): K to the ds, resolve by knitting ds, K3 (4) 4 (5) 5 (6) 6 (6) 7 sts, turn, make ds.

Short Row 4 (WS): P across.

Tip: If you're having trouble keeping track of your ds, mark its place with a removable stitch marker.

Next, work German Short Rows and increases to shape the v-neck edge as follows:

Short Row 5 (RS): K3, M1L, K to the ds, resolve by knitting ds, K3 (4) 4 (5) 5 (6) 6 (6) 7 sts, turn, make ds. (1 st increased).

Short Row 6 (WS): P across.

Short Row 7 (RS): K to the ds, resolve by knitting ds, K3 (4) 4 (5) 5 (6) 6 (6) 7 sts, turn, make ds.

Short Row 8 (WS): P across.

Repeat Short Rows 5-8, 1 **more** time, for a total of 8 rows, then work **one more** repeat of rows 5 and 6 **only**. You have now worked 14 short rows. At the last turn, there will be 6 (3) 5 (2) 7 (2) 5 (8) 3 unworked sts remaining after the ds on the left side of your work. 30 (34) 36 (40) 45 (47) 50 (53) 55 sts. You are now at RS.

Next, resolve the final ds as follows:

Row 1 (RS): K to the ds, resolve by knitting the final ds, K across.

Row 2 (WS): P across.

Continue to work increases to shape the v-neck edge as follows:

Row 1 (RS): K3, M1L, K across. (1 st increased).

Row 2 (WS): P across.

Row 3 (RS): K across.


Row 4 (WS): P across.

Repeat Rows 1-4, 6 (6) 6 (7) 7 (7) 8 (8) 8 **more** times, for a total of 28 (28) 28 (32) 32 (32) 36 (36) 36 rows. 37 (41) 43 (48) 53 (55) 59 (62) 64 sts.

Break yarn and let sts rest on cable or scrap yarn while working Right Front.

Right Front

With RS of back piece facing and CO sts on top, attach yarn and pick up and knit 27 (31) 33 (37) 42 (44) 47 (50) 52 sts, beginning from slanted edge of right saddle.



Next, work German Short Rows as follows:

Short Row 1 (WS): P3 (4) 4 (5) 5 (6) 6 (6) 7 sts, turn, make ds.

Short Row 2 (RS): K across.

You will continue working German Short Rows, each time turning 3 (4) 4 (5) 5 (6) 6 (6) 7 sts after last turn. Meaning, work to your last ds, resolve the ds by purling (WS) the ds as one st, work another 3 (4) 4 (5) 5 (6) 6 (6) 7 sts, and turn as follows:

Short Row 3 (WS): P to the ds, resolve by purling ds, P3 (4) 4 (5) 5 (6) 6 (6) 7 sts, turn, make ds.

Short Row 4 (RS): K across.

Tip: If you're having trouble keeping track of your ds, mark its place with a removable stitch marker.

Next, work German Short Rows and increases to shape the v-neck edge as follows:

Short Row 5 (WS): P3, M1RP, P to the ds, resolve by purling ds, P3 (4) 4 (5) 5 (6) 6 (6) 7 sts, turn, make ds. (1 st increased).

Short Row 6 (RS): K across.

Short Row 7 (WS): P to the ds, resolve by purling ds, P3 (4) 4 (5) 5 (6) 6 (6) 7 sts, turn, make ds.

Short Row 8 (RS): K across.

Repeat Short Rows 5-8, 1 **more** time, for a total of 8 rows, then work **one more** repeat of rows 5 and 6 **only**. You have now worked 14 short rows. At the last turn, there will be 6 (3) 5 (2) 7 (2) 5 (8) 3 unworked sts remaining after the ds on the right side of your work. After the final repeat of Short Row 6, do not turn your work. 30 (34) 36 (40) 45 (47) 50 (53) 55 sts.

Break yarn. You will break yarn to maintain the same amount of rows worked on the fronts of the pullover. Slide sts to the needle's opposite end and begin work on the RS.

Attach new yarn and resolve the final ds as follows:

Row 1 (RS): K to the ds, resolve by knitting the final ds, K across.

Row 2 (WS): P across.

Continue to work increases to shape the v-neck edge as follows:

Row 1 (RS): K across until 3 sts remain, M1R, K3. (1 st increased).

Row 2 (WS): P across.

Row 3 (RS): K across.

Row 4 (WS): P across.

Repeat Rows 1-4, 6 (6) 6 (7) 7 (7) 8 (8) 8 **more** times, for a total of 28 (28) 28 (32) 32 (32) 36 (36) 36 rows. 37 (41) 43 (48) 53 (55) 59 (62) 64 sts.

Do not break yarn.

Join Right Front and Left Front (video support on Page 12 for backwards loop cast-on)

Sizes XS (S) M (L) ONLY:

Next, join right front and left front and work increases to shape the armholes as follows:

Next Row (RS): K4, M1L, K across right front sts, CO 1 st in extension of right front using the backwards loop cast-on method, place left front sts on needles and K until 4 sts remain, M1R, K4. (3 sts increased). 77 (85) 89 (99) sts.

Following Row (WS): P across all Front sts.

You now have created the front neckline and formed your pullover's single front panel. Continue working increases to shape the armholes as follows:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Repeat Rows 1 and 2, 3 (3) 4 (3) more times, for a total of 8 (8) 10 (8) rows. 85 (93) 99 (107) sts. Proceed to **Body** instructions.

Sizes XL (2XL) 3XL (4XL) 5XL ONLY:

Next Row (RS): K across right front sts, CO 1 st in extension of right front using the backwards loop cast-on method, place left front sts on needles and K across 53 (55) 59 (62) 64 sts.

Following Row (WS): P across all Front sts.

You now have created the front neckline and formed your pullover's single front panel. 107 (111) 119 (125) 129 sts.

Next, you will work back and forth as follows:

Row 1 (RS): K across.

Row 2 (WS): P across.

Repeat Rows 1 and 2, 0 (2) 2 (3) 2 more times, for a total of 2 (6) 6 (8) 6 rows.

Next, work increases to shape the armholes as follows:

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Repeat Rows 1 and 2, 4 (5) 5 (6) 7 **more** times, for a total of 10 (12) 12 (14) 16 rows. 117 (123) 131 (139) 145 sts.

Body

You will now join the front panel to the back panel and form the armholes as follows:

With RS facing, K across 85 (93) 99 (107) 117 (123) 131 (139) 145 Front sts, CO 0 (0) 0 (0) 0 (2) 2 (2) 4 sts using the backward loop cast-on method, place Back sts on needles and K across 85 (93) 99 (107) 117 (123) 131 (139) 145 Back sts, CO 0 (0) 0 (0) 0 (2) 2 (2) 4 sts using the backward loop cast-on method, Place BOR marker in the middle of the new sts cast on at right underarm and join to work in the round. 170 (186) 198 (214) 234 (250) 266 (282) 298 sts.

Work in the round in stockinette st (knit all sts) until the body measures approx. 8¼" [21 cm] as measured from the underarm or until the body of your pullover measures 3½" [9 cm] less than your desired final length. *Note:* Adding additional length will require more yardage.

Hem

With US 8 (5 mm)/32-40" circular needles, finish your pullover by working the hem as follows:

K1, P1 repeat *-* until hem measures approx. 3½" [9 cm].

If using the tubular cast-off method to bind off your ribbing, work two set-up rounds at the end of your ribbing as follows:

Tubular cast-off Round 1: *K1, Sl 1 wyif* repeat *-*.

Tubular cast-off Round 2: *Sl 1 wyib, P1* repeat *-*.

Cast off all sts using the tubular cast-off method or your favorite cast-off technique.

Sleeves (same for both) (video support on Page 12 for K2tog-L)

Beginning at the bottom of the armhole opening with US 9 (5.5 mm)/16" circular needles, pick up and knit 26 (26) 28 (29) 32 (36) 39 (41) 41 sts from the area between the underarm and the saddle (a ratio of approx. 2 sts from every 3 rows), PM (referred to as the first marker), break yarn, place 22 (22) 22 (24) 24 (24) 26 (26) 26 saddle sts on needles, PM (referred to as the second marker), attach yarn and pick up and knit 26 (26) 28 (29) 32 (36) 39 (41) 41 from the area between the saddle and the underarm (a ratio of approx. 2 sts from every 3 rows). PM at underarm to mark BOR. 74 (74) 78 (82) 88 (96) 104 (108) 108 sts.

You will now shape the upper sleeve with German Short Rows as follows:

Short Row 1 (RS): K across until second marker, SM, K6, turn, make ds.

Short Row 2 (WS): P across until first marker, SM, P6, turn, make ds.

You will continue working German Short Rows, each time turning 6 sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) or purling (WS) the ds as one st, work another 6 sts, and turn as follows:

Short Row 3 (RS): K across until second marker, SM, K to the ds, resolve by knitting ds, K6, turn, make ds.

Short Row 4 (WS): P across until first marker, SM, P to the ds, resolve by purling ds, P6, turn, make ds.

Repeat Short Rows 3 and 4, 2 (2) 2 (2) 3 (3) 4 (4) 4 **more** times. At the last turn there will be 2 (2) 4 (5) 2 (6) 3 (5) 5 unworked sts remaining after the ds on either side of the BOR marker. You are now at RS.

From your last turn, K across to BOR resolving the ds and removing the first and second markers as you come to them.

Continue to work in the round in stockinette st until the sleeves measure approx. 12" [30 cm] as measured from underarm, while at the same time working a decrease round on every 7 (7) 6 (6) 5 (4) 3 (3) 3 rounds for a total of 11 (11) 12 (13) 15 (19) 23 (24) 24 decrease rounds. At the conclusion of your final decrease round, you should have 52 (52) 54 (56) 58 (58) 58 (60) 60 sts remaining.

Work the decrease round as follows:

Decrease round: K1, K2tog, K in stockinette st until 3 sts remain before marker, K2tog-L, K1. (2 sts decreased).

At this point, you may move on to knitting the sleeve cuff or continue working in stockinette until your sleeve measures 3½" [9 cm] less than your desired final length. *Note:* Adding additional length will require more yardage.

Sleeve Cuffs (same for both)

With US 8 (5 mm)/16" circular needles or magic loop method, finish your sleeve by working the cuff as follows:

K1, P1 repeat *-* until cuff measures approx. 3½" [9 cm].

If using the tubular cast-off method to bind off your ribbing, work two set-up rounds at the end of your ribbing as follows:

Tubular cast-off Round 1: *K1, Sl 1 wyif* repeat *-*.

Tubular cast-off Round 2: *Sl 1 wyib, P1* repeat *-*.

Cast off all sts using the tubular cast-off method or your favorite cast-off technique.

Folded V-neck (video support on Page 12 for v-neck decrease)

With US 6 (4 mm)/16" circular needles and with RS facing, beginning at right back, pick up 21 (21) 21 (23) 23 (23) 25 (25) 25 along the back (one in each initial cast-on stitch), 20 (20) 20 (22) 22 (22) 24 (24) 24 sts along left saddle, 44 (44) 44 (48) 48 (48) 52 (52) 52 sts down the left neckline (a ratio of approx. 1 st out of every row along the neckline between the left saddle and the center front CO st), 1 st along the center front (one in the stitch you cast-on when joining the right front and left front panels), 44 (44) 44 (48) 48 (48) 52 (52) 52 sts up the right neckline (a ratio of approx. 1 st out of every row along the neckline between the center front CO st and the right saddle), and 20 (20) 20 (22) 22 (22) 24 (24) 24 sts along right saddle. PM to establish BOR. 150 (150) 150 (164) 164 (164) 174 (174) 174 sts.

Note: The stitch counts for the collar are suggestions. You may choose to pick up less stitches than suggested for a closely fitting collar or more stitches than suggested for a loosely fitting collar. Just be sure you have picked up an even number of stitches before moving forward to correctly maintain a ribbing pattern.

Place a removable stitch marker on the stitch at the center front (the stitch you cast on when joining the right front and left front panels). Double decreases are worked for the first 2" [5 cm] of ribbing on either side of the marked stitch. Once the v-neck collar is shaped, you will work increases until you achieve the number of stitches you began with.

Work one round to establish the ribbed edge as follows:

Round 1: *K1, P1* repeat *-* until 1 st before marker at center front, K3, *P1, K1* repeat *-* until 1 st remains, P1.

Next, you will work double decreases on either side of the marked stitch as follows:

Decrease Round: *K1, P1* repeat *-* until 1 st before marker at center front, slip 2 sts knit-wise together, K1, pass slipped sts over the knitted st, work in est ribbed pattern to beginning of round. (2 sts decreased). *Note:* The stitch before and after the marked stitch at center front should be the same to correctly maintain a ribbing pattern.

Repeat Decrease Round, 11 **more** times. 126 (126) 126 (140) 140 (140) 150 (150) 150 sts.

Next, you will work increases on either side of the marked stitch as follows:

Increase Round: Work in est ribbed pattern before marker at center front, M1R, K1 (marked stitch), M1L, work in est ribbed pattern to BOR. (2 sts increased).

Repeat Increase Round, 11 **more** times. 150 (150) 150 (164) 164 (164) 174 (174) 174 sts.

You will now create the folded collar. Keeping the stitches on your needles, fold the collar in half so that the live stitches are on the inside of the pullover's neckline. You will attach these stitches to the inner base of the collar (where you picked up stitches to create the collar) by picking up and casting off sts to the inside of the pullover.

Tip: You may find it easier to work the cast-off if you turn your pullover inside out before you begin.

Cast off all collar sts as follows:

Step 1: Pick up one st at the base of the neckline, directly below the first live st on your left needle. K2tog-the picked up st and the first live st (i.e. K2tog the first two sts now on your left needle).

Step 2: Like in step 1, pick up next st at the base of the neckline and K2tog-that st and the next live st.

Step 3: On your right needle, pull sts 2 and 3 over st 1. One st is now cast off, one st remains on right needle.

Repeat Steps 2 and 3 until all sts are cast off.

Finishing

Weave in loose ends. Block your #Lakesvneckpullover to measurements listed in the schematic on Page 13. Wear forever.

Video Support for the Lakes V-neck Pullover

Back

Picking up sts along left saddle, CO in extension, picking up sts along right saddle - <https://bit.ly/3CiEC2z>

Slip sts without knitting to prep for German Short Rows - <https://bit.ly/3Snxp6G>

German Short Rows and resolving the ds - <https://bit.ly/3ShcrGC>

Left Front

Picking up sts along left front - <https://bit.ly/3BRGJZE>

German Short Rows for left front - <https://bit.ly/3dQxiS4>

Neck shaping + German Short Rows for left front - <https://bit.ly/3SjBYz9>

Right Front

M1RP - <https://bit.ly/3LBETR3>

Join Right Front and Left Front

Backwards Loop Cast-On (used to connect right front and left front) - <https://bit.ly/3AdsCM3>

Sleeves

K2tog-L (used on sleeve decreases) - <https://bit.ly/2S8uFAa>

Hem and Cuffs


Tubular Cast Off (used on sleeve cuffs and hem) - <https://bit.ly/3rddY5E>

Folded V-neck

V-neck decreases - https://youtube.com/shorts/e4t_CbOgWxA

Casting off to create a fold-over collar (omit the yarn over) - <https://bit.ly/3JgWc8P>

Lafes V-neck Pullover Schematic



A - Finished Bust Circumference

40 (44) 46½ (50½) 55 (58¾) 62½ (66¾) 70" [100 (110) 116 (126) 137.5 (147) 156 (165.5) 175 cm]

B - Total Length (as measured from mid back)

20 (20) 20¾ (20½) 21¼ (22¼) 22½ (23½) 23½" [50 (50) 51 (51.5) 53 (55.5) 56 (58) 58 cm]

C - Underarm To Hem Body Length

11¾" [29.5 cm]

D - Upper Sleeve Circumference

17½ (17½) 18¾ (19¾) 20½ (22¾) 24¼ (25½) 25½" [43.5 (43.5) 46 (48) 52 (56.5) 61 (63.5) 63.5 cm]

E - Cuff Circumference

12¼ (12¼) 12¾ (12½) 13¼ (13½) 13½ (14) 14" [20 (20) 21 (21.5) 22.5 (22.5) 22.5 (23) 23 cm]

F - Sleeve Length From Underarm

15½" [39 cm]

Pattern + images are the property of © Ozetta. Unauthorized reproduction in whole or in part is illegal. Distribution of patterns or content is not allowed. The sale of garments from this pattern is prohibited.