


Ponni



Notes

Ponni is a patchwork style drop shoulder sweater worked from the top down. With a blend of different, simple textures, it's a fun and engaging project. The pattern features shoulder, armhole and sleeve cap shaping, easy to modify neck depth and a split hem. The motifs are both charted and written.

Use the hashtag #ponnisweater to share your project.

Pattern, pictures and notes © Audrey Borrego. This pattern is for personal use only.

Yarn :

You will need

950 (1070 / 1200 / 1300 / 1420), (1500 / 1660 / 1750 / 1900) m
1040 (1170 / 1315 / 1425 / 1555), (1640 / 1815 / 1915 / 2080) yds
of DK weight yarn.

The sample is knit with Woollette Cybele DK (220 m – 240 yds / 100 g) in Verde.

Needles :

Main Fabric : 4mm (US 6) circular needles with appropriate length to knit in the round and magic loop or DPNs.

Ribbing : 3.5 mm (US 4) circular needles with appropriate length to knit in the round and magic loop or DPNs.

Slipped stitch pattern : 3.75 mm (US 5) circular needles with appropriate length to knit in the round.

or sizes required to get gauge

Gauge :

20 sts x 36 rows / rnds per 10 cm – 4" with main needles in texture pattern after blocking
To swatch, cast-on 34 sts and work pattern A flat over a minimum of 50 rows.

Notions :

Stitch markers, locking stitch markers, tapestry needle and scissors

Scrap yarn to place sts on hold

Row counter recommended

Techniques used :

Top down drop shoulder sweater

Upper body worked flat, body and sleeves knitted in the round

Picking up stitches

Maintaining simple knit / purl pattern during shaping

Split hem with cable detail at the top and slipped stitch edges

Shoulders shaped with wrap & turn short rows

Armhole shaping with simple increases

Sleeve cap shaped with wrap & turn short rows

Sleeves tapered with simple decreases

Garter stitch, garter ribbing, slipped stitches and garter pattern with caught floats

2/2 ribbing

German Twisted Cast-on, Backwards Loop Cast-on, Basic bind-off

Pattern includes charted and written instructions for the texture motifs


Sizes :

1 (2 / 3 / 4 / 5), (6 / 7 / 8 / 9)

All measurements are those of the finished sweater.

Choose a size with about 25 cm – 9 ¾" positive ease at bust.

Shown in size 3 on a 95 cm – 37 ½" bust and a 35 cm – 13 ¾" upper arm.



Size	1	2	3	4	5	6	7	8	9
A Bust Circ	96 cm 37 ¾"	108 cm 42 ½"	120 cm 47 ¼"	132 cm 52"	144 cm 56 ¾"	156 cm 61 ½"	168 cm 66 ¼"	180 cm 70 ¾"	192 cm 75 ½"
B Armhole Depth	19 cm 7 ½"	20 cm 7 ¾"	21 cm 8 ¼"	22 cm 8 ¾"	22 cm 8 ¾"	23.5 cm 9 ¼"	24.5 cm 9 ¾"	25 cm 9 ¾"	27 cm 10 ½"
C Upper arm circ	36 cm 14 ¼"	36 cm 14 ¼"	44 cm 17 ¼"	44 cm 17 ¼"	48 cm 19"	56 cm 22"	56 cm 22"	60 cm 23 ½"	64 cm 25 ¼"
D Upper Back width	44 cm 17 ¼"	46 cm 18"	48 cm 19"	52 cm 20 ½"	56 cm 22"	56 cm 22"	60 cm 23 ½"	62 cm 24 ½"	66 cm 26"
E Shoulder width	16 cm 6 ¼"	16 cm 6 ¼"	18 cm 7"	20 cm 7 ¾"	22 cm 8 ¾"	22 cm 8 ¾"	23 cm 9"	25 cm 9 ¾"	26 cm 10 ¼"
F Front Body length (adjustable)	28 cm 11"	28 cm 11"	28 cm 11"	28 cm 11"	28 cm 11"	28 cm 11"	28 cm 11"	28 cm 11"	28 cm 11"
G Back Body length (adjustable)	33 cm 13"	33 cm 13"	33 cm 13"	33 cm 13"	33 cm 13"	33 cm 13"	33 cm 13"	33 cm 13"	33 cm 13"
H Sleeve length (adjustable)	45 cm 17 ¾"	45 cm 17 ¾"	45 cm 17 ¾"	45 cm 17 ¾"	45 cm 17 ¾"	45 cm 17 ¾"	45 cm 17 ¾"	45 cm 17 ¾"	45 cm 17 ¾"

Abbreviations :

- CO : cast-on
- st(s) : stitch(es) / rnd(s) : round(s)
- RS : right side / WS : wrong side
- BOR : beginning of round
- m : marker / PM : place marker / sm : slip marker / rm : remove marker
- inc : increase / dec : decrease
- k : knit stitch / p : purl stitch
- sl wyif : slip stitch purlwise with yarn in front
- sl wyib : slip stitch purlwise with yarn in back
- m1L : make 1 left, lift the bar between the stitches onto the left needle from front to back, knit through the back loop (1 inc)
- m1R : make 1 right, lift the bar between the stitches onto the left needle from back to front, knit through the front loop (1 inc)
- k2tog : knit the next 2 sts together (1 dec)
- ssk : slip the next 2 sts knitwise separately then knit them together through their back loop (1 dec)
- w&t : wrap and turn short row, bring yarn to front, slip the next st purlwise, bring yarn to back, slip the st back to the left needle and turn work
- 2/2 RC : 2/2 right cable, slip the next 2 sts purlwise on a cable needle and hold in back, k2 from left needle then k2 from cable needle
- 2/2 LC : 2/2 left cable, slip the next 2 sts purlwise on a cable needle and hold in front, k2 from left needle then k2 from cable needle
- *-* : repeat instructions between asterisks

Notes :

Left and Right parts refer to the sweater when worn.

The sample used a basic bind-off everywhere (working stitches in pattern and passing them over), with a larger needle size on the collar to adjust tension. You may substitute this for your preferred method : aim for a reasonably loose bind-off, not too stretchy to avoid flaring out.

You will be casting on and working each front shoulder separately.

Front Left Shoulder

While shaping the shoulders, you will work in garter stitch (knitting every row) with 3 stockinette edge sts on the neck edge and 1 stockinette edge st on the armhole edge (knitting RS rows and purling WS rows).

With main needles, CO 34 (34 / 38 / 42 / 46), (46 / 48 / 52 / 54) sts using the [German Twisted Cast-on](#).

(German Twisted Cast-on tutorial by Very Pink Knits)

You will place markers to isolate edge sts.

set-up row 1 (WS) : p1, pm, knit to last 3 sts, pm, p3

row 1 (RS) : knit

row 2 (WS) : p1, sm, knit to m, sm, p3

Work rows 1-2 a total of 2 times (5 total rows worked including set-up row).

Shoulder shaping :

You will work short rows to shape the shoulders using [wrap & turn short rows](#).

You will not need to pick up the wrap when closing the short rows as they blend well in garter stitch.

(Knitting Help : Wrap & Turn by Very Pink Knits)

short row 1 (RS) : k3, sm, knit to 2 sts before m, w&t

short row 2 (WS) : knit to m, sm, p3

short row 3 : knit to 5 (5 / 6 / 7 / 7), (7 / 8 / 9 / 9) sts before last wrapped st, w&t

Work short rows 2-3 a total of five times, then work short row 2 once more.

next row (RS) : knit

next row (WS) : p1, sm, knit to m, sm, p3

Neck shaping :

You will start following pattern A, keeping the stockinette edge sts.

row 1 (RS) : k3, sm, pattern A to m, sm, k1

row 2 (WS) : p1, sm, pattern A (starting with p2) to m, sm, p3

If you would like a more open neck, work rows 1-2 until desired depth, considering the future collar height.

Note down the number of rows worked to replicate them later on the other Front Shoulder.

You will increase at the neck edge to shape the neckline, incorporating the new sts in pattern A to maintain it as established.

You will no longer have a full 4 sts repeat, so you will need to start pattern A at a different point. You will notice this on the WS rows only, as the RS is all knit. Looking at your knitting (I find it easier to check the RS), identify the columns of knits and purls to find your place in the 2/2 rib sequence.

row 3 (RS) : k3, sm, m1L, pattern A to m, sm, k1 (1 inc)

row 4 (WS) : p1, sm, pattern A to m, sm, p3

row 5 : k3, sm, pattern A to m, sm, k1

row 6 : p1, sm, pattern A to m, sm, p3

35 (35 / 39 / 43 / 47), (47 / 49 / 53 / 55) sts

row 7 (RS) : k3, sm, m1L, pattern A to m, sm, k1 (1 inc)

row 8 (WS) : p1, sm, pattern A to m, sm, p3

Work rows 7-8 a total of 5 (5 / 5 / 5 / 5), (5 / 7 / 7 / 9) times.

40 (40 / 44 / 48 / 52), (52 / 56 / 60 / 64) sts

Cut yarn and put sts on hold.

Front Right Shoulder

With main needles, CO 34 (34 / 38 / 42 / 46), (46 / 48 / 52 / 54) sts using the [German Twisted Cast-on](#).

set-up row 1 (WS) : p3, pm, knit to 1 st before end, pm, p1

row 1 (RS) : knit

row 2 (WS) : p3, sm, knit to m, sm, p1

Work rows 1-2 a total of 2 times, then row 1 once more (6 total rows worked including set-up row).

Shoulder shaping :

short row 1 (WS) : p3, sm, knit to 2 sts before m, w&t

short row 2 (RS) : knit to end

short row 3 : p3, sm, knit to 5 (5 / 6 / 7 / 7), (7 / 8 / 9 / 9) sts before last wrapped st, w&t

Work short rows 2-3 a total of five times, then work short row 2 once more.

next row (WS) : p3, sm, knit to m, sm, p1

Neck shaping :

row 1 (RS) : k1, sm, pattern A to m, sm, k3

row 2 (WS) : p3, sm, pattern A (starting with p2) to m, sm, p1

If you have added depth here, work as per the Front Left Shoulder.

row 3 (RS) : k1, sm, pattern A to m, m1R, sm, k3 (1 inc)

row 4 (WS) : p3, sm, pattern A to m, sm, p1

row 5 : k1, sm, pattern A to m, sm, k3

row 6 : p3, sm, pattern A to m, sm, p1

35 (35 / 39 / 43 / 47), (47 / 49 / 53 / 55) sts

row 7 (RS) : k1, sm, pattern A to m, m1R, sm, k3 (1 inc)

row 8 (WS) : p3, sm, pattern A to m, sm, p1

Work rows 7-8 a total of 5 (5 / 5 / 5 / 5), (5 / 7 / 7 / 9) times.

40 (40 / 44 / 48 / 52), (52 / 56 / 60 / 64) sts

Joining Front Shoulders

You will join the two front shoulders by casting-on extra sts for the neck, keeping the armhole edge markers but removing the neckline markers.

next row (RS) : k1, sm, pattern A to m, rm, k3, CO 8 (12 / 12 / 12 / 16), (16 / 16 / 16 / 16) sts using the [backwards loop cast-on](#).

(Backwards Loop Cast-on tutorial by Very Pink Knits)

Place the Front Left Shoulder sts back on the left needle with RS facing, joining them to the new sts, and work them as follows :

k3, rm, pattern A to m, sm, k1

88 (92 / 100 / 108 / 120), (120 / 128 / 136 / 144) sts

Upper Front

You will continue working pattern A with the stockinette edge st on the armhole sides, incorporating the previous neck edge sts and the newly cast-on sts in the pattern.

row 1 (WS) : p1, sm, pattern A to m, sm, p1

row 2 (RS) : k1, sm, pattern A to m, sm, k1

Work rows 1-2 until the upper front measures 18 (18 / 18.5 / 18.5 / 19.5), (19 / 20 / 19.5 / 21.5) cm – 7 (7 / 7 1/4 / 7 1/4 / 7 3/4), (7 1/2 / 7 3/4 / 7 3/4 / 8 1/2)" from cast-on, measuring along the armhole edge and ending after a WS row.

Place a locking stitch marker within one armhole edge stitch to easily measure the Upper Back later.

Armhole Shaping :

You will increase at the armhole edges, incorporating the new sts in pattern A to maintain it as established.

row 1 (RS) : k1, sm, m1R, pattern A to m, m1L, sm, k1 (*2 inc*)

row 2 (WS) : p1, sm, pattern A to m, sm, p1

Work rows 1-2 a total of 2 (**4** / 4 / **6** / 4), (**8** / 8 / **10** / 10) times.

92 (**100** / 108 / **120** / 128), (**136** / 144 / **156** / 164) sts

Cut yarn and put sts on hold.

You will pick up sts from each front cast-on edge to work the back shoulders separately. Stockinette edge stitches will be isolated like on the Front Shoulders.

Back Right Shoulder

With main needles, RS facing and starting at the neck edge, pick up and knit 34 (**34** / 38 / **42** / 46), (**46** / 48 / **52** / 54) sts from the Front Right Shoulder cast-on edge.

set-up row 1 (WS) : p1, pm, knit to last 3 sts, pm, p3

row 1 (RS) : knit

row 2 (WS) : p1, sm, knit to m, sm, p3

Work rows 1-2 a total of 2 times (5 total rows worked including set-up row).

Shoulder shaping :

Work the shoulder shaping like the Front Left Shoulder, stopping before the Neck Shaping.

Cut yarn and put sts on hold.

Back Left Shoulder

With main needles, RS facing and starting at the armhole edge, pick up and knit 34 (**34** / 38 / **42** / 46), (**46** / 48 / **52** / 54) sts from the Front Left Shoulder cast-on edge.

set-up row 1 (WS) : p3, pm, knit to 1 st before end, pm, p1

row 1 (RS) : knit

row 2 (WS) : p3, sm, knit to m, sm, p1

Work rows 1-2 a total of 2 times, then row 1 once more (6 total rows worked including set-up row).

Shoulder shaping :

Work the shoulder shaping like the Front Right Shoulder, stopping before the Neck Shaping.

Joining Back Shoulders

You will join the two back shoulders, increasing at the neck edges and casting-on sts for the center back neck.

next row (RS) : k1, sm, knit to 1 st before m, m1R, k1, m1R, rm, k3, CO 16 (**20** / 16 / **16** / 16), (**16** / 20 / **16** / 20) sts using the [backwards loop cast-on](#).

Place the Back Right Shoulder sts back on the left needle with RS facing, joining them to the new sts, and work them as follows : k3, rm, m1L, k1, m1L, knit to m, sm, k1

88 (**92** / 96 / **104** / 112), (**112** / 120 / **124** / 132) sts

Upper Back

You will start following pattern A, beginning on the WS row 2.

row 1 (WS) : p1, sm, pattern A (starting with p2) to m, sm, p1

row 2 (RS) : k1, sm, pattern A to m, sm, k1

Work rows 1-2 until the upper back length matches the upper front's before armhole shaping (reaching the locking stitch marker placed on the front's edge), ending after a WS row.

Armhole Shaping :

Work the Armhole Shaping like the Front.

92 (**100** / 104 / **116** / 120), (**128** / 136 / **144** / 152) sts

Joining Body

You will join the back and front pieces to work the body in one piece in the round, removing armhole edge markers and casting on sts for each underarm, using the [backwards loop cast-on](#).

next row (RS) : k1, rm, knit to m, rm, k1, CO 2 (**4** / 7 / 7 / 10), (**12** / 14 / **15** / 17) sts, **pm** for side,

CO 2 (**4** / 7 / 7 / 10), (**12** / 14 / **15** / 17) sts

Place the Upper Front sts back on the left needle with RS facing, joining them to the new sts, and work them as follows :

k1, rm, knit to m, rm, k1,

CO 2 (**4** / 7 / 7 / 10), (**12** / 14 / **15** / 17) sts, **pm** for BOR,

CO 2 (**4** / 7 / 7 / 10), (**12** / 14 / **15** / 17) sts

Join to work in the round.

192 (**216** / 240 / **264** / 288), (**312** / 336 / **360** / 384) sts

Body

You will now work the body in the round, following pattern B.

Note that the side m might be within a motif repeat. Its position is specific for the split hem and it must not be moved. Simply slip it as you come across it.

Switch to slipped stitch pattern needles.

In the following stitch pattern, you will slip sts, holding the yarn in front on the RS of the work to create a horizontal float. Then you will pick up that strand with the right-hand needle to hook it on a knit st.

Keep the float loose when slipping the 5 sts.

[See this video tutorial.](#)

<https://youtu.be/LQeHuSEXQ9M>

Make sure that your gauge remain the same as previously. As pattern B tends to be looser than pattern A, it is recommended to go down a needle size, but this may vary depending on your yarn and personal tension. Adjust needle size if necessary.

Work pattern B, starting with round 1, until the body measures about 23 cm – 9" from the underarm or 5 cm – 2" less than desired length at the front and 10 cm – 4" less than desired length at the back. End after a round 4.

Hem

Switch to smaller ribbing needles.

Sizes 1, 2, 5, 6, 7 ONLY:

next rnd : k4, ssk, knit to 6 sts before side m, k2tog, k4, sm, k4, ssk, knit to last 6 sts, k2tog, k4 (4 dec)

188 (**212** / - / - / 284), (**308** / 332 / - / -) sts

Sizes 3, 4, 8, 9 ONLY :

next rnd : knit

ALL SIZES RESUME

Purl 1 rnd.

The front and the back are going to be separated to create a split high low hem. To make a neater split, you will work cables at the sides of the body.

set-up rnd 1 : sl2wyib, *k2, p2* to 4 sts before side m, k2, 2/2 LC (removing the side m and replacing it in the center of the cable), *k2, p2* to last 4 sts, k2, 2/2 RC (removing BOR m and replacing it in the center of the cable).

set-up rnd 2 : *starting after the first 2 sts already knitted in the cable*, *k2, p2* to 4 sts before side m, k4

Stop here at the side m and put the remaining 94 (**106 / 122 / 134 / 144**), (**156 / 168 / 186 / 198**) sts of the round on hold.

Back hem :

Turn to work flat on the back sts only, starting on the WS.

94 (**106 / 118 / 130 / 138**), (**150 / 162 / 174 / 186**) back hem sts

ribbing row 1 (WS) : (sl1wyif, p1) x 2, k2, *p2, k2* to last 4 back sts, (p1, sl1wyif) x 2

ribbing row 2 (RS) : k4, p2, *k2, p2* to last 4 back sts, k4

Work ribbing rows 1-2 until the back hem measures 10 cm – 4" or desired length, ending with a WS row.

Loosely bind-off all sts in pattern.

Front hem :

Rejoin yarn on the RS of the front hem sts on smaller ribbing needles.

94 (**106 / 122 / 134 / 144**), (**156 / 168 / 186 / 198**) front hem sts

ribbing row 1 (RS) : k4, p2, *k2, p2* to last 4 front sts, k4

ribbing row 2 (WS) : (sl1wyif, p1) x 2, k2, *p2, k2* to last 4 front sts, (p1, sl1wyif) x 2

Work ribbing rows 1-2 until the front hem measures 5 cm – 2" or desired length, ending with a WS row.

Loosely bind-off all sts in pattern.

Sleeves

You will pick up sts around the armholes for the sleeves, placing a marker at the top (shoulder line) and at the underarm for the BOR.

With main needles, RS facing and starting at the center of the underarm, pick up and knit

2 (**4 / 7 / 7 / 10**), (**12 / 14 / 15 / 15**) sts from the first half of the underarm (every st), 34 (**35 / 37 / 39 / 39**), (**44 / 45 / 45 / 49**) sts up to the shoulder line (about 1 out of 2 sts),

pm for top of sleeve,

34 (**35 / 37 / 39 / 39**), (**44 / 45 / 45 / 49**) sts down from the shoulder line (about 1 out of 2 sts),

and 2 (**4 / 7 / 7 / 10**), (**12 / 14 / 15 / 15**) sts from the rest of the underarm (every st).

72 (**78 / 88 / 92 / 98**), (**112 / 118 / 120 / 128**) sts

Join to work in the round and **pm** for BOR.

Sleeve shaping :

You will work short rows in garter stitch to shape the top of the sleeve.

short row 1 (RS) : knit to m, sm, k8, w&t

short row 2 (WS) : knit to m, sm, k8, w&t

short row 3 : knit to wrapped st, knit the wrapped st, k7, w&t

Work short row 3 a total of 6 (**6 / 8 / 8 / 8**), (**10 / 10 / 12 / 12**) times. The last row is a WS row.

Sizes 2, 4, 5, 7 ONLY :

On the following row, you will place decreases on the sleeve by making k2tog. This doesn't need to be precise, simply decrease the sts rather evenly around.

next row (RS): knit to m decreasing - (**3 / - / 2 / 1**), (- / **3 / - / -**) sts, rm, knit to end decreasing - (**3 / - / 2 / 1**), (- / **3 / - / -**) sts (reaching BOR)

- (**72 / - / 88 / 96**), (- / **112 / - / -**) sts

Sizes 1, 3, 6, 8, 9 ONLY :

next row : knit to m, rm, knit to end (reaching BOR)

ALL SIZES RESUME

You will resume working in the round and start following pattern C around.

Make sure that your gauge remain the same as previously for this new pattern in a small circumference. Adjust needle size if necessary.

Work 8 (**8 / 8 / 8 / 8**), (**8 / 8 / 8 / 16**) rnds of pattern C.

You will start decreasing at the underarm. Maintain the pattern as established on the rest of the sleeve, keeping the purl dots grid motif aligned.

dec rnd : k1, k2tog, pattern C to last 3 sts, ssk, k1 (2 dec)

Continue as established, maintaining pattern C and repeating the dec rnd every 4 (**5.5 / 2.5 / 3 / 2**), (**1.5 / 1.5 / 1.5 / 1**) cm 1 1/2 (**2 1/4 / 1 / 1 1/4 / 3/4**), (**1/2 / 1/2 / 1/2 / 1/4**)"

another 7 (**5 / 13 / 11 / 15**), (**21 / 21 / 23 / 25**) times.

56 (**60 / 60 / 64 / 64**), (**68 / 68 / 72 / 76**) sts

Continue working pattern C until the sleeve measures about 40 cm – 15 3/4" from the underarm or 5 cm – 2" less than desired length, ending after any round.

Cuff :

Switch to smaller ribbing needles.

Knit 1 rnd.

Purl 1 rnd.

ribbing rnd : *k2, p2* to end

Work the ribbing rnd until the cuff measures 5 cm – 2" or desired ribbing length.

Loosely bind-off all sts in pattern.

Repeat for second sleeve.

Collar

You will pick up sts around the neckline to work the collar. Adjust the number of sts picked up for a tighter or looser fit, especially if you have worked more front shoulders rows before the neck shaping. To do this add or remove multiple of 4 sts to the front neck curves pick up.

With smaller ribbing needles, RS facing and starting at the right shoulder line, pick up and knit

14 sts from the back right neck curve (about 2 out of 3 sts),

16 (**16 / 16 / 16 / 16**), (**16 / 16 / 16 / 20**) sts from the back neck cast on (every st except for sizes 2 and 7 : 4 out of 5 sts),

14 sts from the back left curve up to the left shoulder line (about 2 out of 3 sts),

26 (**26 / 26 / 26 / 26**), (**26 / 30 / 30 / 34**) sts from the front left neck curve (about 2 out of 3 sts),

8 (**12 / 12 / 12 / 16**), (**16 / 16 / 16 / 16**) sts from the front neck cast on (every st),

26 (**26 / 26 / 26 / 26**), (**26 / 30 / 30 / 34**) sts from the front right neck curve (about 2 out of 3 sts).

Join to work in the round and **pm** for BOR.

104 (**108 / 108 / 108 / 112**), (**112 / 120 / 120 / 132**) sts

Purl 1 rnd.

ribbing rnd : k1, *p2, k2* to last 3 sts, p2, k1

Work the ribbing rnd until the ribbing measures 5 cm – 2" or desired length.

Loosely bind-off all sts in pattern using a larger needle if necessary.

Finishing


Weave in all ends and gently block the sweater.

Reading the Chart


When knitting flat, read the Charts back and forth : RS rows from right to left and WS rows from left to right.

When knitting in the round, always read the Charts from right to left.


PATTERN A



PATTERN B



PATTERN C



□ RS : knit
WS : purl
• RS : purl
WS : knit
□ repeat

∇ sl wyif

∩ pick up float and k1

WRITTEN INSTRUCTIONS

Pattern A

row 1 (RS) : knit

row 2 (WS) : p2, *k2, p2* to end

Pattern B

rnd 1 : knit

rnd 2 : *p3, sl5wyif* to end

rnd 3 : knit

rnd 4 : *p3, k2, pick up float and k1, k2* to end

Pattern C

rnd 1 : knit

rnd 2 : *k1, p1, k6* to end

rnds 3 to 5 : knit

rnd 6 : *k5, p1, k2* to end


rnds 7-8 : knit

Thank you

for choosing a Yarnflakes pattern !

I hope you enjoyed your project and will love the finished piece. If you have any questions or suggestions, please contact me on Ravelry (Yarnflakes).

I love to see you knit my designs. If you want to share pictures of your progress you can join me on my Ravelry group : www.ravelry.com/discuss/yarnflakes and tag me on Instagram @yarnflakes.



Find more designs :
www.ravelry.com/designers/audrey-borrego

Patreon Yarnflakes

Instagram @yarnflakes

Ravelry @Yarnflakes