

ROWAN



BETWEEN THE WARS CARDIGAN

By Lucy Jones

ROWEB-01838

v.1





BETWEEN THE WARS CARDIGAN

by Lucy Jones

Craft 

Skill Level 

ROWEB-01838 

v.1

[Click the image for a full screen, printable version](#)

SIZES

S	M	L	XL	XXL	
To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

YARN

Pure Wool Superwash DK and Wool Cotton

A	B	C			
PW Enamel 013					
6	6	6	7	8	x 50gm
PW Port 037					
5	6	6	7	8	x 50gm
WCo S'Shape 955					
1	1	2	2	2	x 50gm

**More Yarn
Information**

on knitrowan.com

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles

1 pair 4mm (no 8) (US 6) needles

BUTTONS - 8 x medium size green buttons.

TENSION

22 sts and 30 rows to 10 cm measured over st st using 4mm (US 6) needles.

24 sts and 60 rows to 10 cm measured over bodice patt, 21 sts and

38 rows to 10 cm measured over peplum patt, both using 3¼mm

(US 3) needles.

SPECIAL ABBREVIATIONS

sl 2 = slip 2 sts purlwise (see pattern note for bodice patt); **sl 3** = slip 3 sts purlwise (see pattern note for bodice patt).

Pattern note for peplum patt: The number of sts varies whilst working peplum patt and therefore sts should only be counted after patt rows 7 and 8. Before working shaping through patt, place markers one full patt rep (9 sts) in from ends of rows. Work sts beyond markers in g st and sts between markers in patt.

Pattern note for bodice patt: When working bodice patt, all sts should be slipped with yarn held at **WS** of work – this is back of work on RS rows, and front of work on WS rows.

BACK

Using 3¼mm (US 3) needles and yarn B cast on 102 [111: 120: 129: 147] sts.

Work in g st for 2 rows, ending with RS facing for next row.

Work in peplum patt as follows:

Row 1 (RS): K2, *yfwd, K8, yfwd, K1, rep from * to last st, K1.

Row 2: K3, *P8, K3, rep from * to end.

Row 3: K3, *yfwd, K8, yfwd, K3, rep from * to end.

Row 4: K4, *P8, K5, rep from * to last 12 sts, P8, K4.

Row 5: K4, *yfwd, K8, yfwd, K5, rep from * to last 12 sts, yfwd, K8, yfwd, K4.

Row 6: K5, *P8, K7, rep from * to last 13 sts, P8, K5.

Row 7: K5, *K4tog tbl, K4tog, K7, rep from * to last 13 sts, K4tog tbl, K4tog, K5.

Row 8: Knit.

These 8 rows form peplum patt.

Keeping patt correct (see pattern note for peplum patt), dec 1 st at each end of 7th and 7 foll 10th rows.

Work 3 rows, ending after patt row 8 and with RS facing for next row. 86 [95: 104: 113: 131] sts.

Peplum is now complete.

Next row (RS): K7 [2: 4: 4: 5], M1, (K12 [10: 8: 7: 8], M1) 6 [9: 12: 15: 15] times, K7 [3: 4: 4: 6]. 93 [105: 117: 129: 147] sts.

Next row: Purl.

Join in yarn A.

Now work in bodice patt as follows:

Row 1 (RS): Using yarn A K1, *sl 1 (see pattern note for bodice patt), K5, rep from * to last 2 sts, sl 1 (see pattern note for bodice patt), K1.

Row 2: Using yarn A P1, *sl 1 (see pattern note for bodice patt), P5, rep from * to last 2 sts, sl 1 (see pattern note for bodice patt), P1.

Row 3: Using yarn B K3, *sl 3 (see pattern note for bodice patt), K3, rep from * to end.

Row 4: Using yarn B P3, *sl 3 (see pattern note for bodice patt), P3, rep from * to end.

Row 5: Using yarn A K1, sl 2 (see pattern note for bodice patt), *K3, sl 3 (see pattern note for bodice patt), rep from * to last 6 sts, K3, sl 2 (see pattern note for bodice patt), K1.

Row 6: Using yarn A P1, sl 2 (see pattern note for bodice patt), *P3, sl 3 (see pattern note for bodice patt), rep from * to last 6 sts, P3, sl 2 (see pattern note for bodice patt), P1.

Row 7: Using yarn B K4, *sl 1 (see pattern note for bodice patt), K5, rep from * to last 5 sts, sl 1 (see pattern note for bodice patt), K4.

Row 8: Using yarn B P4, *sl 1 (see pattern note for bodice patt), P5, rep from * to last 5 sts, sl 1 (see pattern note for bodice patt), P4.

These 8 rows form bodice patt.

Cont in bodice patt, inc 1 st at each end of 3rd and 4 foll 20th rows, taking inc sts into patt.

103 [115: 127: 139: 157] sts.

Cont straight until back meas 43 [43: 43: 42: 42] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 2 [3: 4: 5: 6] sts at beg of next 2 rows. 99 [109: 119: 129: 145] sts.

Dec 1 st at each end of next 3 [3: 5: 5: 7] rows, then on foll 3 [4: 4: 5: 6] alt rows, then on 3 [4: 4: 4: 5] foll 4th rows.

81 [87: 93: 101: 109] sts.

Cont straight until armhole meas 19 [20: 21: 22: 23] cm, ending with RS facing for next row.

Shape back neck

Next row (RS): Patt 28 [31: 33: 37: 40] sts and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 5 rows, ending with RS facing for next row. 23 [26: 28: 32: 35] sts.

Shape shoulder

Cast off 5 [6: 6: 7: 8] sts at beg of next and foll 2 alt rows **and at same time** dec 1 st at neck edge of next and foll 2 alt rows.

Work 1 row.

Cast off rem 5 [5: 7: 8: 8] sts.

With RS facing, slip centre 25 [25: 27: 27: 29] sts onto a holder, rejoin appropriate yarn and patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 3¼mm (US 3) needles and yarn B cast on 48 [57: 57: 66: 75] sts. Work in g st for 2 rows, ending with RS facing for next row.

Work in peplum patt as given for back for 14 rows, ending with RS facing for next row.

Keeping patt correct (see pattern note for peplum patt), dec 1 st at beg of next and 7 foll 10th rows.

Work 3 rows, ending after patt row 8 and with RS facing for next row. 40 [49: 49: 58: 67] sts.

Peplum is now complete.

Next row (RS): K2 [6: 2: 5: 3], M1, (K6 [12: 5: 8: 10], M1) 6 [3: 9: 6: 6] times, K2 [7: 2: 5: 4]. 47 [53: 59: 65: 74] sts.

Next row: Purl.

Join in yarn A.

Now work in bodice patt as follows:

Row 1 (RS): Using yarn A K1, *sl 1, K5, rep from * to last 4 [4: 4: 4: 1] sts, (sl 1) 1 [1: 1: 1: 0] times, K3 [3: 3: 3: 1].

Row 2: Using yarn A P3 [3: 3: 3: 6], *sl 1, P5, rep from * to last 2 sts, sl 1, P1.

Row 3: Using yarn B K3, *sl 3, K3, rep from * to last 2 [2: 2: 2: 5] sts, (sl 1) 1 [1: 1: 1: 0] times, (sl 3) 0 [0: 0: 0: 1] times, K1 [1: 1: 1: 2].

Row 4: Using yarn B (P1, sl 1) 1 [1: 1: 1: 0] times, P3 [3: 3: 3: 2], *sl 3, P3, rep from * to end.

Row 5: Using yarn A K1, sl 2, *K3, sl 3, rep from * to last 2 [2: 2: 2: 5] sts, K2 [2: 2: 2: 3], (sl 1, K1) 0 [0: 0: 0: 1] times.

Row 6: Using yarn A P2 [2: 2: 2: 1], (sl 3) 1 [1: 1: 1: 0] times, (sl 1) 0 [0: 0: 0: 1] times, *P3, sl 3, rep from * to last 6 sts, P3, sl 2, P1.

Row 7: Using yarn B K4, *sl 1, K5, rep from * to last 1 [1: 1: 1: 4] sts, (sl 1) 0 [0: 0: 0: 1] times, K1 [1: 1: 1: 3].

Row 8: Using yarn B P6 [6: 6: 6: 3], *sl 1, P5, rep from * to last 5 sts, sl 1, P4.

These 8 rows form bodice patt.

Cont in bodice patt, inc 1 st at beg of 3rd and 4 foll 20th rows, taking inc sts into patt. 52 [58: 64: 70: 79] sts.

Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 2 [3: 4: 5: 6] sts at beg of next row. 50 [55: 60: 65: 73] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [3: 5: 5: 7] rows, then on foll 3 [4: 4: 5: 6] alt rows, then on 3 [4: 4: 4: 5] foll 4th rows.

41 [44: 47: 51: 55] sts.

Cont straight until 30 [30: 34: 34: 38] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape front neck

Next row (RS): Patt 33 [36: 39: 43: 47] sts and turn, leaving rem 8 sts on a holder (for neckband).

Keeping patt correct, dec 1 st at neck edge of next 6 rows, then on foll 4 alt rows, then on 3 [3: 4: 4: 5] foll 4th rows.

20 [23: 25: 29: 32] sts.

Work 3 rows, ending with RS facing for next row.

Shape shoulder

Cast off 5 [6: 6: 7: 8] sts at beg of next and foll 2 alt rows.

Work 1 row.

Cast off rem 5 [5: 7: 8: 8] sts.

RIGHT FRONT

Using 3¼mm (US 3) needles and yarn B cast on 48 [57: 57: 66: 75] sts. Work in g st for 2 rows, ending with RS facing for next row.

Work in peplum patt as given for back for 14 rows, ending with RS facing for next row.

Keeping patt correct (see pattern note for peplum patt), dec 1 st at end of next and 7 foll 10th rows.

Work 3 rows, ending after patt row 8 and with RS facing for next row. 40 [49: 49: 58: 67] sts.

Peplum is now complete.

Next row (RS): K2 [6: 2: 5: 3], M1, (K6 [12: 5: 8: 10], M1) 6 [3: 9: 6: 6] times, K2 [7: 2: 5: 4]. 47 [53: 59: 65: 74] sts.

Next row: Purl.

Join in yarn A.

Now work in bodice patt as follows:

Row 1 (RS): Using yarn A K1 [1: 1: 1: 4], *sl 1, K5, rep from * to last 4 sts, sl 1, K3.

Row 2: Using yarn A P3, *sl 1, P5, rep from * to last 2 [2: 2: 2: 5] sts, sl 1, P1 [1: 1: 1: 4].

Row 3: Using yarn B (K1, sl 2) 0 [0: 0: 0: 1] times, K3, *sl 3, K3, rep from * to last 2 sts, sl 1, K1.

Row 4: Using yarn B P1, sl 1, P3, *sl 3, P3, rep from * to last 0 [0: 0: 0: 3] sts, (sl 2, P1) 0 [0: 0: 0: 1] times.

Row 5: Using yarn A (K1, sl 2) 1 [1: 1: 1: 0] times, *K3, sl 3, rep from * to last 2 sts, K2.

Row 6: Using yarn A P2, sl 3, *P3, sl 3, rep from * to last 6 [6: 6: 6: 3] sts, P3, (sl 2, P1) 1 [1: 1: 1: 0] times.

Row 7: Using yarn B K4 [4: 4: 4: 1], *sl 1, K5, rep from * to last st, K1.

Row 8: Using yarn B P6, *sl 1, P5, rep from * to last 5 [5: 5: 5: 2] sts, (sl 1) 1 [1: 1: 1: 0] times, P4 [4: 4: 4: 2].

These 8 rows form bodice patt.

Cont in bodice patt, inc 1 st at end of 3rd and 4 foll 20th rows, taking inc sts into patt. 52 [58: 64: 70: 79] sts.

Complete to match left front, reversing shapings and working first row of neck shapings as folls:

Shape front neck

Next row (RS): Patt 8 sts and slip these sts onto a holder (for neckband), patt to end. 33 [36: 39: 43: 47] sts.

SLEEVES

Using 3¼mm (US 3) needles and yarn C cast on 57 [62: 62: 62: 67] sts.

Row 1 (WS): P2, *K1, P1, K1, P2, rep from * to end.

Row 2: K2, *P3, K2, rep from * to end.

These 2 rows form fancy rib.

Cont in fancy rib, shaping sides by inc 1 st at each end of 10th [10th: 8th: 8th: 8th] and 0 [0: 1: 3: 3] foll 6th rows, then on 2 [2: 2: 0: 0] foll 8th rows, taking inc sts into patt. 63 [68: 70: 70: 75] sts.

Work 4 [4: 0: 4: 4] rows, ending with **WS** facing for next row.

Row 33 (WS): Rib 6 [4: 0: 0: 6], work 2 tog, (rib 1 [1: 2: 2: 1], work 2 tog) 16 [19: 17: 17: 20] times, rib 7 [5: 0: 0: 7].

46 [48: 52: 52: 54] sts.

Change to 4mm (US 6) needles.

Break off yarn C and join in yarn A.

Beg with a K row, now work in st st, shaping sides by inc 1 st at each end of 3rd [3rd: 7th: next: next] and every foll 8th [8th: 8th: 6th: 6th] row to 62 [72: 76: 64: 74] sts, then on every foll 10th [-: -: 8th: 8th] row until there are 68 [-: -: 80: 84] sts.

Cont straight until sleeve meas 44 [45: 46: 46: 46] cm, ending with RS facing for next row.

Shape top

Cast off 2 [3: 4: 5: 6] sts at beg of next 2 rows. 64 [66: 68: 70: 72] sts.

Dec 1 st at each end of next 3 rows, then on foll 5 alt rows, then on 3 foll 4th rows. 42 [44: 46: 48: 50] sts.

Work 1 row.

Dec 1 st at each end of next and every foll alt row until 36 sts rem, then on foll 9 rows, ending with RS facing for next row.

Cast off rem 18 sts.

MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Neckband

With RS facing, using 3¼mm (US 3) needles and yarn A, K across 8 sts on right front holder, pick up and knit 16 [16: 18: 18: 20] sts up right side of front neck, and 7 sts down right side of back neck, K across 25 [25: 27: 27: 29] sts on back holder, then pick up and knit 7 sts up left side of back neck, and 16 [16: 18: 18: 20] sts down left side of front neck, then K across 8 sts on left front holder. 87 [87: 93: 93: 99] sts.

Work in g st for 2 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

Button band

With RS facing, using 3¼mm (US 3) needles and yarn A, pick up and knit 129 [131: 131: 131: 133] sts evenly down left front opening edge, from top of neckband to cast-on edge.

Row 1 (WS): K1, P to last st, K1.

Row 2: Knit.

Rows 3 to 8: As rows 1 and 2, 3 times.

Row 9 (WS): Knit (to form fold line).

Row 10: As row 2.

Rows 11 to 16: As rows 1 and 2, 3 times.

Row 17: As row 1.

Cast off.

Buttonhole band

With RS facing, using 3¼mm (US 3) needles and yarn A, pick up and knit 129 [131: 131: 131: 133] sts evenly up right front opening edge, from cast-on edge to top of neckband.


Work rows 1 to 17 as given for button band, making buttonholes in rows 4 and 14 as folls:

Buttonhole row (RS): K12 [14: 14: 14: 16], *K2tog, yfwd (to make a buttonhole), K14, rep from * 6 times more, K2tog, yfwd (to make 8th buttonhole), K3.

When all 17 rows have been completed, cast off.

Fold front bands in half to inside along fold line rows and neatly sew in place.

Set in sleeves using the set-in method.



Click the image for a full screen, printable version

Information
Pages

R O W A N



ARNE & CARLOS
B R O R

ZB305-00002-ENP



SIZE

To fit bust/chest (cm/in)							
81-86	91-97	102-107	112-117	122-127	132-137	142-147	152-157
32-34	36-38	40-42	44-46	48-50	52-54	56-58	60-62
Actual bust/chest measurement of garment							
100	111	120	131	140	151	160	171
39¼	43¾	47¼	51½	55	59½	63	67½

YARN

Norwegian Wool (50gm)

A Cloud Dancer 014							
4	4	5	5	6	6	7	7
B Golden Nugget 012							
1	1	1	1	1	1	1	1
C Ribbon Red 018							
1	2	2	2	2	2	2	2
D Daphne 011							
1	1	1	1	1	1	1	1
E Peat 019							
6	7	7	8	9	10	10	11

NEEDLES

- 1 pair 3mm (no 11) (US 2/3) needles
- 1 pair 3¾mm (no 9) (US 5) needles
- 3mm (no 11) (US 2/3) circular needle at least 140cm long

BUTTONS – 7 x brown textured 1.5 cm buttons.

TENSION

22 sts and 28 rows to 10 cm measured over body patt, 25 sts and 24 rows to 10 cm measured over sleeve patt, both using 3¾mm (US 5) needles.

BACK

Using 3mm (US 2/3) needles and yarn C cast on 94 [106: 118: 126: 138: 150: 162: 170] sts.

Row 1 (RS): K2, *P2, K2, rep from * to end.

Row 2: P2, *K2, P2, rep from * to end.

These 2 rows form rib.

Work 6 more rows in rib.

Change to yarn D and work 8 rows in rib.

Change to yarn B and work 8 rows in rib – [-: dec: inc: -: -: dec: inc] – [-: 2: 2: -: -: 2: 2] sts evenly across last row and ending with RS facing for next row.

94 [106: 116: 128: 138: 150: 160: 172] sts.

Change to 3¾mm (US 5) needles.

Beg and ending rows as indicated, using the **intarsia** technique as described on the information page and repeating the 74 row patt rep throughout, now work in patt from chart for body, which is worked with all yarn E stitches in st st, and all yarn A stitches in reverse st st as follows:

Inc 1 st at each end of the 13th [13th: 13th: 13th: 13th: 13th: 15th] and 5 [4: 3: 3: 2: 1: 7: 7] foll 14th [14th: 14th: 14th: 14th: 14th: 16th: 16th] rows, then on 2 [3: 4: 4: 5: 6: 0: 0] foll 16th rows taking inc sts into patt.

110 [122: 132: 144: 154: 166: 176: 188] sts.

Work 59 [63: 65: 71: 73: 77: 81: 85] rows, ending after chart row 26 [32: 36: 42: 46: 52: 58: 64] and with RS facing for next row. (Work should meas approx.

70 [72: 74: 76: 78: 80: 82: 84] cm.)

Shape back neck

Next row (RS): Patt 40 [45: 49: 55: 59: 64: 69: 74] sts and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 5 rows.

35 [40: 44: 50: 54: 59: 64: 69] sts.

Cast off.

With RS facing, slip centre 30 [32: 34: 34: 36: 38: 38: 40] sts onto a holder (for neckband), rejoin yarn to rem sts and patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 3mm (US 2/3) needles and yarn C cast on 46 [50: 54: 62: 66: 70: 78: 82] sts.

Work in rib and stripe sequence as given for back for 24 rows, dec [-: -: dec: -: inc: dec: -] 2 [-: -: 2: -: 2: 2: -] sts evenly across last row and ending with RS facing for next row. 44 [50: 54: 60: 66: 72: 76: 82] sts.

Change to 3¾mm (US 5) needles.

Beg and ending rows as indicated and using the **intarsia** technique as described on the information page, now work in patt from chart for body, which is worked with all yarn E stitches in st st, and all yarn A stitches in reverse st st as follows:

Inc 1 st at beg of the 13th [13th: 13th: 13th: 13th: 13th: 15th] and 5 [4: 3: 3: 2: 1: 7: 7] foll 14th [14th: 14th: 14th: 14th: 14th: 16th: 16th] rows, then on 2 [3: 4: 4: 5: 6: 0: 0] foll 16th rows taking inc sts into patt.

52 [58: 62: 68: 74: 80: 84: 90] sts.

Work a further 11 [15: 15: 21: 21: 25: 29: 29] rows, ending after chart row 52 [58: 60: 66: 68: 74: 6: 8] and with RS facing for next row. (Work should meas approx. 53 [55: 56: 58: 59: 61: 63: 64] cm.)


Shape front slope

Keeping patt correct dec 1 st at end of next and foll 6 [8: 7: 7: 10: 12: 10: 10] alt rows then on 10 [9: 10: 10: 9: 8: 9: 10] foll 4th rows.

35 [40: 44: 50: 54: 59: 64: 69] sts.

Work 1 row, ending after chart row 32 [38: 42: 48: 52: 58: 64: 70] and with RS facing for next row.

Cast off in patt.



RIGHT FRONT

Using 3mm (US 2/3) needles and yarn C cast on 46 [50: 54: 62: 66: 70: 78: 82] sts.

Work in rib and stripe sequence as given for back for 24 rows, dec [-: -: dec: -: inc: dec: -] 2 [-: -: 2: -: 2: -] sts evenly across last row and ending with RS facing for next row. 44 [50: 54: 60: 66: 72: 76: 82] sts.

Change to 3¾mm (US 5) needles.

Beg and ending rows as indicated and using the **intarsia** technique as described on the information page, now work in patt from chart for body, which is worked with all yarn E stitches in st st, and all yarn A stitches in reverse st st as follows:

Inc 1 st at end of the 13th [13th: 13th: 13th: 13th: 13th: 13th: 15th] and 5 [4: 3: 3: 2: 1: 7: 7] foll 14th [14th: 14th: 14th: 14th: 14th: 16th: 16th] rows, then on 2 [3: 4: 4: 5: 6: 0: 0] foll 16th rows taking inc sts into patt.

52 [58: 62: 68: 74: 80: 84: 90] sts.

Work a further 11 [15: 15: 21: 21: 25: 29: 29] rows, ending after chart row 52 [58: 60: 66: 68: 74: 6: 8] and with RS facing for next row. (Work should meas approx.

53 [55: 56: 58: 59: 61: 63: 64] cm.)

Shape front slope

Keeping patt correct dec 1 st at beg of next and foll 6 [8: 7: 7: 10: 12: 10: 10] alt rows then on 10 [9: 10: 10: 9: 8: 9: 10] foll 4th rows.

35 [40: 44: 50: 54: 59: 64: 69] sts.

Work 1 row, ending after chart row 32 [38: 42: 48: 52: 58: 64: 70] and with RS facing for next row.

Cast off in patt.

SLEEVES

Using 3mm (US 2/3) needles and yarn C cast on 44 [47: 47: 50: 53: 56: 56: 56] sts.

Row 1 (RS): K1, *K2, P1, rep from * to last st, K1.

Row 2: K1, *K1, P2, rep from * to last st, K1.

These 2 rows form rib.

Work 6 more rows in rib.

Change to yarn D and work 8 rows in rib.

Change to yarn B and work 7 rows in rib ending with **WS** facing for next row.

Next row (WS): P5 [6: 4: 4: 6: 6: 6: 6], M1P, (P7 [9: 5: 6: 7: 9: 9: 5], M1P) 5 [4: 8: 7: 6: 5: 5: 9] times, P to end.

50 [52: 56: 58: 60: 62: 62: 66] sts.

Change to 3¾mm (US 5) needles.

Beg and ending rows as indicated, using the **fairisle** technique as described on the information page, repeating the 20 st patt rep 2 [2: 2: 2: 3: 3: 3: 3] times across each row and repeating the 14 row patt rep throughout, now work in patt from chart for sleeve, which is worked with all yarn E stitches in st st, and all yarn A stitches in reverse st st as follows:

Inc 1 st at each end of the next and the foll 5 [9: 10: 13: 18: 24: 27: 29] alt rows, then on 19 [18: 19: 18: 16: 13: 12: 11] foll 4th rows taking inc sts into patt. 100 [108: 116: 122: 130: 138: 142: 148] sts.

Work 1 row in patt, ending with RS facing for next row. (Sleeve should meas approx. 44.5 [46.5: 48.5: 49.5: 50.5: 50.5: 51.5: 51.5] cm.)

Break of yarns A and E.

Using yarn C only, cont as folls:

Next row (RS): K3 [3: 3: 6: 2: 2: 4: 3], K2tog, (K2, K2tog) 23 [25: 27: 27: 31: 33: 33: 35] times, K to end. 76 [82: 88: 94: 98: 104: 108: 112] sts.

Next row (WS): *P1, K1, rep from * to end.

Next row: *K1, P1, rep from * to end.

The last 2 rows form moss st.

Work a further 7 rows in moss st, ending with RS facing for next row.

Cast off.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Front band

With RS facing, using 3mm (US 2/3) circular needle and yarn C, beg and ending at front cast-on edges, pick up and knit 117 [121: 123: 127: 129: 135: 139: 141] sts up right front opening edge to beg of front slope shaping, 44 [45: 48: 50: 53: 54: 54: 57] sts up right front slope and 5 sts down right side of back neck, K across 30 [32: 34: 34: 36: 38: 38: 40] sts on back holder, pick up and knit 5 sts up left side of back neck, 44 [45: 48: 50: 53: 54: 54: 57] sts down left front slope to beg of front slope shaping, 117 [121: 123: 127: 129: 135: 139: 141] sts down left front opening edge.

362 [374: 386: 398: 410: 426: 434: 446] sts.

Beg with row 2, in rib as given for back for 3 rows, ending with RS facing for next row.

For a female

Next row (RS): Rib 4 [3: 4: 3: 4: 4: 3: 4], (work 2tog, yrn (to make buttonhole), rib 16 [17: 17: 18: 18: 19: 20: 20]) 6 times, work 2tog, yrn (to make 7th buttonhole), rib to end.

For a male


Next row (RS): Rib 247 [254: 265: 272: 283: 293: 296: 307], (work 2tog, yrn (to make buttonhole), rib 16 [17: 17: 18: 18: 19: 20: 20]) 6 times, work 2tog, yrn (to make 7th buttonhole), rib to end.

Work 3 more rows in rib.


Cast off in rib.

Mark points along side seam edges 20 [21.5: 23: 24.5: 26: 27.5: 28.5: 29.5] cm either side of shoulder seams (to denote base of armhole openings).

See information page for finishing instructions, setting in sleeves using the straight cast-off method.



Key
 □ K on RS, P on WS in yarn E
 ◻ P O



TENSION

Obtaining the correct tension is perhaps the single factor which can make the difference between a successful garment and a disastrous one. It controls both the shape and size of an article, so any variation, however slight, can distort the finished garment. Different designers feature in our books and it is **their** tension, given at the **start** of each pattern, which you must match. We recommend that you knit a square in pattern and/or stocking stitch (depending on the pattern instructions) of perhaps 5 - 10 more stitches and 5 - 10 more rows than those given in the tension note. Mark out the central 10cm square with pins. If you have too many stitches to 10cm try again using thicker needles, if you have too few stitches to 10cm try again using finer needles. Once you have achieved the correct tension your garment will be knitted to the measurements indicated in the size diagram shown at the end of the pattern.

CHART NOTE

Many of the patterns in the book are worked from charts. Each square on a chart represents a stitch and each line of squares a row of knitting. Each colour used is given a different letter and these are shown in the **materials** section, or in the **key** alongside the chart of each pattern. When working from the charts, read odd rows (RS) from right to left and even rows (WS) from left to right, unless otherwise stated. When working lace from a chart it is important to note that all but the largest size may have to alter the first and last few stitches in order not to lose or gain stitches over the row.

WORKING A LACE PATTERN

When working a lace pattern it is important to remember that if you are unable to work both the increase and corresponding decrease and vice versa, the stitches should be worked in stocking stitch.

KNITTING WITH COLOUR

There are two main methods of working colour into a knitted fabric: **Intarsia** and **Fairisle** techniques. The first method produces a single thickness of fabric and is usually used where a colour is only required in a particular area of a row and does not form a repeating pattern across the row, as in the fairisle technique.

Fairisle type knitting: When two or three colours are worked repeatedly across a row, strand the yarn **not** in use loosely behind the stitches being worked. If you are working with more than two colours, treat the “floating” yarns as if they were one yarn and always spread the stitches to their correct width to keep them elastic. It is advisable not to carry the stranded or “floating” yarns over more than three stitches at a time, but to weave them under and over the colour you are working. The “floating” yarns are therefore caught at the back of the work.

Intarsia: The simplest way to do this is to cut short lengths of yarn for each motif or block of colour used in a row. Then joining in the various colours at the appropriate point on the row, link one colour to the next by twisting them around each other where they meet on the wrong side to avoid gaps. All ends can then either be darned along the colour join lines, as each motif is completed or then can be “knitted-in” to the fabric of the knitting as each colour is worked into the pattern. This is done in much the same way as “weaving-in” yarns when working the Fairisle technique and does save time darning-in ends. It is essential that the tension is noted for intarsia as this may vary from the stocking stitch if both are used in the same pattern.

FINISHING INSTRUCTIONS

After working for hours knitting a garment, it seems a great pity that many garments are spoiled because such little care is taken in the pressing and finishing process. Follow the text below for a truly professional-looking garment.

PRESSING

Block out each piece of knitting and following the instructions on the ball band press the garment pieces, omitting the ribs. Tip: Take special care to press the edges, as this will make sewing up both easier and neater. If the ball band indicates that the fabric is not to be pressed, then covering the blocked out fabric with a damp white cotton cloth and leaving it to stand will have the desired effect. Darn in all ends neatly along the selvage edge or a colour join, as appropriate.

STITCHING

When stitching the pieces together, remember to match areas of colour and texture very carefully where they meet. Use a seam stitch such as back stitch or mattress stitch for all main knitting seams and join all ribs and neckband with mattress stitch, unless otherwise stated.

CONSTRUCTION

Having completed the pattern instructions, join left shoulder and neckband seams as detailed above. Sew the top of the sleeve to the body of the garment using the method detailed in the pattern, referring to the appropriate guide:

Straight cast-off sleeves: Place centre of cast-off edge of sleeve to shoulder seam. Sew top of sleeve to body, using markers as guidelines where applicable.

Square set-in sleeves: Place centre of cast-off edge of sleeve to shoulder seam. Set sleeve head into armhole, the straight sides at top of sleeve to form a neat right-angle to cast-off sts at armhole on back and front.

Shallow set-in sleeves: Place centre of cast off edge of sleeve to shoulder seam. Match decreases at beg of armhole shaping to decreases at top of sleeve. Sew sleeve head into armhole, easing in shapings.

Set-in sleeves: Place centre of cast-off edge of sleeve to shoulder seam. Set in sleeve, easing sleeve head into armhole.

Join side and sleeve seams. Slip stitch pocket edgings and linings into place.

Sew on buttons to correspond with buttonholes. Ribbed welts and neckbands and any areas of garter stitch should not be pressed.

INFORMATION

ABBREVIATIONS

K	knit
P	purl
st(s)	stitch(es)
inc	increas(e)(ing)
dec	decreas(e)(ing)
st st	stocking stitch (1 row K , 1 row P)
g st	garter stitch (K every row)
beg	begin(ning)
fol	following
rem	remain(ing)
rev st st	reverse stocking stitch (1 row P, 1 row K)
rep	repeat
alt	alternate
cont	continue
patt	pattern
tog	together
mm	millimetres
cm	centimetres
in(s)	inch(es)
RS	right side
WS	wrong side
sl 1	slip one stitch
psso	pass slipped stitch over
p2sso	pass 2 slipped stitches over
tbl	through back of loop
M1	make one stitch by picking up horizontal loop before next stitch and knitting into back of it
M1P	make one stitch by picking up horizontal loop before next stitch and purling into back of it
yfwd	yarn forward
yrn	yarn round needle
meas	measures
0	no stitches, times or rows
-	no stitches, times or rows for that size
yon	yarn over needle
yfrn	yarn forward round needle
wyib	with yarn at back

CROCHET TERMS

UK crochet terms and abbreviations have been used throughout. The list below gives the US equivalent where they vary.

ABBREV.	UK	US
dc (sc)	double crochet	(single crochet)
htr (hdc)	half treble	(half double crochet)
tr (dc)	treble	(double crochet)
dtr (tr)	double treble	(treble)

EXPERIENCE RATING - for guidance only

● = Beginner Techniques

For the beginner knitter, basic garment shaping and straight forward stitch technique.

●● = Simple Techniques

Simple straight forward knitting, introducing various, shaping techniques and garments.

●●● = Experienced Techniques

For the more experienced knitter, using more advanced shaping techniques at the same time as colourwork or more advanced stitch techniques.

●●●● = Advanced Techniques

Advanced techniques used, using advanced stitches and garment shaping along with more challenging techniques

BUTTONS, BEADS AND RIBBONS USED IN THIS MAGAZINE ARE SOURCED FROM:



Bedecked Haberdashery

The Coach House
Barningham Park
Richmond
North Yorkshire
DL11 7DW
TEL: +44 (0) 1833 621 451
eMail: thegirls@bedecked.co.uk
Web: www.bedecked.co.uk

Debbie Abrahams

Website: www.debbieabrahams.com
Email: beads@debbieabrahams.com
Tel: 0115 9607991


Groves & Banks

Eastern Bypass
Thame
Oxfordshire
OX9 3FU
eMail: groves@stockistenquiries.co.uk
Web: www.grovesltd.co.uk

WASH CARE INFORMATION

Below are the symbols you are likely to see and a brief explanation of each.


MACHINE WASH SYMBOLS




HAND WASH SYMBOLS



DRY CLEAN SYMBOLS




IRONING SYMBOLS



DO NOT BLEACH SYMBOL



DRYING SYMBOLS



SIZING GUIDE

When you knit and wear a Rowan design we want you to look and feel fabulous. This all starts with the size and fit of the design you choose. We have recently increased our size range to help you achieve the best fit for your knitwear.


Our womenswear sizes range from 28” (71cm) through to 62” (157cm) chest. Whilst our menswear and unisex sizes range from 32” (81cm) to 62” (157cm).

The Dimensions in the charts below are body measurements, not garment dimensions, therefore please refer to the measuring guide to help you to determine which is the best size for you to knit.

STANDARD WOMENS SIZING GUIDE

The sizing within this chart is also based on the larger size within the range.


To fit chest:	28 - 30	32 - 34	36 - 38	40 - 42	44 - 46	48 - 50	52 - 54	56 - 58	60 - 62	inches
	71 - 76	81 - 86	91 - 97	102 - 107	112 - 117	122 - 127	132 - 137	142 - 147	152 - 157	cm
To fit waist:	20 - 22	24 - 26	28 - 30	32 - 34	36 - 38	40 - 42	44 - 46	48 - 50	52 - 54	inches
	51 - 56	61 - 66	71 - 76	81 - 86	91 - 97	102 - 107	112 - 117	122 - 127	132 - 137	cm
To fit hips:	30 - 32	34 - 36	38 - 40	42 - 44	46 - 48	50 - 52	54 - 56	58 - 60	62 - 64	inches
	76 - 81	86 - 91	97 - 102	107 - 112	117 - 122	127 - 132	137 - 142	147 - 152	157 - 163	cm



STANDARD MENS AND UNISEX SIZING GUIDE

The sizing within this chart is also based on the larger size within the range.


To fit chest:	32 - 34	36 - 38	40 - 42	44 - 46	48 - 50	52 - 54	56 - 58	60 - 62	inches
	81 - 86	91 - 97	102 - 107	112 - 117	122 - 127	132 - 137	142 - 147	152 - 157	cm
To fit waist:	24 - 26	28 - 30	32 - 34	36 - 38	40 - 42	44 - 46	48 - 50	52 - 54	inches
	61 - 66	71 - 76	81 - 86	91 - 97	102 - 107	112 - 117	122 - 127	132 - 137	cm



SIZING GUIDE

SIZING & SIZE DIAGRAM NOTE

The instructions are given for the smallest size. Where they vary, work the figures in brackets for the larger sizes. One set of figures refers to all sizes. Included with most patterns is a size diagram, see image opposite of the finished garment and its dimensions. The measurement shown at the bottom of each size diagram shows the garment width. The size diagram will also indicate how the garment is constructed, for example if the garment has a drop shoulder, this will be reflected in the drawing. To help you choose the size of garment to knit please refer to the sizing guide. Generally in the majority of designs the welt width (at the cast on edge of the garment) is the same width as the chest. If you don't want to measure yourself, note the size of a similar shaped garment that you own and compare it with the size diagram given at the end of the pattern.



MEASURING GUIDE

For maximum comfort and to ensure the correct fit when choosing a size to knit, please follow the tips below when checking your size. Measure yourself close to your body, over your underwear and don't pull the tape measure too tight!

Bust/chest | measure around the fullest part of the bust/chest and across the shoulder blades.

Waist | measure around the natural waistline, just above the hip bone.

Hips | measure around the fullest part of the bottom.

Finally, once you have decided which size is best for you, please ensure that you achieve the tension required for the design you wish to knit.

Remember if your tension is too loose, your garment will be bigger than the pattern size and you may use more yarn. If your tension is too tight, your garment could be smaller than the pattern size and you will have yarn left over.

Furthermore if your tension is incorrect, the handle of your fabric will be too stiff or floppy and will not fit properly. It really does make sense to check your tension before starting every project.

R O W A N

Carnation

By Marie Wallin





Carnation

by Marie Wallin



SIZE

S	M	L	XL	XXL	
To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

YARN

Kidsilk Haze

6	6	7	7	7	x 25gm
---	---	---	---	---	--------

(photographed in Peacock 671)

NEEDLES

- 1 pair 2¾mm (no 12) (US 2) needles
- 1 pair 3¼mm (no 10) (US 3) needles

TENSION

25 sts and 34 rows to 10 cm measured over st st using 3¼mm (US 3) needles.

BACK

Using 2¾mm (US 2) needles, cast on 169 [177: 185: 193: 199] sts.

Row 1 (RS): *K1, P1, rep from * to last st, K1.

Row 2: *P1, K1, rep from * to last st, P1.

These 2 rows form rib.

Work in rib for a further 16 rows, ending with RS facing for next row.

Change to 3¼mm (US 3) needles. **

Row 1 (RS): K84 [88: 92: 96: 99], yfwd, sl 1, K1, pssso, K to end.

Row 2 and every foll alt row: Purl.

Row 3: K82 [86: 90: 94: 97], K2tog, yfwd, K1, yfwd, sl 1, K1, pssso, K to end.

Row 5: K81 [85: 89: 93: 96], K2tog, yfwd, K3, yfwd, sl 1, K1, pssso, K to end.

Row 7: K80 [84: 88: 92: 95], K2tog, yfwd, K5, yfwd, sl 1, K1, pssso,

K to end.

Row 8: Purl.

These 8 rows form patt.

Cont in patt until back meas 60 [62: 64: 66: 68] cm, ending with RS facing for next row.

Shape shoulders

Keeping patt correct, cast off 5 [5: 5: 6: 6] sts at beg of next 6 [6: 2: 6: 6] rows, then 0 [0: 6: 0: 0] sts at beg of foll 0 [0: 4: 0: 0] rows. 139 [147: 151: 157: 163] sts.

Shape back neck

Next row (RS): Cast off 5 [5: 6: 6: 6] sts, K until there are 42 [46: 46: 49: 51] sts on right needle and turn, leaving rem sts on a holder. Work each side of neck separately.

Dec 1 st at neck edge of next 10 rows **and at same time** cast off 5 [6: 6: 6: 6] sts at beg of 2nd row, then 5 [6: 6: 6: 7] sts at beg of foll 3 [2: 2: 2: 2] alt rows, then 6 [6: 6: 7: 7] sts at beg of foll 1 [2: 2: 2: 2] alt rows.

Work 1 row, ending with RS facing for next row.

Cast off rem 6 [6: 6: 7: 7] sts.

With RS facing, slip centre 45 [45: 47: 47: 49] sts onto a holder, rejoin yarn to rem sts and K to end.

Complete to match first side, reversing shapings.

FRONT

Work as given for back to **.

Next row (RS): K2, wrap next st (by slipping next st from left needle onto right needle, taking yarn to opposite side of work between needles and then slipping same st back onto left needle – when working back across wrapped sts, work the wrapping loop and the wrapped st together as one st) and turn.

Next row: Purl.

Next row: K4, wrap next st and turn.

Cont in this way, working 2 sts more before wrapping on every RS row until the foll row has been worked:

Next row (RS): K34, wrap next st and turn.

Next row: Purl.

Next row: K84 [88: 92: 96: 99], yfwd, sl 1, K1, pss0, K to end.

Next row (WS): P2, wrap next st and turn.

Next row: Knit.

Next row: P4, wrap next st and turn.

Cont in this way, working 2 sts more before wrapping on every **WS** row until the foll row has been worked:

Next row (WS): P34, wrap next st and turn.

Next row: Knit.

Next row: P across all sts.

Beg with row 3 of patt as given for back, cont straight until 20 [20: 24: 24: 28] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape neck

Next row (RS): K64 [68: 72: 76: 79], and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 4 rows, then on foll 3 alt rows, then on 2 [2: 3: 3: 4] foll 4th rows.

55 [59: 62: 66: 68] sts.

Work 1 row, ending with RS facing for next row.

Shape shoulder

Cast off 5 [5: 5: 6: 6] sts at beg of next and foll 7 [3: 0: 6: 4] alt rows, then 6 [6: 6: 7: 7] sts at beg of foll 1 [5: 8: 2: 4] alt rows **and at same time** dec 1 st at neck edge of 3rd row, then on 2 foll 4th rows.

Work 1 row, ending with RS facing for next row.

Cast off rem 6 [6: 6: 7: 7] sts.

With RS facing, slip centre 41 sts onto a holder, rejoin yarn to rem sts and K to end.

Complete to match first side, reversing shapings.

SLEEVES

Using 2¾mm (US 2) needles, cast on 45 [47: 51: 51: 53] sts.

Work 18 rows in rib, ending with RS facing for next row.

Change to 3¼mm (US 3) needles.

Beg with a K row, work in st st inc 1 st at each end of 5th row, then on every foll 4th row to 51 [55: 61: 73: 87] sts, then on every foll 6th row until there are 75 [79: 85: 89: 95] sts.

Cont straight until sleeve meas 34 [35: 36: 36: 36] cm, ending with RS facing for next row.

Cast off.

MAKING UP

Press as described on the information page.

Join right shoulder seam using back stitch, or mattress stitch if preferred.

Neckband

With RS facing and using 2¾mm (US 2) needles, pick up and knit 32 [32: 35: 35: 38] sts down left side of front neck, knit across 41 sts on front holder, pick up and knit 32 [32: 35: 35: 38] sts up right side of neck, 11 sts from right side of back neck, knit across 45 [45: 47: 47: 49] sts from back holder dec 1 st, at centre and pick up and knit 11 sts from left side of back neck.


171 [171: 179: 179: 187] sts.

Beg with row 2, work 12 rows in rib as given for back, ending with **WS** facing for next row.

Cast off in rib on **WS**.

Join left shoulder and neckband seam. Mark points along side seam edge 16 [17: 18: 19: 20] cm either side of shoulder seams (to denote base of armhole openings).

See information page for finishing instructions, setting in sleeves using the straight cast-off method.



If you're having difficulty viewing or printing our PDF patterns, please ensure you have the latest version of Adobe Acrobat Reader. Download the latest version here; <http://get.adobe.com/reader/>

All right reserved. Reproduction in whole or any part of all material, including illustrations and designs, in this publication/pattern is strictly forbidden and is sold on the condition that it is used for non commercial purposes. No part may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise without prior permission of the copyright owners having been given in writing. Yarn quantities are approximate and are based on average requirements. Images and shades are for guidance only as colours may not display accurately on screen or in printed format. Contact your local stockist to view a fringed (not digital reproduction) yarn shade card.

© Copyright Mez Crafts UK 2015 Green Lane Mill, Holmfirth, West Yorkshire, England, HD9 2DX E-mail: mail@knitrowan.com Web: www.knitrowan.com

R O W A N

ROWAN



CORALLINA

By Martin Storey

ROWEB-MAY17

v.1





CORALLINA

by Martin Storey



v.1

SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual bust measurement of garment

90	100	110	120	130	cm
35½	39½	43½	47	51	in

YARN

Softyak DK

A Plateau 239					
3	4	4	4	5	x 50gm
B Cream 230					
3	3	3	4	4	x 50gm
C Prairie 233					
2	2	3	3	3	x 50gm
D Steppe 231					
3	3	4	4	4	x 50gm

More Yarn
Information

on knitrowan.com

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles

BUTTONS - 4 x BN 1366 from Bedecked. Please see information page for contact details

TENSION

24 sts and 47 rows to 10 cm measured over g st using 3¼mm (US 3) needles.

STRIPE SEQUENCE

Rows 1 to 40: Using yarn A.

Rows 41 to 80: Using yarn B.

Rows 81 to 120: Using yarn C.

Rows 121 to 160: Using yarn D.

These 160 rows form stripe sequence and are repeated.

BACK

Using 3¼mm (US 3) needles and yarn A cast on 110 [122: 134: 146: 158] sts.

Beg with stripe sequence row 1, now work in g st in stripe sequence (see above) throughout as follows:

Cont straight until back meas 5 [6: 7: 9: 10] cm, ending with RS facing for next row.

Dec 1 st at each end of next and 5 foll 8th rows.

98 [110: 122: 134: 146] sts.

Work 21 rows, ending with RS facing for next row.

Inc 1 st at each end of next and 4 foll 16th rows.

108 [120: 132: 144: 156] sts.

Cont straight until back meas approx 36 [36.5: 37: 37.5: 38] cm, ending after stripe row 10 [12: 14: 16: 18] and with RS facing for next row.

Shape raglan armholes

Keeping stripes correct, cast off 3 sts at beg of next 2 rows.

102 [114: 126: 138: 150] sts.

Next row (RS): K3, K2tog, K to last 5 sts, K2tog tbl, K3.

Next row: (K3, K2tog tbl) 0 [1: 1: 1: 1] times, K to last 0 [5: 5: 5: 5] sts, (K2tog, K3) 0 [1: 1: 1: 1] times.

Working all raglan armhole decreases as set by last 2 rows, dec 1 st at each end of 3rd [next: next: next: next] and foll 0 [0: 4: 8: 12] rows, then on foll 25 [30: 31: 33: 34] alt rows. 48 [48: 50: 50: 52] sts. Work 1 row, ending after stripe row 68 [78: 86: 96: 104] and with RS facing for next row.

Cast off.

LEFT FRONT

Using 3¼mm (US 3) needles and yarn A cast on 59 [65: 71: 77: 83] sts. Beg with stripe sequence row 1 (see above), cont as follows:

Row 1 (RS): Knit.

Row 2: Sl 1, K to end.

These 2 rows set the sts – front opening edge st worked as a slip st at beg of every WS row and all other sts in g st.

Keeping sts and stripe sequence correct throughout as now set, cont as follows:

Cont straight until left front meas 5 [6: 7: 9: 10] cm, ending with RS facing for next row.

Dec 1 st at beg of next and 5 foll 8th rows. 53 [59: 65: 71: 77] sts.

Work 21 rows, ending with RS facing for next row.

Inc 1 st at beg of next and 4 foll 16th rows. 58 [64: 70: 76: 82] sts.

Cont straight until left front matches back to beg of raglan armhole shaping, ending with RS facing for next row.

Shape raglan armhole

Keeping stripes correct, cast off 3 sts at beg of next row.

55 [61: 67: 73: 79] sts.

Work 1 row.

Working all raglan armhole decreases as set by back, dec 1 st at raglan armhole edge of next 1 [3: 7: 11: 15] rows, then on 1 [0: 0: 0:

0] foll 4th row, then on foll 16 [21: 19: 21: 20] alt rows.

37 [37: 41: 41: 44] sts.

Work 1 row, ending after stripe row 50 [60: 62: 72: 76] and with RS facing for next row.

Shape front neck

Next row (RS): K3, K2tog, K to last 15 [15: 13: 13: 12] sts, cast off rem 15 [15: 13: 13: 12] sts. 21 [21: 27: 27: 31] sts.

Rejoin appropriate yarn with **WS** facing and, working all front neck decreases in same way as raglan armhole decreases, cont as folls:

Keeping stripes correct, dec 1 st at neck edge on next 6 rows, then on foll 2 [2: 5: 5: 7] alt rows **and at same time** dec 1 st at raglan armhole edge on 2nd and foll 4 [4: 7: 7: 9] alt rows. 8 sts.

Work 1 row, ending with RS facing for next row.

Next row (RS): K3, sl 1, K2tog, pssso, K2. 6 sts.

Work 1 row.

Next row: K3, sl 1, K2tog, pssso. 4 sts.

Work 1 row.

Next row: K1, sl 1, K2tog, pssso. 2 sts.

Work 1 row.

Next row: K2tog and fasten off.

RIGHT FRONT

Using 3¼mm (US 3) needles and yarn A cast on 59 [65: 71: 77: 83] sts. Beg with stripe sequence row 1 (see above), cont as folls:

Row 1 (RS): Sl 1, K to end.

Row 2: Knit.

These 2 rows set the sts – front opening edge st worked as a slip st at beg of every RS row and all other sts in g st.

Keeping sts and stripe sequence correct throughout as now set, cont as folls:

Cont straight until right front meas 5 [6: 7: 9: 10] cm, ending with RS facing for next row.

Dec 1 st at end of next and 5 foll 8th rows. 53 [59: 65: 71: 77] sts.

Work 21 rows, ending with RS facing for next row.

Inc 1 st at end of next and 4 foll 16th rows. 58 [64: 70: 76: 82] sts.

Cont straight until 6 [6: 6: 8: 12] rows less have been worked than on back to beg of raglan armhole shaping, ending after stripe row 4 [6: 8: 8: 6] and with RS facing for next row.

Next row (RS): Sl 1, K2, cast off 2 sts (to make a buttonhole – cast on 2 sts over these cast-off sts on next row), K to end.

Working a further 3 buttonholes in this way on every foll 14th [16th: 16th: 20th: 22nd] row, complete to match left front, reversing shapings and working first row of neck shaping as folls:

Shape front neck

Next row (RS): Cast off 15 [15: 13: 13: 12] sts, K to last 5 sts, K2tog tbl, K3. 21 [21: 27: 27: 31] sts.

SLEEVES

Using 3¼mm (US 3) needles and yarn D cast on 56 [58: 60: 60: 62] sts. Beg with stripe sequence row **121**, now work in g st in stripe sequence (see above) throughout as folls:

Inc 1 st at each end of 13th [11th: 9th: 7th: 7th] and every foll 14th [12th: 10th: 8th: 8th] row to 62 [80: 74: 78: 98] sts, then on every foll 16th [14th: 12th: 10th: 10th] row until there are 80 [88: 94: 102: 108] sts.

Cont straight until sleeve meas approx 45 [45: 46: 46: 46] cm, ending after stripe row 10 [12: 14: 16: 18] and with RS facing for next row.

Shape raglan

Keeping stripes correct, cast off 3 sts at beg of next 2 rows. 74 [82: 88: 96: 102] sts.

Working all raglan decreases in same way as raglan armhole decreases, dec 1 st at each end of next and 9 foll 4th rows, then on every foll alt row until 36 sts rem.


Work 1 row, ending after stripe row 68 [78: 86: 96: 104] and with RS facing for next row.

Cast off.

MAKING UP

Press as described on the information page.

Join all raglan seams using back stitch, or mattress stitch if preferred. See information page for finishing instructions.



Information
Pages

R O W A N



Core

By Kim Hargreaves



Core

by Kim Hargreaves



YARN

	XS	S	M	L	XL	
To fit bust	81	86	91	97	102	cm
	32	34	36	38	40	in
Rowan Handknit DK Cotton	12	13	13	14	14	x50gm
Rowan Denim	13	14	15	15	16	x50gm

NEEDLES

1 pair 3½mm (no 10) (US 3) needles
1 pair 4mm (no 8) (US 6) needles

BUTTONS - 9

TENSION

Handknit DK Cotton: 20 sts and 28 rows to 10 cm measured over stocking stitch using 4mm (US 6) needles.

Denim: Before washing 20 sts and 28 rows to 10 cm measured over stocking stitch using 4mm (US 6) needles.

Tension note: Denim will shrink in length when washed for the first time. Allowances have been made in this pattern for shrinkage (see size diagram for after washing measurements).

Pattern note: Pattern is written for Handknit DK Cotton with alterations for Denim given in bold afterwards in brackets. Where no bold figures are given, instructions are same for both yarns unless stated otherwise.

BACK

Cast on 81 (85: 91: 95: 101) sts using 3½mm (US 3) needles.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: As row 1.

These 2 rows form moss st.

Work a further 8 rows in moss st, ending with a WS row.

Change to 4mm (US 6) needles.

Next row (RS): P21 (22: 24: 25: 27), K2, P1, K33 (35: 37: 39: 41), P1, K2, P21 (22: 24: 25: 27).

Next row: K21 (22: 24: 25: 27), P2, K1, P33 (35: 37: 39: 41), K1, P2,

K21 (22: 24: 25: 27).

These 2 rows set the sts.

Keeping patt correct as set, cont as folls:

Work a further 4 (6: 6: 6: 6) rows for Handknit DK Cotton, or 6 (8: 8: 8: 8) rows for Denim.

Next row (RS) (inc): P21 (22: 24: 25: 27), K2, P1, M1, K33 (35: 37: 39: 41), M1, P1, K2, P21 (22: 24: 25: 27).

83 (87: 93: 97: 103) sts.

Next row: K21 (22: 24: 25: 27), P2, K1, P35 (37: 39: 41: 43), K1, P2, K21 (22: 24: 25: 27).

Working all increases as set by last 2 rows, inc 1 st at either side of centre panel on every foll 8th (10th) row until there are 97 (101: 107: 111: 117) sts, taking inc sts into st st.

Cont straight until back measures 28 (29: 29: 30: 30) cm for Handknit DK Cotton, **or 32.5 (34: 34: 35: 35) cm for Denim**, ending with a WS row.

Shape armholes

Keeping patt correct, cast off 4 sts at beg of next 2 rows. 89 (93: 99: 103: 109) sts. Dec 1 st at each end of next 7 (7: 9: 9: 11) rows, then on foll alt row. 73 (77: 79: 83: 85) sts.

Work 1 row, ending with a WS row.

Next row (RS): P2tog, P to last 2 sts, P2tog.

Next row: Knit.

Beg with a K row, now cont in st st as folls:

Dec 1 st at each end of next and foll 1 (2: 2: 3: 3) alt rows. 67 (69: 71: 73: 75) sts.

Cont straight until armhole measures 21 (21: 22: 22: 23) cm for Handknit DK Cotton, **or 24.5 (24.5: 25.5: 25.5: 27) cm for Denim**, ending with a WS row.

Shape shoulders and back neck

Cast off 6 (6: 7: 7: 7) sts at beg of next 2 rows. 55 (57: 57: 59: 61) sts.

Next row (RS): Cast off 6 (6: 7: 7: 7) sts, K until there are 11 (11: 10: 10: 11) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 7 (7: 6: 6: 7) sts.

With RS facing, rejoin yarn to rem sts, cast off centre 21 (23: 23: 25: 25) sts, K to end.

Work to match first side, reversing shapings.

LEFT FRONT

Cast on 47 (49: 52: 54: 57) sts using 3½mm (US 3) needles.

Row 1 (RS): *K1, P1, rep from * to last 1 (1: 0: 0: 1) st, K1 (1: 0: 0: 1).

Row 2: K1 (1: 0: 0: 1), *P1, K1, rep from * to end.

These 2 rows form moss st.

Work a further 7 rows in moss st, ending with a RS row.

Row 10 (WS): Moss st 7 and slip these 7 sts onto a holder for button band, M1, moss st to end. 41 (43: 46: 48: 51) sts.

Change to 4mm (US 6) needles.

Next row (RS): P21 (22: 24: 25: 27), K2, P1, moss st 7, P1, K2, P7 (8: 9: 10: 11).

Next row: K7 (8: 9: 10: 11), P2, K1, moss st 7, K1, P2, K21 (22: 24: 25: 27).

These 2 rows set the sts.

Keeping sts correct as now set, cont as folls:

Work a further 12 (14: 14: 14: 14) rows for Handknit DK Cotton, **or 16 (18: 18: 18: 18) rows for Denim.**

Next row (RS) (inc): P21 (22: 24: 25: 27), K2, P1, M1, moss st 7, M1, P1, K2, P7 (8: 9: 10: 11).

Next row: K7 (8: 9: 10: 11), P2, K1, moss st 9, K1, P2, K21 (22: 24: 25: 27).

Working all increases as set by last 2 rows, inc 1 st at either side of moss st panel on every foll 16th (20th) row until there are 49 (51: 54: 56: 59) sts, taking inc sts into moss st.

Cont straight until left front matches back to beg of armhole shaping, ending with a WS row.

Shape armhole

Keeping patt correct, cast off 4 sts at beg of next row. 45 (47: 50: 52: 55) sts. Work 1 row.

Dec 1 st at armhole edge of next 7 (7: 9: 9: 11) rows, then on foll alt row. 37 (39: 40: 42: 43) sts.

Work 1 row, ending with a WS row.

Next row (RS): P2tog, P to end.

Next row: Knit.

Beg with a K row, now cont in st st as folls:

Dec 1 st at armhole edge of next and foll 1 (2: 2: 3: 3) alt rows. 34 (35: 36: 37: 38) sts.

Cont straight until 21 (21: 21: 23: 23) rows for Handknit DK Cotton, **or 25 (25: 25: 27: 27) rows for Denim**, less have been worked than on back to start of shoulder shaping, ending with a RS row.

Shape neck

Cast off 5 (6: 6: 6: 6) sts at beg of next row. 29 (29: 30: 31: 32) sts.

Dec 1 st at neck edge of next 5 rows, then on foll 4 (4: 4: 5: 5) alt rows for Handknit DK Cotton, **or 3 (3: 3: 4: 4) alt rows for Denim**, then every foll 4th row until 19 (19: 20: 20: 21) sts rem.

Work 3 (5) rows, ending with a WS row.

Shape shoulder

Cast off 6 (6: 7: 7: 7) sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 7 (7: 6: 6: 7) sts.

RIGHT FRONT

Cast on 47 (49: 52: 54: 57) sts using 31/4mm (US 3) needles.

Row 1 (RS): K1 (1: 0: 0: 1), *P1, K1, rep from * to end.

Row 2: *K1, P1, rep from * to last 1 (1: 0: 0: 1) st, K1 (1: 0: 0: 1).

These 2 rows form moss st.

Work a further 7 rows in moss st, ending with a RS row.

Row 10 (WS): Moss st to last 7 sts, M1 and turn, leaving last 7 sts on a holder for buttonhole band. 41 (43: 46: 48: 51) sts.

Change to 4mm (US 6) needles.

Next row (RS): P7 (8: 9: 10: 11), K2, P1, moss st 7, P1, K2, P21 (22: 24: 25: 27).

Next row: K21 (22: 24: 25: 27), P2, K1, moss st 7, K1, P2, K7 (8: 9: 10: 11).

These 2 rows set the sts.

Complete to match left front, reversing shapings.

LEFT SLEEVE

Sleeve front

Cast on 38 (38: 39: 40: 40) sts using 4mm (US 6) needles.

Row 1 (RS): (K1, P1) twice, K to end.

Row 2: P to last 5 sts, K1, (P1, K1) twice.

Rep last 2 rows 9 times more, inc 1 st at end of 9th (11th) of these rows.

39 (39: 40: 41: 41) sts.

Break yarn and leave sts on a holder.

Sleeve back

Cast on 14 (14: 15: 16: 16) sts using 4mm (US 6) needles.

Row 1 (RS): K to last 4 sts, (P1, K1) twice.

Row 2: K1, (P1, K1) twice, P to end.

Rep last 2 rows 9 times more, inc 1 st at beg of 9th (11th) of these rows. 15 (15: 16: 17: 17) sts.

Join sections

Handknit DK Cotton version

Next row (RS): Inc in first st of sleeve back, K to last 5 sts of this section then, with WS of sleeve front against RS of sleeve back, K tog first st of sleeve front with next st of sleeve back, K tog next 4 sts of sleeve front with rem 4 sts of sleeve back, K to last st of sleeve front, inc in last st.

51 (51: 53: 55: 55) sts.

Denim version

Next row (RS): K to last 5 sts of sleeve back then, with WS of sleeve front against RS of sleeve back, K tog first st of sleeve front with next st of sleeve back, K tog next 4 sts of sleeve front with rem 4 sts of sleeve back, K to end of sleeve front. 49 (49: 51: 53: 53) sts.

Both versions

Beg with a P row, cont in st st, inc 1 st at each end of every foll 10th (12th) row from previous inc until there are 55 (67: 67: 69: 65) sts for Handknit DK Cotton, **or 53 (67: 67: 69: 63) sts for Denim**, then on every foll 12th (-: 12th: 12th: 8th) row for Handknit DK Cotton, **or 14th (-: 14th: 14th: 10th) row for Denim**, until there are 65 (-: 69: 71: 73) sts.

Cont straight until sleeve measures 40 (40: 41: 41: 41) cm for Handknit DK Cotton, **or 46.5 (46.5: 48: 48: 48) cm for Denim**, ending with a WS row.

Shape top

Cast off 4 sts at beg of next 2 rows. 57 (59: 61: 63: 65) sts.

Dec 1 st at each end of next 5 rows, then on foll 3 alt rows.

Work 3 rows.

Dec 1 st at each end of next and every foll 4th row until 33 (37: 39: 43: 45) sts rem for Handknit DK Cotton, **or 29 (31: 33: 35: 37) sts rem for Denim.**

Work 1 row.

Dec 1 st at each end of next and foll alt row until 27 sts rem.

Dec 1 st at each end of next 3 rows, ending with a WS row. 21 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 13 sts.

RIGHT SLEEVE

Sleeve back

Cast on 14 (14: 15: 16: 16) sts using 4mm (US 6) needles.

Row 1 (RS): (K1, P1) twice, K to end.

Row 2: P to last 5 sts, K1, (P1, K1) twice.

Rep last 2 rows 9 times more, inc 1 st at end of 9th (11th) of these rows. 39 (39: 40: 41: 41) sts.

Break yarn and leave sts on a holder.

Sleeve front

Cast on 38 (38: 39: 40: 40) sts using 4mm (US 6) needles.

Row 1 (RS): K to last 4 sts, (P1, K1) twice.

Row 2: K1, (P1, K1) twice, P to end.

Rep last 2 rows 9 times more, inc 1 st at beg of 9th (11th) of these rows. 15 (15: 16: 17: 17) sts.

Join sections

Handknit DK Cotton version

Next row (RS): Inc in first st of sleeve front, K to last 5 sts of this section then, with WS of sleeve front against RS of sleeve back, K tog next st of sleeve front with first st of sleeve back, K tog rem 4 sts of sleeve front with next 4 sts of sleeve back, K to last st of sleeve back, inc in last st.

51 (51: 53: 55: 55) sts.

Denim version

Next row (RS): K to last 5 sts of sleeve front then, with RS of sleeve back against WS of sleeve front, K tog next st of sleeve front with first st of sleeve back, K tog rem 4 sts of sleeve front with next 4 sts of sleeve back, K to end of sleeve back. 49 (49: 51: 53: 53) sts.

Both versions

Complete as given for left sleeve.

MAKING UP

Handknit DK Cotton version

PRESS all pieces as described on the information page.

Denim version

Do not press.

Both versions

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Button band

Slip 7 sts left on holder for button band onto 3/4mm (US 3) needles and rejoin yarn with RS facing.

Cont in moss st as set until band, when slightly stretched, fits up left front to neck shaping, ending with a WS row.

Cast off.

Slip stitch band in place.

Mark positions for 5 buttons on this band – lowest button to come in 3rd row of band, top button 1.5 cm below neck shaping and rem 3 buttons evenly spaced between.

Buttonhole band

Work as given for button band, rejoining yarn with WS facing and with the addition of 5 buttonholes to correspond with positions marked for buttons worked as follows:

Buttonhole row (RS): Moss st 2, cast off 2 sts, moss st to end and back, casting on 2 sts over those cast off on previous row.

Slip stitch band in place.

Collar

Cast on 83 (87: 87: 95: 95) sts using 3/4mm (US 3) needles.

Row 1 (RS): K3, (P1, K1) to last 4 sts, P1, K3.

Row 2: K1, P2, K2, (P1, K1) to last 4 sts, K1, P2, K1.

These 2 rows set the sts.

Keeping sts correct as set, cont as follows:

Row 3 (RS): K3, P1, M1, moss st to last 4 sts, M1, P1, K3.

85 (89: 89: 97: 97) sts.

Row 4: K1, P2, K1, moss st to last 4 sts, K1, P2, K1.

Row 5: K3, P1, moss st to last 4 sts, P1, K3.

Row 6: K1, P2, K1, M1, moss st to last 4 sts, M1, K1, P2, K1.

87 (91: 91: 99: 99) sts.

Row 7: As row 5.

Row 8: As row 4.

Rep rows 3 to 8, 2 (3) times more, and then rows 3 to 6 (4) again. 99 (103: 103: 111: 111) sts for Handknit DK Cotton, or 101 (105: 105: 113: 113) sts for Denim.

Cast off in patt.

Left cuff

Cast on 47 (47: 49: 51: 51) sts using 3/4mm (US 3) needles.

Work in moss st as given for back for 6 rows.

Row 7 (buttonhole row) (RS): Moss st 2, cast off 2 sts, moss st to end.

Row 8: Moss st to end, casting on 2 sts over those cast off on previous row.

Work a further 8 rows in moss st.

Cast off in moss st.

Right cuff

Work as given for left cuff, reversing position of buttonhole as follows:

Row 7 (buttonhole row) (RS): Moss st to last 4 sts, cast off 2 sts, moss st to end.

Pocket flaps (make 2)

Cast on 25 sts using 3/4mm (US 3) needles.

Row 1 (RS): K3, P1, moss st to last 4 sts, P1, K3.

Row 2: K1, P2, K1, moss st to last 4 sts, K1, P2, K1.

These 2 rows set the sts.

Keeping sts correct as set, cont as follows:

Rep last 2 rows 5 (6) times more.

Next row (RS): K3, P1, P2tog, moss st to last 6 sts, P2tog, P1, K3.

Next row: K1, P2, K1, K2tog, moss st to last 6 sts, K2tog, K1, P2, K1. 21 sts.

Rep last 2 rows twice more and then first of these 2 rows again. 11 sts.

Next row (WS): K1, P2, K1, sl 1, K2tog, pssso, K1, P2, K1.

Next row: K3, sl 1, P2tog, pssso, K3.

Next row: K1, P1, sl 1, P2tog, pssso, P1, K1.

Next row: K1, sl 1, K2tog, pssso, K1.


Next row: Sl 1, K2tog, pssso.

Fasten off.

After all knitting is complete, machine wash all Denim pieces as described on ball band before sewing together.

Sew cast-on edge of collar to neck edge, positioning ends of collar halfway across top of front bands. Join sleeve seams then, with RS facing, sew cast off edge of cuff to lower edge of sleeve using back stitch. Fold cuff down.

Sew pocket flaps in place at top of front moss st panels as in photograph. Set in sleeves using the set-in method. Sew buttons to front bands and cuffs to correspond with buttonholes, and through all layers to secure pocket flaps in place.



ROWAN



COWRIE

By Marie Wallin

ROWEB-JUL17

v.1





COWRIE

by Marie Wallin

Craft 

Skill Level 

ROWEB-JUL17 

v.1

[Click the image for a full screen, printable version](#)

SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual bust measurement of garment

110	120	132	144	158	cm
43½	47	52	56½	6	in

Softyak DK

A Cream 230					
5	5	6	7	7	x 50gm
B Heath 238					
1	1	1	1	1	x 50gm
C Lawn 241					
1	1	1	1	1	x 50gm
D Plain 232					
1	1	1	1	1	x 50gm
E Prairie 233					
1	1	1	1	1	x 50gm
F Steppe 231					
1	1	1	1	1	x 50gm

More Yarn Information

[on knitrowan.com](http://www.knitrowan.com)

NEEDLES

- 1 pair 3¼mm (no 10) (US 3) needles
- 1 pair 4mm (no 8) (US 6) needles
- Set of 4 double-pointed 3¼mm (no 10) (US 3) needles
- 3¼mm (no 10) (US 3) circular needle at least 120 cm long

TENSION

22 sts and 30 rows to 10 cm measured over plain st st, 24½ sts and 29 rows to 10 cm measured over patterned st st, both using 4mm (US 6) needles.

BODY

Lower section

Using 3¼mm (US 3) needles and yarn A cast on 243 [265: 291: 317: 349] sts.

Row 1 (RS): K2, *P1, K1, rep from * to last st, K1.

Row 2: *K1, P1, rep from * to last st, K1.

These 2 rows form rib.

Cont in rib until work meas 6 cm, dec 1 st at centre of last row and ending with RS facing for next row. 242 [264: 290: 316: 348] sts.

Change to 4mm (US 6) needles.

Beg with a K row, work in st st for 23 [21: 21: 19: 17] rows, ending with **WS** facing for next row.

Next row (WS): P4 [6: 1: 5: 3], M1P, (P9, M1P) 26 [28: 32: 34: 38] times, P4 [6: 1: 5: 3]. 269 [293: 323: 351: 387] sts.

Beg and ending rows as indicated, using the **fairisle** technique as described on the information page and repeating the 24 st patt repeat 11 [12: 13: 14: 16] times across each row, cont in patt from chart, which is worked entirely in st st beg with a K row, as follows:

Work all 19 rows of chart, ending with **WS** facing for next row.

Break off contrasts and cont using yarn A **only**.

Next row (WS): P3 [5: 0: 4: 2], P2tog, (P8, P2tog) 26 [28: 32: 34: 38] times, P4 [6: 1: 5: 3]. 242 [264: 290: 316: 348] sts.

Beg with a K row, work in st st until lower section meas 28.5 [28: 27: 26: 24.5] cm, ending with RS facing for next row.

Shape upper section

Cast off 60 [66: 72: 79: 87] sts at beg of next 2 rows, placing red markers on last cast-off sts. 122 [132: 146: 158: 174] sts.

Now place blue markers along cast-off edges, placing these markers 17 [18: 19: 20: 21] cm away from red markers – this should leave 10.5 [12: 14: 16: 18.5] cm between blue markers and row-end edges of lower section.

Cont straight until upper section meas 13 [15.5: 18.5: 21.5: 25] cm **from cast-off edges**, ending with **WS** facing for next row.

Next row (WS): P7 [3: 10: 7: 6], M1P, (P9, M1P) 12 [14: 14: 16: 18] times, P7 [3: 10: 7: 6]. 135 [147: 161: 175: 193] sts.

Beg and ending rows as indicated and repeating the 24 st patt repeat 5 [6: 5: 6: 8] times across each row, cont in patt from chart as follows:

Work all 19 rows of chart, ending with **WS** facing for next row.

Break off contrasts and cont using yarn A **only**.

Next row (WS): P6 [2: 9: 6: 5], P2tog, (P8, P2tog) 12 [14: 14: 16: 18] times, P7 [3: 10: 7: 6]. 122 [132: 146: 158: 174] sts.

Beg with a K row, work in st st until upper section meas 27.5 [30: 33: 36: 39.5] cm **from cast-off edges**, ending with RS facing for next row.

Cast off.

Place second pair of blue markers along row-end edges of upper section, placing them 17 [18: 19: 20: 21] cm above red markers – this should leave 10.5 [12: 14: 16: 18.5] cm between these blue markers and cast-off edge.

MAKING UP

Press as described on the information page.

Fold lower section so that row-end edges meet – folds should be

directly below red markers and where row-end edges meet is centre front. Now fold upper section diagonally so that row-end edges of upper section match cast-off edges of lower section. Join upper and lower sections between blue markers and centre front – sections left open between blue and red markers form armhole openings.

Armhole borders (both alike)

With RS facing, using 3¼mm (US 3) double-pointed needles and yarn A, beg and ending at red markers, pick up and knit 76 [80: 84: 88: 92] sts all round armhole opening.

Distribute sts evenly over 3 of the 4 needles and, using 4th needle, work in rounds as follows:

Round 1 (RS): *K1, P1, rep from * to end.

Rep this round 5 times more.


Cast off in rib.

Front band


With RS facing, using 3¼mm (US 3) circular needle and yarn A, beg and ending at ends of cast-on edge of lower section, pick up and knit 70 [68: 66: 63: 60] sts up right front opening edge of lower section to seam between upper and lower sections, 121 [133: 145: 159: 173] sts along cast-off edge of upper section to other end of seam between upper and lower sections, then 70 [68: 66: 63: 60] sts down left front opening edge of lower section. 261 [269: 277: 285: 293] sts.

Beg with row 2, work in rib as given for lower section for 6 rows, ending with **WS** facing for next row.

Cast off in rib (on **WS**).



[Click the image for a full screen, printable version](#)



[Click the image for a full screen, printable version](#)

ROWAN



DEE

By Martin Storey

ROWEB-03635

v.1





DEE

by Martin Storey

Craft 

Skill Level 

ROWEB-03635 

v.1

YARN

S	M	L	XL	XXL	
To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Brushed Fleece

9	10	11	12	13	x 50gm
---	----	----	----	----	--------

(photographed in Tarn Dégradé 275)

**More Yarn
Information**

on knitrowan.com

NEEDLES

- 1 pair 5mm (no 6) (US 8) needles
- 1 pair 6mm (no 4) (US 10) needles
- 5mm (no 6) (US 8) circular needle, 80 cm long

BUTTONS – 5 x BN1546 from Bedecked. Please see information page for contact details.

TENSION

13 sts and 19 rows to 10 cm measured over st st using 6mm (US 10) needles.

BACK

Using 5mm (US 8) needles cast on 70 [74: 82: 90: 102] sts.

Row 1 (RS): *K2, P2, rep from * to last 2 sts, K2.

Row 2: *P2, K2, rep from * to last 2 sts, P2.

These 2 rows form rib.

Work in rib for a further 14 rows, dec [inc: inc: inc: dec] 1 st at end of last row and ending with RS facing for next row. 69 [75: 83: 91: 101] sts.

Change to 6mm (US 10) needles.

Beg with a K row, work in st st until back meas 46 [47: 48: 49: 50] cm, ending with RS facing for next row.

Shape armholes

Cast off 4 sts at beg of next 2 rows.

61 [67: 75: 83: 93] sts.

Cont straight until armhole meas 23 [24: 25: 26: 27] cm, ending with RS facing for next row.

Shape shoulders

Cast off 6 [7: 8: 10: 11] sts at beg of next 2 rows. 49 [53: 59: 63: 71] sts.

Shape back neck

Next row (RS): Cast off 7 [8: 9: 10: 12] sts, K until there are 10 [11: 12: 13: 15] sts on right needle and turn, leave rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 7 [8: 9: 10: 12] sts.

With RS facing, slip centre 15 [15: 17: 17: 17] sts onto a holder, rejoin yarn and K to end.

Complete to match first side reversing shapings.

LEFT FRONT

Using 5mm (US 8) needles cast on 31 [35: 39: 43: 47] sts.

Row 1 (RS): *K2, P2, rep from * to last 3 sts, K2, P1.

Row 2: K1, P2, *K2, P2, rep from * to end.

These 2 rows form rib.

Work in rib for a further 14 rows, inc 1 [-: -: -: 1] st at end of last row and ending with RS facing for next row. 32 [35: 39: 43: 48] sts.

Change to 6mm (US 10) needles.

Beg with a K row, work in st st until 20 rows less have been worked than on back to beg of armhole shaping, ending with RS facing for next row.

Shape front slope

Dec 1 st at end of next and 2 foll 8th [8th: 6th: 6th: 6th] rows.

29 [32: 36: 40: 45] sts.

Work 3 [3: 7: 7: 7] rows, ending with RS facing for next row.

Shape armhole

Next row (RS): Cast off 4 sts, K to last 0 [0: 2: 2: 2] sts, (K2tog) 0 [0: 1: 1: 1] times. 25 [28: 31: 35: 40] sts.

Dec 1 stat front slope edge on 4th [4th: 8th: 8th: 8th] row, then on 4 [3: 4: 3: 2] foll 8th rows, then on 0 [1: 0: 1: 2] foll 10th rows. 20 [23: 26: 30: 35] sts.

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 6 [7: 8: 10: 11] sts at beg of next row, then 7 [8: 9: 10: 12] sts at beg of foll alt row.

Work 1 row.

Cast off rem 7 [8: 9: 10: 12] sts.

RIGHT FRONT

Using 5mm (US 8) needles cast on 31 [35: 39: 43: 47] sts.

Row 1 (RS): P1, K2, *P2, K2, rep from * to end.

Row 2: *P2, K2, rep from * to last 3 sts, P2, K1.

These 2 rows form rib.

Work in rib for a further 14 rows, inc 1 [-: -: -: 1] st at beg of last row and ending with RS facing for next row. 32 [35: 39: 43: 48] sts.

Change to 6mm (US 10) needles.

Work as given for left front reversing shapings.

SLEEVES

Using 5mm (US 8) needles cast on 34 [34: 38: 38: 38] sts.

Work in rib as given for back for 13 rows, inc 1 st at each end of 7th and foll 6th row taking inc sts into rib. 38 [38: 42: 42: 42] sts.

Work 3 rows more in rib, dec 1 [0: 1: 1: 1] st at each end of last row and ending with RS facing for next row. 36 [38: 40: 40: 40] sts.

Change to 6mm (US 10) needles.

Beg with a K row, work in st st shaping sidesby inc 1 st at each end of 5th and every foll 4th row to 42 [48: 48: 54: 60] sts, then on every foll 6th row until there are 58 [62: 64: 66: 68] sts.

Cont straight until sleeve measures 45 [46: 47: 47: 47] cm, ending with RS facing for next row.

Place markers at each end of last row for sleeve top.

Cont straight until sleeve measures 48 [49: 50: 50: 50] cm, ending with RS facing for next row.

Cast off.

MAKING UP

Press as described on the ball band.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Front band

With RS facing and using 5mm (US 8) circular needle, beg and ending at cast-on edges, pick up and knit 52 [53: 55: 56: 58] sts up right front opening edge to beg of front slope shaping, 54 [56: 57: 59: 60] sts up right front slope, and 3 sts down right side of back neck, K across 15 [15: 17: 17: 17] sts on back holder inc [dec: dec: inc: dec] 1 st at centre, pick up and knit 3 sts up left side of back neck, 54 [56: 57: 59: 60] sts down left front slope to beg of front slope shaping and 52 [53: 55: 56: 58] sts down left front opening edge.

234 [238: 246: 254: 258] sts.


Beg with row 2 of rib as given for back, work 3 rows ending with RS facing for next row.

Next row (RS): Rib 2 [3: 4: 2: 4], *work 2 tog, yrn (to make a buttonhole), rib 10 [10: 10: 11: 11], rep from * 3 times more, work 2 tog, yrn (to make 5th buttonhole), rib to end.

Work in rib for a further 4 rows, ending with **WS** facing for next row.

Cast off in rib on **WS**.

Setting in sleeves using the square set-in method.



ROWAN



DOON

By Erika Knight
ROWWEBD-01040

v.1



© Copyright MEZ Crafts UK Ltd., 2016.



DOON

by Erika Knight

Craft 

Skill Level 

ROWWEBD-01040 

v.1

[Click the image for a full screen, printable version](#)

SIZE

S	M	L	XL	
To fit bust				
81-86	91-97	102-107	112-117	cm
32-34	36-38	40-42	44-46	in

YARN

Kid Classic

15	17	18	20	x 50gm
----	----	----	----	--------

(photographed in Victoria 852)

**More Yarn
Information**

on knitrowan.com

NEEDLES

1 pair 4mm (no 8) (US 6) needles
1 pair 4½mm (no 7) (US 7) needles

TENSION

22 sts and 28 rows to 10 cm measured over stocking stitch using 4½mm (US 7) needles.

BACK

Using 4mm (US 6) needles cast on 125 [135: 149: 163] sts.
Beg with a K row, work in st st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Cont in st st until back meas 47 [48: 49: 50] cm, ending with RS facing for next row.

Next row (RS): K2, sl 1, K1, pss0, K to last 4 sts, K2tog, K2.

Working all side seam shaping as set by last row, dec 1 st at each end of 6th and every foll 6th row until 95 [105: 119: 133] sts rem.

Work 1 row, ending with RS facing for next row.

Shape belt openings

Next row (RS): K15 [17: 19: 21] and turn, leaving rem sts on a holder.

Work 15 rows on these sts, ending with RS facing for next row.

Break yarn and leave sts on a 2nd holder.

Return to sts left on first holder, rejoin yarn with RS facing, K65 [71: 81: 91] and turn, leaving rem sts on holder.

Work 15 rows on these sts, ending with RS facing for next row.

Break yarn and leave sts on a 3rd holder.

Return to sts left on first holder, rejoin yarn with RS facing, K to end. 15 [17: 19: 21] sts.

Work 15 rows on these sts, ending with RS facing for next row.

Break yarn and leave sts on a 4th holder.

Join sections

Rejoin yarn with RS facing and cont as folls:

Next row (RS): Work across 15 [17: 19: 21] sts on 2nd holder as folls: K2, M1, K to end, K across 65 [71: 81: 91] sts on 3rd holder, then K across 15 [17: 19: 21] sts on 4th holder as folls: K to last 2 sts, M1, K2. 97 [107: 121: 135] sts.

Working all side seam shaping as set by last row, inc 1 st at each end of 12th and every foll 12th row until there are 103 [113: 127: 141] sts.

Work 7 rows, ending with RS facing for next row. (Back should meas 99 [100: 101: 102] cm.)

Shape armholes

Cast off 7 [8: 9: 10] sts at beg of next 2 rows.

89 [97: 109: 121] sts.

Dec 1 st at each end of next 3 [5: 5: 7] rows, then on foll 3 [3: 5: 6] alt rows.

77 [81: 89: 95] sts.

Cont straight until armhole meas 22 [23: 24: 25] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 9 [10: 11: 13] sts,

K until there are 12 [13: 15: 16] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 9 [10: 12: 13] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 35 [35: 37: 37] sts, K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 4mm (US 6) needles cast on 68 [73: 80: 87] sts.

Row 1 (RS): K to last 12 sts, (P3, K3) twice.

Row 2: (P3, K3) twice, P to end.

These 2 rows set the sts – front opening edge 12 sts in rib with all other sts in st st.

Cont as set for a further 2 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Cont as set until left front meas 47 [48: 49: 50] cm, ending with RS facing for next row.

Next row (RS): K2, sl 1, K1, pssso, patt to end.

Working all side seam shaping as set by last row, dec 1 st at beg of 6th and every foll 6th row until 53 [58: 65: 72] sts rem.

Work 1 row, ending with RS facing for next row.

Shape belt opening

Next row (RS): K15 [17: 19: 21] and turn, leaving rem sts on a holder.

Work 15 rows on these sts, ending with RS facing for next row.

Break yarn and leave sts on a 2nd holder.

Return to sts left on first holder, rejoin yarn with RS facing, patt to end. 38 [41: 46: 51] sts.

Work 15 rows on these sts, ending with RS facing for next row.

Break yarn and leave sts on a 3rd holder.

Join sections

Rejoin yarn with RS facing and cont as folls:

Next row (RS): Work across 15 [17: 19: 21] sts on 2nd holder as folls: K2, M1, K to end, then patt across 38 [41: 46: 51] sts on 3rd holder. 54 [59: 66: 73] sts.

Working all side seam shaping as set by last row, inc 1 st at beg of 12th and foll 12th row. 56 [61: 68: 75] sts.

Work 1 row, ending with RS facing for next row.

Shape front slope

Next row (RS): K to last 13 sts and turn, leaving rem 13 sts on a holder. 43 [48: 55: 62] sts.

Dec 1 st at front slope edge of 2nd and 2 [1: 2: 1] foll 4th row, then on foll 6th row and at same time inc 1 st at side seam edge of 10th row. 40 [46: 52: 60] sts.

Work 1 [5: 1: 5] rows, ending with RS facing for next row.

Shape armhole

Cast off 7 [8: 9: 10] sts at beg and dec 0 [1: 0: 1] st at end of next row. 33 [37: 43: 49] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [5: 5: 7] rows, then on foll 3 [3: 5: 6] alt rows and **at same time** dec 1 st at front slope edge on 3rd [5th: 3rd: 5th] and every foll 6th row.

25 [27: 30: 33] sts.

Dec 1 st at front slope edge **only** on 6th [6th: 6th: 4th] and every foll 6th row until 18 [20: 23: 26] sts rem.

Cont straight until left front matches back to beg of shoulder

shaping, ending with RS facing for next row.

Shape shoulder

Cast off 9 [10: 11: 13] sts at beg of next row.

Work 1 row.

Cast off rem 9 [10: 12: 13] sts.

RIGHT FRONT

Using 4mm (US 6) needles cast on 68 [73: 80: 87] sts.

Row 1 (RS): (K3, P3) twice, K to end.

Row 2: P to last 12 sts, (K3, P3) twice.

These 2 rows set the sts – front opening edge 12 sts in rib with all other sts in st st.

Cont as set for a further 2 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Cont as set until right front meas 47 [48: 49: 50] cm, ending with RS facing for next row.

Next row (RS): Patt to last 4 sts, K2tog, K2.

Working all side seam shaping as set by last row, dec 1 st at end of 6th and every foll 6th row until 53 [58: 65: 72] sts rem.

Work 1 row, ending with RS facing for next row.

Shape belt opening

Next row (RS): Patt 38 [41: 46: 51] sts and turn, leaving rem sts on a holder.

Work 15 rows on these sts, ending with RS facing for next row.

Break yarn and leave sts on a 2nd holder.

Return to sts left on first holder, rejoin yarn with RS facing, K to end. 15 [17: 19: 21] sts.

Work 15 rows on these sts, ending with RS facing for next row.

Break yarn and leave sts on a 3rd holder.

Join sections

Rejoin yarn with RS facing and cont as folls:

Next row (RS): Patt across 38 [41: 46: 51] sts on 2nd holder, then work across 15 [17: 19: 21] sts on 3rd holder as folls: K to last 2 sts, M1, K2. 54 [59: 66: 73] sts.

Working all side seam shaping as set by last row, inc 1 st at end of 12th and foll 12th row. 56 [61: 68: 75] sts.

Work 1 row, ending with RS facing for next row.

Shape front slope

Next row (RS): Patt 13 sts and slip these sts onto a holder, K to end. 43 [48: 55: 62] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 4mm (US 6) needles cast on 51 [53: 55: 55] sts.

Row 1 (RS): P0 [1: 2: 2], K3, *P3, K3, rep from * to last 0 [1: 2: 2] sts, P0 [1: 2: 2].

Row 2: K0 [1: 2: 2], P3, *K3, P3, rep from * to last 0 [1: 2: 2] sts, K0 [1: 2: 2].

These 2 rows form rib.

Work in rib for a further 2 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Cont in rib, shaping sides by inc 1 st at each end of next and every 4th row to 59 [65: 69: 81] sts, then on every foll 6th row until there are 91 [95: 99: 103] sts, taking inc sts into rib.

Cont straight until sleeve meas 45 [46: 47: 47] cm, ending with RS facing for next row.

Shape top

Keeping rib correct, cast off 7 [8: 9: 10] sts at beg of next 2 rows. 77 [79: 81: 83] sts.

Dec 1 st at each end of next 7 rows, then on every foll alt row until 41 sts rem, then on foll 5 rows, ending with RS facing for next row. 31 sts.

Cast off 5 sts at beg of next 4 rows.

Cast off rem 11 sts.

MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Left collar

Slip 13 sts from left front holder onto 4½mm (US 7) needles and rejoin yarn with RS facing, patt to end.

Next row (WS of front, RS of collar): P3, K3, P3, K4.

This row sets the sts – front opening edge 9 sts in rib as set and rem sts in st st.

Inc 1 st at beg of next and every foll alt row until there are 35 sts, taking inc sts into st st.

Work 8 rows, ending with RS of collar facing for next row.

Cast off 25 sts at beg of next row. 10 sts.

Work 1 row.

Cast on 25 sts at beg of next row. 35 sts.

Now working all sts in st st, cont straight until collar, unstretched, fits up left front slope and across to centre back neck, ending with RS facing for next row.

Cast off.

Right collar

Slip 13 sts from right front holder onto 4½mm (US 7) needles and rejoin yarn with WS facing.

Next row (WS of front, RS of collar): K4, P3, K3, P3.

This row sets the sts – front opening edge 9 sts in rib as set and rem sts in st st.

Inc 1 st at end of next and every foll alt row until there are 35 sts, taking inc sts into st st.

Work 9 rows, ending with WS of collar facing for next row.

Cast off 25 sts at beg of next row.

10 sts.

Work 1 row.

Cast on 25 sts at beg of next row.

35 sts.

Now working all sts in st st, cont straight until collar, unstretched, fits up right front slope and across to centre back neck, ending with RS facing for next row.

Cast off.

Belt

Using 4mm (US 6) needles cast on 27 sts.


Row 1 (RS): K3, (P3, K3) 4 times.

Row 2: P3, (K3, P3) 4 times.

Rep these 2 rows until belt meas 172 [182: 192: 202] cm, ending with RS facing for next row.

Cast off in rib.

Set in sleeves using the set-in method. Using photograph as a guide, thread belt through openings in back and fronts.



Click the image for a full screen, printable version

Information
Pages

ROWAN



FAYE

By Martin Storey

ROWEB-02581

v.1





FAYE

by Kim Hargreaves

Craft 

Skill Level 

ROWEB-02581 

v.1

[Click the image for a full screen, printable version](#)

SIZE

	XS	S	M	L	XL	
To fit bust						
	81	86	91	97	102	cm
	32	34	36	38	40	in

YARN

Kidsilk Haze

8	8	8	9	9	x 25gm
---	---	---	---	---	--------

(photographed in Trance 582)

**More Yarn
Information**

on knitrowan.com

NEEDLES

- 1 pair 3¼mm (no 10) (US 3) needles
- 1 pair 3¾mm (no 9) (US 5) needles
- 2 double-pointed 2¾mm (no 12) (US 2) needles

TENSION

22 sts and 32 rows to 10 cm measured over pattern using 3¾mm (US 5) needles and yarn DOUBLE.

BACK

Cast on 95 (101: 107: 113: 119) sts using 3¼mm (US 3) needles and yarn DOUBLE.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

These 2 rows form rib.

Cont in rib for 12 cm, ending with a WS row.

Next row (eyelet row) (RS): Rib 2 (5: 2: 5: 2), *yrn, work 2 tog, rib 4, rep from * to last 3 (6: 3: 6: 3) sts, yrn, work 2 tog, rib 1 (4: 1: 4: 1).

Cont in rib for a further 3 rows, inc 1 st at end of last row and ending with a WS row.

96 (102: 108: 114: 120) sts.

Change to 3¾mm (US 5) needles.

Row 1 (RS): K0 (1: 0: 1: 0), *K2, yfwd, sl 1, K1, pssso, rep from * to last 0 (1: 0: 1: 0) st, K0 (1: 0: 1: 0).

Row 2: P0 (1: 0: 1: 0), *P2, yrn, P2tog, rep from * to last 0 (1: 0: 1: 0) st, P0 (1: 0: 1: 0).

These 2 rows form patt.

Cont in patt until back measures 37 (38: 38: 39: 39) cm, ending

with a WS row.

Shape armholes

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 90 (94: 100: 104: 110) sts.

Dec 1 st at each end of next 5 (5: 7: 7: 9) rows, then on foll 2 (3: 3: 4: 4) alt rows. 76 (78: 80: 82: 84) sts.

Cont straight until armhole measures 20 (20: 21: 21: 22) cm, ending with a WS row.

Shape shoulders and back neck

Cast off 7 (7: 8: 8: 8) sts at beg of next 2 rows. 62 (64: 64: 66: 68) sts.

Next row (RS): Cast off 7 (7: 8: 8: 8) sts, patt until there are 12 (12: 11: 11: 12) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 8 (8: 7: 7: 8) sts.

With RS facing, rejoin yarn to rem sts, cast off centre 24 (26: 26: 28: 28) sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Cast on 52 (56: 58: 62: 64) sts using 3¼mm (US 3) needles and yarn DOUBLE.

Row 1 (RS): *K1, P1, rep from * to last 2 sts, K2.

Row 2: *K1, P1, rep from * to end.

These 2 rows form rib.

Cont in rib for 12 cm, ending with a WS row.

Next row (eyelet row) (RS): Rib 5 (2: 5: 2: 5), *yrn, work 2 tog, rib 4, rep from * to last 5 (6: 5: 6: 5) sts, yrn, work 2 tog, rib 3 (4: 3: 4: 3).

Cont in rib for a further 2 rows, ending with a RS row.

Next row (WS): Rib 5 and slip these 5 sts onto a holder, rib to last 1 (0: 1: 0: 1) st, (inc in last st) 1 (0: 1: 0: 1) times. 48 (51: 54: 57: 60) sts. Change to 3¾mm (US 5) needles.

Row 1 (RS): K0 (1: 0: 1: 0), *K2, yfwd, sl 1, K1, pssso, rep from * to last 0 (2: 2: 0: 0) sts, K0 (2: 2: 0: 0).

Row 2: P0 (2: 2: 0: 0), *P2, yrn, P2tog, rep from * to last 0 (1: 0: 1: 0) st, P0 (1: 0: 1: 0).

These 2 rows form patt.

Work in patt for a further 6 rows, ending with a WS row.

Shape front slope

Keeping patt correct, dec 1 st at end of next and every foll 8th row until left front matches back to beg of armhole shaping, ending with a WS row.

Shape armhole

Keeping patt correct and still dec 1 st at front slope edge on every 8th row as set throughout, cont as folls:

Cast off 3 (4: 4: 5: 5) sts at beg of next row.

Work 1 row.

Dec 1 st at armhole edge of next 5 (5: 7: 7: 9) rows, then on foll 2 (3: 3: 4: 4) alt rows.

Cont to dec at front slope edge on every 8th row as set until 22 (22: 23: 23: 24) sts rem.

Cont straight until left front matches back to start of shoulder shaping, ending with a WS row.

Shape shoulder

Cast off 7 (7: 8: 8: 8) sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 8 (8: 7: 7: 8) sts.

RIGHT FRONT

Cast on 52 (56: 58: 62: 64) sts using 3¼mm (US 3) needles and yarn DOUBLE.

Row 1 (RS): K2, *P1, K1, rep from * to end.

Row 2: *P1, K1, rep from * to end.

These 2 rows form rib.

Cont in rib for 12 cm, ending with a WS row.

Next row (eyelet row) (RS): Rib 3 (4: 3: 4: 3), work 2 tog tbl, yrn, *rib 4, work 2 tog tbl, yrn, rep from * to last 5 (2: 5: 2: 5) sts, rib 5 (2: 5: 2: 5).

Cont in rib for a further 2 rows, ending with a RS row.

Next row (WS): (Inc in first st) 1 (0: 1: 0: 1) times, rib to last 5 sts and turn, leaving last 5 sts on a holder.

48 (51: 54: 57: 60) sts.

Change to 3¼mm (US 5) needles.

Row 1 (RS): K0 (2: 2: 0: 0), *K2, yfwd, sl 1, K1, pssso, rep from * to last 0 (1: 0: 1: 0) st, K0 (1: 0: 1: 0).

Row 2: P0 (1: 0: 1: 0), *P2, yrn, P2tog, rep from * to last 0 (2: 2: 0: 0) sts, P0 (2: 2: 0: 0).

These 2 rows form patt.

Work in patt for a further 6 rows, ending with a WS row.

Shape front slope

Keeping patt correct, dec 1 st at beg of next and every foll 8th row until left front matches back to beg of armhole shaping, ending with a RS row.

Complete to match left front, reversing shapings.

SLEEVES (both alike)

Cast on 57 (57: 59: 61: 61) sts using 3¼mm (US 3) needles and yarn DOUBLE.

Work in rib as given for back for 7 cm, inc 1 st at end of last row and ending with a WS row. 58 (58: 60: 62: 62) sts.

Change to 3¼mm (US 5) needles.

Row 1 (RS): K1 (1: 0: 1: 1), *K2, yfwd, sl 1, K1, pssso, rep from * to last 1 (1: 0: 1: 1) st, K1 (1: 0: 1: 1).

Row 2: P1 (1: 0: 1: 1), *P2, yrn, P2tog, rep from * to last 1 (1: 0: 1: 1) st, P1 (1: 0: 1: 1).

These 2 rows form patt.

Cont in patt, shaping sides by inc 1 st at each end of 17th (13th: 13th: 13th: 11th) and every foll 20th (16th: 16th: 16th: 14th) row to 68 (66: 66: 68: 72) sts, then on every foll - (18th: 18th: 18th: 16th) row until there are - (70: 72: 74: 76) sts, taking inc sts into patt.

Cont straight until sleeve measures 43 (43: 44: 44: 44) cm, ending with a WS row.

Shape top

Keeping patt correct, cast off 3 (4: 4: 5: 5) sts at beg of next 2 rows. 62 (62: 64: 64: 66) sts.

Dec 1 st at each end of next 3 rows, then on foll 2 alt rows, then on every foll 4th row until 40 (40: 42: 42: 44) sts rem.

Work 1 row, ending with a WS row.

Dec 1 st at each end of next and every foll alt row to 36 sts, then on foll 7 rows, ending with a WS row.

Cast off rem 22 sts.

MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Left front band

Slip 5 sts from holder onto 3¼mm (US 3) needles and rejoin yarn DOUBLE with RS facing.

Cont in rib as set until band, when slightly stretched, fits up left front opening edge and across to centre back neck.

Cast off.

Slip stitch band in place.

Right front band

Slip 5 sts from holder onto 3¼mm (US 3) needles and rejoin yarn DOUBLE with WS facing.

Cont in rib as set until band, when slightly stretched, fits up right front opening edge and across to centre back neck.

Cast off.


Slip stitch band in place, joining ends of bands at centre back neck.

Tie

With double-pointed 2¼mm (US 2) needles and yarn SINGLE, cast on 4 sts.

Row 1 (RS): K4, *without turning work slip these 4 sts to opposite end of needle and bring yarn to opposite end of work pulling it quite tightly across back of these 4 sts, using other needle K these 4 sts again; rep from * until tie is 130 cm long, K4tog and fasten off.

Set in sleeves using the set-in method. Thread tie through eyelet row near top of ribbing.



[Click the image for a full screen, printable version](#)

R O  A N

Gossamer

By Marie Wallin



Gossamer



SIZE

	S-M	L-XL	
To fit bust	81-97	102-117	cm
	32-38	40-46	in

YARN

Rowan Kidsilk Haze	3	4	x 25gm
(photographed in Cream 634)			

NEEDLES

1 pair 4mm (no 8) (US 6) needles

TENSION

25 sts and 32 rows to 10 cm measured over patt using 4mm (US 6) needles.

BODY (worked in one piece)

Using 4mm (US 6) needles cast on 181 [211] sts.

Row 1 (RS): K3, *K2tog, yfwd, K1, yfwd, sl 1, K1, pss0, K5, rep from * to last 8 sts, K2tog, yfwd, K1, yfwd, sl 1, K1, pss0, K3.

Row 2 and every foll alt row: Purl.

Row 3: K2, *K2tog, (K1, yfwd) twice, K1, sl 1, K1, pss0, K3, rep from * to last 9 sts, K2tog, (K1, yfwd) twice, K1, sl 1, K1, pss0, K2.

Row 5: K1, *K2tog, K2, yfwd, K1, yfwd, K2, sl 1, K1, pss0, K1, rep from * to end.

Row 7: K2tog, *K3, yfwd, K1, yfwd, K3, sl 1, K2tog, pss0, rep from * to last 9 sts, K3, yfwd, K1, yfwd, K3, sl 1, K1, pss0.

Row 9: K1, *yfwd, sl 1, K1, pss0, K5, K2tog, yfwd, K1, rep from * to end.

Row 11: K1, *yfwd, K1, sl 1, K1, pss0, K3, K2tog, K1, yfwd, K1, rep from * to end.

Row 13: K1, *yfwd, K2, sl 1, K1, pss0, K1, K2tog, K2, yfwd, K1, rep from * to end.

Row 15: K1, *yfwd, K3, sl 1, K2tog, pss0, K3, yfwd, K1, rep from * to end.

Row 16: As row 2.

These 16 rows form patt.

Cont in patt, inc 1 st at each end of 5th and 2 foll 6th rows, taking inc sts into st st. 187 [217] sts.

Work 31 rows, ending after 4th rep of patt row 16 and with RS facing for next row. (Work should meas 20 cm.)

Beg with a K row, cont in st st until work meas 48 [56] cm, ending with RS facing for next row.

Now work in patt as follows:

Row 1 (RS): K6, *K2tog, yfwd, K1, yfwd, sl 1, K1, pss0, K5, rep from * to last st, K1.

Row 2 and every foll alt row: Purl.

Row 3: K5, *K2tog, (K1, yfwd) twice, K1, sl 1, K1, pss0, K3, rep from * to last 2 sts, K2.

Row 5: K4, *K2tog, K2, yfwd, K1, yfwd, K2, sl 1, K1, pss0, K1, rep from * to last 3 sts, K3.

These 5 rows set position of patt.

Keeping patt correct as now set, work 27 rows, ending after patt row 16 and with RS facing for next row.

Keeping patt correct, dec 1 st at each end of next and 2 foll 6th rows. 181 [211] sts.

Work in patt for a further 19 rows, ending after 4th rep of patt row 16 and with RS facing for next row.

Cast off.

MAKING UP

Press.


Mark points along row-end edges 11 [13] cm above cast-on edge, and then 11 [13] cm below cast-off edge – section between markers forms armhole opening edge, sections beyond markers form side seam edges.

Armhole borders (both alike)

With RS facing and using 4mm (US 6) needles, pick up and knit 96 [104] sts evenly along armhole opening edge, between markers.

Cast off knitwise (on **WS**).

Join side and armhole border seams.



ROWAN



HARPERS TWIN SET

By Meghan Lewis

ROWEB-01837

v.1





HARPERS TWIN SET

by Meghan Lewis

Craft 

Skill Level 

ROWEB-01837 

v.1

[Click the image for a full screen, printable version](#)

SIZES

S	M	L	XL	XXL	
To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

YARN

Felted Tweed

Sweater

A Seafarer	170				
4	4	5	5	5	x 50gm
B Frozen	185				
3	3	4	4	4	x 50gm

Cardigan

A Seafarer	170				
4	4	5	5	6	x 50gm
B Duck Egg	173				
3	3	4	4	4	x 50gm
C Frozen	185				
3	3	4	4	4	x 50gm

[More Yarn Information](#)

on knitrowan.com

NEEDLES

1 pair 3¾mm (no 9) (US 5) needles

EXTRAS – cardigan only: one hook and eye

TENSION

23 sts and 28 rows to 10 cm measured over bobble patt, 27 sts and 40 rows to 10 cm measured over sweater patt, 26 sts and 52 rows to 10 cm measured over cardigan patt, all using 3¾mm (US 5) needles.

SPECIAL ABBREVIATION

knot 1 = (K1, P1, K1, P1) all into next st, lift 2nd, 3rd and 4th sts on right needle over first st and off right needle.

Sweater

Pattern note: When working **sweater** patt, all sts should be slipped with yarn held at **RIGHT** side of work – this is front of work on RS rows, and back of work on WS rows.

BACK

Using 3¾mm (US 5) needles and yarn A cast on 89 [99: 115: 127: 143] sts.

Row 1 (RS): Knit.

Row 2: K1, *knot 1, K1, rep from * to end.

Row 3: Knit.

Row 4: K2, *knot 1, K1, rep from * to last st, K1.

These 4 rows form bobble patt.

Work in bobble patt for a further 4 rows, ending with RS facing for next row.

Row 9 (RS): K2 [1: 3: 8: 11], M1, (K6 [6: 6: 5: 5], M1) 14 [16: 18: 22: 24] times, K3 [2: 4: 9: 12].

104 [116: 134: 150: 168] sts.

Row 10: Purl.

Now work in sweater patt as folls:

Join in yarn B.

Row 1 (RS): Using yarn B *K1, sl 1 (see pattern note), rep from * to end.

Row 2: Using yarn B *P1, sl 1 (see pattern note), rep from * to end.

Row 3: Using yarn A *K1, sl 1 (see pattern note), rep from * to end.

Row 4: Using yarn A *P1, sl 1 (see pattern note), rep from * to end. These 4 rows form sweater patt.

Cont in patt, shaping side seams by inc 1 st at each end of 7th and 4 foll 20th rows, taking inc sts into patt. 114 [126: 144: 160: 178] sts.

Cont straight until back meas 33 [34: 35: 36: 37] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 4 [5: 6: 7: 8] sts at beg of next 2 rows. 106 [116: 132: 146: 162] sts.

Dec 1 st at each end of next 3 [5: 7: 9: 11] rows, then on foll 4 [4: 6: 7: 9] alt rows. 92 [98: 106: 114: 122] sts.

Cont straight until armhole meas 20 [21: 22: 23: 24] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 8 [9: 10: 11: 12] sts, patt until there are 21 [23: 25: 28: 30] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row, 8 [9: 10: 11: 12] sts at beg of foll row, then 3 sts at beg of next row.

Cast off rem 7 [8: 9: 11: 12] sts.

With RS facing, rejoin appropriate yarn and cast off centre 34 [34: 36: 36: 38] sts, patt to end. 29 [32: 35: 39: 42] sts.

Complete to match first side, reversing shapings.

FRONT

Work as given for back until 20 [20: 24: 24: 28] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape front neck

Next row (RS): Patt 35 [38: 42: 46: 50] sts and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 8 rows, then on foll 3 alt rows, then on 1 [1: 2: 2: 3] foll 4th rows.

23 [26: 29: 33: 36] sts.

Work 1 row, ending with RS facing for next row.

Shape shoulder

Cast off 8 [9: 10: 11: 12] sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 7 [8: 9: 11: 12] sts.

With RS facing, rejoin appropriate yarn and cast off centre 22 sts, patt to end. 35 [38: 42: 46: 50] sts.

Complete to match first side, reversing shapings.

SLEEVES

Using 3¼mm (US 5) needles and yarn A cast on 67 [69: 73: 77: 81] sts. Work in bobble patt as given for back for 8 rows, ending with RS facing for next row.

Row 9 (RS): K3 [4: 6: 2: 4], M1, (K6 [5: 5: 6: 6], M1) 10 [12: 12: 12: 12] times, K4 [5: 7: 3: 5]. 78 [82: 86: 90: 94] sts.

Row 10: Purl.

Join in yarn B and, beg with patt row 1, now work in sweater patt as given for back, shaping sides by inc 1 st at each end of 3rd and 5th foll 10th rows, taking inc sts into patt. 90 [94: 98: 102: 106] sts.

Cont straight until sleeve meas 20 cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 4 [5: 6: 7: 8] sts at beg of next 2 rows. 82 [84: 86: 88: 90] sts.

Dec 1 st at each end of next 5 rows, then on foll 5 alt rows, then on 4 foll 4th rows. 54 [56: 58: 60: 62] sts.

Work 1 row.

Dec 1 st at each end of next and every foll alt row until 42 sts rem, then on foll 9 rows, ending with RS facing for next row. 24 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 16 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Collar

Using 3¼mm (US 5) needles and yarn A cast on 88 [88: 94: 94: 100] sts.

Row 1 (RS): Knit.

Row 2: K1, P7, M1, (P3, M1) 24 [24: 26: 26: 28] times, P7, K1. 113 [113: 121: 121: 129] sts.

Beg with row 1, now work in bobble patt as given for back for 10

rows, ending with RS facing for next row.

Next row (RS): Sl 1, K1, pssso, K to last 2 sts, K2tog.

Next row: K1, patt to last st, K1.

Rep last 2 rows twice more. 107 [107: 115: 115: 123] sts.

Next row: Sl 1, K1, pssso, patt to last 2 sts, K2tog.

Rep last row 5 times more, ending with RS facing for next row.

Cast off rem 95 [95: 103: 103: 111] sts.

Join row-end edges of collar for first 3 rows (to form centre front seam). Positioning this seam at centre front, sew cast-on edge of collar to neck edge.

See information page for finishing instructions, setting in sleeves using the set-in method.

Cardigan

Pattern note: When working **cardigan** patt, all sts should be slipped with yarn held at **WRONG** side of work – this is back of work on RS rows, and front of work on WS rows.

BACK

Using 3¼mm (US 5) needles and yarn A cast on 105 [115: 131: 145: 159] sts.

Row 1 (RS): Knit.

Row 2: K1, *knot 1, K1, rep from * to end.

Row 3: Knit.

Row 4: K2, *knot 1, K1, rep from * to last st, K1.

These 4 rows form bobble patt.

Work in bobble patt for a further 4 rows, ending with RS facing for next row.

Row 9 (RS): K7 [5: 5: 4: 3], M1, (K7 [7: 8: 8: 8], M1) 13 [15: 15: 17: 19] times, K7 [5: 6: 5: 4]. 119 [131: 147: 163: 179] sts.

Row 10: Purl.

Joining in yarns B and C as required, now work in cardigan patt as folls:

Rows 1 and 2: Using yarn B K3, *sl 1 (see pattern note), K3, rep from * to end.

Rows 3 and 4: Using yarn C K1, *sl 1 (see pattern note), K3, rep from * to last 2 sts, sl 1 (see pattern note), K1.

Rows 5 and 6: Using yarn A K3, *sl 1 (see pattern note), K3, rep from * to end.

Rows 7 and 8: Using yarn B K1, *sl 1 (see pattern note), K3, rep from * to last 2 sts, sl 1 (see pattern note), K1.

Rows 9 and 10: Using yarn C K3, *sl 1 (see pattern note), K3, rep from * to end.

Rows 11 and 12: Using yarn A K1, *sl 1 (see pattern note), K3, rep from * to last 2 sts, sl 1 (see pattern note), K1.

These 12 rows form cardigan patt.

Cont in patt until back meas 40 [41: 42: 43: 44] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next 2 rows. 113 [123: 137: 151: 165] sts.

Dec 1 st at each end of next 3 [3: 5: 5: 7] rows, then on foll 3 [4: 5: 6: 6] alt rows, then on 2 [4: 4: 6: 6] foll 4th rows.

97 [101: 109: 117: 127] sts.

Cont straight until armhole meas 22 [23: 24: 25: 26] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 6 [6: 7: 8: 9] sts, patt until there are 23 [25: 27: 30: 33] sts on right needle and turn, leaving rem sts on a holder. Work each side of neck separately.

Dec 1 st at neck edge of next 4 rows **and at same time** cast off 6 [7: 7: 8: 9] sts at beg of 2nd row, and 6 [7: 8: 9: 10] sts at beg of foll alt row.

Work 1 row.

Cast off rem 7 [7: 8: 9: 10] sts.

With RS facing, slip centre 39 [39: 41: 41: 43] sts onto a holder, rejoin appropriate yarn and patt to end. 29 [31: 34: 38: 42] sts.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 3¾mm (US 5) needles and yarn A cast on 59 [61: 69: 75: 83] sts. Work in bobble patt as given for back for 8 rows, ending with RS facing for next row.

Row 9 (RS): K4 [3: 3: 3: 2], M1, (K9 [7: 8: 7: 8], M1) 5 [7: 7: 9: 9] times, K3 [2: 3: 2: 2], M1 and turn, leaving rem 7 sts on a holder (for front band). 59 [63: 71: 79: 87] sts.

****Row 10:** Purl.

Joining in yarns B and C as required, now work in cardigan patt as given for back until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next row.

56 [59: 66: 73: 80] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [3: 5: 5: 7] rows, then on foll 3 [4: 5: 6: 6] alt rows, then on 2 [4: 4: 6: 6] foll 4th rows.

48 [48: 52: 56: 61] sts.

Cont straight until 34 [34: 38: 38: 42] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape front neck

Next row (RS): Patt 39 [41: 45: 49: 54] sts and turn, leaving rem 9 [7: 7: 7: 7] sts on a holder (for neckband).

Keeping patt correct, dec 1 st at neck edge of next 6 rows, then on foll 4 alt rows, then on 4 [4: 5: 5: 6] foll 4th rows.

25 [27: 30: 34: 38] sts.

Work 3 rows, ending with RS facing for next row.

Shape shoulder

Cast off 6 [6: 7: 8: 9] sts at beg of next row, 6 [7: 7: 8: 9] sts at beg of foll alt row, then 6 [7: 8: 9: 10] sts at beg of foll alt row.

Work 1 row.

Cast off rem 7 [7: 8: 9: 10] sts.

RIGHT FRONT

Using 3¾mm (US 5) needles and yarn A cast on 59 [61: 69: 75: 83] sts. Work in bobble patt as given for back for 8 rows, ending with RS facing for next row.

Row 9 (RS): K7 and slip these 7 sts onto a holder (for front band), M1, K3 [2: 3: 2: 2], M1, (K9 [7: 8: 7: 8], M1) 5 [7: 7: 9: 9] times, K4 [3: 3: 3: 2]. 59 [63: 71: 79: 87] sts.

Complete to match left front from **, working first row of neck shaping as follows:

Shape front neck

Next row (RS): Break yarn. Slip first 9 [7: 7: 7: 7] sts onto a holder (for neckband), rejoin appropriate yarn and patt to end.

39 [41: 45: 49: 54] sts.

SLEEVES

Using 3¾mm (US 5) needles and yarn A cast on 45 [49: 49: 49: 53] sts. Work in bobble patt as given for back for 8 rows, ending with RS facing for next row.

Row 9 (RS): K2 [4: 4: 4: 4], M1, (K8 [8: 8: 8: 9], M1) 5 times, K3 [5: 5: 5: 4]. 51 [55: 55: 55: 59] sts.

Row 10: Purl.

Joining in yarns B and C as required, now work in cardigan patt as given for back, shaping sides by inc 1 st at each end of 7th and every foll 8th row to 63 [63: 77: 97: 101] sts, then on every foll 10th row until there are 93 [97: 101: 105: 109] sts, taking inc sts into patt. Cont straight until sleeve meas 46 [47: 48: 48: 48] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next 2 rows. 87 [89: 91: 93: 95] sts.

Dec 1 st at each end of next 3 rows, then on foll 6 alt rows, then on 9 foll 4th rows. 51 [53: 55: 57: 59] sts.

Work 1 row.

Dec 1 st at each end of next and every foll alt row until 39 sts rem, then on foll 9 rows, ending with RS facing for next row.

Cast off rem 21 sts.

MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Left front band

Slip 7 sts on left front holder onto 3¾mm (US 5) needles and rejoin yarn A with RS facing.

Cont in bobble patt as set until band, when slightly stretched, fits up left front opening edge to neck shaping, ending with RS facing for next row.

Break yarn and leave these 7 sts on a holder.

Neatly sew this band in place.

Right front band

Slip 7 sts on right front holder onto 3¾mm (US 5) needles and rejoin yarn A with **WS** facing.

Cont in bobble patt as set until this band, when slightly stretched, fits up right front opening edge to neck shaping, ending with RS facing for next row. (**Note:** Make sure this band ends after same patt row as left front band.)

Do NOT break yarn.

Neatly sew this band in place.



Neckband

With RS facing, using 3¼mm (US 5) needles and ball of yarn A attached to right front band, K across 7 sts of right front band, then K across 9 [7: 7: 7: 7] sts on right front neck holder dec 1 st at centre, pick up and knit 22 [22: 24: 24: 26] sts up right side of front neck, and 4 sts down right side of back neck, K across 39 [39: 41: 41: 43] sts on back holder as folls: K3 [3: 4: 4: 5], K2tog, (K8, K2tog) 3 times, K4 [4: 5: 5: 6], pick up and knit 4 sts up left side of back neck, and 22 [22: 24: 24: 26] sts down left side of front neck, K across 9 [7: 7: 7: 7] sts on left front neck holder dec 1 st at centre, then K across 7 sts of left front band. 117 [113: 119: 119: 125] sts.

Cont in bobble patt as set by front band sts for 7 rows, ending with RS facing for next row.

Cast off.

Set in sleeves using the set-in method. Attach hook and eye to fasten neck edge.



Click the image for a full screen, printable version


**Information
Pages**

R O W A N



Major

By Kim Hargreaves





Major

by Kim Hargreaves



SIZE

	S	M	L	XL	XXL	
To fit chest	97	102	107	112	117	cm
	38	40	42	44	46	in

YARN

Rowan Big Wool
10 10 11 12 13 x 100gm
(photographed in Camouflage 023)

NEEDLES

1 pair 10mm (no 000) (US 15) needles
1 pair 12mm (US 17) needles

BUTTONS

11 x 75334

TENSION

8 sts and 12 rows to 10 cm measured over stocking stitch using 12mm (US 17) needles.

BACK

Cast on 48 (50: 52: 54: 56) sts using 10mm (US 15) needles.

Row 1 (RS): K0 (0: 1: 0: 0), P1 (2: 2: 0: 1), *K2, P2, rep from * to last 3 (0: 1: 2: 3) sts, K2 (0: 1: 2: 2), P1 (0: 0: 0: 1).

Row 2: P0 (0: 1: 0: 0), K1 (2: 2: 0: 1), *P2, K2, rep from * to last 3 (0: 1: 2: 3) sts, P2 (0: 1: 2: 2), K1 (0: 0: 0: 1).

These 2 rows form rib.

Work in rib for a further 8 rows, ending with a WS row.

Change to 12mm (US 17) needles.

Beg with a K row, cont in st st until back measures 37 (37: 38: 38: 39) cm, ending with a WS row.

Shape armholes

Cast off 4 sts at beg of next 2 rows. 40 (42: 44: 46: 48) sts.

Dec 1 st at each end of next 3 (3: 4: 4: 5) rows. 34 (36: 36: 38: 38) sts.

Cont straight until armhole measures 23 (24: 24: 25: 25) cm, ending with a WS row.

Shape shoulders and back neck

Cast off 3 (4: 4: 4: 4) sts at beg of next 2 rows. 28 (28: 28: 30: 30) sts.

Next row (RS): Cast off 3 (4: 4: 4: 4) sts, K until there are 7 (6: 6: 6: 6) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 4 (3: 3: 3: 3) sts.

With RS facing, rejoin yarn to rem sts, cast off centre 8 (8: 8: 10: 10) sts, K to end.

Complete to match first side, reversing shapings.

PATCH POCKETS (make 2)

Cast on 14 sts using 10mm (US 15) needles.

Rows 1 to 4: Purl.

Row 5 (WS of pocket): Purl.

Row 6: P1, K12, P1.

Rows 7 to 18: As rows 5 and 6, 6 times.

Break yarn and leave sts on a holder.

LEFT FRONT

Cast on 6 sts using 10mm (US 15) needles.

Break yarn, leaving these sts on needle.

Onto same needle, cast on a further 5 (6: 7: 8: 9) sts using 10mm (US 15) needles.

Join sections

Next row (RS): K0 (0: 1: 0: 0), P1 (2: 2: 0: 1), (K2, P2) 1 (1: 1: 2: 2) times, with WS of pocket facing knit across all 14 sts of pocket, then, with RS facing, work across rem 6 cast-on sts as folls: P2, K2, P2. 25 (26: 27: 28: 29) sts.

Next row: K2, P2, K2, P14, (K2, P2) 1 (1: 1: 2: 2) times, K1 (2: 2: 0: 1), P0 (0: 1: 0: 0).

Next row: K0 (0: 1: 0: 0), P1 (2: 2: 0: 1), (K2, P2) 1 (1: 1: 2: 2) times, K14, P2, K2, P2.

Rep last 2 rows 3 times more, then first of these 2 rows again, ending with a WS row.

Change to 12mm (US 17) needles.

Beg with a K row, cont in st st until left front matches back to beg of armhole shaping, ending with a WS row.

Shape armhole

Cast off 4 sts at beg of next row.

21 (22: 23: 24: 25) sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 (3: 4: 4: 5) rows. 18 (19: 19: 20: 20) sts. Cont straight until 7 rows less have been worked than on back to start of shoulder shaping, ending with a RS row.

Shape neck

Cast off 4 (4: 4: 5: 5) sts at beg of next row. 14 (15: 15: 15: 15) sts. Dec 1 st at neck edge of next 3 rows, then on foll alt row. 10 (11: 11: 11: 11) sts.

Work 1 row, ending with a **WS** row.

Shape shoulder

Cast off 3 (4: 4: 4: 4) sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 4 (3: 3: 3: 3) sts.

RIGHT FRONT

Cast on 5 (6: 7: 8: 9) sts using 10mm (US 15) needles.

Break yarn, leaving these sts on needle.

Onto same needle, cast on a further 6 sts using 10mm (US 15) needles.

Join sections

Next row (RS): P2, K2, P2, with WS of pocket facing knit across all 14 sts of pocket, then, with RS facing, work across rem 5 (6: 7: 8: 9) cast-on sts as folls: (P2, K2) 1 (1: 1: 2: 2) times, P1 (2: 2: 0: 1), K0 (0: 1: 0: 0). 25 (26: 27: 28: 29) sts.

Next row: P0 (0: 1: 0: 0), K1 (2: 2: 0: 1), (P2, K2) 1 (1: 1: 2: 2) times, P14, K2, P2, K2.

Next row: P2, K2, P2, K14, (P2, K2) 1 (1: 1: 2: 2) times, P1 (2: 2: 0: 1), K0 (0: 1: 0: 0).

Rep last 2 rows 3 times more, then first of these 2 rows again, ending with a **WS** row.

Change to 12mm (US 17) needles and complete to match left front, reversing shapings.

SLEEVES (both alike)

Cast on 28 (28: 30: 30: 30) sts using 10mm (US 15) needles.

Row 1 (RS): K1 (1: 2: 2: 2), *P2, K2, rep from * to last 3 (3: 4: 4: 4) sts, P2, K1 (1: 2: 2: 2).

Row 2: P1 (1: 2: 2: 2), *K2, P2, rep from * to last 3 (3: 4: 4: 4) sts, K2, P1 (1: 2: 2: 2).

These 2 rows form rib.

Work in rib for a further 8 rows, ending with a **WS** row.

Change to 12mm (US 17) needles.

Beg with a K row, cont in st st, shaping sides by inc 1 st at each end of 11th and foll 22nd row. 32 (32: 34: 34: 34) sts.

Cont straight until sleeve measures 49 (50: 50: 51: 51) cm, ending with a **WS** row.

Shape top

Cast off 4 sts at beg of next 2 rows. 24 (24: 26: 26: 26) sts.

Dec 1 st at each end of 3rd and every foll 4th row until 18 (18: 20: 20: 20) sts rem.

Work 1 row.

Dec 1 st at each end of next and every foll alt row to 12 sts, then on foll row, ending with a **WS** row. Cast off rem 10 sts.

MAKING UP

PRESS.

Join both shoulder seams using back stitch, or mattress st if preferred.

Button band

With RS facing and using 10mm (US 15) needles, pick up and knit 48 sts up right front opening edge, between cast-on edge and neck shaping.

Row 1 (WS): K1, *P2, K2, rep from * to last 3 sts, P2, K1.

Row 2: K3, *P2, K2, rep from * to last st, K1.

These 2 rows form rib.

Work in rib for a further 5 rows.

Cast off in rib.

Buttonhole band

Work as given for button band, picking up sts down left front opening edge and with the addition of 5 buttonholes worked in

row 5 as folls:

Row 5 (buttonhole row) (WS): Rib 3, *yarn (to make a buttonhole), work 2 tog, rib 8, rep from * to last 5 sts, yarn (to make 5th buttonhole), work 2 tog, rib 3.

Collar

Cast on 46 (46: 46: 50: 50) sts using 10mm (US 15) needles.

Row 1 (RS): K2, *P2, K2, rep from * to end.

Row 2: K1, P1, *K2, P2, rep from * to last 4 sts, K2, P1, K1.

These 2 rows form rib.

Cont in rib until collar measures 12 cm.

Cast off in rib.

Positioning ends of collar halfway across top of bands, sew cast-on edge of collar to neck edge.

Pocket flaps (make 2)

Cast on 16 sts using 10mm (US 15) needles.

Beg with row 2, work in rib as given for button band for 4 rows, ending with a **WS** row.

Row 5 (RS): K2, K2tog tbl, yarn (to make a buttonhole), rib to last 4 sts, yarn (to make 2nd buttonhole), K2tog, K2.

Cont in rib until pocket flap measures 10 cm.

Cast off in rib.

Fold pockets up onto RS of fronts, folding level with cast-on edge of side sections, and stitch in place. Position pocket flap above pocket opening using photograph as a guide and stitch in place. Attach buttons to pockets to correspond with buttonholes in flaps.

Epaulettes (make 2)

Cast on 10 sts using 10mm (US 15) needles.

Row 1 (RS): K2, *P2, K2, rep from * to end.

Row 2: P2, *K2, P2, rep from * to end.



These 2 rows form rib.

Cont in rib until epaulette measures 5 cm.

Cast off in rib.

Lay epaulette over shoulder seam, matching one short end to armhole edge, and stitch these armhole edges together. Secure other end of epaulette to shoulder seam by attaching a button through all layers.

Set in sleeves using the set-in method.



ROWAN



ONZA

By Kim Hargreaves

ROWWEBD-01032

v.1





ONZA

by Kim Hargreaves

Craft 

Skill Level 

ROWWEBD-01032 

v.1

[Click the image for a full screen, printable version](#)

SIZE

	XS	S	M	L	XL	
To fit bust	81	86	91	97	102	cm
	32	34	36	38	40	in

YARN

Kid Classic

9 9 10 10 11 x 50gm
(photographed in Rosewood 870)

**More Yarn
Information**

on knitrowan.com

NEEDLES

1 pair 3¾mm (no 9) (US 5) needles
1 pair 4mm (no 8) (US 6) needles

BUTTONS - 5 small

TENSION

21 sts and 40 rows to 10 cm measured over garter stitch using 4mm (US 6) needles.

BACK

Cast on 95 (101: 107: 113: 119) sts using 3¾mm (US 5) needles.

Beg with a RS row, cont in garter st throughout as folls:
Work 10 rows.

Change to 4mm (US 6) needles.

Work 8 (10: 10: 12: 12) rows, ending with a WS row.

Place markers on 26th (27th: 28th: 29th: 30th) st in from both ends of last row.

Next row (RS) (dec): K2tog, K to within 1 st of first marked st, K3tog (centre st is marked st), K to within 1 st of second marked st, K3tog tbl, K to last 2 sts, K2tog tbl.

89 (95: 101: 107: 113) sts.

Work 19 rows.

Rep last 20 rows once more and then first of these rows (the dec row) again. 77 (83: 89: 95: 101) sts.

Work 17 rows, ending with a WS row.

Next row (RS) (inc): Inc in first st, *K to marked st, M1, K marked st, M1, rep from * once more, K to last st, inc in last st.

Work 19 rows.

Rep last 20 rows once more and then first of these rows (the inc row) again. 95 (101: 107: 113: 119) sts.

Cont straight until back measures 34 (35: 35: 36: 36) cm from cast-on edge, ending with a WS row.

Shape armholes

Cast off 4 (4: 5: 5: 6) sts at beg of next 2 rows.

87 (93: 97: 103: 107) sts.

Dec 1 st at each end of next 3 (5: 5: 7: 7) rows, then on every foll alt row until 73 (75: 77: 79: 81) sts rem.

Cont straight until armhole measures 21 (21: 22: 22: 23) cm, ending with a WS row.

Shape shoulders and back neck

Cast off 7 (7: 8: 8: 8) sts at beg of next 2 rows.

59 (61: 61: 63: 65) sts.

Next row (RS): Cast off 7 (7: 8: 8: 8) sts, K until there are 12 (12: 11: 11: 12) sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 8 (8: 7: 7: 8) sts.

With RS facing, rejoin yarn to rem sts, cast off centre 21 (23: 23: 25: 25) sts, K to end.

Work to match first side, reversing shapings.

LEFT FRONT

Cast on 51 (54: 57: 60: 63) sts using 3¾mm (US 5) needles.

Beg with a RS row, cont in garter st throughout as folls:

Work 10 rows.

Change to 4mm (US 6) needles.

Work 8 (10: 10: 12: 12) rows, ending with a WS row.

Place marker on 26th (27th: 28th: 29th: 30th) st in from end of last row.

Next row (RS) (dec): K2tog, K to within 1 st of marked st, K3tog, K to end.

Work 19 rows.

Rep last 20 rows once more and then first of these rows (the dec row) again. 42 (45: 48: 51: 54) sts.

Work 17 rows, ending with a WS row.

Next row (RS) (inc): Inc in first st, K to marked st, M1, K marked st, M1, K to end.

Work 19 rows.

Rep last 20 rows once more and then first of these rows (the inc row) again. 51 (54: 57: 60: 63) sts.

Cont straight until left front matches back to beg of armhole shaping, ending with a WS row.

Shape armhole

Cast off 4 (4: 5: 5: 6) sts at beg of next row. 47 (50: 52: 55: 57) sts.
Work 1 row.

Dec 1 st at armhole edge of next 3 (5: 5: 7: 7) rows, then on every foll alt row until 40 (41: 42: 43: 44) sts rem.

Cont straight until armhole measures 12 (12: 13: 13: 14) cm, ending with a RS row.

Shape neck

Cast off 10 (11: 11: 12: 12) sts at beg of next row. 30 (30: 31: 31: 32) sts.

Work 2 rows, ending with a WS row.

Dec 1 st at neck edge of next and every foll 4th row until 22 (22: 23: 23: 24) sts rem.

Cont straight until left front matches back to start of shoulder shaping, ending with a WS row.

Shape shoulder

Cast off 7 (7: 8: 8: 8) sts at beg of next and foll alt row.

Work 1 row. Cast off rem 8 (8: 7: 7: 8) sts.

Mark positions for 5 buttons along left front opening edge - lowest button to be level with 2nd dec row up from cast-on edge, top button level with beg of armhole shaping and rem 3 buttons evenly spaced between.

RIGHT FRONT

Cast on 51 (54: 57: 60: 63) sts using 3¾mm (US 5) needles.
Beg with a RS row, cont in garter st throughout as folls:

Work 10 rows.

Change to 4mm (US 6) needles.

Work 8 (10: 10: 12: 12) rows, ending with a WS row.

Place marker on 26th (27th: 28th: 29th: 30th) st in from beg of last row.

Next row (RS) (dec): K to within 1 st of marked st, K3tog tbl, K to last 2 sts, K2tog tbl.

Work 19 rows.

Next row (RS) (dec) (buttonhole row): K2, K2tog, yfwd (to make a buttonhole), K to within 1 st of marked st, K3tog tbl, K to last 2 sts, K2tog tbl.

Making a further 4 buttonholes (in same way as 1st buttonhole) to correspond with positions marked for buttons on left front, complete to match left front, reversing shapings.

SLEEVES (both alike)

Cast on 47 (47: 49: 49: 51) sts using 3¾mm (US 5) needles.
Beg with a RS row, cont in garter st throughout as folls:

Work 10 rows.

Change to 4mm (US 6) needles.

Cont in garter st, inc 1 st at each end of 3rd and every foll 12th (10th: 12th: 10th: 10th) row until there are 63 (51: 75: 61: 63) sts.

Extra small, small, large and extra large sizes only

Inc 1 st at each end of every foll 14th (12th: -: 12th: 12th) row until there are 71 (73: -: 77: 79) sts.

All sizes

Cont straight until sleeve measures 43 (43: 44: 44: 44) cm from cast-on edge, ending with a WS row.

Shape top

Cast off 4 (4: 5: 5: 6) sts at beg of next 2 rows.

63 (65: 65: 67: 67) sts.

Dec 1 st at each end of next 3 rows, then on foll alt row, then on foll 4th row. 53 (55: 55: 57: 57) sts.

Work 5 rows.

Dec 1 st at each end of next and every foll 6th row until 41 (45: 43: 47: 43) sts rem, then on every foll 4th row until 39 (41: 39: 41: 41) sts rem, then on every foll alt row until 35 sts rem.

Dec 1 st at each end of next 3 rows, ending with a WS row. 29 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 21 sts.

MAKING UP**PRESS.**

Join both shoulder seams using back stitch.

Collar

Cast on 69 (73: 73: 77: 77) sts using 4mm (US 6) needles.

Beg with a RS row, cont in garter st throughout as folls:

Work 1 row.

Row 2: K to last 10 sts, wrap next st (by slipping next st and then taking yarn to opposite side of work between needles, slip same st back onto left needle - when working back across wrapped sts, work loop made and st to as 1 st), turn.

Row 3: As row 2.

Rows 4 and 5: K to last 16 sts, wrap next st and turn.

Rows 6 and 7: K to last 22 sts, wrap next st and turn.

Rows 8 and 9: K to last 28 sts, wrap next st and turn.

Row 10: Knit to end.

Cont in garter st, inc 1 st at both ends of next and foll 3 (3: 4: 4: 5) alt rows. 77 (81: 83: 87: 89) sts.

Place markers at both ends of last row.

Work 12 (12: 12: 14: 14) rows.

Cast off evenly.

Sew collar to neck edge as folls: positioning collar markers halfway across top of front neck cast-off sts, sew shaped row end edges of collar to front cast-off sts, then sew cast-on edge of collar to front slope and back neck edges.

Shoulder pads (make 2)

Cast on 1 st using 4mm (US 6) needles.

Beg with a RS row, cont in garter st throughout as folls:


Inc 1 st at beg of next 24 rows. 25 sts.

Dec 1 st at beg of next 24 rows. 1 st.

Fasten off.

Fold shoulder pad in half along longest row and sew shaped edges tog. Sew in shoulder pad by attaching ends of longest row to armhole seam and pointed end to shoulder seam.

Set in sleeves using the set-in method.



[Click the image for a full screen, printable version](#)

R O W A N



Patti

By Sarah Hatton



Patti

by Sarah Hatton



SIZE

	S	M	L	
To fit bust				
	81-86	91-97	102-107	cm
	32-34	36-38	40-42	in

YARN

Rowan Felted Tweed

8 9 10 x 50gm
(photographed in Carbon 159)

NEEDLES

1 pair 3mm (no 11) (US 2/3) needles
1 pair 3¼mm (no 9) (US 5) needles

BUTTONS - 00317

TENSION

23 sts and 32 rows to 10 cm measured over stocking stitch using 3¼mm (US 5) needles.

SPECIAL ABBREVIATIONS

wyab = with yarn at back (RS) of work; **wyaf** = with yarn at front (WS) of work.

BACK

Using 3mm (US 2/3) needles cast on 203 [215: 229] sts. Counting in from both ends of cast-on edge, place markers on 30th [33rd: 36th] st, leave 11 sts and place another marker on next st, leave another 22 sts and place a 3rd marker on next st, leave another 11 sts and place a 4th marker on next st – there should be 49 [55: 63] sts between markers at centre back.

Row 1 (RS): Knit.

Row 2: (K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf) twice, K to end.

Rep last 2 rows 3 times more.

Change to 3¼mm (US 5) needles.

Row 9 (RS): Knit.

Row 10: (P to marked st, sl marked st purlwise wyaf, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyaf, P to next marked st, sl marked st purlwise wyaf) twice, P to end.

Last 2 rows form patt.

Work in patt for 16 rows, ending with RS facing for next row.

Row 27 (dec) (RS): K2tog, *K to marked st, K marked st, (K to within 2 sts of next marked st, K2tog, K marked st, K2tog tbl) twice, K to next marked st, K marked st, rep from * once more, K to last 2 sts, K2tog. 193 [205: 219] sts.

Work 23 rows.

Rep last 24 rows once more, then row 27 again.

173 [185: 199] sts.

Cont straight until back meas 28 [29: 30] cm, ending with **WS** facing for next row.

Next row (WS): P26 [29: 32], cast off next 36 sts, P until there are 49 [55: 63] sts on right needle, cast off next 36 sts, P to end. 101 [113: 127] sts.

Change to 3mm (US 2/3) needles.

Work in g st for 6 rows, ending with RS facing for next row.

Change to 3¼mm (US 5) needles.

Beg with a K row, work in st st until back meas 32 [33: 34] cm, ending with RS facing for next row.

Shape armholes

Cast off 4 [5: 6] sts at beg of next 2 rows. 93 [103: 115] sts.

Dec 1 st at each end of next 3 [5: 7] rows, then on foll 4 [5: 6] alt rows.

79 [83: 89] sts.

Cont straight until armhole meas 20 [21: 22] cm, ending with RS facing for next row.

Shape back neck and shoulders

Cast off 6 [7: 8] sts at beg of next 2 rows. 67 [69: 73] sts.

Next row (RS): Cast off 6 [7: 8] sts, K until there are 10 sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 7 sts.

With RS facing, rejoin yarn to rem sts, cast off centre 35 [35: 37] sts, K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 3mm (US 2/3) needles cast on 106 [112: 119] sts.

Counting in from end of cast-on edge, place markers on 30th [33rd: 36th] st, leave 11 sts and place another marker on next st, leave another 22 sts and place a 3rd marker on next st, leave another 11 sts and place a 4th marker on next st – there should be 29 [32: 36] sts left at centre front.

Row 1 (RS): Knit.

Row 2: K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to end.

Rep last 2 rows twice more, then row 1 again.

Row 8 (WS): K9 and slip these sts onto a holder, K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to end. 97 [103: 110] sts.

Change to 3¾mm (US 5) needles.

Row 9 (RS): Knit.

Row 10: P to marked st, sl marked st purlwise wyaf, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyaf, P to end.

Last 2 rows form patt.

Work in patt for 16 rows, ending with RS facing for next row.

Row 27 (dec) (RS): K2tog, K to marked st, K marked st, (K to within 2 sts of next marked st, K2tog, K marked st, K2tog tbl) twice, K to next marked st, K marked st, K to end. 92 [98: 105] sts.

Work 23 rows.

Rep last 24 rows once more, then row 27 again.

82 [88: 95] sts.

Cont straight until left front meas 28 [29: 30] cm, ending with **WS** facing for next row.

Next row (WS): P20 [23: 27], cast off next 36 sts, P to end. 46 [52: 59] sts.

****Change to 3mm (US 2/3) needles.**

Work in g st for 6 rows, ending with RS facing for next row.

Change to 3¾mm (US 5) needles.

Beg with a K row, work in st st until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Cast off 4 [5: 6] sts at beg of next row. 42 [47: 53] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [5: 7] rows, then on foll 4 [5: 6] alt rows. 35 [37: 40] sts.

Cont straight until 23 [23: 25] rows less have been worked than on back to beg of shoulder shaping, ending with WS facing for next row.

Shape neck

Cast off 6 sts at beg of next row. 29 [31: 34] sts.

Dec 1 st at neck edge of next 5 rows, then on foll 4 [4: 5] alt rows, then on foll 4th row. 19 [21: 23] sts.

Work 5 rows, ending with RS facing for next row.

Shape shoulder

Cast off 6 [7: 8] sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 7 sts.

RIGHT FRONT

Using 3mm (US 2/3) needles cast on 106 [112: 119] sts.

Counting in from beg of cast-on edge, place markers on 30th [33rd: 36th] st, leave 11 sts and place another marker on next st, leave another 22 sts and place a 3rd marker on next st, leave another 11 sts and place a 4th marker on next st – there should be 29 [32: 36] sts left at centre front.

Row 1 (RS): Knit.

Row 2: K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to end.

Rep last 2 rows twice more, then row 1 again.

Row 8 (WS): K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to last 9 sts and turn, leaving rem 9 sts on a holder.

97 [103: 110] sts.

Change to 3¾mm (US 5) needles.

Row 9 (RS): Knit.

Row 10: P to marked st, sl marked st purlwise wyaf, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyaf, P to end.

Last 2 rows form patt.

Work in patt for 16 rows, ending with RS facing for next row.

Row 27 (dec) (RS): K to marked st, K marked st, (K to within 2 sts of next marked st, K2tog, K marked st, K2tog tbl) twice, K to next marked st, K marked st, K to last 2 sts, K2tog. 92 [98: 105] sts.

Work 23 rows.

Rep last 24 rows once more, then row 27 again.

82 [88: 95] sts.

Cont straight until right front meas 28 [29: 30] cm, ending with **WS** facing for next row.

Next row (WS): P26 [29: 32], cast off next 36 sts, P to end. 46 [52: 59] sts.

Complete to match left front from ******, reversing shapings.

SLEEVES

Using 3mm (US 2/3) needles cast on 92 [94: 96] sts.

Work in g st for 8 rows, ending with RS facing for next row.

Change to 3¾mm (US 5) needles.

Beg with a K row, work in st st, shaping sides by dec 1 st at each end of 9th [13th: 21st] and every foll 14th [18th: 26th] row to 86 [90: 92] sts, then on every foll 16th [20th: 28th] row until 82 [86: 90] sts rem.

Cont straight until sleeve meas 28 [29: 30] cm, ending with RS facing for next row.

Shape top

Cast off 4 [5: 6] sts at beg of next 2 rows. 74 [76: 78] sts.

Dec 1 st at each end of next 5 rows, then on foll 2 alt rows, then on every foll 4th row until 52 [54: 56] sts rem.

Work 1 row.

Dec 1 st at each end of next and every foll alt row to 44 sts, then on foll 13 rows, ending with RS facing for next row.

Cast off rem 18 sts.

MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Button band

Slip 9 sts from left front holder onto 3mm (US 2/3) needles and rejoin yarn with RS facing.

Cont in g st as set until button band, when slightly stretched, fits up left front opening edge to neck shaping, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

Slip stitch band in place.

Mark positions for 3 buttons on this band – first to come just above top of pleats, last to come just below neck shaping, and rem button evenly spaced between.

Buttonhole band

Slip 9 sts from right front holder onto 3mm (US 2/3) needles and rejoin yarn with **WS** facing.

Cont in g st as set until buttonhole band, when slightly stretched, fits up right front opening edge to neck shaping, ending with **WS** facing for next row and with the addition of 3 buttonholes worked to correspond with positions marked for buttons as follows:

Buttonhole row (RS): K3, K2tog, yfwd (to make a buttonhole), K4.

When band is complete, cast off knitwise (on **WS**).

Slip stitch band in place.

Collar

With RS facing and using 3mm (US 2/3) needles, beg and ending halfway across top of bands, pick up and knit 33 [33: 35] sts up right side of neck, 41 [41: 43] sts from back, then 33 [33: 35] sts down left side of neck. 107 [107: 113] sts.

Work in g st until collar meas 3 cm from pick-up row, ending with RS of collar (**WS** of body) facing for next row.

Next row (RS): K3, (inc in next st, K4) 20 [20: 21] times, inc in next st, K to end. 128 [128: 135] sts.



Work in g st until collar meas 6 cm from pick-up row, ending with RS of collar (**WS** of body) facing for next row.

Next row (RS): K3 [3: 4], (inc in next st, K5) 20 [20: 21] times, inc in next st, K to end. 149 [149: 157] sts.

Cont in g st until collar meas 10 cm from pick-up row, ending with **WS** of collar (RS of body) facing for next row.

Cast off knitwise (on **WS**).

Set in sleeves using the set-in method. Fold pleats along slip st fold lines and sew cast-off edges in place on inside.



ROWAN

RED SQUARES ON POINT

By Kaffe Fassett

ZB216-00007

v.1



© Copyright MEZ Crafts UK Ltd., 2017.



RED SQUARES ON POINT

by Kaffe Fassett

Craft 

Skill Level 

ZB216-00007 

v.1

[Click the image for a full screen, printable version](#)

SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual bust measurement of garment

95	103	114	124	135	cm
37½	40½	45	49	53	in

YARN

Handknit Cotton

A Beetle 013	1	1	1	1	1	x 50gm
B Heliotrope 008	1	1	1	1	1	x 50gm
C Jewel Blue 012	1	1	1	1	1	x 50gm
D Lizard 014	1	1	1	1	1	x 50gm
E Forest 370	1	1	1	1	1	x 50gm
F Helium 011	1	1	1	1	1	x 50gm
G Blackberry 005	1	1	1	1	1	x 50gm
H Persimmon 003	1	1	1	1	1	x 50gm
I Rosso 215	1	1	1	1	1	x 50gm
J Flamingo 368	1	1	1	1	1	x 50gm
K Peach 002	1	1	1	1	1	x 50gm
L Fascia 006	8	8	9	9	10	x 50gm
M Pillar Box 004	1	1	1	1	1	x 50gm
N Gooseberry 219	1	1	1	1	1	x 50gm
P Pansy 009	1	1	1	2	2	x 50gm

More Yarn Information

on knitrowan.com

NEEDLES

- 1 pair 4mm (no 8) (US 6) needles
- 1 pair 4½mm (no 7) (US 7) needles

BUTTONS - 7 x 15mm Shell Buttons

TENSION

19 sts and 28 rows to 10 cm measured over patterned or plain st st using 4½mm (US 7) needles.

BACK

Using 4mm (US 6) needles and yarn P cast on

88 [96: 106: 116: 126] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated and using the **intarsia** technique as described on the information page, cont in patt from chart, which is worked entirely in st st beg with a K row, as folls:

Work 16 rows, ending with RS facing for next row.

Keeping patt correct, dec 1 st at each end of next and 2 [1: 1: 1: 1] foll 8th [10th: 10th: 12th: 12th] rows. 82 [92: 102: 112: 122] sts.

Work 3 [9: 9: 7: 7] rows, ending after chart row

36 and with RS facing for next row.

Break off contrasts and cont using yarn L **only**.

Beg with a K row, cont in st st throughout as folls:

Dec 1 st at each end of 5th [next: next: 5th: 5th] and foll - [8th: 10th: 12th: 14th] row.

80 [88: 98: 108: 118] sts.

Work 15 rows, ending with RS facing for next row.

Inc 1 st at each end of next and 1 [1: 2: 1: 2] foll 10th [10th: 10th: 8th: 8th] rows, then on 2 [2: 1: 2: 1] foll 12th [12th: 12th: 10th: 10th] rows.

88 [96: 106: 116: 126] sts.

Cont straight until back meas 37.5 [38: 38.5: 39: 39.5] cm, ending with RS facing for next row.

Shape armholes

Cast off 4 [5: 5: 6: 7] sts at beg of next 2 rows.

80 [86: 96: 104: 112] sts.

Dec 1 st at each end of next 3 [5: 5: 7: 7] rows, then on foll 4 [3: 5: 4: 5] alt rows, then on foll 4th row. 64 [68: 74: 80: 86] sts.

Cont straight until armhole meas 19 [20.5: 22: 23.5: 25] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 5 [6: 7: 8: 8] sts, K until there are 14 [15: 16: 18: 20] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 3 rows, ending with RS facing for next row, **and at same time** cast off 5 [6: 7: 8: 8] sts at beg of 2nd row. Cast off rem 6 [6: 6: 7: 9] sts.

With RS facing, slip centre 26 [26: 28: 28: 30] sts onto a holder (for neckband), rejoin yarn and K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 4mm (US 6) needles and yarn P cast on 44 [48: 53: 58: 63] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, cont in patt from chart as folls:

Work 16 rows, ending with RS facing for next row.

Keeping patt correct, dec 1 st at beg of next and 2 [1: 1: 1: 1] foll 8th [10th: 10th: 12th: 12th] rows. 41 [46: 51: 56: 61] sts.

Work 3 [9: 9: 7: 7] rows, ending after chart row

36 and with RS facing for next row.

Break off contrasts and cont using yarn L **only**.

Beg with a K row, cont in st st throughout as folls:

Dec 1 st at beg of 5th [next: next: 5th: 5th] and foll – [8th: 10th: 12th: 14th] row. 40 [44: 49: 54: 59] sts.

Work 15 rows, ending with RS facing for next row.

Inc 1 st at beg of next and 1 [1: 2: 1: 2] foll 10th [10th: 10th: 8th: 8th] rows, then on 2 [2: 1: 2: 1] foll 12th [12th: 12th: 10th: 10th] rows.

44 [48: 53: 58: 63] sts.

Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Cast off 4 [5: 5: 6: 7] sts at beg of next row.

40 [43: 48: 52: 56] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [5: 5: 7: 7] rows, then on foll 4 [3: 5: 4: 5] alt rows, then on foll 4th row. 32 [34: 37: 40: 43] sts.

Cont straight until 24 [24: 26: 26: 28] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape front neck

Next row (RS): K26 [28: 31: 34: 37] and turn, leaving rem 6 sts on a holder (for neckband).

Dec 1 st at neck edge of next 6 rows, then on foll

2 [2: 3: 3: 4] alt rows, then on 2 foll 4th rows.

16 [18: 20: 23: 25] sts.

Work 5 rows, ending with a RS row.

Shape shoulder

Cast off 5 [6: 7: 8: 8] sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 6 [6: 6: 7: 9] sts.

RIGHT FRONT

Using 4mm (US 6) needles and yarn P cast on 44 [48: 53: 58: 63] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, cont in patt from chart as folls:

Work 16 rows, ending with RS facing for next row.

Keeping patt correct, dec 1 st at end of next and

2 [1: 1: 1: 1] foll 8th [10th: 10th: 12th: 12th] rows. 41 [46: 51: 56: 61] sts.

Complete to match left front, reversing shapings and working first row of neck shaping as folls:

Shape front neck

Next row (RS): Break yarn. Slip first 6 sts onto a holder (for neckband), rejoin yarn and K to end.

26 [28: 31: 34: 37] sts.

SLEEVES

Using 4mm (US 6) needles and yarn P cast on 32 [34: 36: 36: 38] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, cont in patt from chart as folls:

Inc 1 st at each end of 5th and 0 [4: 3: 5: 5] foll 6th rows, then on 3 [0: 1: 0: 0] foll 8th rows, taking inc sts into patt. 40 [44: 46: 48: 50] sts.

Work 7 [7: 5: 1: 1] rows, ending after chart row

36 and with RS facing for next row.

Break off contrasts and cont using yarn L **only**.

Beg with a K row, cont in st st throughout as folls:

Inc 1 st at each end of next [next: 3rd: 5th: 5th] and every foll 8th [8th: 8th: 6th: 6th] row to 60 [64: 66: 60: 70] sts, then on every foll – [-: -: 8th: 8th] row until there are – [-: -: 70: 74] sts.

Cont straight until sleeve meas 45 [45: 46: 46: 46] cm, ending with RS facing for next row.

Shape top

Cast off 4 [5: 5: 6: 7] sts at beg of next 2 rows.

52 [54: 56: 58: 60] sts.

Dec 1 st at each end of next 3 rows, then on foll alt row, then on 3 foll 4th rows. 38 [40: 42: 44: 46] sts.

Work 1 row.

Dec 1 st at each end of next and every foll alt row until 24 sts rem, then on foll 7 rows, ending with RS facing for next row.

Cast off rem 10 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Neckband

With RS facing, using 4mm (US 6) needles and yarn P, K across 6 sts on right front holder, pick up and knit 21 [21: 23: 23: 25] sts up right side of front neck, and 3 sts down right side of back neck, K across 26 [26: 28: 28: 30] sts on back holder, pick up and knit 3 sts up left side of back neck, and 21 [21: 23: 23: 25] sts down left side of front neck, then K across 6 sts on left front holder. 86 [86: 92: 92: 98] sts. Work in g st for 4 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

Button band

With RS facing, using 4mm (US 6) needles and yarn P, pick up and knit 90 [96: 96: 102: 108] sts evenly down entire left front opening edge, from top of neckband to cast-on edge.

Work in g st for 4 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

Buttonhole band

With RS facing, using 4mm (US 6) needles and yarn P, pick up and knit 90 [96: 96: 102: 108] sts evenly up entire right front opening edge, from cast-on edge to top of neckband.


Row 1 (WS): Knit.

Row 2: K3, *yfwd, K2tog (to make a buttonhole), K12 [13: 13: 14: 15], rep from * 5 times more, yfwd, K2tog (to make 7th buttonhole), K1.

Work in g st for a further 2 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

See information page for finishing instructions, setting in sleeves using the set-in method.




[Click the image for a full screen, printable version](#)

Information
Pages

Key

	A		H
	B		I
	C		J
	D		K
	E		L
	F		M
	G		N



ROWAN



Rona

By Marie Wallin



Paid Pattern Download



Rona

by Marie Wallin

R O W A N

SIZE

S-M	L-XL	
To fit bust		
81-97	102-117	cm
32-38	40-46	in

YARN

Rowan Felted Tweed

(photographed in the following shades, to view a full current yarn range visit www.knitrowan.com)

A Seafarer 170		
2	2	x 50gm
B Cinnamon 175		
2	2	x 50gm
C Ancient 172		
4	4	x 50gm
D Phantom 153		
1	2	x 50gm
E Paisley 171		
3	3	x 50gm
F Bilberry 151		
2	2	x 50gm
G Carbon 159		
4	4	x 50gm

CROCHET HOOK

3.25mm (no 10) (US D3) crochet hook

BUTTONS – 3 x BN1367 (18mm) from Bedecked. Please see information page for contact details.

TENSION

19 sts and 26 rows to 10 cm measured over dc fabric using 3.25mm (US D3) hook. Each motif measures 8 cm square.

UK CROCHET ABBREVIATIONS

ch = chain; **dc** = double crochet; **ss** = slip stitch; **tr** = treble; **sp(s)** = space(s); **dc2tog** = (insert hook into next st, yarn over hook and draw loop through) twice, yarn over hook and draw through all 3 loops on hook.

MOTIF A (make 24 [32])

Using 3.25mm (US D3) crochet hook and yarn D, make 4 ch and join with a ss to form a ring.

Round 1 (RS): 5 ch (counts as 1 tr and 2 ch), (3 tr into ring, 2 ch) 3 times, 2 tr into ring, ss to 3rd of 5 ch at beg of round.

Round 2: Using yarn C, ss into centre of first ch sp, 5 ch (counts as 1 tr and 2 ch), 3 tr into same ch sp, *1 ch, miss 3 tr, (3 tr, 2 ch and 3 tr) into next ch sp, rep from * twice more, 1 ch, miss 3 tr, 2 tr into same ch sp as used at beg of round, ss to 3rd of 5 ch at beg of round.

Round 3: Using yarn B, ss into centre of first ch sp, 5 ch (counts as 1 tr and 2 ch), 3 tr into same ch sp, *1 ch, miss 3 tr, 3 tr into next ch sp, 1 ch, miss 3 tr**, (3 tr, 2 ch and 3 tr) into next ch sp, rep

from * to end, ending last rep at **, 2 tr into same ch sp as used at beg of round, ss to 3rd of 5 ch at beg of round.

Round 4: Using yarn A, ss into centre of first ch sp, 5 ch (counts as 1 tr and 2 ch), 3 tr into same ch sp, *(1 ch, miss 3 tr, 3 tr into next ch sp) twice, 1 ch, miss 3 tr**, (3 tr, 2 ch and 3 tr) into next ch sp, rep from * to end, ending last rep at **, 2 tr into same ch sp as used at beg of round, ss to 3rd of 5 ch at beg of round.

Fasten off.

MOTIF B (make 24 [34])

Work as given for motif A but using colours as follows:

Foundation ring and round 1: Using yarn C.

Round 2: Using yarn A.

Round 3: Using yarn B.

Round 4: Using yarn D.

MOTIF C (make 24 [34])

Using 3.25mm (US D3) crochet hook and yarn F, make 4 ch and join with a ss to form a ring.

Round 1 (RS): 5 ch (counts as 1 tr and 2 ch), (3 tr into ring, 2 ch) 3 times, 2 tr into ring, ss to 3rd of 5 ch at beg of round.

Round 2: Using yarn E, ss into centre of first ch sp, 7 ch (counts as 1 tr and 4 ch), 2 tr into same ch sp, *1 tr into each of next 3 tr**, (2 tr, 4 ch and 2 tr) into next ch sp, rep from * to end, ending last rep at **, 1 tr into same ch sp as used at beg of round, ss to 3rd of 7 ch at beg of round.

Round 3: Using yarn C, ss into centre of first ch sp, 7 ch (counts as 1 tr and 4 ch), 2 tr into same ch sp, *1 tr into each of next 7 tr**, (2 tr, 4 ch and 2 tr) into next ch sp, rep from * to end, ending last rep at **, 1 tr into same ch sp as used at beg of round, ss to 3rd of 7 ch at beg of round.

Round 4: Using yarn F, ss into centre of first ch sp, 7 ch (counts as 1 tr and 4 ch), 2 tr into same ch sp, *1 tr into each of next 11 tr**, (2 tr, 4 ch and 2 tr) into next ch sp, rep from * to end, ending last rep at **, 1 tr into same ch sp as used at beg of round, ss to 3rd of 7 ch at beg of round.

Fasten off.

MOTIF D (make 24 [32])

Using 3.25mm (US D3) crochet hook and yarn E, make 12 ch and join with a ss to form a ring.

Round 1 (RS): 1 ch (does NOT count as st), 18 dc into ring, ss to first dc.

Round 2: 1 ch (does NOT count as st), 1 dc into dc at base of 1 ch, *3 ch, miss 2 dc, 1 dc into next dc, rep from * to end, replacing dc at end of last rep with ss to first dc. 6 ch sps.

Round 3: 1 ch (does NOT count as st), (1 dc, 3 ch, 5 tr, 3 ch and 1 dc) into each ch sp to end, ss to first dc. 6 petals.

Round 4: Working behind petals of previous round, 1 ch (does NOT count as st), 1 dc between first and last dc of previous round, *5 ch, 1 dc between next pair of dc (between petals), rep from * to end, replacing dc at end of last rep with ss to first dc. 6 ch sps.

Round 5: 1 ch (does NOT count as st), (1 dc, 3 ch, 7 tr, 3 ch and

1 dc) into each ch sp to end, ss to first dc. 6 petals.

Round 6: Using yarn C and working behind petals of previous round, 1 ch (does NOT count as st), 1 dc between first and last dc of previous round, *6 ch, 1 dc between next pair of dc (between petals), rep from * to end, replacing dc at end of last rep with ss to first dc. 6 ch sps.

Round 7: Using yarn C, ss into first ch sp, 3 ch (counts as first tr), (4 tr, 2 ch and 1 tr) into same ch sp, *6 tr into next ch sp, (2 tr, 2 ch and 4 tr) into next ch sp**, (5 tr, 2 ch and 1 tr) into next ch sp, rep from * to ** once more, ss to top of 3 ch at beg of round.

Round 8: Using yarn C, 3 ch (counts as first tr), miss st at base of 3 ch, 1 tr into each of next 4 tr, *(3 tr, 2 ch and 3 tr) into next ch sp**, 1 tr into each of next 9 tr, rep from * to end, ending last rep at **, 1 tr into each of last 4 tr, ss to top of 3 ch at beg of round.

Round 9: Using yarn F, 1 ch (does NOT count as st), 1 dc into st at base of 1 ch, 1 dc into each of next 7 tr, *4 dc into next ch sp**, 1 dc into each of next 15 tr, rep from * to end, ending last rep at **, 1 dc into each of last 7 tr, ss to first dc.
Fasten off.

BACK

Lower back

Following appropriate diagram, join 30 [48] motifs to form a rectangle as shown. Join motifs holding them **WS** together so that seams form ridges on RS.

Upper back

With RS facing, using 3.25mm (US D3) crochet hook and yarn G, attach yarn to upper edge of lower back, 1 ch (does NOT count as st), work 101 [135] dc evenly across upper edge of joined motifs (this is 16 dc per motif plus one extra dc for each “seam” between motifs), turn.

Next row: 1 ch (does NOT count as st), 1 dc into each dc to end, turn.

This row forms dc fabric.

Cont in dc fabric for a further 16 [18] rows. (Upper back should meas 7 [8] cm from top of joined motifs.)

Shape shoulders

Next row: Ss across and into 9th [13th] st, 1 ch (does NOT count as st), 1 dc into dc at base of 1 ch – 8 [12] sts decreased, 1 dc into each dc to last 8 [12] dc and turn, leaving rem 8 [12] dc unworked – 8 [12] sts decreased.

Rep last row 3 times more. 37 [39] sts.

Fasten off.

LEFT FRONT

Lower left front

Following appropriate diagram, join 15 [24] motifs to form a rectangle as shown. Join motifs holding them **WS** together so that seams form ridges on RS.

Upper left front

With RS facing, using 3.25mm (US D3) crochet hook and yarn G, attach yarn to upper edge of lower left front, 1 ch (does NOT count as st), work 51 [68] dc evenly across upper edge of joined motifs (this is 16 dc per motif plus 3 [4] extra dc), turn.

Work in dc fabric as given for upper back for 1 row, ending with RS facing for next row.

Shape neck

Working decrease as set by back shoulders, dec 4 sts at end of next row.

47 [64] sts.

Next row: 1 ch (does NOT count as st), dc2tog over first 2 dc – 1 st decreased, 1 dc into each dc to end, turn.

Next row: 1 ch (does NOT count as st), 1 dc into each dc to last 2 sts, dc2tog over last 2 sts – 1 st decreased, turn.

Working decreases as set by last 2 rows, dec 1 st at neck edge of next 13 [14] rows. 32 [48] sts.

Work 0 [1] row.

Shape shoulder

Working all decreases as set by back shoulders, dec 8 [12] sts at side edge of next 3 rows.

8 [12] sts.

Fasten off.

RIGHT FRONT

Work to match left front, following appropriate diagram and reversing shaping.

SLEEVES

Centre section

Following appropriate diagram, join 18 motifs to form a rectangle as shown. Join motifs holding them **WS** together so that seams form ridges on RS.

First side section

With RS facing, using 3.25mm (US D3) crochet hook and yarn G, attach yarn to one corner of centre section (marked with arrow on diagram), 1 ch (does NOT count as st), work 101 dc evenly along one longer edge of joined motifs (this is 16 dc per motif plus one extra dc for each “seam” between motifs), turn.

Work in dc fabric as given for upper back for 1 row.

Working all decreases as set by back shoulders, dec 4 [3] sts at beg of next row and at same edge on foll 13 [10] rows, then 5 [4] sts at same edge of foll 8 [16] rows. 5 [4] sts.

Fasten off.

Second side section

With RS facing, using 3.25mm (US D3) crochet hook and yarn G, attach yarn to corner of centre section diagonally opposite to point marked with arrow on diagram and work to match first side section, reversing shaping.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred. Mark points along side seam edges 21 [23] cm either side of shoulder seams and sew upper edge of completed sleeve to back and fronts between these points. Join side and sleeve seams, remembering to join motif section of seams with **WS** together so that seam form ridge on RS.

Front and hem border

With RS facing, using 3.25mm (US D3) crochet hook and yarn G, attach yarn to neck corner of left front opening edge, 1 ch (does NOT count as st), work in dc evenly down left front opening edge, across entire lower edge, then up right front opening edge to neck corner, working (1 dc, 2 ch and 1 dc) into each hem corner point, turn.

Next row (WS): 1 ch (does NOT count as st), 1 dc into each dc to end, working (1 dc, 2 ch and 1 dc) into each hem corner ch sp, turn.

This row forms border patt.

Keeping border patt correct, cont as folls:

Using yarn B, work 1 row.

Using yarn C, work 1 row.

Using yarn B, work 1 row.

Next row (WS): Using yarn G, 1 ch (does NOT count as st), 1 dc into each dc to last 67 dc, working (1 dc, 2 ch and 1 dc) into each hem corner ch sp, *5 ch, miss 4 dc (to make buttonhole), 1 dc into each of next 25 dc, rep from * once more, 5 ch, miss 4 dc (to make 3rd buttonhole), 1 dc into each of last 5 dc, turn.

Next row: Using yarn G, 1 ch (does NOT count as st), 1 dc into each dc to end, working (1 dc, 2 ch and 1 dc) into each hem corner

ch sp and (7 dc) into each buttonhole ch sp.

Do NOT fasten off.

Collar

With RS facing, using 3.25mm (US D3) crochet hook and yarn G, 1 ch (does NOT count as st), now work around neck edge as follows: 22 [25] dc up right side of neck, 38 [40] dc across back neck, then 22 [25] dc down left side of neck, ending at beg of last row of front and hem border, turn. 82 [90] sts.

Working in dc fabric as given for upper back, work in stripes as follows:

Using yarn G, work 1 row.

Using yarn B, work 1 row.

Using yarn C, work 1 row.

Rep last 3 rows 8 times more.

Using yarn G, work 2 rows.

Fasten off.

Cuffs (both alike)

With RS facing, using 3.25mm (US D3) crochet hook and yarn G, attach yarn to base of sleeve seam, 1 ch (does NOT count as st), work in dc evenly around entire lower edge of sleeve, ending with ss to first dc, turn.

Next round (WS): 1 ch (does NOT count as st), 1 dc into each dc to end, ss to first dc, **turn**.

This round forms border patt.

Keeping border patt correct, cont as follows:

Using yarn B, work 1 round.


Using yarn C, work 1 round.

Using yarn B, work 1 round.

Using yarn G, work 2 rounds.

Fasten off.

See information page for finishing instructions.



Size S - M

B	D	A
C	B	D
A	C	B
D	B	C
A	C	B

left front

A	C	B	D	A	C
D	B	C	A	D	B
A	C	B	D	A	C
D	B	C	A	D	B
A	C	B	D	A	C

back

C	B	D
B	C	A
D	A	C
B	C	A
D	A	C

right front

Size L - XL

B	D	A	C
C	B	D	A
A	C	B	D
D	B	C	A
A	C	B	D
D	B	C	A

left front

A	C	B	D	A	C	B	D
D	B	C	A	D	B	C	A
A	C	B	D	A	C	B	C
D	B	C	A	D	B	C	A
A	C	B	C	A	C	B	D
D	B	C	A	D	B	C	A

back

C	B	D	B
B	C	A	C
D	A	C	B
B	C	A	D
D	A	C	B
B	C	A	D

right front

Both Sizes

A	D	A
C	A	D
B	D	B
D	A	C
A	D	B
C	B	D

right sleeve

D	A	C
B	D	B
C	B	D
A	C	A
D	A	D
B	C	B

left sleeve

To find your local stockist
click here

To view the information
guides click here

ROWAN



Rue

By Martin Storey



Paid Pattern Download



Rue

by Martin Storey

R O W A N

SIZE

S M L XL XXL

To fit bust

81-86 91-97 102-107 112-117 122-127 cm

32-34 36-38 40-42 44-46 48-50 in

YARN

Handknit Cotton

12 13 15 16 18 x 50gm

(photographed in Delphinium 334, to view a full current yarn range visit www.knitrowan.com)

For Softknit Cotton yarn see conversion chart.

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles

1 pair 4mm (no 8) (US 6) needles

BUTTONS 5 x 986 from Coats Crafts. Please see information page for contact details.

TENSION

20 sts and 28 rows to 10 cm measured over st st using 4mm (US 6) needles.

BACK

Using 3¼mm (US 3) needles cast on 92 [104: 116: 128: 140] sts.

Row 1 (RS): K1, *K2, P2, rep from * to last 3 sts, K3.

Row 2: P1, *P2, K2, rep from * to last 3 sts, P3.

These 2 rows form rib.

Work in rib for a further 18 rows, dec 0 [2: 2: 2: 0] sts evenly across last row and ending with RS facing for next row.

92 [102: 114: 126: 140] sts.

Change to 4mm (US 6) needles.

Beg with a K row, work 18 [20: 22: 24: 28] rows in st st, ending with RS facing for next row.

Next row (RS): K2, K2tog, K to last 4 sts, K2tog tbl, K2.

90 [100: 112: 124: 138] sts.

Working all decs as set by last row, dec 1 st at each end of 8th and foll 8th row, then on 2 foll 6th rows. 82 [92: 104: 116: 130] sts.

Work 7 rows, ending with RS facing for next row.

Next row (RS): K2, M1, K to last 2 sts, M1, K2.

84 [94: 106: 118: 132] sts.

Working all incs as set by last row, inc 1 st at each end of 8th row, then on 3 foll 10th rows.

92 [102: 114: 126: 140] sts.

Work 9 rows, ending with RS facing for next row. (Back should measure 43 [44: 45: 46: 47] cm).

Shape armholes

Cast off 7 [7: 8: 8: 9] sts at beg of next 2 rows.

78 [88: 98: 110: 122] sts.

Next row (RS): K2, K2tog, K to last 4 sts, K2tog tbl, K2.

Next row: P2, P2tog tbl, P to last 4 sts, P2tog, P2. 74 [84: 94: 106: 118] sts.

Working all decs as set by last 2 rows, dec 1 st at each end of next 1 [3: 5: 7: 9] rows, then 2 [3: 3: 4: 4] foll alt rows, then foll 4th row.

66 [70: 76: 82: 90] sts.

Cont straight until armhole meas 20 [21: 22: 23: 24] cm, ending with RS facing for next row.

Shape shoulders and back neck

Cast off 6 [6: 7: 8: 9] sts at beg of next 2 rows.

54 [58: 62: 66: 72] sts.

Next row (RS): Cast off 6 [7: 7: 8: 9] sts, K until there are 10 [11: 12: 13: 14] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 6 [7: 8: 9: 10] sts.

With RS facing rejoin yarn to rem sts, cast off centre 22 [22: 24: 24: 26] sts, K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 3¼mm (US 3) needles cast on 47 [51: 59: 63: 71] sts.

Row 1 (RS): K1, *K2, P2, rep from * to last 2 sts, K2.

Row 2: *P2, K2, rep from * to last 3 sts, P3.

These 2 rows form rib.

Work in rib for a further 18 rows, – [inc: dec: inc: -] 0 [1: 1: 1: 0] st at end of last row and ending with RS facing for next row.

47 [52: 58: 64: 71] sts.

Change to 4mm (US 6) needles.

Beg with a K row, work 18 [20: 22: 24: 28] rows in st st, ending with RS facing for next row.

Next row (RS): K2, K2tog, K to end.

46 [51: 57: 63: 70] sts.

Working all decs as set by last row, dec 1 st at beg of 8th and foll 8th row, then on 2 foll 6th rows.

42 [47: 53: 59: 66] sts.

Work 7 rows, ending with RS facing for next row.

Next row (RS): K2, M1, K to end.

43 [48: 54: 60: 67] sts.

Working all incs as set by last row, inc 1 st at beg of 8th row.

44 [49: 55: 61: 68] sts.

Work 7 rows, ending with RS facing for next row.

Shape neck

Dec 1 st at end (neck edge) of next row.

43 [48: 54: 60: 67] sts.

Work 1 row, ending with RS facing for next row.

Inc 1 st at side edge of next and 2 foll 10th rows **and at same time** dec 1 st at neck edge of 3rd and 3 [1: 3: 2: 3] foll 4th rows, then on

1 [2: 1: 1: 1] foll 6th rows. 41 [47: 52: 59: 65] sts.
Dec 1 st at neck edge **only** on 6th [4th: 6th: 2nd: 6th] and foll – [-: -: 6th: -] row. 40 [46: 51: 57: 64] sts.

Work 3 [5: 3: 1: 3] rows, ending with RS facing for next row.

Shape armhole

Next row (RS): Cast off 7 [7: 8: 8: 9] sts, K to last 0 [4: 0: 0: 0] sts, (K2tog tbl, K2) 0 [1: 0: 0: 0] times. 33 [38: 43: 49: 55] sts.

Work 1 row.

Working all decs as set by back, dec 1 st at armhole edge of next 3 [5: 7: 9: 11] rows, then on foll 2 [3: 3: 4: 4] alt rows, then on foll 4th row **and at same time** dec 1 st at neck edge of 1st [5th: 1st: 1st: 1st] and every foll 6th row. 25 [27: 29: 31: 35] sts.

Dec 1 st at neck edge **only** on 2nd [2nd: 2nd: 6th: 2nd] and 6 [6: 6: 5: 6] foll 6th rows.

18 [20: 22: 25: 28] sts.

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 6 [6: 7: 8: 9] sts at beg of next row, then 6 [7: 7: 8: 9] sts at beg of foll alt row.

Work 1 row.

Cast off rem 6 [7: 8: 9: 10] sts.

RIGHT FRONT

Using 3¼mm (US 3) needles cast on 47 [51: 59: 63: 71] sts.

Row 1 (RS): *K2, P2, rep from * to last 3 sts, K3.

Row 2: P1, *P2, K2, rep from * to last 2 sts, P2.

These 2 rows form rib.

Work in rib for a further 18 rows, – [inc: dec: inc: -] 0 [1: 1: 1: 0] st at beg of last row and ending with RS facing for next row.

47 [52: 58: 64: 71] sts.

Change to 4mm (US 6) needles.

Beg with a K row, work 18 [20: 22: 24: 28] rows in st st, ending with RS facing for next row.

Next row (RS): K to last 4 sts, K2tog tbl, K2.

46 [51: 57: 63: 70] sts.

Working all decs as set by last row, dec 1 st at end of 8th and foll 8th row, then on 2 foll 6th rows.

42 [47: 53: 59: 66] sts.

Work 7 rows, ending with RS facing for next row.

Next row (RS): K to last 2 sts, M1, K2.

43 [48: 54: 60: 67] sts.

Working all incs as set by last row, inc 1 st at end of foll 8th row.

44 [49: 55: 61: 68] sts.

Work 7 rows, ending with RS facing for next row.

Shape neck

Dec 1 st at beg (neck edge) of next row.

43 [48: 54: 60: 67] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 3¼mm (US 3) needles cast on 48 [48: 52: 52: 52] sts.

Work 20 rows in rib as given for back, dec 2 [0: 2: 2: 0] sts evenly across last row and ending with RS facing for next row.

46 [48: 50: 50: 52] sts.

Change to 4mm (US 6) needles.

Beg with a K row and working all incs as set by back, cont in st st, shaping sides by inc 1 st at each end of next and every foll 10th [10th: 10th: 8th: 8th] row to 62 [62: 62: 54: 56] sts, then on every foll 12th [12th: 12th: 10th: 10th] row until there are 66 [68: 70: 72: 74] sts.

Cont straight until sleeve meas 46 [47: 48: 48: 48] cm, ending with

RS facing for next row.

Shape top

Cast off 7 [7: 8: 8: 9] sts at beg of next 2 rows.

52 [54: 54: 56: 56] sts.

Working all decs as set by back, dec 1 st at each end of next 3 rows, then on 2 [3: 2: 3: 2] foll alt rows, then on every foll 4th row until 28 sts rem.

Work 1 row.

Dec 1 st at each end of next 4 rows.

Cast off rem 20 sts.

MAKING UP

Press as described on the information page.

Join shoulder seams using back stitch, or mattress stitch if preferred.

Button band

Using 3¼mm (US 3) needles, cast on 9 sts.

Row 1 (RS): K2, * P1, K1, rep from * to last st, K1.

Row 2: K1, * P1, K1, rep from * to end.

These 2 rows form rib.

Cont in rib until button band, when slightly stretched, fits up left front opening edge, up left front slope and across to centre back neck, ending with RS facing for next row.

Cast off in rib.

Slip stitch button band in place.

Mark positions for 5 buttons on this band – the first button to come 2.5 cm up from lower edge, last button to come level with beg of front slope shaping and rem 3 buttons evenly spaced between.


Buttonhole band

Work as given for button band until buttonhole band, when slightly stretched, fits up right front opening edge, up right front slope and across to centre back neck, ending with RS facing for next row and with the addition of 5 buttonholes worked to correspond with positions marked for buttons as follows:

Buttonhole row (RS): Rib 3, work 2 tog, yrn, rib to end.

When band is complete, cast off in rib.

Join cast-off ends of bands, then slip stitch buttonhole band in place. See information page for finishing instructions, setting in sleeves using the set-in method.



Yarn Conversion Chart

This chart allows you to knit any design from Simple Shapes Handknit Cotton using Softknit Cotton as an alternative.

	S	M	L	XL	XXL	
Bel						
Handknit Cotton	12	14	15	16	17	x 50gm
Softknit Cotton	11	12	13	14	15	x 50gm
Cedar						
Handknit Cotton	14	16	17	18	20	x 50gm
Softknit Cotton	12	14	15	16	17	x 50gm
Cherry						
Handknit Cotton	12	13	15	17	19	x 50gm
Softknit Cotton	11	11	13	15	16	x 50gm
Hazel						
Handknit Cotton	11	12	13	14	16	x 50gm
Softknit Cotton	10	11	11	12	14	x 50gm
Linden						
Handknit Cotton	18	20	22	24	25	x 50gm
Softknit Cotton	16	17	19	21	21	x 50gm
Myrtle						
Handknit Cotton	12	13	14	15	17	x 50gm
Softknit Cotton	11	11	12	13	15	x 50gm
Rue						
Handknit Cotton	12	13	15	16	18	x 50gm
Softknit Cotton	11	11	13	14	16	x 50gm
Silva						
Handknit Cotton	7	8	9	10	11	x 50gm
Softknit Cotton	6	7	8	9	10	x 50gm

To find your local stockist
[click here](#)

To view the information
guides [click here](#)

All right reserved. Reproduction in whole or any part of all material, including illustrations and designs, in this publication/pattern is strictly forbidden and is sold on the condition that it is used for non commercial purposes.
No part may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise without prior permission of the copyright owners having been given in writing. Yarn quantities are approximate and are based on average requirements. Images and shades are for guidance only as colours may not display accurately on screen or in printed format. Contact your local stockist to view a fringed (not digital reproduction) yarn shade card.

ROWAN



SHANTI

By Sarah Hatton

ROWEB-MAR17

v.1





SHANTI

by Sarah Hatton



v.1

Click the image for a full screen, printable version

SIZE

To fit bust

81	86	91	97	102	107	112	117	cm
32	34	36	38	40	42	44	46	in

Actual bust/chest measurement of garment

98	102	106	113	119	123	129	136	cm
39	40	42	44	47	48	51	54	in

YARN

Kidsilk Haze

4 4 4 4 4 4 5 5 x 25gm

**More Yarn
Information**

on knitrowan.com

(photographed in Pearl 590)

NEEDLES

- 1 pair 4mm (no 8) (US 6) needles
- 1 pair 4½mm (no 7) (US 7) needles

TENSION

19 sts and 27 rows to 10 cm measured over st st and patt using 4½mm (US 7) needles.

BACK

Using 4mm (US 6) needles cast on 93 [97: 101: 107: 113: 117: 123: 129] sts.

Beg with a K row, work in st st throughout as folls:

Work 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Cont in st st until back meas 30 [30: 29: 32: 31: 33: 32: 34] cm, ending with RS facing for next row.

Shape for sleeve extensions

Inc 1 st at each end of next and foll 3 alt rows, then on foll 8 rows, ending with **WS** facing for next row. 117 [121: 125: 131: 137: 141: 147: 153] sts.

Place markers at both ends of last row (to denote base of armhole openings).

Cont straight until work meas 23 [23: 24: 24: 25: 25: 26: 26] cm from markers, ending with RS facing for next row.

Shape shoulders

Cast off 6 [6: 7: 7: 8: 8: 8: 9] sts at beg of next 6 [2: 8: 4: 8: 8: 2: 8] rows, then 7 [7: -: 8: -: -: 9: -] sts at beg of foll 2 [6: -: 4: -: -: 6: -] rows. 67 [67: 69: 71: 73: 77: 77: 81] sts.

Shape back neck

Next row (RS): Cast off 7 [7: 7: 8: 8: 9: 9: 10] sts, K until there are 10 [10: 11: 11: 11: 12: 12: 13] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 7 [7: 8: 8: 8: 9: 9: 10] sts.

With RS facing, rejoin yarn and cast off centre 33 [33: 33: 33: 35: 35: 35: 35] sts, K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 4mm (US 6) needles cast on 56 [58: 60: 63: 66: 68: 71: 74] sts.

Row 1 (RS): K to last 21 sts, P1, K1, P1, K3, P1, K1, P1, K7, (P1, K1) twice, P1.

Row 2: (P1, K1) twice, P9, K1, P5, K1, P to end.

These 2 rows form patt.

Keeping patt correct throughout, cont as folls:

Work 2 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Cont in patt until left front meas 30 [30: 29: 32: 31: 33: 32: 34] cm, ending with RS facing for next row.

Shape for sleeve extension

Inc 1 st at beg of next and foll 3 alt rows, then at same edge on foll 7 rows, ending with RS facing for next row. 67 [69: 71: 74: 77: 79: 82: 85] sts.

Shape front slope

Next row (RS): Inc in first st (for last sleeve extension inc – place marker on this st), K to last 23 sts, K2tog (for front slope dec), patt 21 sts. 67 [69: 71: 74: 77: 79: 82: 85] sts.

Working all front slope decreases as set by last row, dec 1 st at front slope edge on 2nd and foll 18 [18: 17: 17: 17: 17: 16: 16] alt rows, then on 4 [4: 5: 5: 6: 6: 7: 7] foll 4th rows. 44 [46: 48: 51: 53: 55: 58: 61] sts.

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Keeping patt correct, cast off 6 [6: 7: 7: 8: 8: 8: 9] sts at beg of next and foll 2 [0: 4: 1: 5: 3: 0: 3] alt rows, then 7 [7: 8: 8: -: 9: 9: 10] sts at beg of foll 3 [5: 1: 4: -: 2: 5: 2] alt rows. 5 sts.

Keeping sts correct as set, cont on these sts only for back neck border extension as folls:

Inc 1 st at end of next row. 6 sts.

Cont straight until this strip meas 10 [10: 10: 10: 10.5: 10.5: 10.5: 10.5] cm, ending with RS facing for next row.

Cast off in moss st.

RIGHT FRONT

Using 4mm (US 6) needles cast on 56 [58: 60: 63: 66: 68: 71: 74] sts.

Row 1 (RS): (P1, K1) twice, P1, K7, P1, K1, P1, K3, P1, K1, P1, K to end.

Row 2: P to last 20 sts, K1, P5, K1, P9, (K1, P1) twice.

These 2 rows form patt.

Keeping patt correct throughout, cont as folls:

Work 2 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Cont in patt until right front meas 30 [30: 29: 32: 31: 33: 32: 34] cm, ending with RS facing for next row.

Shape for sleeve extension

Inc 1 st at end of next and foll 3 alt rows, then at same edge on foll 7 rows, ending with RS facing for next row. 67 [69: 71: 74: 77: 79: 82: 85] sts.

Shape front slope

Next row (RS): Patt 21 sts, sl 1, K1, pss0 (for front slope dec), K to last st, inc in last st (for last sleeve extension inc – place marker on this st). 67 [69: 71: 74: 77: 79: 82: 85] sts.

Working all front slope decreases as set by last row, complete to match left front, reversing shapings.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred. Join ends of back neck border extensions, then sew in place to back neck.

Cuffs (both alike)

With RS facing and using 4½mm (US 7) needles, pick up and knit 87 [87: 91: 91: 95: 95: 99: 99] sts evenly along sleeve extension row-end edge between markers.

Row 1 (WS): K0 [0: 1: 1: 0: 0: 0: 0], P4 [4: 5: 5: 2: 2: 4: 4], *K1, P5, rep from * to last 5 [5: 1: 1: 3: 3: 5: 5] sts, K1, P4 [4: 0: 0: 2: 2: 4: 4].

Row 2: (K1, P1) 0 [0: 1: 1: 2: 2: 0: 0] times, *K3, P1, K1, P1, rep from * to last 3 [3: 5: 5: 1: 1: 3: 3] sts, K3 [3: 3: 3: 1: 1: 3: 3], (P1, K1) 0 [0: 1: 1: 0: 0: 0: 0] times.

These 2 rows form patt.

Cont in patt, dec 1 st at each end of 2nd and foll 4 alt rows, then on foll 4th row. 75 [75: 79: 79: 83: 83: 87: 87] sts.

Work 3 rows, ending with RS facing for next row.


Change to 4mm (US 6) needles.

Dec 1 st at each end of next row. 73 [73: 77: 77: 81: 81: 85: 85] sts.

Work 3 rows, ending with RS facing for next row.

Cast off in patt.

See information page for finishing instructions.



Click the image for a full screen, printable version

ROWAN



SHUFFLE

By Kaffe Fassett

ZB216-00005

v.1





SHUFFLE

by Kaffe Fassett

Craft 

Skill Level 

ROWEB-00005 

v.1

Click the image for a full screen, printable version

SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual bust measurement of garment

137	145	156	166	177	cm
54	57	61½	65½	69½	in

YARN

Handknit Cotton

A Lizard 014					
1	1	1	2	2	x 50gm
B Fascia 006					
4	4	4	5	5	x 50gm
C Helium 011					
1	1	1	1	1	x 50gm
D Heliotrope 008					
1	1	1	2	2	x 50gm
E Beetle 013					
2	2	2	2	2	x 50gm
F Gentian 010					
1	1	1	1	1	x 50gm
G Jewel Blue 012					
2	2	2	2	2	x 50gm
H Blackberry 005					
6	6	7	7	7	x 50gm
I Pillar Box 004					
2	2	2	2	2	x 50gm
J Phlox 007					
1	1	1	2	2	x 50gm
K Gooseberry 219					
1	1	1	2	2	x 50gm
L Persimmon 003					
1	1	1	1	1	x 50gm
M Forest 370					
1	1	1	1	1	x 50gm
N Pansy 009					
1	1	1	1	1	x 50gm

More Yarn
Information

on knitrowan.com

NEEDLES

1 pair 4mm (no 8) (US 6) needles
1 pair 4½mm (no 7) (US 7) needles

TENSION

19 sts and 28 rows to 10 cm measured over patterned st st using 4½mm (US 7) needles.

BACK

Using 4mm (US 6) needles and yarn H cast on 130 [138: 148: 158: 168] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, using the **intarsia** technique as described on the information page and repeating the 140 row patt repeat throughout, cont in patt from chart, which is worked entirely in st st beg with a K row, as folls:

Cont straight until back meas 71 [73: 75: 77: 79] cm, ending with RS facing for next row.

Shape shoulders

Keeping patt correct, cast off 4 [4: 5: 5: 6] sts at beg of next 10 [2: 16: 6: 16] rows, then 5 [5: -: 6: -] sts at beg of foll 6 [14: -: 10: -] rows. 60 [60: 68: 68: 72] sts.

Shape back neck

Next row (RS): Cast off 5 [5: 6: 6: 6] sts, patt until there are 13 [13: 15: 15: 16] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 3 rows, ending with RS facing for next row, **and at same time** cast off 5 [5: 6: 6: 6] sts at beg of 2nd row.

Cast off rem 5 [5: 6: 6: 7] sts.

With RS facing, rejoin yarns, cast off centre 24 [24: 26: 26: 28] sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 4mm (US 6) needles and yarn H cast on 74 [78: 83: 88: 93] sts.

Work in g st for 3 rows, ending with **WS** facing for next row.

Row 4 (WS): K10 and slip these sts onto a holder (for front band), M1, K to end. 65 [69: 74: 79: 84] sts.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, cont in patt from chart as folls:

Cont straight until 84 [88: 90: 90: 92] rows less have been worked

than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape front slope

Keeping patt correct, dec 1 st at end of next and 8 [6: 9: 9: 12] foll 6th rows, then on 4 [6: 4: 4: 2] foll 8th rows. 52 [56: 60: 65: 69] sts.

Work 3 rows, ending with RS facing for next row.

Shape shoulder

Keeping patt correct, cast off 4 [4: 5: 5: 6] sts at beg of next and foll 4 [0: 7: 2: 9] alt rows, then 5 [5: 6: 6: -] sts at beg of foll 5 [9: 2: 7: -] alt rows **and at same time** dec 1 st at front slope edge on 5th and foll 8th row.

Work 1 row.

Cast off rem 5 [5: 6: 6: 7] sts.

RIGHT FRONT

Using 4mm (US 6) needles and yarn H cast on 74 [78: 83: 88: 93] sts.

Work in g st for 3 rows, ending with **WS** facing for next row.

Row 4 (WS): K to last 10 sts, M1 and turn, leaving rem 10 sts on a holder (for front band).

65 [69: 74: 79: 84] sts.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, cont in patt from chart as folls:

Cont straight until 84 [88: 90: 90: 92] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape front slope

Keeping patt correct, dec 1 st at beg of next and 8 [6: 9: 9: 12] foll 6th rows, then on 4 [6: 4: 4: 2] foll 8th rows. 52 [56: 60: 65: 69] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 4mm (US 6) needles and yarn H cast on 72 [74: 76: 76: 78] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, cont in patt from chart as folls: Inc 1 st at each end of 5th [3rd: 3rd: 3rd: 3rd] and every foll 6th [6th: 4th: 4th: 4th] row to 78 [94: 80: 98: 110] sts, then on every foll 8th [-: 6th: 6th: -] row until there are 88 [-: 98: 104: -] sts, taking inc sts into patt.

Cont straight until sleeve meas 26 [26: 27: 27: 27] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 9 [10: 11: 11: 12] sts at beg of next 2 [4: 6: 2: 4] rows, then 10 [11: -: 12: 13] sts at beg of foll 4 [2: -: 4: 2] rows. Cast off rem 30 [32: 32: 34: 36] sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Left front band

Slip 10 sts on left front holder onto 4mm (US 6) needles and rejoin yarn H with RS facing.

Cont in g st until band, when slightly stretched, fits up left front opening edge, up front slope and across to centre back neck, ending with RS facing for next row.

Cast off.

Right front band


Slip 10 sts on right front holder onto 4mm (US 6) needles and rejoin yarn H with **WS** facing.

Cont in g st until this band, when slightly stretched, fits up right front opening edge, up front slope and across to centre back neck, ending with RS facing for next row.

Cast off.


Join cast-off ends of bands, then neatly sew bands in place.

Mark points along side seam edges 24 [25.5: 27: 28.5: 30] cm either side of shoulder seams (to denote base of armhole openings). See information page for finishing instructions, setting in sleeves using the straight cast-off method.



Click the image for a full screen, printable version

Information Pages



Click the image for a full screen, printable version

ROWAN

SKIPNESS

By Martin Storey

ROWEB-03615

v.1





SKIPNESS

by Martin Storey

Craft 

Skill Level 

ROWEB-03615 

v.1

SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in
Actual bust measurement of garment					
86	96	106	116	126	cm
34	38	41½	45½	49½	in

YARN

Cashmere Tweed

11 13 14 15 17 x 25gm
(photographed in Cinder Rose 005)

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles

**More Yarn
Information**

on knitrowan.com

1 pair 4mm (no 8) (US 6) needles

Cable needle

BUTTONS – 5 x G440428 from Groves & Banks. Please see information page for contact details.

TENSION

28.5 sts and 30 rows to 10 cm measured over patt using 4mm (US 6) needles.

SPECIAL ABBREVIATIONS

Cr3L = slip next 2 sts onto cable needle and leave at front of work, P1, then K2 from cable needle; **Cr3R** = slip next st onto cable needle and leave at back of work, K2, then P1 from cable needle; **C4B** = slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle; **C4F** = slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle; **C5B** = slip next 3 sts onto cable needle and leave at back of work, K2, slip last st on cable needle (this is centre st of original group of 5 sts) back onto left needle and purl this st, then K2 from cable needle.

BACK

Using 3¼mm (US 3) needles cast on 103 [115: 127: 139: 151] sts.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

These 2 rows form rib.

Cont in rib until back meas 9 cm, ending with **WS** facing for next row.

Next row (WS): Rib 4 [5: 6: 7: 8], M1, *rib 5, M1, rep from * to

last 4 [5: 6: 7: 8] sts, rib 4 [5: 6: 7: 8]. 123 [137: 151: 165: 179] sts.

Change to 4mm (US 6) needles.

Beg and ending rows as indicated, repeating the 22 st patt rep 4 [5: 6: 6: 7] times across each row and repeating the 24 row rep throughout, cont in patt from chart for body as folls:

Cont straight until back meas 21 [21.5: 22: 22.5: 23] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next 2 rows. 117 [129: 141: 153: 165] sts.

Dec 1 st at each end of next 7 [11: 11: 13: 13] rows, then on foll 4 [4: 5: 5: 6] alt rows. 95 [99: 109: 117: 127] sts.

Cont straight until armhole meas 19 [20.5: 22: 23.5: 25] cm, ending with RS facing for next row.

Shape shoulders

Cast off 5 [5: 6: 6: 7] sts at beg of next 2 rows.

85 [89: 97: 105: 113] sts.

Shape back neck

Next row (RS): Cast off 5 [5: 6: 6: 7] sts, patt until there are 17 [19: 20: 24: 26] sts on right needle and turn, leaving rem sts on holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 5 rows **and at same time** cast off 4 [5: 5: 6: 7] sts at beg of 2nd row and foll alt row.

Cast off rem 4 [4: 5: 7: 7] sts.

With RS facing, slip centre 41 [41: 45: 45: 47] sts onto a holder, rejoin yarn to rem sts and patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 3¼mm (US 3) needles cast on 48 [54: 60: 66: 72] sts.

Row 1 (RS): *K1, P1, rep from * to last 2 sts, K2.

Row 2: *K1, P1, rep from * to end.

These 2 rows form rib.

Cont in rib until left front meas 9 cm, ending with **WS** facing for next row.

Next row (WS): Rib 1 [2: 2: 3: 3], M1, *rib 5, M1, rep from * to last 2 [2: 3: 3: 4] sts, rib 2 [2: 3: 3: 4]. 58 [65: 72: 79: 86] sts.

Change to 4mm (US 6) needles.

Beg and ending rows as indicated, repeating the 22 st patt rep 2 [2: 3: 3: 3] times across each row and repeating the 24 row rep throughout, cont in patt from chart for body as folls:

Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 3 [4: 5: 6: 7] sts at beg of next row. 55 [61: 67: 73: 79] sts.

Work 1 row.

Dec 1 st at armhole edge of next 7 [11: 11: 13: 13] rows, then on foll 4 [4: 5: 5: 6] alt rows. 44 [46: 51: 55: 60] sts.

Work 1 row, ending with RS facing for next row.

Shape front neck

Next row (RS): Patt 39 [41: 46: 50: 55] sts, and turn, leaving rem 5 sts on a holder (for neckband).

Dec 1 st at neck edge of next 8 rows, then on foll 6 [6: 8: 8: 9] alt rows, then on 3 foll 4th rows. 22 [24: 27: 31: 35] sts.

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 5 [5: 6: 6: 7] sts at beg of next and foll 1 [3: 1: 3: 3] alt rows, then 4 [0: 5: 0: 0] sts at beg of foll 2 [0: 2: 0: 0] alt rows.

Work 1 row.

Cast off rem 4 [4: 5: 7: 7] sts.

RIGHT FRONT

Using 3¼mm (US 3) needles cast on 48 [54: 60: 66: 72] sts.

Row 1 (RS): K2, *P1, K1, rep from * to end.

Row 2: *P1, K1, rep from * to end.

These 2 rows form rib.

Cont in rib until right front meas 9 cm, ending with **WS** facing for next row.

Next row (WS): Rib 2 [2: 3: 3: 4], M1, *rib 5, M1, rep from * to last 1 [2: 2: 3: 3] sts, rib 1 [2: 2: 3: 3]. 58 [65: 72: 79: 86] sts.

Change to 4mm (US 6) needles.

Beg and ending rows as indicated, repeating the 22 st patt rep 1 [2: 2: 2: 3] times across each row and repeating the 24 row rep throughout, cont in patt from chart for body as folls:

Complete to match left front, reversing shapings and working first row of neck shaping as folls:

Shape front neck

Next row (RS): Break yarn. Slip first 5 sts onto a holder (for neckband), rejoin yarn and patt to end.

SLEEVES

Using 3¼mm (US 3) needles cast on 57 [59: 63: 63: 65] sts.

Work in rib as given for back for 9 cm, ending with **WS** facing for next row.

Next row (WS): Rib 1 [2: 4: 4: 5], M1, *rib 5, M1, rep from * to last 1 [2: 4: 4: 5] sts, rib 1 [2: 4: 4: 5]. 69 [71: 75: 75: 77] sts.

Change to 4mm (US 6) needles.

Beg and ending rows as indicated, repeating the 22 st patt rep twice across each row and repeating the 24 row rep throughout, now work in patt from chart for sleeve **and at same time** cont as folls: Inc 1 st at each end of 3rd [3rd: 3rd: next: next] and every foll 4th [4th: 4th: alt: alt] row to 75 [89: 97: 81: 91] sts, then on every foll 6th [6th: 6th: 4th: 4th] row until there are 91 [97: 103: 109: 115] sts, taking inc sts into patt.

Cont straight until sleeve meas 33 [33: 34: 34: 34] cm, ending RS facing for next row.

Shape top

Cast off 3 [4: 5: 6: 7] sts at beg of next 2 rows. 85 [89: 93: 97: 101] sts.

Dec 1 st at each end of next 7 rows, then on every foll alt row until 49 sts rem, then on foll 7 rows, ending with RS facing for next row. 35 sts.

Cast off 3 sts at beg of next 4 rows.

Cast off rem 23 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Neckband

With RS facing, using 3¼mm (US 3) needles, K across 5 sts on right front holder, pick up and knit 38 [38: 41: 41: 43] sts up right side of front neck, 6 sts down right side of back neck, K across 41 [41: 45: 45: 47] sts on back holder, pick up and knit 6 sts up left side of back neck, 38 [38: 41: 41: 43] sts down left side of front neck, then K across 5 sts on left front holder. 139 [139: 149: 149: 155] sts.

Row 1 (WS): K1, *P1, K1, rep from * to end.

Row 2: K2, *P1, K1, rep from * to last st, K1.

These 2 rows form rib.

Cont in rib for a further 7 rows, ending with RS facing for next row.

Cast off in rib.

Button band

With RS facing, using 3¼mm (US 3) needles, cast on 9 sts.

Row 1 (RS): K2, *P1, K1, rep from * to last st, K1.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Cont in rib until band, when slightly stretched, fits up left front opening edge, from cast-on edge to top of neckband, ending with RS facing for next row.

Cast off in rib.

Slip stitch band in place.

Mark positions for 5 buttons on this band - first to come 3 cm up from lower edge, the last to come in centre of neckband, and rem 3 buttons evenly spaced between.

Buttonhole band


Work to match button band, making buttonholes to correspond with positions marked for buttons as folls:

Buttonhole row (RS): Rib 4, yfwd, K2tog, rib 3.

Cast off in rib when band is completed.


Slip stitch band in place up right front opening edge.

See information page for finishing instructions, setting in sleeves using the set-in method.




Information
Pages

Body chart



Sleeve chart



ROWAN

SUNSET SAILS

By Kaffe Fassett

ZB216-00006

v.1



© Copyright MEZ Crafts UK Ltd., 2017.



SUNSET SAILS

by Kaffe Fassett

Craft 

Skill Level 

ZB216-00006 

v.1

Click the image for a full screen, printable version

SIZE

To fit bust

81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

Actual bust measurement of garment

95	103	114	124	135	cm
37½	40½	45	49	53	in

YARN

Handknit Cotton

A Peach 002					
2	2	2	2	2	x 50gm
B Sea Foam 352					
1	1	2	2	2	x 50gm
C Sunshine 354					
2	2	2	2	2	x 50gm
D Fascia 006					
1	1	1	2	2	x 50gm
E Heliotrope 008					
1	1	1	2	2	x 50gm
F Pillar Box 004					
2	2	2	2	2	x 50gm
G Marigold 001					
2	2	2	2	2	x 50gm
H Phlox 007					
1	1	1	1	1	x 50gm
I Lizard 014					
2	2	2	2	2	x 50gm
J Sugar 303					
2	2	2	2	2	x 50gm
K Persimmon 003					
1	1	1	1	2	x 50gm
L Celery 309					
1	1	1	1	1	x 50gm
M Flamingo 368					
1	1	1	2	2	x 50gm
N Gooseberry 219					
1	1	2	2	2	x 50gm
O Ice Water 239					
2	2	2	3	3	x 50gm

**More Yarn
Information**

on knitrowan.com

NEEDLES

1 pair 4mm (no 8) (US 6) needles

1 pair 4½mm (no 7) (US 7) needles

TENSION

19 sts and 28 rows to 10 cm measured over patterned st st using 4½mm (US 7) needles.

BACK

Using 4mm (US 6) needles and yarn O cast on

104 [112: 122: 132: 142] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, using the **intarsia** technique as described on the information page and repeating the 138 row patt repeat throughout, cont in patt from chart, which is worked entirely in st st beg with a K row, as folls:

Cont straight until chart row 96 [98: 100: 106: 110] has been completed, ending with RS facing for next row.

Keeping patt correct, dec 1 st at each end of next and 4 [3: 2: 0: 0] foll 16th rows, then on 2 [3: 4: 6: 6] foll 14th rows. 90 [98: 108: 118: 128] sts.

Cont straight until back meas 72.5 [73: 73.5: 74: 74.5] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 5 [6: 6: 7: 8] sts at beg of next 2 rows. 80 [86: 96: 104: 112] sts.

Dec 1 st at each end of next 5 [5: 7: 7: 7] rows, then on foll 4 [5: 5: 6: 7] alt rows, then on foll 4th row. 60 [64: 70: 76: 82] sts.

Cont straight until armhole meas 21 [22.5: 24: 25.5: 27] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 5 [5: 6: 7: 8] sts, patt until there are 12 [14: 15: 17: 18] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 3 rows, ending with RS facing for next row, **and at same time** cast off 5 [5: 6: 7: 8] sts at beg of 2nd row.

Cast off rem 4 [6: 6: 7: 7] sts.

With RS facing, slip centre 26 [26: 28: 28: 30] sts onto a holder, rejoin yarns and patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 4mm (US 6) needles and yarn O cast on 52 [56: 61: 66: 71] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, cont in patt from chart as folls:

Cont straight until chart row 96 [98: 100: 106: 110] has been completed, ending with RS facing for next row.

Keeping patt correct, dec 1 st at beg of next and

4 [3: 2: 0: 0] foll 16th rows, then on 2 [3: 4: 6: 6] foll 14th rows. 45 [49: 54: 59: 64] sts.

Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 5 [6: 6: 7: 8] sts at beg of next row. 40 [43: 48: 52: 56] sts.

Work 1 row.

Dec 1 st at armhole edge of next 5 [5: 7: 7: 7] rows, then on foll 4 [5: 5: 6: 7] alt rows, then on foll 4th row. 30 [32: 35: 38: 41] sts.

Cont straight until 24 [24: 26: 26: 28] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape front neck

Next row (RS): Patt 24 [26: 29: 32: 35] sts and turn, leaving rem 6 sts on a holder (for neckband).

Keeping patt correct, dec 1 st at neck edge of next 6 rows, then on foll 2 [2: 3: 3: 4] alt rows, then on 2 foll 4th rows. 14 [16: 18: 21: 23] sts.

Work 5 rows, ending with RS facing for next row.

Shape shoulder

Cast off 5 [5: 6: 7: 8] sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 4 [6: 6: 7: 7] sts.

RIGHT FRONT

Using 4mm (US 6) needles and yarn O cast on 52 [56: 61: 66: 71] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.

Beg and ending rows as indicated, cont in patt from chart as folls:

Cont straight until chart row 96 [98: 100: 106: 110] has been completed, ending with RS facing for next row.

Keeping patt correct, dec 1 st at end of next and

4 [3: 2: 0: 0] foll 16th rows, then on 2 [3: 4: 6: 6] foll 14th rows. 45 [49: 54: 59: 64] sts.

Complete to match left front, reversing shapings and working first row of neck shaping as folls:

Shape front neck

Next row (RS): Break yarns. Slip first 6 sts onto a holder (for neckband), rejoin yarns and patt to end. 24 [26: 29: 32: 35] sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Neckband

With RS facing, using 4mm (US 6) needles and yarn O, K across 6 sts on right front holder, pick up and knit 22 [22: 24: 24: 26] sts up right side of front neck, and 3 sts down right side of back neck, K across 26 [26: 28: 28: 30] sts on back holder, pick up and knit 3 sts up left side of back neck, and

22 [22: 24: 24: 26] sts down left side of front neck, then K across 6 sts on left front holder.

88 [88: 94: 94: 100] sts.

Work in g st for 2 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

Armhole borders (both alike)

With RS facing, using 4mm (US 6) needles and yarn O, pick up and knit 90 [98: 104: 110: 118] sts evenly all round armhole edge.

Work in g st for 2 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).


Front bands (both alike)

With RS facing, using 4mm (US 6) needles and yarn O, pick up and knit 164 [168: 170: 174: 176] sts evenly along front opening edge, between cast-on edge and top of neckband.

Work in g st for 2 rows, ending with **WS** facing for next row.


Cast off knitwise (on **WS**).

See information page for finishing instructions.



[Click the image for a full screen, printable version](#)

**Information
Pages**



Key

◻	A	◻	I
◻	B	◻	J
◻	C	◻	K
◻	D	◻	L
◻	E	◻	M
◻	F	◻	N
◻	G	◻	O
◻	H		

[Click the image for a full screen, printable version](#)

R O W A N



Sucre Cardigan

By Sarah Hatton





Sucre Cardigan

by Sarah Hatton



SIZE

S	M	L	XL	XXL	
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

YARN

Brushed Fleece

5	6	6	7	8	x 50gm
---	---	---	---	---	--------

(photographed in Cairn 263)

NEEDLES

1 pair 6.5mm (no 3) (US 10½) needles
1 pair 8mm (no 0) (US 11) needles

TENSION

10 sts and 14 rows to 10 cm measured over st st using 8mm (US 11) needles.

BACK

Using 6.5mm (US 10½) needles cast on 61 [67:73:79:85] sts.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

These 2 rows form rib.

Work in rib for a further 4 rows, ending with RS facing for next row.

Change to 8mm (US 11) needles.

Beg with a K row, now work in st st throughout until work meas 58 [60:62:64:66]cm, ending with RS facing for next row.

Shape shoulders

Ensuring you do not cast off too tightly cont as folls:

Cast off 7 [7:8:9:10] sts at beg of next 8 [2:4:6:8] rows.

Cast off – [8:9:10:-] sts at beg of next – [6:4:2:-] rows. 5 sts.

Cast off rem 5 sts.

Place marker each side of these 5 sts to indicate back neck.

LEFT FRONT

Using 6.5mm (US 10½) needles cast on 29 [31:35:37:41] sts.

Row 1 (RS): *K1, P1, rep from * to last 3 sts, K1, yfwd, sl 1, yb, K1.

Row 2: Wyif sl 1, yb, K1, wyif sl 1, yb, *K1, P1, rep from * to end.

These 2 rows form rib and slip stitch edging.

Work in rib with edging for a further 3 rows, ending with **WS** facing for next row.

Next row (WS): Patt to end, dec 1 [0:1:0:1] st at end of row.

28 [31:34:37:40] sts.

Change to 8mm (US 11) needles.

Keeping 3 sts slip stitch edging as set, beg with a K row, cont in st st with slip st edging until work matches back to start of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Ensuring you do not cast off too tightly, cont as folls:

Next row (RS): Cast off 7 [7:8:9:10] sts, patt to end.

Work 1 row.

Next row: Cast off 7 [8:8:9:10] sts, patt to end.

Work 1 row.

Next row: Cast off 7 [8:9:9:10] sts, patt to end.

Work 1 row.

Cast off rem 7 [8:9:10:10] sts.

RIGHT FRONT

Using 6.5mm (US 10½) needles cast on 29 [31:35:37:41] sts.

Row 1 (RS): K1, yfwd, sl 1, yb, K1, *P1, K1, rep from * to end.

Row 2: *P1, K1, rep from * to last 3 sts, wyif sl 1, yb, K1, wyif, sl 1.

These 2 rows form rib and slip stitch edging.

Work in rib with edging for a further 3 rows, ending with **WS** facing for next row.

Next row (WS): Patt to end, dec 1 [0:1:0:1] st at beg of row.

28 [31:34:37:40] sts.

Change to 8mm (US 11) needles.

Keeping 3 sts slip stitch edging as set, beg with a K row, cont in st st with slip st edging until work matches back to start of shoulder shaping, ending with **WS** facing for next row.

Shape shoulder

Ensuring you do not cast off too tightly, cont as folls:

Next row (WS): Cast off 7 [7:8:9:10] sts, patt to end.

Work 1 row.

Next row: Cast off 7 [8:8:9:10] sts, patt to end.

Work 1 row.

Next row: Cast off 7 [8:9:9:10] sts, patt to end.

Work 1 row.

Cast off rem 7 [8:9:10:10] sts.

SLEEVES

Using 6.5mm (US 10½) needles cast on 27 [29:29:31:31] sts.

Work in rib as given for back for 6 rows, ending with **RS** facing for next row.

Change to 8mm (US 11) needles.

Beg with a K row, work in st st throughout as folls:

Inc 1 st at each end of 3rd and every foll alt row to 37 [37:39:41:45] sts, then on every 4th row until there are 43 [45:47:49:51] sts.

Cont without shaping until sleeve meas 24 [25:26:26:26]cm, ending with **RS** facing for next row.

Shape top

Ensuring you do not cast off too tightly, cont as folls:

Cast off 6 [6:7:7:7] sts at beg of next 6 rows.

Cast off rem 7 [9:5:7:9] sts.



MAKING UP

Press as described on the information page.

Join shoulder seams to markers either side of back neck.

Place markers 22 [23:24:25:26]cm down from shoulder to denote armhole, join side seams to markers. Join sleeve seams.

Sew in sleeves.



If you're having difficulty viewing or printing our PDF patterns, please ensure you have the latest version of Adobe Acrobat Reader. Download the latest version here; <http://get.adobe.com/reader/>

All right reserved. Reproduction in whole or any part of all material, including illustrations and designs, in this publication/pattern is strictly forbidden and is sold on the condition that it is used for non commercial purposes. No part may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise without prior permission of the copyright owners having been given in writing. Yarn quantities are approximate and are based on average requirements. Images and shades are for guidance only as colours may not display accurately on screen or in printed format. Contact your local stockist to view a fringed (not digital reproduction) yarn shade card.

© Copyright Mez Crafts UK 2015, 17F, Brooke's Mill, Armitage Bridge, Huddersfield, HD4 7NR E-mail: mail@knitrowan.com Web: www.knitrowan.com

R O W A N

R O W A N



Textured Cardigan

By Sarah Hatton





Textured Cardigan

by Sarah Hatton



YARN

	S	M	L	XL	
To fit bust	81-86	91-97	102-107	112-117	cm
	32-34	36-38	40-42	44-46	in
Felted Tweed DK					
	8	8	9	10	x 50gm

(photographed in Carbon 159)

NEEDLES

1 pair 3¼mm (no 10) (US 3) needles
1 pair 4mm (no 8) (US 6) needles
Cable needle

BUTTONS – 5 x 00405

TENSION

22 sts and 32 rows to 10 cm measured over yoke patt using 4mm (US 6) needles.

SPECIAL ABBREVIATIONS

Cr3R = slip next st onto cable needle and leave at back of work, K2, then P1 from cable needle; **Cr3L** = slip next 2 sts onto cable needle and leave at front of work, P1, then K2 from cable needle; **Cr5R** = slip next 3 sts onto cable needle and leave at back of work, K2, then P1, K2 from cable needle; **C6B** = slip next 3 sts onto cable needle and leave at back of work, K3, then K3 from cable needle.

BACK

Using 4mm (US 6) needles cast on 127 [137: 151: 165] sts.
Rows 1 and 2: Purl.

Now work in patt as folls:

Row 1 (RS): P2 [2: 4: 6], (work next 15 sts as row 1 of cable panel, P7 [9: 11: 13]) twice, work next 15 sts as row 1 of cable panel, P5 [7: 9: 11], work next 15 sts as row 1 of cable panel, (P7 [9: 11: 13]), work next 15 sts as row 1 of cable panel) twice, P to end.

Row 2: K2 [2: 4: 6], (work next 15 sts as row 2 of cable panel, K7 [9: 11: 13]) twice, work next 15 sts as row 2 of cable panel, K5 [7: 9: 11], work next 15 sts as row 2 of cable panel, (K7 [9: 11: 13]), work next 15 sts as row 2 of cable panel) twice, K to end.

These 2 rows set the sts – 6 cable panels with rev st st between and at sides.

Cont in patt for a further 22 rows, ending with RS facing for next row.
Place markers on centre st of each set of sts in rev st st between cable panels but **NOT** on centre st of row – 4 markers.

Row 25 (dec) (RS): *Patt to within 1 st of marked st, P3tog (marked st is centre st of these 3 sts), rep from * 3 times more, patt to end. 119 [129: 143: 157] sts.

Now working 5 [7: 9: 11] sts in rev st st between cable panels where decs have been worked, cont in patt as now set for a further 23 rows, ending with RS facing for next row.

Row 49 (RS): As row 25. 111 [121: 135: 149] sts.

Now working 3 [5: 7: 9] sts in rev st st between cables where 2nd set of decs have been worked, cont in patt as now set for a further 23 rows, ending with RS facing for next row. (All 12 rows of cable panels have now been worked 6 times.)

Next row (RS): Purl.

Move markers onto centre st of each cable panel – 6 markers.

Next row: *P to marked st, P2tog (marked st is first of these 2 sts), rep from * 5 times more, P to end. 105 [115: 129: 143] sts.

Now work in yoke patt as folls:

Row 1 (RS): K1, *P1, K1, rep from * to end.

Rows 2 and 3: P1, *K1, P1, rep from * to end.

Row 4: As row 1.

These 4 rows form yoke patt.

Cont in yoke patt until back meas 33 [34: 35: 36] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 6 [7: 8: 9] sts at beg of next 2 rows. 93 [101: 113: 125] sts.

Dec 1 st at each end of next 5 [7: 9: 11] rows, then on foll 2 [2: 3: 3] alt rows.

79 [83: 89: 97] sts.

Cont straight until armhole meas 20 [21: 22: 23] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 9 [10: 11: 13] sts, patt until there are 13 [14: 15: 17] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 10 [11: 12: 14] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 35 [35: 37: 37] sts,

patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 4mm (US 6) needles cast on 62 [67: 74: 81] sts.

Rows 1 and 2: Purl.

Now work in patt as follows:

Row 1 (RS): P2 [2: 4: 6], (work next 15 sts as row 1 of cable panel, P7 [9: 11: 13]) twice, work next 15 sts as row 1 of cable panel, P to end.

Row 2: K1 [2: 3: 4], (work next 15 sts as row 2 of cable panel, K7 [9: 11: 13]) twice, work next 15 sts as row 2 of cable panel, K to end.

These 2 rows set the sts - 3 cable panels with rev st st between and at sides.

Cont in patt for a further 22 rows, ending with RS facing for next row.

Place markers on centre st of each set of sts in rev st st between cable panels - 2 markers.

Row 25 (dec) (RS): *Patt to within 1 st of marked st, P3tog (marked st is centre st of these 3 sts), rep from * once more, patt to end. 58 [63: 70: 77] sts. Now working 5 [7: 9: 11] sts in rev st st between cable panels where decs have been worked, cont in patt as now set for a further 23 rows, ending with RS facing for next row.

Row 49 (RS): As row 25. 54 [59: 66: 73] sts.

Now working 3 [5: 7: 9] sts in rev st st between cables where 2nd set of decs have been worked, cont in patt as now set for a further 23 rows, ending with RS facing for next row. (All 12 rows of cable panels have now been worked 6 times.)

Next row (RS): Purl.

Move markers onto centre st of each cable panel - 3 markers.

Next row: *P to marked st, P2tog (marked st is first of these 2 sts), rep from * twice more, P to end.

51 [56: 63: 70] sts.

Now work in yoke patt as follows:

Row 1 (RS): *K1, P1, rep from * to last 1 [0: 1: 0] st, K1 [0: 1: 0].

Row 2: P1 [0: 1: 0], *K1, P1, rep from * to end.

Row 3: *P1, K1, rep from * to last 1 [0: 1: 0] st, P1 [0: 1: 0].

Row 4: K1 [0: 1: 0], *P1, K1, rep from * to end.

These 4 rows form yoke patt.

Cont in yoke patt until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 6 [7: 8: 9] sts at beg of next row. 45 [49: 55: 61] sts.

Work 1 row.

Dec 1 st at armhole edge of next 5 [7: 9: 11] rows, then on foll 2 [2: 3: 3] alt rows. 38 [40: 43: 47] sts.

Cont straight until 23 [23: 25: 25] rows less have been worked than on back to beg of shoulder shaping, ending with WS facing for next row.

Shape neck

Keeping patt correct, cast off 9 sts at beg of next row.

29 [31: 34: 38] sts.

Dec 1 st at neck edge of next 7 rows, then on foll 3 [3: 4: 4] alt rows. 19 [21: 23: 27] sts.

Work 9 rows, ending with RS facing for next row.

Shape shoulder

Cast off 9 [10: 11: 13] sts at beg of next row.

Work 1 row.

Cast off rem 10 [11: 12: 14] sts.

RIGHT FRONT

Using 4mm (US 6) needles cast on 62 [67: 74: 81] sts.

Rows 1 and 2: Purl.

Now work in patt as follows:

Row 1 (RS): P1 [2: 3: 4], work next 15 sts as row 1 of cable panel, (P7 [9: 11: 13], work next 15 sts as row 1 of cable panel) twice, P to end.

Row 2: K2 [2: 4: 6], (work next 15 sts as row 2 of cable panel, K7 [9: 11: 13]) twice, work next 15 sts as row 2 of cable panel, K to end.

These 2 rows set the sts - 3 cable panels with rev st st between and at sides.

Cont in patt for a further 22 rows, ending with RS facing for next row.

Place markers on centre st of each set of sts in rev st st between cable panels - 2 markers.

Row 25 (dec) (RS): *Patt to within 1 st of marked st, P3tog (marked st is centre st of these 3 sts), rep from * once more, patt to end. 58 [63: 70: 77] sts. Now working 5 [7: 9: 11] sts in rev st st between cable panels where decs have been worked, cont in patt as now set for a further 23 rows, ending

with RS facing for next row.

Row 49 (RS): As row 25. 54 [59: 66: 73] sts.

Now working 3 [5: 7: 9] sts in rev st st between cables where 2nd set of decs have been worked, cont in patt as now set for a further 23 rows, ending with RS facing for next row. (All 12 rows of cable panels have now been worked 6 times.)

Next row (RS): Purl.

Move markers onto centre st of each cable panel - 3 markers.

Next row: *P to marked st, P2tog (marked st is first of these 2 sts), rep from * twice more, P to end.

51 [56: 63: 70] sts.

Now work in yoke patt as follows:

Row 1 (RS): K1 [0: 1: 0], *P1, K1, rep from * to end.

Row 2: *P1, K1, rep from * to last 1 [0: 1: 0] st, P1 [0: 1: 0].

Row 3: P1 [0: 1: 0], *K1, P1, rep from * to end.

Row 4: *K1, P1, rep from * to last 1 [0: 1: 0] st, K1 [0: 1: 0].

These 4 rows form yoke patt.

Complete to match left front, reversing shapings.

SLEEVES

Using 4mm (US 6) needles cast on 69 [71: 73: 75] sts.

Rows 1 and 2: Purl.

Now work in patt as follows:

Row 1 (RS): P4 [5: 6: 7], K6, (P5, K6) 5 times, P to end.

Row 2: K4 [5: 6: 7], P6, (K5, P6) 5 times, K to end.

Rows 3 and 4: As rows 1 and 2.

Row 5: P4 [5: 6: 7], C6B, (P5, C6B) 5 times, P to end.

Row 6: As row 2.

These 6 rows form patt.

Cont in patt, shaping sides by inc 1 st at each end of 9th [7th: 7th: 5th] and every foll 18th [16th: 14th: 12th] row to 83 [87: 87: 85] sts, then on every foll - [-: 16th: 14th] row until there are - [-: 91: 95] sts, taking inc sts into rev st st.

Cont straight until sleeve meas 46 [47: 48: 48] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 6 [7: 8: 9] sts at beg of next 2 rows. 71 [73: 75: 77] sts.

Dec 1 st at each end of next 9 rows, then on every foll alt row to 27 sts, then on foll 5 rows, ending with RS facing for next row.

Cast off rem 17 sts.

MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Button band

With RS facing and using 3¼mm (US 3) needles, beg at neck shaping, pick up and knit 49 [53: 57: 61] sts evenly down left front opening edge to top of cable panels, then 60 sts down opening edge to cast-on edge.

109 [113: 117: 121] sts.

Row 1 (WS): K1, *P1, K1, rep from * to end.

Rows 2 and 3: P1, *K1, P1, rep from * to end.

Row 4: As row 1.

These 4 rows form patt.

Rep last 4 rows once more, ending with WS facing for next row.

Cast off in patt (on **WS**).

Buttonhole band

With RS facing and using 3¼mm (US 3) needles, beg at cast-on edge, pick up and knit 60 sts evenly up right front opening edge to top of cable panels, then 49 [53: 57: 61] sts up opening edge to neck shaping. 109 [113: 117: 121] sts. Work in patt as given for button band for 3 rows, ending with RS facing for next row.

Row 4 (buttonhole row) (RS): Patt 64 [65: 63: 64] sts, (cast off 2 sts, patt until there are 11 [12: 14: 15] sts on right needle after cast-off) 3 times, cast off 2 sts, patt to end.

Row 5: Patt to end, casting on 2 sts over those cast off on previous row.

Work in patt for a further 3 rows, ending with **WS** facing for next row.

Cast off in patt (on **WS**).

Neckband

Using 3¼mm (US 3) needles cast on 8 sts, beg and ending at cast-off edges of front bands and with RS facing, pick up and knit 31 [31: 33: 33] sts up right side of neck, 41 [41: 43: 43] sts from back, then 31 [31: 33: 33] sts down left side of neck. 111 [111: 117: 117] sts.

Work in patt as given for button band for 3 rows, ending with RS facing for next row.



Row 4 (buttonhole row) (RS): Patt 4 sts, cast off 2 sts, patt to end.

Row 5: Patt to end, casting on 2 sts over those cast off on previous row.


Work in patt for a further 3 rows, ending with WS facing for next row.

Cast off in patt (on **WS**).

Set in sleeves using the set-in method.



key

- K on RS, P on WS
- P on RS, K on WS
-  Cr3R
-  Cr3L
-  Cr5R

R O W A N



Tina

By Ruth Green



Tina

by Ruth Green



SIZES

	S	M	L	XL	XXL	
To fit bust	81-86	91-97	102-107	112-117	122-127	cm
	32-34	36-38	40-42	44-46	48-50	in

YARN

Kid Classic

A Feather	828					
6	7	8	8	9	x 50gm	
B Canard	871					
2	2	2	3	3	x 50gm	
C Smoke	831					
2	2	3	3	3	x 50gm	

NEEDLES

1 pair 4½mm (no 7) (US 7) needles

1 pair 5mm (no 6) (US 8) needles

FASTENINGS - 5 stud fasteners

TENSION

18 sts and 30 rows to 10 cm measured over moss st using 5mm (US 8) needles.

RIGHT BACK

Using 5mm (US 8) needles and yarn C cast on 47 [51:57:61:69] sts.

Row 1 (RS): P1, *K1, P1, rep from * to end.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Work in rib for a further 18 rows, ending with RS facing for next row.

Now work in patt as folls:

Row 1 (RS): Using yarn A K1, *P1, K1, rep from * to end.

Row 2: Using yarn B K1, *P1, K1, rep from * to end.

Row 3: Using yarn C K1, *P1, K1, rep from * to end.

Rows 4 to 6: As rows 1 to 3.

These 6 rows form striped moss st.

Cont in striped moss st until right back meas 61.5 [63.5: 65.5: 67.5: 69.5] cm, ending with **WS** facing for next row.

Shape back neck

Keeping patt correct, cast off 9 [9: 10: 10: 11] sts at beg of next row. 38 [42: 47: 51: 58] sts.

Dec 1 st at end (neck edge) of next row and at same edge on foll 5 rows, ending with RS facing for next row.

32 [36: 41: 45: 52] sts.

Shape shoulder

Cast off 9 [11: 13: 14: 16] sts at beg of next and foll alt row **and at same time** dec 1 st at neck edge of next 3 rows.

Work 1 row.

Cast off rem 11 [11: 12: 14: 17] sts.

LEFT BACK

Using yarn A throughout, work as given for right back, reversing shapings.

RIGHT FRONT

Using 5mm (US 8) needles and yarn C cast on 45 [49: 55: 59: 67] sts.

Row 1 (RS): K1, *K1, P1, rep from * to end.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Work in rib for a further 18 rows, ending with RS facing for next row.

Beg with row 1, now work in striped moss st as given for right back until 12 [12: 14: 14: 16] rows less have been worked than on right back to beg of shoulder shaping, ending with RS facing for next row.

Shape front neck

Keeping patt correct, cast off 8 sts at beg of next row.

37 [41: 47: 51: 59] sts.

Dec 1 st at neck edge of next 6 rows, then on foll 2 [2: 3: 3: 4] alt rows. 29 [33: 38: 42: 49] sts.

Work 2 rows, ending with **WS** facing for next row.

Shape shoulder

Cast off 9 [11: 13: 14: 16] sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 11 [11: 12: 14: 17] sts.

LEFT FRONT

Using 5mm (US 8) needles and yarn A cast on 45 [49: 55: 59: 67] sts.

Row 1 (RS): *P1, K1, rep from * to last st, K1.

Row 2: K1, *P1, K1, rep from * to end.

These 2 rows form rib.

Using yarn A throughout, complete as given for right front, reversing shapings.

RIGHT SLEEVE

Using 5mm (US 8) needles and yarn C cast on 33 [35: 37: 37: 39] sts. Work in rib as given for right back for 20 rows, ending with RS facing for next row.

Beg with row 1, now work in striped moss st as given for right back, shaping sides by inc 1 st at each end of 3rd and every foll 4th row to 53 [59: 63: 75: 83] sts, then on every foll 6th row until there are 75 [79: 83: 87: 91] sts, taking inc sts into patt.

Cont straight until sleeve meas 48 [49: 50: 50: 50] cm, ending with RS facing for next row.

Cast off loosely.

LEFT SLEEVE

Using yarn A throughout, work as given for right sleeve.

MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred. (**Note:** Do NOT join centre back seam yet.)

Left front band and left neckband

Using 4 1/2mm (US 7) needles and yarn A cast on 9 sts.

Row 1 (RS): K2, (P1, K1) 3 times, K1.

Row 2: K1, (P1, K1) 4 times.

These 2 rows form rib.

Cont in rib until band, when slightly stretched, fits up left front opening edge from cast-on edge to neck shaping, ending with RS facing for next row.

Break yarn and slip sts onto a holder.

Slip st band in position.

With RS facing, using 4½mm (US 7) needles and yarn A, beg at centre back, pick up and knit 19 [19: 20: 20: 21] sts from left back, and 21 [21: 22: 22: 25] sts down left side of front neck, then work across 9 sts of band as folls: (P1, K1) 4 times, K1. 49 [49: 51: 51: 55] sts.

Row 1 (WS): K1, *P1, K1, rep from * to end.

Row 2: *P1, K1, rep from * to last st, K1.

Rep last 2 rows twice more, then row 1 again, ending with RS facing for next row.

Cast off in rib.

Right front band and right neckband

Using 4½mm (US 7) needles and yarn B cast on 9 sts.

Work in rib as give for left front band until this band, when slightly stretched, fits up right front opening edge from cast-on edge to neck shaping, ending with RS facing for next row.

Slip st band in position.

With RS facing, using 4½mm (US 7) needles and yarn B, work across 9 sts of band as folls: K2, (P1, K1) 3 times, P1, pick up and knit 21 [21: 22: 22: 25] sts up right side of front neck, and 19 [19: 20: 20: 21] sts from back to centre back. 49 [49: 51: 51: 55] sts.


Row 1 (WS): K1, *P1, K1, rep from * to end.

Row 2: K2, *P1, K1, rep from * to last st, P1.

Rep last 2 rows twice more, then row 1 again, ending with RS facing for next row.

Cast off in rib.

Join centre back seam of back and neckband sections, taking one st from each edge into seam. Place markers along side seam edges 22 [23: 24: 25: 26] cm either side of shoulder seams to denote base of armholes. See information page for finishing instructions, setting in sleeves using the straight cast-off method. Attach stud fasteners to front bands to fasten fronts, positioning top and lowest fasteners 2 cm from cast-on and cast-off edges and rem 3 stud fasteners evenly spaced between.



ROWAN



TOASTY

By Sarah Hatton
ROWWEBD-01036

v.1



© Copyright MEZ Crafts UK Ltd., 2016.



TOASTY

by Sarah Hatton



v.1

Click the image for a full screen, printable version

YARN

8	10	12	14	16	18	
To fit bust						
81	86	91	97	102	107	cm
32	34	36	38	40	42	in

Kid Classic

8	8	9	10	10	10	x 50gm
---	---	---	----	----	----	--------

(photographed in 817 Bear)

More Yarn
Information

on knitrowan.com

NEEDLES

- 1 pair 4mm (no 8) (US 6) needles
- 1 pair 4½mm (no 7) (US 7) needles
- Cable needle

BUTTONS – 2 x large

TENSION

22 sts and 28 rows to 10 cm measured over st st using 4½mm (US 7) needles.

SPECIAL ABBREVIATIONS

C6B = slip next 3 sts onto cable needle and leave at back of work, K3, then K3 from cable needle; **C10B** = slip next 5 sts onto cable needle and leave at back of work, K5, then K5 from cable needle.

BACK

Using 4½mm (US 7) needles cast on 105 [109: 113: 121: 127: 133] sts.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Rows 2 and 3: P1, *K1, P1, rep from * to end.

Row 4: As row 1.

These 4 rows form patt.

Cont in patt, dec 1 st at each end of 15th and 4 foll 16th rows. 95 [99: 103: 111: 117: 123] sts.

Cont straight until back meas 34 [34: 33: 36: 35: 37] cm, ending with WS facing for next row.

Next row (WS): Purl.

Next row: Purl.

Next row: Knit.

Next row: K1 [3: 5: 9: 3: 6], inc once in each of next 3 sts, *K6, inc once in each of next 3 sts, rep from * to last 1 [3: 5: 9: 3: 6] sts,

K1 [3: 5: 9: 3: 6].

128 [132: 136: 144: 156: 162] sts.

Now work in cable patt as folls:

Row 1 (WS): K1 [3: 5: 9: 3: 6], P6, *K6, P6, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

Row 2: P1 [3: 5: 9: 3: 6], K6, *P6, K6, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

Row 3: As row 1.

Row 4: P1 [3: 5: 9: 3: 6], C6B, *P6, C6B, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

Rows 5 and 6: As rows 1 and 2.

These 6 rows form cable patt.

Work in cable patt for 1 row more, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 4 [5: 5: 6: 6: 7] sts at beg of next 2 rows. 120 [122: 126: 132: 144: 148] sts.

Dec 1 st at each end of next 5 [5: 7: 7: 9: 9] rows, then on foll 4 [4: 3: 4: 7: 7] alt rows. 102 [104: 106: 110: 112: 116] sts.

Cont straight until armhole meas 19 [19: 20: 20: 21: 21] cm, ending with RS facing for next row.

Shape shoulders and back neck

Cast off 6 [6: 7: 7: 7: 8] sts at beg of next 2 rows.

90 [92: 92: 96: 98: 100] sts.

Next row (RS): Cast off 6 [6: 7: 7: 7: 8] sts, patt until there are 10 [11: 10: 12: 12: 12] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 6 [7: 6: 8: 8: 8] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 58 [58: 58: 60: 60] sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 4½mm (US 7) needles cast on 67 [69: 71: 75: 78: 81] sts.

Row 1 (RS): K1, *P1, K1, rep from * to last 6 [6: 6: 6: 7: 6] sts, P0 [0: 0: 0: 1: 0], (K1, P1) twice, K2.

Row 2: (K1, P1) 3 times, K0 [0: 0: 0: 1: 0], P1, *K1, P1, rep from * to end.

Row 3: P1, *K1, P1, rep from * to last 6 [6: 6: 6: 7: 6] sts,

K0 [0: 0: 0: 1: 0], (K1, P1) twice, K2.

Row 4: (K1, P1) 3 times, P0 [0: 0: 0: 1: 0], K1, *P1, K1, rep from * to end.

These 4 rows form patt.

Cont in patt, dec 1 st at beg of 15th and 4 foll 16th rows.

62 [64: 66: 70: 73: 76] sts.

Cont straight until left front meas 34 [34: 33: 36: 35: 37] cm, ending with WS facing for next row.

Next row (WS): K1, P to end.

Next row: P to last st, K1.

Next row: Knit.

Next row: K1 [3: 5: 9: 3: 6], inc once in each of next 3 sts, *K6, inc once in each of next 3 sts, rep from * to last 13 sts, K6, inc once in each of next 5 sts, K2.

85 [87: 89: 93: 99: 102] sts.

Now work in cable patt as folls:

Row 1 (WS): K2, P10, *K6, P6, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

Shape front slope

Row 2: P1 [3: 5: 9: 3: 6], *K6, P6, rep from * to last 24 sts, K6, P3, P2tog, P1, K10, P1, K1.

Row 3: K2, P10, K1, K2tog, K2, P6, *K6, P6, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

Row 4: P1 [3: 5: 9: 3: 6], *C6B, P6, rep from * to last 22 sts, C6B, P1, P2tog, P1, C10B, P1, K1.

Row 5: K2, P10, K1, K2tog, P6, *K6, P6, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

Row 6: P1 [3: 5: 9: 3: 6], *K6, P6, rep from * to last 20 sts, K5, P2tog, P1, K10, P1, K1.

These 6 rows set the sts - cable patt with front opening edge 14 sts in larger cable patt - and front slope decs.

Row 7: K2, P10, K1, K2tog, patt to end. 79 [81: 83: 87: 93: 96] sts.

Shape armhole

Row 8 (RS): Cast off 4 [5: 5: 6: 6: 7] sts, patt to last 15 sts, P2tog, P1, K10, P1, K1.

Row 9: K2, P10, K1, K2tog, patt to end.

Row 10: Work 2 tog, patt to last 15 sts, P2tog, P1, K10, P1, K1.

71 [72: 74: 77: 83: 85] sts.

Last 10 rows form larger cable patt for front opening edge.

Keeping sts correct as set and working all front slope decreases as set, dec 1 st at armhole edge of next 4 [4: 6: 6: 8: 8] rows, then on foll 4 [4: 3: 4: 7: 7] alt rows and at same time dec 1 st at front slope edge of next 12 [12: 12: 14: 16: 16] rows, then on foll 0 [0: 0: 0: 3: 3] alt rows. 51 [52: 53: 53: 49: 51] sts.

Dec 1 st at front slope edge only on next [next: next: next: 2nd: 2nd] and foll 7 [7: 3: 1: 0: 0] rows, then on foll 11 [11: 15: 15: 12: 12] alt rows. 32 [33: 34: 36: 36: 38] sts.

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 6 [6: 7: 7: 7: 8] sts at beg of next and foll alt row, then

6 [7: 6: 8: 8: 8] sts at beg of foll alt row. 14 sts.

Cont as set on these 14 sts only for a further 11 [11: 11: 11: 11.5: 11.5] cm for back neck border extension, ending with WS facing for next row.

Next row (WS): K2, (P2tog) 5 times, K2.

Cast off rem 10 sts.

RIGHT FRONT

Using 4½mm (US 7) needles cast on 67 [69: 71: 75: 78: 81] sts.

Row 1 (RS): K2, (P1, K1) twice, P0 [0: 0: 0: 1: 0], *K1, P1, rep from * to last st, K1.

Row 2: *P1, K1, rep from * to last 7 [7: 7: 7: 8: 7] sts, P1, K0 [0: 0: 0: 1: 0], (P1, K1) 3 times.

Row 3: K2, (P1, K1) twice, K0 [0: 0: 0: 1: 0], *P1, K1, rep from * to last st, P1.

Row 4: *K1, P1, rep from * to last 7 [7: 7: 7: 8: 7] sts, K1, P0 [0: 0: 0: 1: 0], (P1, K1) 3 times.

These 4 rows form patt.

Cont in patt, dec 1 st at end of 15th and 4 foll 16th rows.

62 [64: 66: 70: 73: 76] sts.

Cont straight until right front meas 32 [32: 31: 34: 33: 35] cm, ending with RS facing for next row.

Next row (buttonhole row) (RS): Patt 6 sts, cast off 2 sts (to make first buttonhole - cast on 2 sts over these cast-off sts on next row), patt until there are 13 sts on right needle after cast-off, cast off 2 sts (to make 2nd buttonhole - cast on 2 sts over these cast-off sts on next row), patt to end.

Cont straight until right front meas 34 [34: 33: 36: 35: 37] cm, ending with WS facing for next row.

Next row (WS): P to last st, K1.

Next row: K1, P to end.

Next row: Knit.

Next row: K2, inc once in each of next 5 sts, K6, *inc once in each of next 3 sts, K6, rep from * to last 4 [6: 8: 12: 6: 9] sts, inc once in each of next 3 sts, K1 [3: 5: 9: 3: 6].

85 [87: 89: 93: 99: 102] sts.

Now work in cable patt as folls:

Row 1 (WS): K1 [3: 5: 9: 3: 6], *P6, K6, rep from * to last 12 sts, P10, K2.

Shape front slope

Row 2: K1, P1, K10, P1, P2tog tbl, P3, K6, *P6, K6, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

Row 3: K1 [3: 5: 9: 3: 6], *P6, K6, rep from * to last 23 sts, P6, K2, K2tog tbl, K1, P10, K2.

Row 4: K1, P1, C10B, P1, P2tog tbl, P1, C6B, *P6, C6B, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

Row 5: K1 [3: 5: 9: 3: 6], *P6, K6, rep from * to last 21 sts, P6, K2tog tbl, K1, P10, K2.

Row 6: K1, P1, K10, P1, P2tog tbl, K5, *P6, K6, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

These 6 rows set the sts - cable patt with front opening edge 14 sts in larger cable patt - and front slope decs.

Row 7: Patt to last 15 sts, K2tog tbl, K1, P10, K2.

79 [81: 83: 87: 93: 96] sts.

Shape armhole

Row 8 (RS): K1, P1, K10, P1, P2tog tbl, patt to end.

Row 9: Cast off 4 [5: 5: 6: 6: 7] sts, patt to last 15 sts, K2tog tbl, K1, P10, K2.

Row 10: K1, P1, K10, P1, P2tog tbl, patt to last 2 sts, work 2 tog. 71 [72: 74: 77: 83: 85] sts.

Last 10 rows form larger cable patt for front opening edge.

Keeping sts correct as set and working all front slope decreases as set, complete to match left front, reversing shapings.

SLEEVES

Using 4½mm (US 7) needles cast on 61 [61: 63: 63: 65: 65] sts. Beg with row 1, work in patt as given for back, shaping sides by inc 1 st at each end of 5th [5th: 5th: 3rd: 5th: 3rd] and every foll 6th [6th: 6th: 6th: 6th: 4th] row to 73 [81: 79: 85: 87: 71] sts, then on every foll 8th [-: 8th: -: -: 6th] row until there are 79 [-: 83: -: -: 89] sts, taking inc sts into patt.

Cont straight until sleeve meas 26 [26: 27: 27: 28: 28] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 4 [5: 5: 6: 6: 7] sts at beg of next 2 rows. 71 [71: 73: 73: 75: 75] sts.

Dec 1 st at each end of next 5 rows, then on every foll alt row until 45 sts rem, then on foll 9 rows, ending with RS facing for next row. 27 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 19 sts.


MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Join cast-off ends of back neck border extensions, then sew one edge to back neck.

Set in sleeves using the set-in method.



[Click the image for a full screen, printable version](#)

R O  A N

Zandra Rhodes
Jacket





Zandra Rhodes Jacket



SIZE

S	M	L	XL	XXL	
To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

YARN

Kid Classic

Striped version

A Nightly 846
6 7 8 8 9 x 50gm

B Feather 828
6 6 7 7 8 x 50gm

Plain version
10 11 12 12 14 x 50gm

(Photographed in Victoria 852)

NEEDLES

- 1 pair 5mm (no 6) (US 8) needles
- 1 pair 5½mm (no 5) (US 9) needles
- 5mm (no 6) (US 8) circular needle, at least 120 cm long
- 5½mm (no 5) (US 9) circular needle, at least 120 cm long

TENSION

18 sts and 23 rows to 10 cm measured over striped st st using 5½mm (US 9) needles.

Striped version

UPPER STRIPE SEQUENCE

Rows 1 to 4: Using yarn A.

Row 5: Using yarn B.

Row 6: Using yarn A.

These 6 rows form upper stripe sequence and are repeated throughout. **Note:** To avoid breaking and re-joining yarns whilst working the upper stripe sequence, join in a second ball of each colour as needed and carry yarn not in use up each edge.

BACK (knitted sideways, beg at right side seam)

******Using 5½mm (US 9) needles and yarn A [A:A:B:A], cast on 22 sts. Beg with a K row and upper stripe sequence row 1 [1: 1: 5: 3] (see above), working in striped st st throughout, cont as folls:
Work 4 [6: 6: 8: 10] rows, ending with RS facing for next row.

Shape armhole

Inc 1 st at beg of next and foll 4 alt rows, then at same edge of foll 5 [7: 9: 11: 13] rows, ending with RS facing for next row.
32 [34: 36: 38: 40] sts.

Cast on 5 sts at beg of next row, then 25 sts at beg of foll alt row.
62 [64: 66: 68: 70] sts.

Work 1 [1: 1: 1: 5] rows, ending with RS facing for next row.

Shape shoulder

Inc 1 st at beg of next and foll 4 [3: 2: 0: 0] alt rows, then on 1 [2: 3: 5: 5] foll 4th rows. 68 [70: 72: 74: 76] sts.

Work 3 rows, ending with RS facing for next row.******

Shape back neck

Dec 1 st at beg of next and foll 2 alt rows. 65 [67: 69: 71: 73] sts.

Work 32 [32: 36: 36: 36] rows, ending with **WS** facing for next row.

Inc 1 st at end of next and foll 2 alt rows. 68 [70: 72: 74: 76] sts.

Work 4 rows, ending with RS facing for next row.

***Shape shoulder

Dec 1 st at beg of next and 1 [2: 3: 5: 5] foll 4th rows, then on foll 4 [3: 2: 0: 0] alt rows. 62 [64: 66: 68: 70] sts.

Work 1 [1: 1: 1: 5] rows, ending with RS facing for next row.

Shape armhole

Keeping stripes correct, cast off 25 sts at beg of next row, then 5 sts at beg of foll alt row. 32 [34: 36: 38: 40] sts.

Dec 1 st at end of next row and at same edge of foll 5 [7: 9: 11: 13] rows, then on foll 4 alt rows. 22 sts.

Work 2 [4: 4: 6: 8] rows, ending after stripe row 3 [3: 3: 5: 1] and with **WS** facing for next row.

Cast off purlwise (on **WS**). *******

LEFT FRONT (knitted sideways, beg at side seam)

Work from ****** to ****** as given for back.

Shape front slope

Keeping stripes correct, cast off 11 [11: 10: 10: 10] sts at beg of next and 1 [3: 1: 3: 5] foll alt rows, then 10 [10: 9: 9: 0] sts at beg of foll 3 [1: 4: 2: 0] alt rows.

Work 1 row, ending after stripe row 6 and with RS facing for next row.

Cast off rem 16 sts.

RIGHT FRONT (knitted sideways beg at front opening edge)

Using 5½mm (US 9) needles and yarn A, cast on 16 sts.

Beg with a P row and upper stripe sequence row 4 (see above), working in striped st st throughout, cont as folls:

Work 3 rows, ending with RS facing for next row.

Shape front slope

Keeping stripes correct, cast on and K across 10 [10: 9: 9: 10] sts at beg of next and 2 [0: 3: 1: 5] foll alt rows, then 11 [11: 10: 10: -] sts at beg of foll 2 [4: 2: 4: -] alt rows. 68 [70: 72: 74: 76] sts.

Work 3 rows, ending with RS facing for next row.

Complete as given for back from *** to *** .

LOWER STRIPE SEQUENCE

Rows 1 to 6: Using yarn B.

Rows 7 to 10: Using yarn A.

These 10 rows form lower stripe sequence and are repeated throughout.

LOWER SECTION

Join side seams.

With RS facing, using 5 1/2mm (US 9) circular needle and yarn A cast on 2 sts, using yarn B [B:A:A:B] cast on 50 [52: 54: 56: 58] sts, pick up and knit 38 [43: 47: 53: 59] sts evenly along lower edge of left front from opening edge to side seam, 92 [102: 113: 122: 135] sts from back, 38 [43: 47: 53: 59] sts evenly along right front lower edge from side seam to front opening edge, turn, cast on 50 [52: 54: 56: 58] sts, then using a separate ball of yarn A cast on 2 sts.

272 [296: 319: 344: 373] sts.

Place markers at both ends of last row.

Twisting yarns on **WS** when changing yarns (to avoid a hole), cont as folls:

Row 1 (WS): Using yarn A K2, using yarn B [B:A:A:B] P to last 2 sts, using yarn A K2.

Row 2: Using yarn A K2, using yarn B [B:B:A:A] K to last 2 sts, using yarn A K2.

Row 3: Using yarn A K2, using yarn B [B:B:A:A] P to last 2 sts, using yarn A K2.

Row 4: Using yarn A K2, using yarn A [B:B:B:A] K to last 2 sts, using yarn A K2.

Last 4 rows set the sts - striped st st with borders worked in g st using yarn A.

Cont as set, working borders in g st and yarn A only and rem sts in striped st st beg with lower stripe sequence row 8 [6: 4: 2: 10] (see above) until lower section meas approx 32 [33: 34: 35: 36] cm, ending with stripe row 6 and RS facing for next row.

Break off yarn B and extra ball of yarn A.

Change to 5mm (US 8) circular needle.

Using yarn A, work in g st for 3 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

SLEEVES

Using 5mm (US 8) needles and yarn A, cast on 50 [52: 54: 54: 56] sts. Work in g st for 4 rows, ending with RS facing for next row.

Change to 5½mm (US 9) needles.

Beg with a K row and lower stripe sequence row 1, working in striped st st throughout, cont as folls:

Shape sides by inc 1 st at each end of 3rd and every foll 4th row to 54 [60: 60: 72: 80] sts, then on every foll 6th row to 80 [84: 86: 90: 94] sts.

Cont straight until sleeve meas 43 [44: 45: 45: 45] cm, ending with RS facing for next row.

Shape top

Keeping stripes correct, cast off 4 [5: 5: 6: 7] sts at beg of next 2 rows. 72 [74: 76: 78: 80] sts.

Dec 1 st at each end of next 5 rows, then on every foll alt row until 36 sts rem, then on foll 5 rows, ending with RS facing for next row. 26 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 18 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Collar

With RS facing, using 5½mm (US 9) circular needle and yarn A, beg and ending at markers on lower section, pick up and knit 2 sts from cast-on edge of border, 50 [52: 54: 56: 58] sts along cast-on edge of right lower section, 16 sts up right front opening edge to beg of front slope shaping, 53 [55: 57: 59: 61] sts up right front slope, 4 sts down right side of back neck, 25 [25: 27: 27: 27] sts from back, 4 sts up left side of back neck, 53 [55: 57: 59: 61] sts down left front slope, to beg of front slope shaping, 16 sts down left front opening edge, and 50 [52: 54: 56: 58] sts along cast-on edge of left lower section, then 2 sts from cast-on edge of border.

275 [283: 293: 301: 309] sts.

Row 1 (WS): K2, P to last 2 sts, K2.

Row 2: K to end.

Row 3: K2, P to last 2 sts, K2.

Row 4: Using yarn A K2, using yarn B K to last 2 sts, using a separate ball of yarn A K2.

Last 4 rows set the sts - striped st st with borders worked in g st using yarn A.

Twisting yarns on **WS** when changing yarns (to avoid a hole), cont as folls:

Cont as set, working borders in g st and yarn A only and rem sts in striped st st beg with lower stripe sequence row 2 (see above) until collar meas approx 18 cm, ending with stripe row 9 and **WS** facing for next row.

Break off yarn B and extra ball of yarn A.

Cast off purlwise (on **WS**).

Fold collar in half to **WS** and slip st into position.

See information page for finishing instructions, setting in sleeves using the set-in method.

Plain version

BACK

Work as given for back of striped version but using same colour throughout.

LEFT FRONT (knitted sideways, beg at side seam)

Work from ** to ** as given for back of striped version but using same colour throughout.

Cast off.

RIGHT FRONT (knitted sideways beg at front opening edge)

Using 5½mm (US 9) needles cast on 68 [70: 72: 74: 76] sts.

Beg with a P row, work in st st for 5 rows, ending with RS facing for next row.

Complete as given for back of striped version from *** to *** but

using same colour throughout.

LOWER SECTION

Join side seams.

With RS facing, using 5½mm (US 9) circular needle cast on 52 [54: 56: 58: 60] sts, pick up and knit 30 [35: 39: 44: 50] sts evenly along lower edge of left front from opening edge to side seam, 92 [102: 113: 122: 135] sts from back, 30 [35: 39: 44: 50] sts evenly along right front lower edge from side seam to front opening edge, turn and cast on 52 [54: 56: 58: 60] sts. 256 [280: 303: 326: 355] sts.

Place markers at both ends of last row.

Row 1 (WS): K2, P to last 2 sts, K2.

Row 2: K to end.

Rep last 2 rows until lower section meas 32 [33: 34: 35: 36] cm, ending with RS facing for next row.

Change to 5mm (US 8) circular needle.

Work in g st for 3 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

SLEEVES

Work as given for sleeves of striped version but using same colour throughout.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Collar

With RS facing, using 5½mm (US 9) circular needle beg and ending at markers on lower section, pick up and knit 2 sts from cast-on edge of border, 50 [52: 54: 56: 58] sts along cast-on edge of right lower section, 68 [70: 72: 74: 76] sts up right front opening edge, 4 sts down right side of back neck, 25 [25: 27: 27: 27] sts from back, 4 sts up left side of back neck, 68 [70: 72: 74: 76] sts down left front opening edge, and 50 [52: 54: 56: 58] sts along cast-on edge of left lower section, then 2 sts from cast-on edge of border. 273 [281: 291: 299: 307] sts.

Row 1 (WS): K2, P to last 2 sts, K2.

Row 2: K to end.


Rep last 2 rows until collar meas 17 [17: 18: 18: 18] cm, ending with RS facing for next row.

Change to 5mm (US 8) circular needle.

Work in g st for 3 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

See information page for finishing instructions, setting in sleeves using the set-in method.



If you're having difficulty viewing or printing our PDF patterns, please ensure you have the latest version of Adobe Acrobat Reader. Download the latest version here; <http://get.adobe.com/reader/>

All right reserved. Reproduction in whole or any part of all material, including illustrations and designs, in this publication/pattern is strictly forbidden and is sold on the condition that it is used for non commercial purposes. No part may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise without prior permission of the copyright owners having been given in writing. Yarn quantities are approximate and are based on average requirements. Images and shades are for guidance only as colours may not display accurately on screen or in printed format. Contact your local stockist to view a fringed (not digital reproduction) yarn shade card.