


R O  A N

Cable Neck

By Sarah Hatton



ROWAN

Cable Neck

by Sarah Hatton



YARN

Rowan Big Wool
3 x 100gm (photographed in Mulberry 042)

NEEDLES

1 pair 10mm (no 000) (US 15) needles
Cable needle

TENSION

8 sts and 12 rows to 10 cm measured over st st using 10mm (US 15) needles.

SPECIAL ABBREVIATIONS

Tw2 = K into front of 2nd st on left needle, then K first st and slip both sts off left needle together; C8B = slip next 4 sts onto cable needle and leave at back of work, K4, then K4 from cable needle; C8F = slip next 4 sts onto cable needle and leave at front of work, K4, then K4 from cable needle.

UPPER SECTION

First section

Using 10mm (US 15) needles cast on 38 sts.

Row 1 (RS): K2, *P2, K2, rep from * to end.

Row 2: P2, *K2, P2, rep from * to end.

These 2 rows form rib.

Cont in rib, inc 1 st at each end of next and foll 2 alt rows. 44 sts.

Work 1 row, ending with RS facing for next row.**

Break yarn and leave sts on a holder.

Second section

Work as given for first section to **.

Join sections

Next row (RS): Inc in first st, rib to last st of second section, K tog last st of second section with first st of first section, rib to last st of first section, inc in last st. 89 sts.

Next row: Rib 43, P3, rib 43.

Next row: Rib 43, K3, rib 43.

These 2 rows set the sts.

Work a further 3 rows, ending with RS facing for next row.

Place marker on centre st of last row.

Next row (RS): Rib to within 2 sts of marked st, K2tog,

K marked st, sl 1, K1, pssso, rib to end.

Next row: Rib to within 1 st of marked st, P3 (marked st is centre st of these 3 sts), rib to end.

Rep last 2 rows 5 times more, ending with RS facing for next row. Cast off rem 77 sts in patt.

MAKING UP

Press as described on the information page.

Join side seam using back stitch, or mattress stitch if preferred.

Cable band

Using 10mm (US 15) needles cast on 24 sts.

Row 1 (RS): P2, Tw2, P2, K12, P2, Tw2, P2.

Row 2: K2, P2, K2, P12, K2, P2, K2.

Rows 3 and 4: As rows 1 and 2.

Row 5: P2, Tw2, P2, C8B, K4, P2, Tw2, P2.

Row 6: As row 2.

Rows 7 to 12: As rows 1 and 2, 3 times.

Row 13: P2, Tw2, P2, K4, C8F, P2, Tw2, P2.

Row 14: As row 2.


Rows 15 and 16: As rows 1 and 2.

These 16 rows form patt.

Cont in patt until cable band, unstretched, fits around entire lower edge of upper section, ending with RS facing for next row.

Cast off, dec 3 sts evenly across centre 12 sts.

Join cast-on and cast-off edges of cable band, then sew one edge to lower edge of upper section, matching seams at side.



ROWAN



DUSKINESS

By Martin Storey

ROWEB-DEC17

v.1





DUSKINESS

by Martin Storey



v.1

SIZE

To fit bust

81-107	102-127	cm
32-42	40-50	in

Actual bust measurement of garment

169	200	cm
66½	78½	in

YARN

Kid Classic

11 15 x 50gm

(photographed in Pumice 888)

**More Yarn
Information**

on knitrowan.com

NEEDLES

- 1 pair 4mm (no 8) (US 6) needles
- 1 pair 5mm (no 6) (US 8) needles

TENSION

19½ sts and 25 rows to 10 cm measured over patt using 5mm (US 8) needles.

BACK

Using 4mm (US 6) needles cast on 165 [195] sts.

Row 1 (RS): K3, *P3, K3, rep from * to end.

Row 2: P3, *K3, P3, rep from * to end.

These 2 rows form rib.

Work in rib for a further 8 rows, ending with RS facing for next row.

Change to 5mm (US 8) needles.

Now work in patt as folls:

Row 1 (RS): (K1, P1) 7 times, K1, *P15, (K1, P1) 7 times, K1, rep from * to end.

Row 2: (P1, K1) 7 times, P1, *K15, (P1, K1) 7 times, P1, rep from * to end.

Row 3: (P1, K1) 7 times, P1, *P15, (P1, K1) 7 times, P1, rep from * to end.

Row 4: (K1, P1) 7 times, K1, *K15, (K1, P1) 7 times, K1, rep from * to end.

These 4 rows form patt.

Cont straight until back meas 68 [74] cm, ending with RS facing

for next row.

Shape shoulders

Keeping patt correct, cast off 4 [5] sts at beg of next 24 [26] rows, then 5 [6] sts at beg of foll 4 [2] rows.

Break yarn and leave rem 49 [53] sts on a holder (for collar).

FRONT

Work as given for back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulders

Keeping patt correct, cast off 4 [5] sts at beg of next 10 [6] rows. 125 [165] sts.

Shape front neck

Next row (RS): Cast off 4 [5] sts, patt until there are 44 [63] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, cast off 4 [5] sts at beg of 2nd and foll 5 [8] alt rows, then 5 [-] sts at beg of foll 1 [-] alt row **and at same time** dec 1 st at neck edge of next 8 rows, then on foll 2 [4] alt rows.

Work 1 row.

Cast off rem 5 [6] sts.

With RS facing, slip centre 29 sts onto a holder, rejoin yarn and patt to end.

Complete to match first side, reversing shapings.

MAKING UP

Press as described on the information page.

Join right shoulder seam using back stitch, or mattress stitch if preferred.

Collar

With RS facing and using 4mm (US 6) needles, pick up and knit 16 [20] sts down left side of front neck, K across 29 sts on front holder, pick up and knit 16 [20] sts up right side of front neck, then K across 49 [53] sts on back holder inc 1 st at centre. 111 [123] sts. Beg with row 2, work in rib as given for back for 15 cm.


Change to 5mm (US 8) needles.

Cont in rib until collar meas 30 cm from pick-up row, ending with RS of collar (**WS** of body) facing for next row.

Cast off in rib.

Join left shoulder and collar seam, reversing collar seam for last 17 cm (for turn-back). Mark points along side seam edges 31.5 [36] cm either side of shoulder seams (to denote base of armhole openings). See information page for finishing instructions, leaving side seams open above markers (for armhole openings).

**Information
Pages**



R O  A N

Geometric Weave Poncho

By Sarah Hazell





Geometric Weave Poncho

By Sarah Hazell



Yarn

Rowan Brushed Fleece

A Cavern 252

4 x 50g

B Moor 255

4 x 50g

C Lagoon 259

3 x 50g

D Crag 253

3 x 50g

E Tarn 254

3 x 50g

Needles

6mm needles

Tension

15sts and 26 rows to 10cm using 6mm needles and measured over sts

Measurements

66cm x 100cm

Abbreviations

BACK

Using 6mm needles and yarn C, cast on 145sts. Mark 63rd st.

Knit 1 row.

Commence pattern:

Using the **intarsia** method and joining in and breaking off colours where appropriate continue as follows

Row 1 (RS): K25A, K120C

Row 2: K120C, K25A

Repeat last two rows 23 times more. Break yarn C

Row 49: K25A, K40D, K 80E

Row 50: K 80E, K40D, K25A

Repeat last two rows 32 times more

Row 115: K in B

Row 116: K in B

Repeat last two rows 14 times more

Rows 145-146: Knit in A

Rows 147-148: Knit in E

Repeat last 4 rows twice.

Row 157: K in A

Row 158: K in A

Repeat last two rows 4 times more.

Neck shaping:

Next row: K70, turn (leave rem sts on a holder.

Knit two rows, ending on a RS row, leave these 70sts on a holder.

Return to rem 75sts, cast off 5sts, K to end.

Knit two rows, ending on a RS row, leave these 70sts on a holder.

LEFT FRONT

Using 6mm needles and yarn A, cast on 70sts. Mark 22nd st.

Knit 1 row.

Commence pattern:

Using the **intarsia** method and joining in and breaking off colours where appropriate continue as follows

Row 1(RS): K in A

Row 2: K in A

Repeat last two rows 16 times more.

Row 35: K in D

Row 36: K in D

Repeat last two rows 22 times more

Row 81: K25C, K45 E

Row 82: K45E, K25C

Repeat last two rows 24 times more

Row 131: K in B

Row 132: K in B

Repeat last two rows until work measures 66cm and ending on a WS row. Leave sts on a spare needle.

RIGHT FRONT

Using 6mm needles and yarn B, cast on 70sts. Mark 35th st
Knit 1 row.

Commence pattern:

Using the **intarsia** method and joining in and breaking off colours where appropriate continue as follows

Row 1(RS): K in B

Row 2: K in B

Repeat last two rows 39 times more.

Rows 81-82: Knit in A

Rows 83-84: Knit in E

Repeat last 4 rows twice.

Row 93: K in A

Row 94: K in A

Repeat last two rows 4 times more.

Row 103: K30C, K20D, K20C

Row 104: K20C, K20D, K30C

Repeat last two rows until work measures 66cm and ending on a WS row. Leave sts on a spare needle.

FINISHING

Place RS of BACK and LEFT FRONT together and cast off both sets of 70sts, using the three needle cast off. Repeat for RIGHT FRONT.

WOVEN PANELS;

With RS of BACK facing, thread up a knitters needle with yarn B and starting at marked st, weave over and under garter st bumps until you reach the neck. Repeat this process with yarn A, but going under the bumps you went over last time and over the ones you went under before. Continue to follow this system of weaving using the following stripe sequence: 2A, 1D, 1E, 1C, Do not sew in ends at this stage. Repeat process for LEFT and RIGHT FRONTS, noting that weaving will continue up both fronts and down to the cast off edge on the back. Check that weaving has not altered the tension of knitted fabric and adjust if necessary before weaving in ends.

Weave in any other ends and block according to ball band instructions.

To find your local stockist
[click here](#)

To view the information
guides [click here](#)

R O W A N



ARNE & CARLOS
JAEGER

ZB305-00003-ENP



ARNE & CARLOS
JAEGER



SIZE

One Size

YARN

Norwegian Wool (50gm)

A Cloud Dancer 014 1

B Ribbon Red 018 3

NEEDLES

1 pair 3mm (no 11) (US 2/3) needles

1 pair 3¾mm (no 9) (US 5) needles

TENSION

22 sts and 28 rows to 10 cm measured over intarsia patt using 3¾mm (US 5) needles.

BACK

Using 3mm (US 2/3) needles and yarn B cast on 81 sts.

Row 1 (RS): *K1, P1, rep from * to last st, K1.

Row 2: As row 1.

These 2 rows form moss st.

Cont in moss st for a further 4 rows, ending with RS facing for next row.

Change to 3¾mm (US 5) needles.

Beg and ending rows as indicated, repeating the 20 st patt repeat 3 times across each row and repeating the 14 row patt repeat throughout, using the **fairisle** technique as described on the information page, now work in patt from chart, which is worked with all yarn B stitches in st st, and all yarn A stitches in reverse st st as follows:

Next row (RS): Using yarn B, K1, P1, K1, work next 75 sts as row 1 of Chart, using yarn B K1, P1, K1.

This row sets the patt – central 75 sts from chart with 3 sts in moss st at each edge in yarn B.

Cont in patt from chart with moss st edges until work meas 27 cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 5 sts, patt until there are 12 sts on right needle and turn leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 3 rows and **at the same time** cast off 5 sts at beg of 2nd row.

Cast off rem 4 sts.

With RS facing, slip centre 47 sts onto a holder (for neckband), rejoin yarn to rem sts.

Complete to match first side, reversing shapings.

FRONT

Work as given for back until 10 rows less have been worked than on back to beg of shoulder and back neck shaping, ending with RS facing for next row.

Shape front neck

Next row (RS): Patt 22 sts and turn leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 8 rows. 14 sts.

Patt 1 row.

Shape shoulder

Cast off 5 sts at the beg of the next and foll alt row.

Work 1 row.

Cast off rem 4 sts.

With RS facing, slip centre 37 sts onto a holder (for neckband), rejoin yarn to rem sts.

Complete to match first side, reversing shapings.

MAKING UP

Press as described on the information page.

Join right shoulder seam using back stitch, or mattress stitch if preferred.

Collar

With RS facing, using 3mm (US 2/3) needles and yarn B pick up and knit 12 sts down left side of front neck, K across 37 from front holder, pick up and knit 12 sts up right side of front neck, and 3 sts down right side of back neck, K across 47 sts from back holder, then pick up and knit 3 sts up left side of back neck. 114 sts.

Next row (WS): P2, *K2, P2, rep from * to end.

Next row: K2, *P2, K2, rep from * to end.

Rep last 2 rows until collar meas 8 cm ending with RS facing for next row.



Change to 3¾mm (US 5) needles.

Rep last 2 rows until collar meas 17 cm from beg ending with RS facing for next row.

Cast off in rib.

Join left shoulder and neckband seam.

See information page for finishing instructions.



Key

- ◼ P on RS, K on WS in yarn A
- ◻ K on RS, P on WS in yarn B

TENSION

Obtaining the correct tension is perhaps the single factor which can make the difference between a successful garment and a disastrous one. It controls both the shape and size of an article, so any variation, however slight, can distort the finished garment. Different designers feature in our books and it is **their** tension, given at the **start** of each pattern, which you must match. We recommend that you knit a square in pattern and/or stocking stitch (depending on the pattern instructions) of perhaps 5 - 10 more stitches and 5 - 10 more rows than those given in the tension note. Mark out the central 10cm square with pins. If you have too many stitches to 10cm try again using thicker needles, if you have too few stitches to 10cm try again using finer needles. Once you have achieved the correct tension your garment will be knitted to the measurements indicated in the size diagram shown at the end of the pattern.

CHART NOTE

Many of the patterns in the book are worked from charts. Each square on a chart represents a stitch and each line of squares a row of knitting. Each colour used is given a different letter and these are shown in the **materials** section, or in the **key** alongside the chart of each pattern. When working from the charts, read odd rows (RS) from right to left and even rows (WS) from left to right, unless otherwise stated. When working lace from a chart it is important to note that all but the largest size may have to alter the first and last few stitches in order not to lose or gain stitches over the row.

WORKING A LACE PATTERN

When working a lace pattern it is important to remember that if you are unable to work both the increase and corresponding decrease and vice versa, the stitches should be worked in stocking stitch.

KNITTING WITH COLOUR

There are two main methods of working colour into a knitted fabric: **Intarsia** and **Fairisle** techniques. The first method produces a single thickness of fabric and is usually used where a colour is only required in a particular area of a row and does not form a repeating pattern across the row, as in the fairisle technique.

Fairisle type knitting: When two or three colours are worked repeatedly across a row, strand the yarn **not** in use loosely behind the stitches being worked. If you are working with more than two colours, treat the “floating” yarns as if they were one yarn and always spread the stitches to their correct width to keep them elastic. It is advisable not to carry the stranded or “floating” yarns over more than three stitches at a time, but to weave them under and over the colour you are working. The “floating” yarns are therefore caught at the back of the work.

Intarsia: The simplest way to do this is to cut short lengths of yarn for each motif or block of colour used in a row. Then joining in the various colours at the appropriate point on the row, link one colour to the next by twisting them around each other where they meet on the wrong side to avoid gaps. All ends can then either be darned along the colour join lines, as each motif is completed or then can be “knitted-in” to the fabric of the knitting as each colour is worked into the pattern. This is done in much the same way as “weaving-in” yarns when working the Fairisle technique and does save time darning-in ends. It is essential that the tension is noted for intarsia as this may vary from the stocking stitch if both are used in the same pattern.

FINISHING INSTRUCTIONS

After working for hours knitting a garment, it seems a great pity that many garments are spoiled because such little care is taken in the pressing and finishing process. Follow the text below for a truly professional-looking garment.

PRESSING

Block out each piece of knitting and following the instructions on the ball band press the garment pieces, omitting the ribs. Tip: Take special care to press the edges, as this will make sewing up both easier and neater. If the ball band indicates that the fabric is not to be pressed, then covering the blocked out fabric with a damp white cotton cloth and leaving it to stand will have the desired effect. Darn in all ends neatly along the selvage edge or a colour join, as appropriate.

STITCHING

When stitching the pieces together, remember to match areas of colour and texture very carefully where they meet. Use a seam stitch such as back stitch or mattress stitch for all main knitting seams and join all ribs and neckband with mattress stitch, unless otherwise stated.

CONSTRUCTION

Having completed the pattern instructions, join left shoulder and neckband seams as detailed above. Sew the top of the sleeve to the body of the garment using the method detailed in the pattern, referring to the appropriate guide:

Straight cast-off sleeves: Place centre of cast-off edge of sleeve to shoulder seam. Sew top of sleeve to body, using markers as guidelines where applicable.

Square set-in sleeves: Place centre of cast-off edge of sleeve to shoulder seam. Set sleeve head into armhole, the straight sides at top of sleeve to form a neat right-angle to cast-off sts at armhole on back and front.

Shallow set-in sleeves: Place centre of cast off edge of sleeve to shoulder seam. Match decreases at beg of armhole shaping to decreases at top of sleeve. Sew sleeve head into armhole, easing in shapings.

Set-in sleeves: Place centre of cast-off edge of sleeve to shoulder seam. Set in sleeve, easing sleeve head into armhole.

Join side and sleeve seams. Slip stitch pocket edgings and linings into place.

Sew on buttons to correspond with buttonholes. Ribbed welts and neckbands and any areas of garter stitch should not be pressed.

INFORMATION

ABBREVIATIONS

K	knit
P	purl
st(s)	stitch(es)
inc	increas(e)(ing)
dec	decreas(e)(ing)
st st	stocking stitch (1 row K , 1 row P)
g st	garter stitch (K every row)
beg	begin(ning)
fol	following
rem	remain(ing)
rev st st	reverse stocking stitch (1 row P, 1 row K)
rep	repeat
alt	alternate
cont	continue
patt	pattern
tog	together
mm	millimetres
cm	centimetres
in(s)	inch(es)
RS	right side
WS	wrong side
sl 1	slip one stitch
psso	pass slipped stitch over
p2sso	pass 2 slipped stitches over
tbl	through back of loop
M1	make one stitch by picking up horizontal loop before next stitch and knitting into back of it
M1P	make one stitch by picking up horizontal loop before next stitch and purling into back of it
yfwd	yarn forward
yrn	yarn round needle
meas	measures
0	no stitches, times or rows
-	no stitches, times or rows for that size
yon	yarn over needle
yfrn	yarn forward round needle
wyib	with yarn at back

CROCHET TERMS

UK crochet terms and abbreviations have been used throughout. The list below gives the US equivalent where they vary.

ABBREV.	UK	US
dc (sc)	double crochet	(single crochet)
htr (hdc)	half treble	(half double crochet)
tr (dc)	treble	(double crochet)
dtr (tr)	double treble	(treble)

EXPERIENCE RATING - for guidance only

● = Beginner Techniques

For the beginner knitter, basic garment shaping and straight forward stitch technique.

●● = Simple Techniques

Simple straight forward knitting, introducing various, shaping techniques and garments.

●●● = Experienced Techniques

For the more experienced knitter, using more advanced shaping techniques at the same time as colourwork or more advanced stitch techniques.

●●●● = Advanced Techniques

Advanced techniques used, using advanced stitches and garment shaping along with more challenging techniques

BUTTONS, BEADS AND RIBBONS USED IN THIS MAGAZINE ARE SOURCED FROM:



Bedecked Haberdashery

The Coach House
Barningham Park
Richmond
North Yorkshire
DL11 7DW
TEL: +44 (0) 1833 621 451
eMail: thegirls@bedecked.co.uk
Web: www.bedecked.co.uk



Website: www.debbieabrahams.com
Email: beads@debbieabrahams.com
Tel: 0115 9607991

Groves & Banks

Eastern Bypass
Thame
Oxfordshire
OX9 3FU
eMail: groves@stockistenquiries.co.uk
Web: www.grovesltd.co.uk

WASH CARE INFORMATION

Below are the symbols you are likely to see and a brief explanation of each.

MACHINE WASH SYMBOLS



Machine Wash,
Cold



Machine Wash,
Cold, Gentle



Machine Wash,
Warm



Machine Wash,
Warm, Gentle

HAND WASH SYMBOLS



Do Not Wash



Hand Wash,
Normal



Hand Wash,
Cold



Hand Wash,
Warm

DRY CLEAN SYMBOLS



Do Not
Dry Clean



Dry
Clean



Dry Clean, in
Certain Solvents,
Consult Cleaner



Dry Clean,
Any Solvent

IRONING SYMBOLS



Do Not
Iron



Iron Low
Heat



Iron Medium
Heat

DO NOT BLEACH SYMBOL



Do Not
Bleach

DRYING SYMBOLS



Do Not
Tumble Dry



Tumble Dry,
Gentle, Low
Heat



Dry Flat
in Shade



Do Not
Wring

SIZING GUIDE

When you knit and wear a Rowan design we want you to look and feel fabulous. This all starts with the size and fit of the design you choose. We have recently increased our size range to help you achieve the best fit for your knitwear.


Our womenswear sizes range from 28” (71cm) through to 62” (157cm) chest. Whilst our menswear and unisex sizes range from 32” (81cm) to 62” (157cm).

The Dimensions in the charts below are body measurements, not garment dimensions, therefore please refer to the measuring guide to help you to determine which is the best size for you to knit.

STANDARD WOMENS SIZING GUIDE

The sizing within this chart is also based on the larger size within the range.


To fit chest:	28 - 30	32 - 34	36 - 38	40 - 42	44 - 46	48 - 50	52 - 54	56 - 58	60 - 62	inches
	71 - 76	81 - 86	91 - 97	102 - 107	112 - 117	122 - 127	132 - 137	142 - 147	152 - 157	cm
To fit waist:	20 - 22	24 - 26	28 - 30	32 - 34	36 - 38	40 - 42	44 - 46	48 - 50	52 - 54	inches
	51 - 56	61 - 66	71 - 76	81 - 86	91 - 97	102 - 107	112 - 117	122 - 127	132 - 137	cm
To fit hips:	30 - 32	34 - 36	38 - 40	42 - 44	46 - 48	50 - 52	54 - 56	58 - 60	62 - 64	inches
	76 - 81	86 - 91	97 - 102	107 - 112	117 - 122	127 - 132	137 - 142	147 - 152	157 - 163	cm



STANDARD MENS AND UNISEX SIZING GUIDE

The sizing within this chart is also based on the larger size within the range.


To fit chest:	32 - 34	36 - 38	40 - 42	44 - 46	48 - 50	52 - 54	56 - 58	60 - 62	inches
	81 - 86	91 - 97	102 - 107	112 - 117	122 - 127	132 - 137	142 - 147	152 - 157	cm
To fit waist:	24 - 26	28 - 30	32 - 34	36 - 38	40 - 42	44 - 46	48 - 50	52 - 54	inches
	61 - 66	71 - 76	81 - 86	91 - 97	102 - 107	112 - 117	122 - 127	132 - 137	cm



SIZING GUIDE

SIZING & SIZE DIAGRAM NOTE

The instructions are given for the smallest size. Where they vary, work the figures in brackets for the larger sizes. One set of figures refers to all sizes. Included with most patterns is a size diagram, see image opposite of the finished garment and its dimensions. The measurement shown at the bottom of each size diagram shows the garment width. The size diagram will also indicate how the garment is constructed, for example if the garment has a drop shoulder, this will be reflected in the drawing. To help you choose the size of garment to knit please refer to the sizing guide. Generally in the majority of designs the welt width (at the cast on edge of the garment) is the same width as the chest. If you don't want to measure yourself, note the size of a similar shaped garment that you own and compare it with the size diagram given at the end of the pattern.



MEASURING GUIDE

For maximum comfort and to ensure the correct fit when choosing a size to knit, please follow the tips below when checking your size. Measure yourself close to your body, over your underwear and don't pull the tape measure too tight!

Bust/chest | measure around the fullest part of the bust/chest and across the shoulder blades.

Waist | measure around the natural waistline, just above the hip bone.

Hips | measure around the fullest part of the bottom.

Finally, once you have decided which size is best for you, please ensure that you achieve the tension required for the design you wish to knit.

Remember if your tension is too loose, your garment will be bigger than the pattern size and you may use more yarn. If your tension is too tight, your garment could be smaller than the pattern size and you will have yarn left over.

Furthermore if your tension is incorrect, the handle of your fabric will be too stiff or floppy and will not fit properly. It really does make sense to check your tension before starting every project.

R O W A N



Karis

By Sharon Miller





Karis

by Sharon Miller



YARN

One size

Rowan Kid Silk Haze

3 x 25gm

(photographed in Vanilla 670)

NEEDLES

1 pair 4mm (no 8) (US 6) needles

4mm (no 8) (US 6) circular needle

TENSION

One repeat of neck edging is 11 cm (4¼ in) wide and 3.5 cm (1¼ in) long using 4mm (US 6) needles.

PONCHO

Poncho is knitted in one piece, with the beg and end of rows of main section forming one side seam and centre of rows forming other side seam. You start with the neck border, knitted from end to end. Sts for main section are then picked up along straight edge of neck border and main section is knitted downwards. Hem border is worked in a similar way to neck border but, instead of casting off sts of main section, these are decreased and worked in with sts of border.

Neck border

Cast on 19 sts using 4mm (US 6) needles. Knit 1 row.

Cont in patt as folls:

Row 1 (RS): K2, yfwd, K2tog tbl, K3, K2tog, yfwd, K1, yfwd, K2tog tbl, K1, (yfwd, K2tog tbl) twice, yfwd, K2. 20 sts.

Row 2: Knit.

Row 3: K2, yfwd, K2tog tbl, K2, K2tog, yfwd, K3, yfwd, K2tog tbl, K1, (yfwd, K2tog tbl) twice, yfwd, K2. 21 sts.

Row 4: Knit.

Row 5: K2, yfwd, K2tog tbl, K1, K2tog, yfwd, K5, yfwd, K2tog tbl, K1, (yfwd, K2tog tbl) twice, yfwd, K2. 22 sts.

Row 6: Knit.

Row 7: K2, yfwd, K2tog tbl, K3, yfwd, K2tog tbl, K1, K2tog, yfwd, K4, (yfwd, K2tog tbl) twice, yfwd, K2. 23 sts.

Row 8: Knit.

Row 9: K2, yfwd, K2tog tbl, K4, yfwd, sl 1, K2tog, psso, yfwd, K12.

Row 10: Cast off 4 sts, K to end. 19 sts.

Rep last 10 rows 18 times more, then rows 1 to 9 again. 23 sts.

Next row (WS): cast off first 22 sts, leaving one st on needle.

Main section (worked downwards)

(There is already 1 st on right needle.)

With **WS** of neck border facing (to reverse RS of work), pick up and knit a further 103 sts along straight edge of neck border (this is 5 sts for each rep of border plus an extra 3 sts evenly distributed). 104 sts.

Next row (WS): Knit.

Next row (eyelet row): **K2, *(yfwd, K1) 3 times, K6, (yfwd, K1) 3 times*, rep from * to * 3 times more, K2, rep from ** once more. 152 sts.

Work in garter st for 3 rows, ending with a WS row.

Place marker between centre 2 sts of last row (this marks side seam). Changing to circular needle when required, cont in patt, shaping section, as folls:

Row 1 (RS): Inc in first st, K1, *(yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 2 sts of marker, K1, inc in next st, slip marker to right needle, inc in next st, K1, rep from * to * to last 2 sts, K1, inc in last st. 156 sts.

Row 2 and every foll alt row: Knit.

Row 3: Inc in first st, K to within 1 st of marker, inc in next st, slip marker to right needle, inc in next st, K to last st, inc in last st. 160 sts.

Row 5: Inc in first st, K3, *(yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 4 sts of marker, K3, inc in next st, slip marker to right needle, inc in next st, K3, rep from * to * to last 4 sts, K3, inc in last st. 164 sts.

Row 7: As row 3. 168 sts.

Row 9: Inc in first st, K2, K2tog, yfwd, K1, *(yfwd, K1) 3 times,

(K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 6 sts of marker, yfwd, K1, K2tog tbl, K2, inc in next st, slip marker to right needle, inc in next st, K2, K2tog, yfwd, K1, rep from * to * to last 6 sts, yfwd, K1, K2tog tbl, K2, inc in last st. 172 sts.

Row 11: As row 3. 176 sts.

Row 13: Inc in first st, K1, (K2tog) twice, (yfwd, K1) twice, *(yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 8 sts of marker, (yfwd, K1) twice, (K2tog tbl) twice, K1, inc in next st, slip marker to right needle, inc in next st, K1, (K2tog) twice, (yfwd, K1) twice, rep from * to * to last 8 sts, (yfwd, K1) twice, (K2tog tbl) twice, K1, inc in last st. 180 sts.

Row 15: As row 3. 184 sts.

Row 17: Inc in first st, (K2tog) 3 times, (yfwd, K1) 3 times, *(yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 10 sts of marker, (yfwd, K1) 3 times, (K2tog tbl) 3 times, inc in next st, slip marker to right needle, inc in next st, (K2tog) 3 times, (yfwd, K1) 3 times, rep from * to * to last 10 sts, (yfwd, K1) 3 times, (K2tog tbl) 3 times, inc in last st. 188 sts.

Row 19: As row 3. 192 sts.

Row 21: Inc in first st, K2, (K2tog) 3 times, (yfwd, K1) 3 times, *(yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 12 sts of marker, (yfwd, K1) 3 times, (K2tog tbl) 3 times, K2, inc in next st, slip marker to right needle, inc in next st, K2, (K2tog) 3 times, (yfwd, K1) 3 times, rep from * to * to last 12 sts, (yfwd, K1) 3 times, (K2tog tbl) 3 times, K2, inc in last st. 196 sts.

Row 23: As row 3. 200 sts.

Row 25: Inc in first st, K1, yfwd, K1, K2tog tbl, (K2tog) 3 times, (yfwd, K1) 3 times, *(yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 14 sts of marker, (yfwd, K1) 3 times, (K2tog tbl) 3 times, K2tog, yfwd, K2, inc in next st, slip marker to right needle, inc in next st, K1, yfwd, K1, K2tog tbl, (K2tog) 3 times, (yfwd, K1) 3 times, rep from * to * to last 14 sts, (yfwd, K1) 3 times, (K2tog tbl) 3 times, K2tog, yfwd, K2, inc in last st. 204 sts.

Row 27: As row 3. 208 sts.

Row 29: Inc in first st, (yfwd, K1) twice, (K2tog tbl) twice, (K2tog) 3 times, (yfwd, K1) 3 times, *(yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 16 sts of marker, (yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) twice, (yfwd, K1) twice, inc in next st, slip marker to right needle, inc in next st, (yfwd, K1) twice, (K2tog tbl) twice, (K2tog) 3 times, (yfwd, K1) 3 times, rep from * to * to last 16 sts, (yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) twice, (yfwd, K1) twice, inc in last st. 212 sts.

Row 31: As row 3. 216 sts.

Row 33: Inc in first st, K2, (yfwd, K1) twice, (K2tog tbl) twice, (K2tog) 3 times, (yfwd, K1) 3 times, *(yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) 3 times, (yfwd, K1) 3 times*, rep from * to * to within 18 sts of marker, (yfwd, K1) 3 times, (K2tog tbl) 3 times,

(K2tog) twice, (yfwd, K1) twice, K2, inc in next st, slip marker to right needle, inc in next st, K2, (yfwd, K1) twice, (K2tog tbl) twice, (K2tog) 3 times, (yfwd, K1) 3 times, rep from * to * to last 18 sts, (yfwd, K1) 3 times, (K2tog tbl) 3 times, (K2tog) twice, (yfwd, K1) twice, K2, inc in last st. 220 sts.

Row 35: As row 3. 224 sts.

Row 36: As row 2.

Rep rows 1 to 36 once more, and then row 1 again. 300 sts.

Main section completed.

Hem border

Next row (WS): Knit

Next row: K to end, turn and cast on 18 sts. 318 sts.

Next row: K18, K2tog and turn.

Cont in patt as folls:

Row 1 (RS): K2, yfwd, K2tog tbl, K3, K2tog, yfwd, K1, yfwd, K2tog tbl, K1, (yfwd, K2tog tbl) twice, yfwd, K2.

Row 2: K19, K2tog and turn.

Row 3: K2, yfwd, K2tog tbl, K2, K2tog, yfwd, K3, yfwd, K2tog tbl, K1, (yfwd, K2tog tbl) twice, yfwd, K2.

Row 4: K20, K2tog and turn.

Row 5: K2, yfwd, K2tog tbl, K1, K2tog, yfwd, K5, yfwd, K2tog tbl, K1, (yfwd, K2tog tbl) twice, yfwd, K2.

Row 6: K21, K2tog and turn.

Row 7: K2, yfwd, K2tog tbl, K3, yfwd, K2tog tbl, K1, K2tog, yfwd, K4, (yfwd, K2tog tbl) twice, yfwd, K2.

Row 8: K22, K2tog and turn.

Row 9: K2, yfwd, K2tog tbl, K4, yfwd, sl 1, K2tog, pssso, yfwd, K12.

Row 10: Cast off 4 sts (one st on right needle), K17, sl 1, K2tog, pssso and turn.

Rep last 10 rows 48 times more, then rows 1 to 9 again. 23 sts.


Cast off.

MAKING UP

PRESS as described on the information page.

Join side seam, reversing seam for neck border.

Make a 100 cm long twisted or crochet cord and thread through eyelet holes at top of main section. Make two 9 cm long tassels and attach one to each end of cord.



If you're having difficulty viewing or printing our PDF patterns, please ensure you have the latest version of Adobe Acrobat Reader. Download the latest version here; <http://get.adobe.com/reader/>

All right reserved. Reproduction in whole or any part of all material, including illustrations and designs, in this publication/pattern is strictly forbidden and is sold on the condition that it is used for non commercial purposes. No part may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise without prior permission of the copyright owners having been given in writing. Yarn quantities are approximate and are based on average requirements. Images and shades are for guidance only as colours may not display accurately on screen or in printed format. Contact your local stockist to view a fringed (not digital reproduction) yarn shade card.

© Copyright Mez Crafts UK 2015 Green Lane Mill, Holmfirth, West Yorkshire, England, HD9 2DX E-mail: mail@knitrowan.com Web: www.knitrowan.com

ROWAN

R O W A N



Kelly

By Sarah Hatton



R O W A N

Kelly

by Sarah Hatton



YARN

Rowan Kid Classic

12 x 50gm

(photographed in Smoke 831)

NEEDLES

1 pair 4mm (no 8) (US 6) needles

1 pair 4½mm (no 7) (US 7) needles

BUTTONS

8 x 00410

TENSION

22 sts and 28 rows to 10cm over st st on 4½mm (US 7) needles.

BACK

Using 4mm (US 6) needles cast on 108 sts. Knit 8 rows.

Change to 4½mm (US 7) needles.

Next row: Knit 23, m1, K3, m1, knit to last 26 sts, m1, K3, m1, knit to end. 112 sts.

Row 1 (WS): P17, K3, P10, K3, purl to last 33 sts, K3, P10, K3, purl to end.

Row 2: Inc in 1st st, K19, C4B, K2, C4F, knit to last 30 sts, C4B, K2, C4F, knit to last 2 sts, inc in next st, K1. 114 sts.

Row 3: P18, K3, P10, K3, purl to last 34 sts, K3, P10, K3, purl to end.

Row 4: Inc in 1 st st, knit to last 2 sts, inc in next st, K1. 116 sts.

These 4 rows set side seam shaping and cable panels.

Work 57 rows as set, inc 1 st at each end of every foll alt row as set and ending with a WS row. 172 sts.

Next row: Inc in 1st st, patt until half of first cable panel has been worked, turn and leave rem sts on a holder. 56 sts.

Next row: K1, patt to end.

This row sets g st on cable panel.

Working on these sts only, work 13 rows in patt as set, inc 1 st at side edge as before and ending with a RS row. 63 sts.

Break off yarn and leave these sts on a holder.

With RS facing, rejoin yarn to sts previously left on holder and work in patt until half of second cable panel has been worked, turn and leave rem sts on a holder. 62 sts.

Next row: K1, patt to last st, K1.

This row sets g st on cable panel.

Work 13 rows in patt as set, ending with a RS row.

Break off yarn and leave these sts on a holder.

With RS facing, rejoin yarn to rem sts and patt to last 2 sts, inc in next st, K1. 56 sts.

Next row: Patt to last st, K1.

This row sets g st on cable panel.

Working on these sts only, work 13 rows in patt as set, inc 1 st at side edge on next and every foll alt row, ending with a RS row. 63 sts.

Next row (WS): Patt 63 sts, patt across centre 62 sts on holder, then patt across 63 sts on second holder. 188 sts.

Cont in patt as before across all sts, inc 1 st at each end of next and every foll alt row until there are 250 sts.

Work 15 rows without shaping, ending with a WS row.

Shape shoulders

Cast off 4 sts at beg of next 2 rows. 242 sts.

Cast off 5 sts at beg of next 2 rows. 232 sts.

Cast off 6 sts at beg of next 6 rows. 196 sts.

Cast off 7 sts at beg of next 4 rows. 168 sts.

Cast off 8 sts at beg of next 4 rows. 136 sts.

Cast off 9 sts at beg of next 4 rows. 100 sts.

Cast off 10 sts at beg of next 2 rows. 80 sts.

Shape back neck

Next row: Cast off 10 sts, patt until there are 14 sts on needle, turn and leave rem sts on a holder.

Next row (WS): Cast off 4 sts, patt to end.

Cast off rem 10 sts.

With RS facing, rejoin yarn to rem sts, cast off 32 sts, patt to end.
Complete to match first side of neck, reversing all shapings.

LEFT FRONT

Using 4mm (US 6) needles cast on 59 sts.

Work 8 rows in g st.

Change to 4½mm (US 7) needles.

Next row: Knit 23, m1, K3, m1, knit to last 10 sts and leave these 10 sts on a holder. 51 sts.

Row 1 (WS): P18, K3, P10, K3, purl to end.

Row 2: Inc in 1st st, K19, C4B, K2, C4F, knit to end. 52 sts.

Row 3: P18, K3, P10, K3, purl to end.

Row 4: Inc in 1st st, knit to end. 53 sts.

These 4 rows set side seam shaping and cable panel.

Work 57 rows as set, inc 1 st at beg of every foll alt row as set and ending with a **WS** row. 81 sts.

Next row: Inc in 1st st, patt until half of cable panel has been worked, turn and leave rem sts on a holder. 56 sts.

Next row: K1, patt to end.

This row sets g st on cable panel.

Working on these sts only, work 13 rows in patt as set, inc 1 st at side edge as before and ending with a RS row. 63 sts.

Break off yarn and leave these sts on a holder.

With RS facing, rejoin yarn to sts previously left on holder and work in patt to end. 26 sts.

Next row: Patt to last st, K1.

This row sets g st on cable panel.

Work 13 rows in patt as set, ending with a RS row.

Next row (WS): Patt 26 sts, then patt across 63 sts on holder. 89 sts.

Cont in patt as before across all sts, inc 1 st at beg of next and every foll alt row until there are 120 sts.

Work 15 rows without shaping, ending with a WS row.

Shape shoulder

Next row: Cast off 4 sts, patt to end. 116 sts.

Work 1 row.

Next row: Cast off 5 sts, patt to end. 111 sts.

Work 1 row.

Cast off 6 sts at beg of next and foll alt row. 99 sts.

Shape neck

Next row (WS): Cast off 6 sts, patt to end. 93 sts.

Next row: Cast off 6 sts, patt to last 2 sts, K2tog. 86 sts.

Next row: P2tog, patt to end. 85 sts.

Cast off 7 sts at beg of next and foll alt row AT SAME TIME dec 1 st at neck edge in next 4 rows. 67 sts.

Cast off 8 sts at beg of next and foll alt row AT SAME TIME dec 1 st at neck edge in next and foll alt row. 49 sts.

Work 1 row.

Next row: Cast off 9 sts, patt to last 2 sts, K2tog. 39 sts.

Work 1 row.

Next row: Cast off 9 sts, patt to end. 30 sts.

Work 1 row.

Cast off 10 sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 10 sts.

RIGHT FRONT

Using 4mm (US 6) needles cast on 59 sts.

Work 8 rows in g st.

Change to 4½mm (US 7) needles.

Next row: Knit 10, leave these 10 sts on a holder, K23, m1, K3, m1, knit

to end. 51 sts.

Row 1 (WS): P17, K3, P10, K3, purl to end.

Row 2: K21, C4B, K2, C4F, knit to last 2 sts, inc in next st, K1. 52 sts.

Row 3: P18, K3, P10, K3, purl to end.

Row 4: Knit to last 2 sts, inc in next st, K1. 53 sts.

These 4 rows set side seam shaping and cable panel.

Work 57 rows as set, inc 1 st at end of every foll alt row as set and ending with a RS row. 81 sts.

Next row: Patt until half of cable panel has been worked, turn and leave rem sts on a holder. 26 sts.

Next row: K1, patt to end.

This row sets g st on cable panel.

Working on these sts only, work 13 rows in patt as set, ending with a RS row.

Break off yarn and leave these sts on a holder.

With RS facing, rejoin yarn to sts previously left on holder and work in patt to last 2 sts, inc in next st, K1. 56 sts.

Next row: Patt to last st, K1.

This row sets g st on cable panel.

Work 13 rows in patt as set AT SAME TIME inc 1 st at end of next and every foll alt row as before. 63 sts.

Next row (WS): Patt 63 sts, then patt across 26 sts on holder. 89 sts.

Cont in patt as before across all sts, inc 1 st at end of next and every foll alt row until there are 120 sts.

Work 16 rows without shaping, ending with a RS row.

Shape shoulder

Next row: Cast off 4 sts, patt to end. 116 sts.

Work 1 row.

Next row: Cast off 5 sts, patt to end. 111 sts.

Work 1 row.

Cast off 6 sts at beg of next and foll alt row. 99 sts.

Shape neck

Next row (RS): Cast off 6 sts, patt to end. 93 sts.

Next row: Cast off 6 sts, patt to last 2 sts, P2tog. 86 sts.

Next row: K2tog, patt to end. 85 sts.

Cast off 7 sts at beg of next and foll alt row AT SAME TIME dec 1 st at neck edge in next 4 rows. 67 sts.

Cast off 8 sts at beg of next and foll alt row AT SAME TIME dec 1 st at neck edge in next and foll alt row. 49 sts.

Work 1 row.

Next row: Cast off 9 sts, patt to last 2 sts, P2tog. 39 sts.

Work 1 row.

Next row: Cast off 9 sts, patt to end. 30 sts.

Work 1 row.

Cast off 10 sts at beg of next and foll alt row. 10 sts.

Work 1 row.

Cast off rem 10 sts.

Buttonband

Using 4mm (US 6) needles work in g st across 10 sts left on holder for left front AT SAME TIME inc 1 st at side nearest left front piece. 11 sts.

Work in g st until band fits up front edge to start of neck shaping sewing in position at same time, ending with a WS row.

Break yarn and leave these sts on a holder.

Mark positions for 7 buttons on this band – first to come 2cm up from cast on edge and last to come just below neck shaping.

Buttonhole band

Using 4mm (US 6) needles work in g st across 10 sts left on holder for right front AT SAME TIME inc 1 st at side nearest right front piece. 11 sts.

Work to match buttonband with the addition of 7 buttonholes worked to correspond with positions marked for buttons as follows:-

Buttonhole row (RS): K4, cast off 2 sts (to make buttonhole – cast on 2 sts over these cast off sts on next row), knit to end.

When band is complete do not break off yarn.

Collar

With RS facing and 4mm (US 6) needles work across 11 sts of buttonhole band, pick up and knit 20 sts up front neck, 39 sts from back neck, 20 sts down front neck and knit 11 sts from button band. 101 sts.

Work in g st until collar meas 6cm, ending with a WS row.

Next row: K4, cast off 2 sts (to make buttonhole – cast on 2 sts over these cast off sts on next row), knit to end.

Cont until collar meas 8 cm, ending with a RS row.

Cast off knitways on **WS**.

Belt

Using 4mm (US 6) needles cast on 18 sts.

Row 1: Knit.

Row 2: K4, P10, K4.

Row 3: K4, C4B, K2, C4F, K4.

Row 4: As row 2.

These 4 rows set patt.

Cont in patt until belt meas 147cm, ending with 4th row of patt.

Cast off.

Armhole borders


Join sides of garment to top of garter stitch.

Join shoulder seam.

With RS facing, using 4mm (US 6) needles or circular needle if required, pick up and knit 273 sts around armhole edge.

Knit 2 rows.

Cast off knitways on **WS**.



WAN

MARKIE COWL

By Annika Andrea Wolke

v.1





MARIKE COWL

by Annika Andrea Wolke



v.1

Cotton Cashmere

2 x 50gm

(photographed in Coral Spice 214)

NEEDLES

3¼mm (no 10) (US 3) circular needle no more than 40 cm long

4mm (no 8) (US 6) circular needle no more than 40 cm long

TENSION

24 sts and 29 rounds to 10 cm measured over cable pattern using 4mm (US 6) needle.

FINISHED SIZE

Completed cowl measures approx. 66.5 cm (26 in) all round and is 23.5 cm (9½ in) deep.

SPECIAL ABBREVIATIONS

C4B = slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle; **C4F** = slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle.

COWL

Using 3¼mm (US 3) circular needle cast on 160 sts.

Place a marker between first and last cast-on sts to denote beg and end of rounds.

Round 1 (RS): P2, *K4, P4, rep from * to last 6 sts, K4, P2.

Last round forms rib.

Work 5 rounds more in rib.

Change to 4mm (US 6) circular needle.

Noting that you are working in rounds, repeating 16 st patt rep 10 times across each round work rounds 1-16 from chart 3 times, then repeat rounds 1-9 once.

Change to 3¼mm (US 3) circular needle.

Work 6 rounds in rib.

Cast off in rib.

MAKING UP

Press as described on the ball band.


Key

K every rnd

C4B

C4F

16 st patt rep



R O  A N

Nicole

By Lisa Richardson





Nicole

by Lisa Richardson



SIZES

S	M	L	XL	XXL	
To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in

length:					
60.5	60.5	64.5	64.5	68.5	cm
24	24	25½	25½	27	in

width (above welt):					
70	76.5	80	86.5	93.5	cm
27½	30	31½	34	37	in

YARN

Kid Classic

8	8	9	9	10	x 50gm
---	---	---	---	----	--------

(photographed in Victoria 852)

CROCHET HOOK

6.00mm (no 4) (US J10) crochet hook

TENSION

12 sts and 5 rows to 10 cm measured over patt using 6.00mm (US J10) crochet hook and yarn DOUBLE.

CROCHET ABBREVIATIONS

ch = chain; **dc** = double crochet; **dtr** = double treble; **sp(s)** = space(s); **ss** = slip stitch; **tr** = treble; **tr/dtrtog** = yoh and insert hook as indicated, yoh and draw loop through, yoh and draw through 2 loops, (yoh) twice and insert hook as indicated, yoh and draw loop through, (yoh and draw through

2 loops) twice, yoh and draw through all 3 loops on hook; **tr2tog** = (yoh and insert hook as indicated, yoh and draw loop through, yoh and draw through 2 loops) twice, yoh and draw through all 3 loops on hook; **yoh** = yarn over hook.

BACK

Using 6.00mm (US J10) crochet hook and yarn DOUBLE make 48 [54: 60: 66: 74] ch.

Foundation row (WS): 1 tr into 4th ch from hook, 1 tr into each ch to end, turn. 46 [52: 58: 64: 72] sts.

Next row: 3 ch (counts as 1 tr), miss tr at base of 3 ch, 1 tr into each tr to end, working last tr into top of 3 ch at beg of previous row, turn.

Rep last row 3 times more, ending with RS facing for next row.

Next row (RS): 1 ch (does NOT count as st), 1 dc into tr at base of 1 ch, (3 ch, tr2tog working first “leg” into same st as used for last dc, miss 1 tr and 2nd “leg” into next tr, 3 ch, 1 dc into same st as 2nd “leg” of tr2tog) 9 [9: 7: 7: 6] times, (3 ch, tr2tog working first “leg” into same st as used for last dc, miss 2 tr and 2nd “leg” into next tr, 3 ch, 1 dc into same st as 2nd “leg” of tr2tog) 3 [5: 9: 11: 15] times, (3 ch, tr2tog working first “leg” into same st as used for last dc, miss 1 tr and 2nd “leg” into next tr, 3 ch, 1 dc into same st as 2nd “leg” of tr2tog) 9 [9: 8: 8: 7] times, working dc at end of last rep into top of 3 ch at beg of previous row, turn.

21 [23: 24: 26: 28] patt reps.

Now work in patt as folls:

Row 1 (WS): 4 ch (does NOT count as st), miss (dc at base of 4 ch and 3 ch), (1 tr, 3 ch and 1 dc) into next tr2tog, *3 ch, tr2tog over tr2tog just worked into and next tr2tog (missing 3 ch, 1 dc and 3 ch between), 3 ch, 1 dc into same

st as used for 2nd “leg” of last tr2tog, rep from * until dc has been worked into first tr2tog of previous row, 3 ch, tr/dtrtog (see abbreviations) over tr2tog just worked and dc at beg of previous row (missing 3 ch between), turn.

Row 2: 1 ch (does NOT count as st), 1 dc into st at end of previous row, *3 ch, tr2tog over st just worked into and next tr2tog (missing 3 ch, 1 dc and 3 ch between), 3 ch, 1 dc into same st as used for 2nd “leg” of last tr2tog, rep from * to end, working dc at end of last rep into tr at beg of previous row, turn.

These 2 rows form patt.***

Work in patt for a further 7 rows, ending with RS facing for next row.

Next row (RS): 3 ch, tr2tog over st at end of previous row and next tr2tog (missing 3 ch, 1 dc and 3 ch between) - ½ patt rep decreased, 3 ch, 1 dc into same st as used for 2nd “leg” of last tr2tog, *3 ch, tr2tog over st just worked into and next tr2tog (missing 3 ch, 1 dc and 3 ch between)***, 3 ch, 1 dc into same st as used for 2nd “leg” of last tr2tog, rep from * to end, ending last rep at ** - ½ patt rep decreased, turn.

20 [22: 23: 25: 27] patt reps.

Next row: As patt row 1.

Work 1 row.

Rep last 3 rows 2 [1: 2: 2: 2] times more.

18 [21: 21: 23: 25] patt reps.

Next row (RS): 3 ch, tr2tog over st at end of previous row and next tr2tog (missing 3 ch, 1 dc and 3 ch between) - ½ patt rep decreased, 3 ch, 1 dc into same st as used for 2nd “leg” of last tr2tog, *3 ch, tr2tog over st just worked into and next tr2tog (missing 3 ch, 1 dc and 3 ch between)***, 3 ch, 1 dc into same st as used for 2nd “leg” of last tr2tog, rep from * to end, ending last rep at ** - ½ patt rep decreased, turn.

17 [20: 20: 22: 24] patt reps.

Rep last row 6 [9: 8: 8: 10] times more.

11 [11: 12: 14: 14] patt reps.

Next row: 1 ch (does NOT count as st), 1 dc into st at end of previous row, (3 ch, 1 dc into next tr2tog) 11 [11: 12: 14: 14] times.

Fasten off, placing markers either side of centre 6 [6: 7: 7: 7] patt reps (to denote back neck).

FRONT

Work as given for back to ***.

Work 1 row, ending with RS facing for next row

Divide for armhole openings

Next row (RS): Work 3 [4: 4: 4: 5] patt reps, ending last of these patt reps with (1 dc into same st as used for 2nd “leg” of last tr2tog) and turn, leaving rem sts unworked.

Work on this set of 3 [4: 4: 4: 5] patt reps only for left side of front.

Work 5 rows, ending with RS facing for next row.

Working all decreases as set by back, dec ½ patt rep at beg of next row and at same edge on foll 3rd row.

2 [3: 3: 3: 4] patt reps.

Work 0 [0: 0: 2: 2] rows, ending with RS facing for next row.

Slip working loop onto a holder and set aside this ball of yarn

- it will be used again later.

Return to last complete row worked and, with RS facing, rejoin yarn to same st as used for dc at end of first row of left side of front, work 15 [15: 16: 18: 18] patt reps, ending last of these patt reps with (1 dc into same st as used for 2nd “leg” of last tr2tog) and turn, leaving rem sts unworked.

Work 8 [8: 8: 10: 10] rows on this set of sts only for centre front section, ending with WS facing for next row.

Next row (WS): Patt to end, then work 1 ss into top of st at beg of last row of left side of front (to join sections).

Fasten off.

Return to last complete row worked and, with RS facing, rejoin yarn to same st as used for dc at end of first row of centre front section and patt to end, turn.

Work on this set of 3 [4: 4: 4: 5] patt reps only for right side of front.

Work 5 rows, ending with RS facing for next row.

Working all decreases as set by back, dec ½ patt rep at end of next row and at same edge on foll 3rd row.

2 [3: 3: 3: 4] patt reps.

Work 0 [0: 0: 2: 2] rows, ending with RS facing for next row.

Work 1 ss into top of st at beg of last row of centre front section (to join sections) and fasten off.

Slip working loop left on holder back onto hook and work one row across all 3 sections, dec 0 [0: 0: ½: ½] patt rep at each end of row. 19 [21: 22: 23: 25] patt reps.

Cont in patt, dec 1/2 patt rep at each end of 2nd [2nd: 2nd: 3rd: 3rd] and 1 [0: 1: 0: 0] foll 3rd row, then on foll 1 [4: 2: 2: 4] rows, ending with **WS** facing for next row.

16 [16: 18: 20: 20] patt reps.

Shape front neck

Next row (WS): Dec ½ patt rep at beg of row, then cont until 6 [6: 7: 8: 8] tr2tog have been worked and turn, leaving rem sts unworked.

Cont on this set of 5 [5: 6: 7: 7] patt reps only for first side of neck.

Dec ½ patt rep at each end of next 1 [1: 2: 2: 2] rows.

4 [4: 4: 5: 5] patt reps.

Now keeping neck edge straight, dec ½ patt rep at shoulder edge of next 3 rows. 2½ [2½: 2½: 3½: 3½] patt reps.

Next row (RS): 4 ch (counts as 1 tr and 1 ch), 1 dc into first tr2tog, (3 ch, 1 dc into next tr2tog) 2 [2: 2: 3: 3] times.

Fasten off.

Return to last complete row worked and, with **WS** facing, attach yarn to same tr2tog as used for last st of first side of neck, (3 ch, 1 dc into next tr2tog) 4 times, patt to end, dec ½ patt rep at each end of row, turn. 5 [5: 6: 7: 7] patt reps.

Dec ½ patt rep at each end of next 1 [1: 2: 2: 2] rows.

4 [4: 4: 5: 5] patt reps.

Now keeping neck edge straight, dec ½ patt rep at shoulder edge of next 3 rows. 2½ [2½: 2½: 3½: 3½] patt reps.

Next row (RS): 1 ch (does NOT count as st), 1 dc into st at end of previous row, (3 ch, 1 dc into next tr2tog) 2 [2: 2: 3: 3] times, 1 ch, 1 tr into dc at beg of previous row.

Fasten off.

MAKING UP

Press as described on the information page.

Join right shoulder/side seam using back stitch.

Collar

With RS facing, using 6.00mm (US J10) crochet hook and yarn DOUBLE, attach yarn at fasten-off point of left front shoulder section, 1 ch (does NOT count as st), 11 [11: 13: 13: 13] dc down left side of neck, 3 dc into first ch sp across base of neck, (1 dc into next tr2tog, 3 dc into next ch sp) 3 times, 11 [11: 13: 13: 13] dc up right side of neck, 1 dc into first ch sp across back of neck, (1 dc into next tr2tog, 3 dc into next ch sp) 5 [5: 6: 6: 6] times, 1 dc into next tr2tog, 1 dc into last ch sp, turn. 49 [49: 55: 55: 55] sts.

Next row: 3 ch (counts as 1 tr), miss dc at base of 3 ch, 1 tr into each dc to end, turn.

Next row: 3 ch (counts as 1 tr), miss tr at base of 3 ch, 1 tr into each of next 1 [1: 4: 4: 4] tr, 2 tr into next tr, (1 tr into each of next 3 tr, 2 tr into next tr) 11 times, 1 tr into each of last 2 [2: 5: 5: 5] sts, working last tr into top of 3 ch at beg of previous row, turn. 61 [61: 67: 67: 67] sts.

Next row (RS): 1 ch (does NOT count as st), 1 dc into tr at base of 1 ch, *3 ch, tr2tog working first “leg” into same st as used for last dc, miss 2 tr and 2nd “leg” into next tr, 3 ch, 1 dc into same st as 2nd “leg” of tr2tog, rep from * to end, working dc at end of last rep into top of 3 ch at beg of previous row, turn. 20 [20: 22: 22: 22] patt reps.

Beg with patt row 1, cont in patt as given for back until collar meas 35 cm from pick-up row, ending after a rep of patt row 1.

Next row: 4 ch (counts as 1 tr and 1 ch), 1 dc into first tr2tog, *3 ch, 1 dc into next tr2tog, rep from * until dc has been worked in last tr2tog, 1 ch, 1 tr into dc at beg of previous row. Fasten off.

Armhole opening edgings (both alike)

With RS facing, using 6.00mm (US J10) crochet hook and yarn DOUBLE, attach yarn at base of armhole opening and work one round of dc evenly around entire armhole opening, ending with ss to first dc.

Fasten off.

See information page for finishing instructions, reversing collar seam for turn-back.

ROWAN

TRIBAL COWL

By Julie Ferguson

ROWEB-01353

v.1





TRIBAL COWL

by Julie Ferguson

Craft

Skill Level

ROWEB-01353

v.1

[Click the image for a full screen, printable version](#)

YARN

Kid Classic

A	Smoke 831	3	x 50gm
B	Ochre 881	1	x 50gm
C	Mellow 877	1	x 50gm
D	Earth 872	1	x 50gm
E	Rosewood 870	1	x 50gm
F	Cherry Red 847	1	x 50gm

**More Yarn
Information**

on knitrowan.com

NEEDLES

5 mm (no 6) (US 8) circular needle, 100 cm long.

TENSION

18 sts and 23 rows to 10 cm measured over st st using 5mm (US 8) needles.

Stripe sequence

Round 1: Using yarn F.

Round 2 and every foll alt round: Using yarn A.

Round 3: Using yarn E.

Round 5: Using yarn C.

Round 7: Using yarn D.

Round 9: Using yarn C.

Round 11: Using yarn B.

Round 13: Using yarn E.

Round 15: Using yarn F.

Round 17: Using yarn C.

Round 19: Using yarn D.

Round 21: Using yarn F.

Round 23: Using yarn B.

Round 25: Using yarn E.

Round 27: Using yarn C.

Round 29: Using yarn D.

Round 30: Using yarn A.

Using 5mm (US 8) circular needle and yarn A, cast on 216 sts.

Round 1: Knit.

This round forms st st.

Cont in st st as folls:

Work 1 round more, then work 30 rounds of stripe sequence.

Work in yarn A only for a further 52 rounds.

Beg with round 30, work stripe sequence in reverse.

Work 2 rounds more in yarn A.

Cast off.

MAKING UP

Press as described on the information page.

Using diagram, work motifs on centre 52 rounds worked in yarn A only, using chain stitch and swiss embroidery as folls:

Work chart A, repeating the 18 st patt rep on rounds 1 to 11.

Work chart B repeating the 24 st patt rep on rounds 19 to 34.

Turn garment so that round 52 of this section is at the bottom and work chart A on rounds 52 to 42, slightly offsetting the position so that it is not directly in line with Chart A already worked.

Using photograph as a guide, work vertical lines of chain stitch between chart sections using all contrast yarns.

See information page for finishing instructions.

MEASUREMENTS

Width

50 cm

19½ in

Length

120 cm

47 in

**Information
Pages**

key

-  swiss darn using yarn E
-  swiss darn using yarn D
-  swiss darn using yarn B
-  swiss darn using yarn C
-  chain stitch using yarn C
-  chain stitch using yarn B
-  chain stitch using yarn F

Chart A





Chart B



[Click the image for a full screen, printable version](#)

ROWAN



WALLIS

By Sarah Hatton

ROWWEBD-01035

v.1





WALLIS

by Sarah Hatton



ROWWEBD-01035

v.1

[Click the image for a full screen, printable version](#)

YARN

	XS	S	M	L	XL	
To fit bust						
	81	86	91	97	102	cm
	32	34	36	38	40	in
Kid Classic						
	7	7	8	8	8	x 50gm

(photographed in Crushed Velvet 825)

**More Yarn
Information**

on knitrowan.com

NEEDLES

1 pair 4mm (no 8) (US 6) needles
1 pair 5mm (no 6) (US 8) needles

TENSION

19 sts and 25 rows to 10 cm measured over stocking stitch using 5mm (US 8) needles.

BACK

Using 4mm (US 6) needles cast on 91 [97: 103: 109: 115] sts.

Row 1 (RS): K2, *P3, K3, rep from * to last 5 sts, P3, K2.

Row 2: P2, *K3, P3; rep from * to last 5 sts, K3, P2.

These 2 rows form rib.

Cont in rib for a further 22 rows, ending with RS facing for next row.

Row 25 (RS): K6 [2: 5: 4: 1], K2tog, *K9 [8: 8: 7: 8], K2tog, rep from * to last 6 [3: 6: 4: 2] sts, K to end.

83 [87: 93: 97: 103] sts.

Row 26: Purl.

Change to 5mm (US 8) needles.

Beg and ending rows as indicated and repeating the 20 row patt repeat throughout, cont in patt from chart as folls:

Inc 1 st at each end of 2nd row and foll 29 rows, then on foll 20 alt rows, then on every foll 4th row until there are 187 [191: 197: 201: 207] sts, taking inc sts into patt.

Cont straight until back meas 46 [47: 48: 49: 50] cm, ending with RS facing for next row.

Shape overarm and shoulder

Keeping patt correct, cast off 6 sts at beg of next 8 [8: 4: 4: 0] rows, 7 sts at beg of foll 4 [2: 4: 2: 4] rows, then 8 sts at beg of

foll 6 [8: 10: 12: 14] rows. 63 [65: 65: 67: 67] sts.

Shape back neck

Next row (RS): Cast off 8 sts, patt until there are 12 sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 8 sts.

With RS facing, rejoin yarn to rem sts, cast off centre 23 [25: 25: 27: 27] sts, patt to end.

Complete to match first side, reversing shapings.

FRONT

Work as given for back to start of overarm and shoulder shaping, ending with RS facing for next row.

Shape overarm and shoulder

Keeping patt correct, cast off 6 [6: 6: 6: 7] sts at beg of next 2 rows. 175 [179: 185: 189: 193] sts.

Shape neck

Next row (RS): Cast off 6 [6: 6: 6: 7] sts, patt until there are 75 [76: 79: 80: 81] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 4 rows, then on foll 5 alt rows and at same time cast off 6 [6: 7: 7: 8] sts at beg of 2nd and foll 1 [1: 1: 0: 6] alt rows, 7 sts at beg of

foll 2 [1: 0: 0: 0] alt rows, then 8 sts at beg of foll 3 [4: 5: 6: 0] alt rows. 16 sts.

Work 1 row, ending with RS facing for next row.

Cast off 8 sts at beg of next row.

Work 1 row.

Cast off rem 8 sts.

With RS facing, rejoin yarn to rem sts, cast off centre 13 [15: 15: 17: 17] sts, patt to end.

Complete to match first side, reversing shapings.

MAKING UP

Press.

Join right overarm and shoulder seam using back stitch, or mattress stitch if preferred.

Collar

With RS facing and using 4mm (US 6) needles, pick up and knit 17 sts down left side of neck, 13 [16: 16: 19: 19] sts from front, 17 sts up right side of neck, then 32 [35: 35: 38: 38] sts from back. 79 [85: 85: 91: 91] sts.

Change to 5mm (US 8) needles.

Beg with row 1, work in rib as given for back for 17 cm, ending with RS facing for next row.

Cast off in rib.

Join left overarm and shoulder seam and collar seam, reversing collar seam for turn-back.


Side borders (both alike)

With RS facing and using 4mm (US 6) needles, beg and ending at top of rib, pick up and knit 192 [196: 200: 204: 208] sts evenly along side edge.

Work in g st for 2 rows, ending with **WS** facing for next row.

Cast off knitwise (on WS).

Join side seams of rib section and side borders.




Click the image for a full screen, printable version

Information
Pages

Key

- K on RS,
- P on WS
- ◻ yfwd
- ◻ s11, K2tog, pss0
- ◻ K2tog
- ◻ K2tog tbl



Click the image for a full screen, printable version

R O W A N



Wool Week Cowls

By Sarah Hatton





Wool Week Cowls

by Sarah Hatton



4 balls of Big Wool
Needles – 1 pair 10mm needles

Garter stitch cowl

Finished size approx 25cm x 200cm

Cast on 22 stitches.

Work in garter stitch (every row knit) until nearly all yarn has been used, or until cowl is desired length, leaving approx. 1 metre for casting off.

Cast off all stitches.

Join cast on and cast off edges to form a loop.

Sew in ends.

Stocking stitch cowl

Finished size approx. 28cm x 240cm

Cast on 26 stitches.

Row 1 (right side): Knit.

Row 2: knit 2, purl 22, knit 2.

These 2 rows set pattern.

Work in pattern as set until nearly all yarn has been used, or until cowl is desired length, leaving approx 1 metre for casting off.

Cast off all stitches.

Join cast on and cast off edges to form a loop.

Sew in ends.

Cabled cowl

Finished size approx 20cm by 180cm

Cast on 26 stitches.

Row 1 (right side): Knit.

Row 2 and every following alternate rows: Knit 5, purl 16, knit 5.

Row 3: Knit.

Row 5: Knit 5, Cable 8 back (slip next 4 stitches onto a cable needle and hold at back of work, knit 4 then knit 4 from cable needle) Cable 8 front (slip next 4 stitches onto a cable needle and hold at front of work, knit 4 then knit 4 from cable needle) knit 5.

Row 7: Knit.

Row 8: Knit 5, purl 16, knit 5.

These 8 rows set pattern.

Work in pattern as set until nearly all yarn has been used, or until cowl is desired length, leaving approx 1 metre for casting off and ending with row 8 if possible.

Cast off all stitches.

Join cast on and cast off edges to form a loop.

Sew in ends.

