



**ROADTRIPPER
TEE**

OZETTA

ROADTRIPPER TEE DETAILS

The Roadtripper Tee is a classic inspired henley with a simple design. It is worked top down and closed in the front with 5 buttons. The button band is worked simultaneously with the rest of the yoke which means less finishing work. The Roadtripper Tee is a cropped design that works well with any wardrobe.

Sizes - XS (S) M (L) XL (2XL) 3XL (4XL) 5XL

Finished Bust Circumference -

34 36 (38) 41 (43) 46 (50½) 54 (58) 63"
91 (96) 104 (109) 116 (127) 137 (147) 160 cm

Length -

19½ (20) 20½ (21) 21½ (22) 22½ (23) 23½"
49 (50) 52 (53) 54 (55) 57 (58) 59 cm

Gauge - 24 sts and 34 rows = 4 x 4"/10 x 10 cm in stockinette st on 3.75 mm (US Size 5) needles, blocked

Needle Size -

3.5 mm (US Size 4) dpns.
3.5 mm (US Size 4) 16" and 32-40"
3.75 mm (US Size 5) 16" and 32-40", or the required needles to obtain gauge

Yarn - Sport Weight -

889 (926) 978 (1192) 1288 (1304) 1461 (1576) 1632 yds
813 (847) 894 (1090) 1178 (1192) 1336 (1441) 1492 m
200 (250) 250 (300) 350 (350) 400 (400) (450) g

Suggested Yarn - De Rerum Natura Ulysse (100% Merino Wool, 50 g = 202 yds) in colorway biche 4 (5) 5 (6) 7 (7) 8 (8) 9 skeins

Buttons - Five measuring ½" or 13 mm

Notions - 8 stitch markers, scrap yarn or extra cables, tapestry needle, thread or spare yarn for attaching buttons



Notes on the Roadtripper Tee

Abbreviations

approx. - Approximately	RS - Right side
BOR - Beginning of round	Slip (all slip sts will be slipped purlwise)
CO - Cast on	SM - Slip Marker
K - Knit	st(s) - Stitch(es)
M1L - Make 1 left	TBL - Through the back loop
M1R - Make 1 right	WS - Wrong side
P - Purl	wyif - With yarn in front
pm - Place marker	

Choosing Size

The Roadtripper Tee has around 4"/10 cm of positive ease built into the pattern. So sizes XS (S) M (L) XL (2XL) 3XL (4XL) 5XL correspond to a bust circumference of 32 (34) 37 (39) 42 (46½) 50 (54) 59"/81 (86) 94 (99) 106 (118) 127 (137) 150 cm (the final size of garment will be an additional 4"/10 cm).

Raglan Increases

Increases are worked on both sides of the raglan st so that they lean right (M1R) or to the left (M1L). The raglan is a normal st worked in stockinette st (i.e., it is worked as a normal knit stitch on the RS of the work and as a normal purl on the WS of the work). Work the increases as follows:

M1R - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and K normally (into the front of the stitch).

M1L - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from front to back and K TBL.

Yoke

With US 5 (3.75 mm)/16" needles, CO 62 (62) 70 (70) 70 (78) 94 (94) 102 sts using the long tail cast-on method (do not join in the round).

Set-up row (WS) - P2 (2) 4 (4) 4 (6) 8 (8) 10 (left front), pm, P1 (raglan st), pm, P8 (8) 8 (8) 8 (8) 12 (12) 12 (left sleeve), pm, P1 (raglan st), pm, P38 (38) 42 (42) 42 (46) 50 (50) 54 (back), pm, P1 (raglan st), pm, P8 (8) 8 (8) 8 (8) 12 (12) 12 (right sleeve), pm, P1 (raglan st), pm, P2 (2) 4 (4) 4 (6) 8 (8) 10 (right front).

Shaping Front Neck and Raglan Increases (video support on Page 8 for backwards loop cast-on)

You will now work in stockinette st. CO sts using the backwards loop cast-on method at the beg **and** end of RS rows. **At the same time** you will work the raglan increases on the RS. Rows will be worked as follows:

Row 1 (RS) - CO 1 using the backwards loop cast-on method, K the CO st, *work in pattern until you reach the raglan st, M1R, K the raglan st, M1L*, repeat from *-* 4 times, work in pattern until the end of row, CO 1 using the backwards loop cast-on method.

Row 2 (WS) - P the CO st, P until end of row.

Repeat Rows 1 and 2, 1 **more** time. 82 (82) 90 (90) 90 (98) 114 (114) 122 sts.

Row 5 (RS) - CO 2 using the backwards loop cast-on method, K the CO sts, *work in pattern until you reach the raglan st, M1R, K the raglan st, M1L*, repeat from *-* 4 times, work in pattern until the end of row, CO 2 using the backwards loop cast-on method.

Row 6 (WS) - P the CO sts, P until end of row.

Repeat Rows 5 and 6, 1 **more** time. 106 (106) 114 (114) 114 (122) 138 (138) 146 sts.

Row 9 (RS) - CO 3 sts using the backwards loop cast-on method, K the CO sts, *work in pattern until you reach the raglan st, M1R, K the raglan st, M1L*, repeat from *-* 4 times, work in pattern until the end of row, CO 3 using the backwards loop cast-on method.

Row 10 (WS) - P the CO sts, P until end of row.

Repeat Rows 9 and 10, 1 **more** time. 134 (134) 142 (142) 142 (150) 166 (166) 174 sts.

Button Band

Row 13 (RS) - CO 10 using the backwards loop cast-on method, K2, *P1, K1*, repeat *-* over 8 sts, *work in pattern until you reach the raglan st, M1R, K the raglan st, M1L*, repeat from *-* 4 times, work in pattern until the end of row, CO 10 using the backwards loop cast-on method.

Row 14 (WS) - P2, *K1, P1*, *-* repeat over 8 sts, P until 10 sts remain, *P1, K1*, repeat *-* over 10 sts.

Your sts are as follows (including the button band), 31 (31) 33 (33) 33 (35) 37 (37) 39 (left front), 1 raglan st, 22 (22) 22 (22) 22 (22) 26 (26) 26 (left sleeve), 1 raglan st, 52 (52) 56 (56) 56 (60) 64 (64) 68 (back), 1 raglan st, 22 (22) 22 (22) 22 (22) 26 (26) 26 (right sleeve), 1 raglan st, 31 (31) 33 (33) 33 (35) 37 (37) 39 (right front). 162 (162) 170 (170) 170 (178) 194 (194) 202 sts.

Yoke and Raglan Increases with Buttonholes

Note: 4 buttonholes are worked in this section, the last one will be worked in the Neck.

Please read through the following instructions so that you will not miss a step on yoke, buttonholes, and raglan increases. (See video link for making buttonholes on page 7).

You will now work the first and last 10 button band sts on US 4 (3.5 mm) dpns. You will continue to work the yoke on US 5 (3.75 mm) needles. Work raglan increases and button band as follows:

(RS) - Slip 1 wyif, *K1, P1*, repeat *-* over 8 sts, K1, work in stockinette st until you reach the raglan st, M1R, K the raglan st, M1L*, repeat from *-* 4 times, work in pattern until 10 sts remain, *K1, P1*, repeat *-* over 8 sts, K2. You will always have 10 sts on each end for the button band.

(WS) - Slip 1 wyif, *P1, K1*, repeat *-* over 8 sts, P1, P all sts until 10 sts remain, *P1, K1*, repeat *-* over 10 sts.

Continue to work your raglan increases on the RS rows 24 **more** times for all sizes. (total st count on page 3, *after* you join the yoke and work 26th raglan increase round).

You will work your buttonholes on the right front on the 3rd, 9th, 15th, and 21st raglan increase rows. A buttonhole is worked at the end of the RS row as follows:

(RS) - Slip 1 wyif, *K1, P1*, repeat *-* over 8 sts, K1, work in established pattern with raglan increases until 10 sts remain, *K1, P1*, repeat *-* over 4 sts, cast-off 2 sts in pattern, P1, K2.

(WS) - Slip 1 wyif, P1, K1, P1, CO 2 using the knitted on cast-on method over the sts you cast-off, *K1, P1*, repeat *-* over 4 sts, P all sts until 10 sts remain, *K1, P1*, repeat *-* over 10 sts. *Tip:* Place a marker to indicate where your button will later be sewn on opposite the buttonhole side.

After the last buttonhole, continue working your raglan increases ending with a WS row. A total of 25 raglan increase rows have been worked.

Joining Yoke

You will join your work in the round on the 26th RS row with raglan increases. Your button band will be knitted together so that the Right Front 10 sts will lay on top of Left Front 10 sts. The neckline opening will therefore be closed here, and the 20 collar sts will be reduced to 10. These 10 sts will then become part of the stockinette body.

Slip 1 wyif, *K1, P1*, repeat *-* over 8 sts, K1, K across left front, M1R, K1 (raglan st), M1L, K across left sleeve, M1R, K1 (raglan st), M1L, K across back, M1R, K1 (raglan st), M1L, K across right sleeve, M1R, K1 (raglan st), M1L, K across right front (8 raglan sts have been increased). 10 sts remain.

With US 5 (3.75 mm) needles, hold the collar stitches of the Left Front directly behind the collar stitches of the Right Front. *K the first stitch on the needle held in front together with the first stitch on the needle held in back.* Repeat *-* 9 more times so that all collar stitches on both the front and the back needles have been worked. You will now continue working in the round while finishing your raglan increases. K 1 round before next raglan increase.

Your BOR will now start between the front and left sleeve, before your raglan st. 360 (360) 368 (368) 368 (376) 392 (392) 400 sts.

Your sts are as follows, 1 raglan st, 74 (74) 74 (74) 74 (74) 78 (78) 78 (left sleeve), 1 raglan st, 104 (104) 108 (108) 108 (112) 116 (116) 120 (back), 1 raglan st, 74 (74) 74 (74) 74 (74) 78 (78) 78 (right sleeve), 1 raglan st, 104 (104) 108 (108) 108 (112) 116 (116) 120 (front).

Once you have joined the yoke, work in the round and K the raglan sts since you are now on the RS. Work your raglan increases every other round a total of 0 (3) 5 (7) 10 (13) 14 (18) 18 more times. 360 (384) 408 (424) 448 (480) 504 (536) 544 sts.

Your sts are as follows, 1 raglan st, 74 (80) 84 (88) 94 (100) 106 (114) 114 (left sleeve), 1 raglan st, 104 (110) 118 (122) 124 (138) 144 (148) 150 (back), 1 raglan st, 74 (80) 84 (88) 94 (100) 106 (114) 114 (right sleeve) 1 raglan st, 104 (110) 118 (122) 124 (138) 144 (148) 150 (front).

Sizes XS (S) M (L) XL (2XL) 3XL proceed to the section titled Body

Sizes (4XL) 5XL ONLY:

Now work the yoke with raglan increases every other round of body only and not on the sleeves. This means you will not add increases to the sleeves. You will work increases every other round as follows:

M1R, K1 (raglan st), K across left sleeve, K1 (raglan st), M1L, K across back, M1R, K1 (raglan st), K across right sleeve, K1 (raglan st), M1L, K across front. (4 sts were increased). Repeat a total of (1) 4 time(s). (540) 560 sts.

Sizes (4XL) 5XL your sts are as follows, 1 raglan st, (114) 114 (left sleeve), 1 raglan st, (154) 164 (back), 1 raglan st, (114) 114 (right sleeve), 1 raglan st, (154) 164 (front).

Body (video support on Page 8 for knitted cast-on method)

The 4 raglan sts will now become part of the body. Work as follows:

K raglan st, remove marker, place 74 (80) 84 (88) 94 (100) 106 (114) 114 sts (left sleeve) on cable or scrap yarn, remove marker, CO 2 (2) 4 (6) 8 (14) 16 (18) 22 sts at armhole opening using the knitted on cast-on method, K raglan st, remove marker, K across back, remove marker, K raglan st, remove marker, place 74 (80) 84 (88) 94 (100) 106 (114) 114 sts (right sleeve) on cable or scrap yarn, remove marker, CO 2 (2) 4 (6) 8 (14) 16 (18) 22 sts at armhole opening using the knitted on cast-on method, K raglan st, remove marker, K across front. 216 (228) 248 (260) 276 (308) 324 (348) 376 sts.

Work in the round in stockinette until work measures approx. 11"/28 cm measured from armhole split or to the desired length before bottom ribbing. *Note:* Adding additional length will require more yardage.

Hem (video support on Page 8 for sewn tubular cast-off)

With US Size 4 (3.5 mm)/32-40" needles, *K1, P1*, repeat *-* until hem measures approx. 1"/3 cm. Cast-off by using the sewn tubular cast-off method or your favorite cast-off technique.

Sleeves (same for both)

The sleeves are worked in the round on US 5 (3.75 mm)/16" needles. Place resting sleeve sts back on the needles and pick up and knit in the 2 (2) 4 (6) 8 (14) 16 (18) 22 sts you cast-on under the sleeve. 76 (82) 88 (94) 102 (108) 122 (132) 136 sts. Place marker in the middle of picked up sts to indicate BOR. Work in the round in stockinette until sleeve measures approx. 2.5"/6 cm or to the desired length before ribbing.

Sleeve Hem

With US Size 4 (3.5 mm)/16", *K1, P1*, repeat *-* until sleeve hem measures approx. 1"/3 cm. Cast-off by using the sewn tubular cast-off method or your favorite cast-off technique.

Neck (video support on Page 8 for picking up sts along neckline)

With RS facing using US Size 4 (3.5 mm)/16" needles, beginning at right front neck edge, pick up and K10 (10) 10 (10) 10 (10) 10 (10) 10 sts (right side of button band), pick up and K91 (95) 97 (107) 107 (115) 123 (123) 131 sts evenly around neck, pick up and K10 (10) 10 (10) 10 (10) 10 (10) 10 sts (left side of button band). 111 (115) 117 (127) 127 (135) 143 (143) 151 sts.

Row 1 (WS) - Slip 1 wyif, *P1, K1*, repeat *-* across.

Row 2 (RS) - Slip 1 wyif, *K1, P1*, repeat *-* until 2 sts remain, K2.

Repeat Row 1.

Work a buttonhole across next 2 rows on the right front of button band as follows:

(RS) - Slip 1 wyif, K1, P1, K1, cast-off 2 sts in pattern, *K1, P1*, repeat *-* until 2 sts remain, K2.

(WS) - Slip 1 wyif, *P1, K1*, repeat *-* until 4 sts remain, CO 2 using the knitted on cast-on method over the sts you cast-off, *P1, K1*, repeat *-* over 4 sts.

Row 1 (RS) - Slip 1 wyif, *K1, P1*, repeat *-* until 2 sts remain, K2.

Row 2 (WS) - Slip 1 wyif, *P1, K1*, repeat *-* across.

Repeat Rows 1 and 2 for a total of 2 times. Cast-off on a RS row by using the sewn tubular cast-off method or your favorite cast-off technique. If you use the sewn tubular cast-off method, your first 2 sts (i.e. your slipped st and K st) will be worked together as a K st in the first step of the sewn tubular cast-off.

Finishing

Sew buttons onto tee where you placed markers on the opposite side from the buttonholes. Weave in loose ends. Block your #RoadtripperTee.

Pattern + images are the property of © Ozetta. Unauthorized reproduction in whole or in part is illegal.

Distribution of patterns or content is not allowed.

Wear Cozy. Stay Warm.

xx

Video Support for the Roadtripper Tee

Backwards Loop Cast-on (used to shape neck) - <https://bit.ly/3AdsCM3>

Buttonholes - <https://bit.ly/2ZSV5GL>

Knitted Cast-On (used to cast-on sts at underarm) - <https://bit.ly/3zfs4QT>

Sewn Tubular Cast-off - <https://bit.ly/2B4PKmG>

Picking up sts Along Neckline - <https://bit.ly/3iTwsKT>

Pattern + images are the property of © Ozetta. Unauthorized reproduction in whole or in part is illegal.

Distribution of patterns or content is not allowed.

Wear Cozy. Stay Warm.

XX

ozetta