



**SHORELINE  
TEE**

OZETTA

# SHORELINE TEE

The Shoreline Tee features saddle shoulders that are shaped using short rows for a comfortable yet structured fit. The tee has a subtle all-over cable motif that adds texture without compromising drape. Both the saddle shoulders and gentle cables bring a timeless style with a polished result.

Sizes - XS (S) M (L) XL (2XL) 3XL (4XL) 5XL

Finished Bust Circumference - 34½ (38½) 42¼ (46) 50 (53¾) 57¾ (61½) 65¼" [86.5 (96) 105.5 (115) 125 (135.5) 144 (153.5) 163 cm]

Length - 19 (19) 20¾ (20¾) 20¾ (22½) 22½ (24) 24" [47.5 (47.5) 52 (52) 52 (56) 56 (60) 60 cm] (as measured from mid back)

Gauge - 25 sts and 34 rows = 4 x 4" [10 x 10 cm] in textured pattern worked flat on 4 mm (US Size 6) needles, blocked.  
*Tip:* Use the saddle instructions to create your swatch. Wet block and then measure gauge.

Needle Size -  
4 mm (US Size 6) 16, 32 and/or 40" [40, 80 and/or 100 cm] circular needles, or the required needles to obtain gauge (main needles - used for body, hem, sleeves, and cuffs)  
3.25 mm (US Size 3) 16" [40 cm] circular needles or three sizes down from main needles, used for collar  
3 mm (US Size 2.5) 16" [40 cm] circular needles, used for double-knit edge at collar

Yarn - Light DK Weight -  
175 (200) 225 (225) 250 (275) 300 (325) 325 g

Suggested Yarn - Lamana Como Cashmere (30% cashmere and 70% superfine merino wool, 25 g = 131 yds) in colorway Macadamia 48M, 7 (8) 9 (9) 10 (11) 12 (13) 13 skeins.

Notions - 3 stitch markers, including one to denote BOR; cable needle; extra cables; tapestry needle; row counter (optional)

Techniques - Knitting flat, knitting in the round, *cabling*, long-tail cast-on, *backwards loop cast-on*, *increasing*, *decreasing*, *German Short Rows*, holding stitches, picking up stitches, *Italian bind-off*, wet blocking.

*Indicates linked video support that may be found on Page 16.*

\*All measurements and yardage are approximations and are rounded.



# Notes on the Shoreline Tee

## Abbreviations

approx. - Approximately

BOR - Beginning of round

CO - Cast on

C6F - Cable 6 front

ds - Double stitch

K - Knit

kfb - Knit front back

K2tog - Knit 2 together

K2tog-L - Knit 2 together left

M1L - Make 1 left

M1R - Make 1 right

M1RP - Make 1 right purlwise

P - Purl

PM - Place marker

RS - Right side

Sbm - Slip beginning of round marker

SI - Slip

SM - Slip marker

st(s) - Stitch(es)

WS - Wrong side

wyib - With yarn in back

wyif - With yarn in front

The right front is the right side of chest. The left front is the left side of chest.

## Choosing Size (schematic on Page 17)

The Shoreline Tee has around 4¼-6" [10.5-15 cm] of positive ease built into the pattern. Sizes XS (S) M (L) XL (2XL) 3XL (4XL) 5XL correspond to a bust circumference of 30 (34) 38 (42) 45 (48) 52 (56) 60" [76 (86) 96.5 (106.5) 114 (122) 132 (142) 152 cm] (the final size of garment will be an additional 4¼-6" [10.5-15 cm]). This means that if you measure a 34" [86 cm] bust you will make size (S) with a finished bust circumference of 38½" [96 cm]. Sample shown modeled is 5' 2" [157 cm] tall wearing Size (S) with approx. 4½" [11 cm] positive ease. Refer to Page 17 for additional details on final measurements.

# Notes on the Shoreline Tee

## Cables (video support on Page 16)

A classic pattern of 6-stitch cables is worked over the entire body and sleeves of the tee. Complete the cables as follows:

**C6F - Cable 6 front** - Sl next 3 sts onto cable needle and hold at front of work, K3 from left-hand needle, then K3 from the cable needle.

## German Short Rows (video support on Page 16)

**ds/make ds - Double stitch** - With yarn in front, slip the first st. Pull working yarn over top of right needle from front to back, rotating the stitch so that the two legs of stitch stretch over the top of the needle and look like two stitches.

## Increases

Increases are worked so that they lean to the right (M1R) or to the left (M1L). Work the increases as follows:

**M1R** - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and K normally (into the front of the stitch).

**M1RP (WS)** - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from back to front and P normally (into the front of the stitch).

**M1L** - insert the left hand needle under the bar formed by the stitch you just knit and the stitch you're about to knit from front to back and K through the back loop.

## Decreases

### K2tog-L (video support on Page 16)

Sl 1 knitwise, Sl 1 purlwise, insert left hand needle into the front of both sts, wrap yarn and drop only first st from left hand needle, pull tightly on second st to remove any excess yarn, then allow second st to drop from left hand needle. *Note:* This tidier left-leaning decrease can also be replaced by a slip-slip-knit (SSK) stitch.

## Saddles (make two, one for each shoulder)

CO 32 sts on US 6 (4 mm)/16" [40 cm] circular needles using the long-tail cast-on method.

Row 1 (WS): P across.

Row 2 (RS): K across.

Rows 3-12: Repeat Rows 1 and 2, 5 times.

Row 13 (WS): P across.


Row 14 (RS): K1, \*C6F, K6\* repeat \*-\* until 7 sts remain, C6F, K1.

Repeat Rows 1-14, 2 (3) 3 (4) 4 (5) 5 (6) 6 **more** times, for a total of 42 (56) 56 (70) 70 (84) 84 (98) 98 rows, then work **one more** repeat of Row 1 **only**. Saddle measures approx. 5 (6½) 6½ (8¼) 8¼ (10) 10 (11½) 11½" [12.5 (16.5) 16.5 (20.5) 20.5 (25) 25 (29) 29 cm]. You are now at RS. Break yarn and let sts rest.

## Back (video support on Page 16 for picking up sts along saddles and German Short Rows)

You will shape the back of the tee by using German Short Rows. You will work flat in stockinette st. With RS facing and sts on hold at outer edges pick up and knit 32 (40) 42 (50) 51 (60) 61 (69) 72 sts along left saddle, CO 32 (30) 34 (32) 36 (32) 40 (38) 40 sts in extension of left saddle using the backwards loop cast-on method, pick up and knit 32 (40) 42 (50) 51 (60) 61 (69) 72 sts along right saddle. 96 (110) 118 (132) 138 (152) 162 (176) 184 sts. *Note:* Sts will be picked up at a ratio of approx. 3 sts out of every 4 rows for sizes XS and M and 2 of 3 for sizes S, L-5XL.

Break yarn.



With WS facing, starting at the end from which you just broke the yarn, slip the first 32 (40) 42 (50) 51 (60) 61 (69) 72 sts purlwise from the left needle to the right needle. You will not knit these sts for the first row, but you will instead knit them gradually in subsequent rows while utilizing German Short Rows to create a curved back foundation for your tee.

Join with new yarn and P32 (30) 34 (32) 36 (32) 40 (38) 40 sts until 32 (40) 42 (50) 51 (60) 61 (69) 72 sts remain, turn, make ds. *Tip:* If you're having trouble keeping track of your ds, mark its place with a removable stitch marker.

Short Row 1 (RS): K until 28 (35) 37 (44) 44 (52) 53 (60) 63 sts remain. Turn. Make ds.

Short Row 2 (WS): P until 28 (35) 37 (44) 44 (52) 53 (60) 63 sts remain, resolving ds from previous row when you come to it. Turn. Make ds.

You will continue working German Short Rows, each time turning 4 (5) 5 (6) 7 (8) 8 (9) 9 sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) or purling (WS) the ds as one st, work another 4 (5) 5 (6) 7 (8) 8 (9) 9 sts, and turn as follows:

Short Row 3 (RS): K to the ds, resolve by knitting ds, K4 (5) 5 (6) 7 (8) 8 (9) 9 sts, turn, make ds.

Short Row 4 (WS): P to the ds, resolve by purling ds, P4 (5) 5 (6) 7 (8) 8 (9) 9 sts, turn, make ds.

Repeat Short Rows 3 and 4, 5 **more** times, for a total of 12 rows. You have now worked 14 short rows. At the last turn there will be 4 (5) 7 (8) 2 (4) 5 (6) 9 unworked sts remaining after the ds on both the left and right side of your work. After the final repeat of Short Row 4, do not continue across. The next step proceeds from your last turn. You are now at RS.

The back now measures approx. 1¾" [4 cm], as measured from center back cast-on edge.

Next, resolve the two ds and work the cable row from your last turn. Work according to your chosen size as follows:

**Sizes XS (S) M (L) XL (2XL) 3XL (4XL) – ONLY:**

Resolve ds Row 15 (RS): K4 (4) 0 (0) 3 (2) 0 (0) – sts, \*C6F, K6\* repeat \*-\* until 15 (16) 14 (15) 12 (13) 11 (13) – sts remain, C6F, K4 (4) 0 (0) 3 (2) 0 (0) – sts, resolve ds, K4 (5) 7 (8) 2 (4) 5 (6) – sts.

Resolve ds Row 16 (WS): P to the ds, resolve by purling ds, P4 (5) 7 (8) 2 (4) 5 (6) – sts.

**Size 5XL ONLY:**

Resolve ds Row 15 (RS): K1, \*K6, C6F\* repeat \*-\* until 17 sts remain, K7, resolve ds, K9 sts.

Resolve ds Row 16 (WS): P to the ds, resolve by purling ds, P9 sts.

You will continue working back and forth in stockinette st across all back sts while working cables on every 14<sup>th</sup> row for 24 (30) 30 (36) 36 (46) 50 (60) 56 more rows. Work according to your chosen size as follows:

**Sizes XS (S) M (L) XL (2XL) 3XL (4XL) – ONLY:**

Row 17 (RS): K across.

Row 18 (WS): P across.

Rows 19-28: Repeat Rows 17 and 18, 5 times.

Cable Row 29 (RS): K9 (10) 8 (9) 6 (7) 6 (7) – sts, \*C6F, K6\* repeat \*-\* until 3 (4) 2 (3) 0 (1) 0 (1) – st(s) remain, K3 (4) 2 (3) 0 (1) 0 (1) – st(s).

Row 30 (WS): P across.

Repeat Rows 17-30, 0 (1) 1 (1) 1 (2) 2 (3) – **more** time(s), then work **one more** repeat of Rows 17-26 (17-18) 17-18 (17-24) 17-24 (17-20) 17-24 (17-20) – **only**. You are now at RS. Back measures approx. 4¾ (5½) 5½ (6) 6 (7¼) 7¾ (9) –" [12 (13.5) 13.5 (15.5) 15.5 (18.5) 19.5 (22.5) – cm], as measured from center back cast-on edge.

**Size 5XL ONLY:**

Row 17 (RS): K across.

Row 18 (WS): P across.

Rows 19-28: Repeat Rows 17 and 18, 5 times.

Cable Row 29 (RS): K5 sts, \*C6F, K6\* repeat \*-\* until 11 sts remain, C6F, K5 sts.

Row 30 (WS): P across.

Repeat Rows 17-30, 3 **more** times. You are now at RS. Back measures approx. 8½" [21 cm], as measured from center back cast-on edge.

Next, work increases to shape the armholes. Work according to your chosen size as follows:

**Size XS ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Cable Row 3 (RS): K4, M1L, \*K6, C6F\* repeat \*-\* until 10 sts remain, K6, M1R, K4. (2 sts increased).

Row 4 (WS): P across.

Rows 5-12: Repeat Rows 1 and 2, 4 times. (8 sts increased).

108 sts. You are now at RS. Back measures approx. 6¼" [15.5 cm], as measured from center back cast-on edge.

Break yarn and let sts rest. Proceed to **Left Front** instructions.

**Size S ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-10: Repeat Rows 1 and 2, 4 times. (8 sts increased).

120 sts. You are now at RS. Back measures approx. 6½" [16.5 cm], as measured from center back cast-on edge.

Break yarn and let sts rest. Proceed to **Left Front** instructions.

**Size M ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-10: Repeat Rows 1 and 2, 4 times. (8 sts increased).

Cable Row 11 (RS): K4, M1L, K9, \*C6F, K6\* repeat \*-\* until 7 sts remain, K3, M1R, K4. (2 sts increased).

Row 12 (WS): P across.

Rows 13-14: Repeat Rows 1 and 2. (2 sts increased).

132 sts. You are now at RS. Back measures approx. 7" [18 cm], as measured from center back cast-on edge.

Break yarn and let sts rest. Proceed to **Left Front** instructions.

**Size L ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-4: Repeat Rows 1 and 2. (2 sts increased).

Cable Row 5 (RS): K4, M1L, K7, \*C6F, K6\* repeat \*-\* until 5 sts remain, K1, M1R, K4. (2 sts increased).

Row 6 (WS): P across.

Rows 7-12: Repeat Rows 1 and 2, 3 times. (6 sts increased).

144 sts. You are now at RS. Back measures approx. 7½" [19 cm], as measured from center back cast-on edge.

Break yarn and let sts rest. Proceed to **Left Front** instructions.

**Sizes – (–) – (–) XL (–) 3XL (–) – ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-4: Repeat Rows 1 and 2. (2 sts increased).

Cable Row 5 (RS): K4, M1L, K4, \*C6F, K6\* repeat \*-\* until 14 sts remain, C6F, K4, M1R, K4. (2 sts increased).

Row 6 (WS): P across.

Rows 7-18: Repeat Rows 1 and 2, 6 times. (12 sts increased).

– (–) – (–) 156 (–) 180 (–) – sts. You are now at RS. Back measures approx. – (–) – (–) 8¼ (–) 10 (–) –" [– (–) – (–) 20.5 (–) 25 (–) – cm], as measured from center back cast-on edge. Break yarn and let sts rest. Proceed to **Left**

**Front** instructions.

**Sizes – (-) – (-) – (2XL) – (4XL) – ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-8: Repeat Rows 1 and 2, 3 times. (6 sts increased).

Cable Row 9 (RS): K4, M1L, K7, \*C6F, K6\* repeat \*-\* until 5 sts remain, K1, M1R, K4. (2 sts increased).

Row 10 (WS): P across.

Rows 11-16: Repeat Rows 1 and 2, 3 times. (6 sts increased).

– (-) – (-) – (168) – (192) – sts. You are now at RS. Back measures approx. – (-) – (-) – (9¼) – (11) –" [- (-) – (-) – (23) – (27) – cm], as measured from center back cast-on edge. Break yarn and let sts rest. Proceed to **Left Front** instructions.

**Size 5XL ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-12: Repeat Rows 1 and 2, 5 times. (10 sts increased).

Cable Row 13 (RS): K4, M1L, K7, \*C6F, K6\* repeat \*-\* until 5 sts remain, K1, M1R, K4. (2 sts increased).


Row 14 (WS): P across.

Rows 15-20: Repeat Rows 1 and 2, 3 times. (6 sts increased).

204 sts. You are now at RS. Back measures approx. 11" [27 cm], as measured from center back cast-on edge. Break yarn and let sts rest. Proceed to **Left Front** instructions.

**Left Front (video support on Page 16 for picking up sts along left front)**

With RS of back piece facing and CO sts on top, attach yarn and use the short end of the tail to pick up and knit 32 (40) 42 (50) 51 (60) 61 (69) 72 sts along left saddle, beginning from inner slanted edge of left saddle. Slide sts to the needle's opposite end and begin work on the RS. *Note:* Sts will be picked up at a ratio of approx. 3 sts out of every 4 rows for sizes XS and M and 2 of 3 for sizes S, L-5XL.



Next, work German Short Rows as follows:

Short Row 1 (RS): K4 (5) 5 (6) 7 (8) 8 (9) 9 sts, turn, make ds.

Short Row 2 (WS): P across.

You will continue working German Short Rows, each time turning 4 (5) 5 (6) 7 (8) 8 (9) 9 sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) the ds as one st, work another 4 (5) 5 (6) 7 (8) 8 (9) 9 sts, and turn as follows:

Short Row 3 (RS): K to the ds, resolve by knitting ds, K4 (5) 5 (6) 7 (8) 8 (9) 9 sts, turn, make ds.

Short Row 4 (WS): P across.

Next, work German Short Rows and increases to shape the neck edge as follows:

Short Row 5 (RS): K3, M1L, K to the ds, resolve by knitting ds, K4 (5) 5 (6) 7 (8) 8 (9) 9 sts, turn, make ds. (1 st increased).


Short Row 6 (WS): P across.

Repeat Short Rows 5 and 6, 4 **more** times, for a total of 10 rows. You have now worked 14 short rows. 37 (45) 47 (55) 56 (65) 66 (74) 77 sts. At the last turn, there will be 4 (5) 7 (8) 2 (4) 5 (6) 9 unworked sts remaining after the ds on the left side of your work. You are now at RS.

Break yarn and let sts rest while working Right Front.

### Right Front (video support on Page 16 for M1RP)

With RS of back piece facing and CO sts on top, attach yarn and pick up and knit 32 (40) 42 (50) 51 (60) 61 (69) 72 sts, beginning from outer slanted edge of right saddle. *Note:* Sts will be picked up at a ratio of approx. 3 sts out of every 4 rows for sizes XS and M and 2 of 3 for sizes S, L-5XL.



Next, work German Short Rows as follows:

Short Row 1 (WS): P4 (5) 5 (6) 7 (8) 8 (9) 9 sts, turn, make ds.

Short Row 2 (RS): K across.

You will continue working German Short Rows, each time turning 4 (5) 5 (6) 7 (8) 8 (9) 9 sts after last turn. Meaning, work to your last ds, resolve the ds by purling (WS) the ds as one st, work another 4 (5) 5 (6) 7 (8) 8 (9) 9 sts, and turn as follows:

Short Row 3 (WS): P to the ds, resolve by purling ds, P4 (5) 5 (6) 7 (8) 8 (9) 9 sts, turn, make ds.

Short Row 4 (RS): K across.

Next, work German Short Rows and increases to shape the neck edge as follows:

Short Row 5 (WS): P3, M1RP, P to the ds, resolve by purling ds, P4 (5) 5 (6) 7 (8) 8 (9) 9 sts, turn, make ds. (1 st increased).

Short Row 6 (RS): K across.

Repeat Short Rows 5 and 6, 4 **more** times, for a total of 10 rows. You have now worked 14 short rows. 37 (45) 47 (55) 56 (65) 66 (74) 77 sts. At the last turn, there will be 4 (5) 7 (8) 2 (4) 5 (6) 9 unworked sts remaining after the ds on the right side of your work.

Break yarn. You will break yarn to maintain the same amount of rows worked on the fronts of the tee. Slide sts to the needle's opposite end and begin work on the RS. You will resolve both ds, cast on new sts in extension of right front to form the neckline, and work the cable row.

You will now join the right front and left front. Attach new yarn and continue working across as follows:

**Size XS ONLY:**

Resolve ds Row 15 (RS): K4, resolve by knitting ds, K4, \*C6F, K6\* repeat \*-\* until 4 sts remain on right front, K4, CO 22 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K4, \*K6, C6F\* repeat \*-\* until 9 sts remain, K4, resolve by knitting ds, K4. 96 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions on Page 10.

**Sizes S ONLY:**

Resolve ds Row 15 (RS): K5, resolve by knitting ds, K4, \*C6F, K6\* repeat \*-\* until 11 sts remain on right front, C6F, K5, CO 20 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K5, C6F, \*K6, C6F\* repeat \*-\* until 10 sts remain, K4, resolve by knitting ds, K5. 110 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions on Page 10.

**Sizes M ONLY:**

Resolve ds Row 15 (RS): K7, resolve by knitting ds, \*C6F, K6\* repeat \*-\* until 3 sts remain on right front, K3, CO 24 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K3, \*K6, C6F\* repeat \*-\* until 8 sts remain, resolve by knitting ds, K7. 118 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions on Page 10.

**Size L ONLY:**

Resolve ds Row 15 (RS): K8, resolve by knitting ds, \*C6F, K6\* repeat \*-\* until 10 sts remain on right front, C6F, K4, CO 22 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K4, C6F \*K6, C6F\* repeat \*-\* until 9 sts remain, resolve by knitting ds, K8. 132 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions on Page 10.

**Size XL ONLY:**

Resolve ds Row 15 (RS): K2, resolve by knitting ds, K3, \*C6F, K6\* repeat \*-\* until 2 sts remain on right front, K2, CO 26 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K2, \*K6, C6F\* repeat \*-\* until 6 sts remain, K3, resolve by knitting ds, K2. 138 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions on Page 10.

**Size 2XL ONLY:**

Resolve ds Row 15 (RS): K4, resolve by knitting ds, K2, \*C6F, K6\* repeat \*-\* until 10 sts remain on right front, C6F, K4, CO 22 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K4, C6F, \*K6, C6F\* repeat \*-\* until 7 sts remain, K2, resolve by knitting ds, K4. 152 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions on Page 10.

**Size 3XL ONLY:**

Resolve ds Row 15 (RS): K5, resolve by knitting ds, \*C6F, K6\* repeat \*-\* across right front, CO 30 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and \*K6, C6F\* repeat \*-\* until 6 sts remain, resolve by knitting ds, K5. 162 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions below.

**Size 4XL ONLY:**

Resolve ds Row 15 (RS): K6, resolve by knitting ds, \*C6F, K6\* repeat \*-\* until 7 sts remain on right front, C6F, K1, CO 28 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K1, C6F, \*K6, C6F\* repeat \*-\* until 7 sts remain, resolve by knitting ds, K6. 176 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions below.

**Size 5XL ONLY:**

Resolve ds Row 15 (RS): K9, resolve by knitting ds, K1, \*K6, C6F\* repeat \*-\* until 6 sts remain on right front, K6, CO 30 sts in extension of right front using the backwards loop cast-on method, place left front sts on needles and K6, \*C6F, K6\* repeat \*-\* until 11 sts remain, K1, resolve by knitting ds, K9. 184 sts.

Row 16 (WS): P across.

Proceed to **All Sizes** instructions below.

**All Sizes:**

You will continue working back and forth in stockinette st across all front sts while working cables on every 14<sup>th</sup> row for 24 (30) 30 (36) 36 (46) 50 (60) 56 more rows. Work according to your chosen size as follows:

**Sizes XS (S) M (L) XL (2XL) 3XL (4XL) – ONLY:**

Row 17 (RS): K across.

Row 18 (WS): P across.

Rows 19-28: Repeat Rows 17 and 18, 5 times.

Cable Row 29 (RS): K9 (10) 8 (9) 6 (7) 6 (7) – sts, \*C6F, K6\* repeat \*-\* until 3 (4) 2 (3) 0 (1) 0 (1) – st(s) remain, K3 (4) 2 (3) 0 (1) 0 (1) – st(s).

Row 30 (WS): P across.

Repeat Rows 17-30, 0 (1) 1 (1) 1 (2) 2 (3) – **more** time(s), then work **one more** repeat of Rows 17-26 (17-18) 17-18 (17-24) 17-24 (17-20) 17-24 (17-20) – **only**. You are now at RS. Front measures approx. 4¾ (5½) 5½ (6) 6 (7¼) 7¾ (9) –" [12 (13.5) 13.5 (15.5) 15.5 (18.5) 19.5 (22.5) – cm], as measured from inner edge from picked-up sts at either shoulder.

**Size 5XL ONLY:**

Row 17 (RS): K across.

Row 18 (WS): P across.

Rows 19-28: Repeat Rows 17 and 18, 5 times.

Cable Row 29 (RS): K5 sts, \*C6F, K6\* repeat \*-\* until 11 sts remain, C6F, K5 sts.

Row 30 (WS): P across.

Repeat Rows 17-30, 3 **more** times. You are now at RS. Front measures approx. 8½" [21 cm], as measured from inner edge from picked-up sts at either shoulder.

Next, work increases to shape the armholes. Work according to your chosen size as follows:

**Size XS ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Cable Row 3 (RS): K4, M1L, \*K6, C6F\* repeat \*-\* until 10 sts remain, K6, M1R, K4. (2 sts increased).

Row 4 (WS): P across.

Rows 5-12: Repeat Rows 1 and 2, 4 times. (8 sts increased).

108 sts. You are now at RS. Front measures approx. 6¼" [15.5 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

**Size S ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-10: Repeat Rows 1 and 2, 4 times. (8 sts increased).

120 sts. You are now at RS. Front measures approx. 6½" [16.5 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

**Size M ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-10: Repeat Rows 1 and 2, 4 times. (8 sts increased).

Cable Row 11 (RS): K4, M1L, K9, \*C6F, K6\* repeat \*-\* until 7 sts remain, K3, M1R, K4. (2 sts increased).

Row 12 (WS): P across.

Rows 13-14: Repeat Rows 1 and 2. (2 sts increased).

132 sts. You are now at RS. Front measures approx. 7" [18 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

**Size L ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-4: Repeat Rows 1 and 2. (2 sts increased).

Cable Row 5 (RS): K4, M1L, K7, \*C6F, K6\* repeat \*-\* until 5 sts remain, K1, M1R, K4. (2 sts increased).

Row 6 (WS): P across.

Rows 7-12: Repeat Rows 1 and 2, 3 times. (6 sts increased).

144 sts. You are now at RS. Front measures approx. 7½" [19 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

**Sizes – (–) – (–) XL (–) 3XL (–) – ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-4: Repeat Rows 1 and 2. (2 sts increased).

Cable Row 5 (RS): K4, M1L, K4, \*C6F, K6\* repeat \*-\* until 14 sts remain, C6F, K4, M1R, K4. (2 sts increased).

Row 6 (WS): P across.

Rows 7-18: Repeat Rows 1 and 2, 6 times. (12 sts increased).

– (–) – (–) 156 (–) 180 (–) – sts. You are now at RS. Front measures approx. – (–) – (–) 8¼ (–) 10 (–) –" [– (–) – (–) 20.5 (–) 25 (–) – cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

**Sizes – (-) – (-) – (2XL) – (4XL) – ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-8: Repeat Rows 1 and 2, 3 times. (6 sts increased).

Cable Row 9 (RS): K4, M1L, K7, \*C6F, K6\* repeat \*-\* until 5 sts remain, K1, M1R, K4. (2 sts increased).

Row 10 (WS): P across.

Rows 11-16: Repeat Rows 1 and 2, 3 times. (6 sts increased).

– (-) – (-) – (168) – (192) – sts. You are now at RS. Front measures approx. – (-) – (-) – (9¼) – (11) –" [- (-) – (-) – (23) – (27) – cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

**Size 5XL ONLY:**

Row 1 (RS): K4, M1L, K until 4 sts remain, M1R, K4. (2 sts increased).

Row 2 (WS): P across.

Rows 3-12: Repeat Rows 1 and 2, 5 times. (10 sts increased).

Cable Row 13 (RS): K4, M1L, K7, \*C6F, K6\* repeat \*-\* until 5 sts remain, K1, M1R, K4. (2 sts increased).

Row 14 (WS): P across.

Rows 15-20: Repeat Rows 1 and 2, 3 times. (6 sts increased).

204 sts. You are now at RS. Front measures approx. 11" [27 cm], as measured from inner edge from picked-up sts at either shoulder. Proceed to **Body** instructions.

**Body**

You will now join the front panel to the back panel and form the armholes. With RS facing, work according to your chosen size as follows:

**Size XS ONLY:**

Round 1: K across 108 front sts, place back sts on needles and K across 108 sts, PM and join to work in the round. The BOR is now at the right underarm. 216 sts.

Rounds 2-4: K all sts.

Cable Round: K3, \*C6F, K6\* repeat \*-\* until 9 sts remain, C6F, K3. Proceed to **All Sizes** instructions on Page 13.

**Sizes – (S) – (-) XL (-) 3XL (-) – ONLY:**

Cable Round: K3, \*C6F, K6\* repeat \*-\* across front sts until 9 sts remain, C6F, K3, place back sts on needles, K3, \*C6F, K6\* repeat \*-\* across until 9 sts remain, C6F, K3. – (240) – (-) 312 (-) 360 (-) – sts, PM and join to work in the round. The BOR is now at the right underarm. Proceed to **All Sizes** instructions on Page 13.

**Size M ONLY:**

Round 1: K across 132 front sts, place back sts on needles and K across 132 sts, PM and join to work in the round. The BOR is now at the right underarm. 264 sts.

Rounds 2-10: K all sts.

Cable Round: K3, \*C6F, K6\* repeat \*-\* until 9 sts remain, C6F, K3. Proceed to **All Sizes** instructions on Page 13.

**Sizes – (-) – (L) – (2XL) – (4XL) 5XL ONLY:**

Round 1: K across – (-) – (144) – (168) – (192) 204 front sts, place back sts on needles and K across – (-) – (144) – (168) – (192) 204 sts, PM and join to work in the round. The BOR is now at the right underarm. 288 sts.

Rounds 2-6: K all sts. – (-) – (288) – (336) – (384) 408 sts.

Cable Round: K3, \*C6F, K6\* repeat \*-\* until 9 sts remain, C6F, K3. Proceed to **All Sizes** instructions on Page 13.

### All Sizes:

Rounds 1-13: K all sts.

Cable Round 14: K3, \*C6F, K6\* repeat \*-\* until 9 sts remain, C6F, K3.

Repeat Rounds 1-14, 6 **more** times, then work **one more** repeat of Rounds 1-7. Body measures approx. 13 (12½ 13¾ (13¾) 12½ (13¾) 12½ (13¾) 13¾" [32.5 (31) 34 (33) 31 (33) 31 (33) 33 cm] as measured from the underarm.

*Note:* To add additional length, continue to work in the established pattern (Rounds 1-14) until the body of your tee measures 1¾" [4.5 cm] less than your desired final length. End by working a Round 7. Adding additional length will require more yardage.

### Hem (video support on Page 16 for Italian bind-off)

With US 6 (4 mm)/32 or 40" [80 or 100 cm] circular needles, finish the body of your tee by working the hem as follows:

\*K1, P1\* repeat \*-\* until hem measures approx. 1" [2.5 cm].

Work two set-up rounds at the end of your ribbing using the Italian bind-off method as follows:

Round 1: \*K1, Sl 1 wyif\* repeat \*-\*.

Round 2: \*Sl 1 wyib, P1\* repeat \*-\*.

Bind off all sts using the Italian bind-off method.

### Sleeves (same for both) (video support on Page 16 for K2tog-L)

Beginning at the bottom of the armhole opening with US 6 (4 mm)/16" [40 cm] circular needles, pick up and knit 28 (30) 33 (36) 41 (47) 52 (56) 56 sts from the area between the underarm and the saddle (a ratio of approx. 2 sts from every 3 rows), PM (referred to as the first marker), break yarn, place 32 saddle sts on needles, PM (referred to as the second marker), attach yarn and pick up and knit 28 (30) 33 (36) 41 (47) 52 (56) 56 sts from the area between the saddle and the underarm (a ratio of approx. 2 sts from every 3 rows). PM at underarm to mark BOR. 88 (92) 98 (104) 114 (126) 136 (144) 144 sts.

You will now shape the upper sleeve with German Short Rows as follows:

Short Row 1 (RS): K across until second marker, SM, K5 (5) 6 (6) 7 (9) 10 (10) 10 sts, turn, make ds.

Short Row 2 (WS): P across until first marker, SM, P5 (5) 6 (6) 7 (9) 10 (10) 10 sts, turn, make ds.

You will continue working German Short Rows, each time turning 5 (5) 6 (6) 7 (9) 10 (10) 10 sts after last turn. Meaning, work to your last ds, resolve the ds by knitting (RS) or purling (WS) the ds as one st, work another 5 (5) 6 (6) 7 (9) 10 (10) 10 sts, and turn as follows:

Short Row 3 (RS): K across until second marker, SM, K to the ds, resolve by knitting ds, K5 (5) 6 (6) 7 (9) 10 (10) 10 sts, turn, make ds.

Short Row 4 (WS): P across until first marker, SM, P to the ds, resolve by purling ds, P5 (5) 6 (6) 7 (9) 10 (10) 10 sts, turn, make ds.

Repeat Short Rows 3 and 4, 3 **more** times, for a total of 8 rows. You have now worked 10 short rows. At the last turn there will be 3 (5) 3 (6) 6 (2) 2 (6) 6 unworked sts remaining after the ds on either side of the BOR marker. You are now at RS.

Continue to work in the round in stockinette st while making a cable on every 14<sup>th</sup> round until the sleeves measure approx. 4½" [11 cm] as measured from underarm, while at the same time working a decrease round on every 6 rounds for a total of 6 decrease rounds. At the conclusion of your final decrease round, you should have 76 (80) 86 (92) 102 (114) 124 (132) 132 sts remaining.

Work as follows:

Resolve ds Round 1: From your last turn, K to the first marker, remove marker, K to the second marker, remove marker, K to the ds, resolve by knitting ds, K all sts to BOR.

Resolve ds Round 2: Sbm, K to final ds, resolve by knitting ds, K all sts.

Cable Round 3: Sbm, K5 (7) 10 (13) 6 (12) 5 (9) 9 sts, \*C6F, K6\* repeat \*-\* across until 11 (13) 16 (19) 12 (18) 11 (15) 15 sts remain, C6F, K5 (7) 10 (13) 6 (12) 5 (9) 9 sts.

Round 4-5: Sbm, K all sts.

Decrease Round 6: Sbm, K1, K2tog, K in stockinette st until 3 sts remain before marker, K2tog-L, K1. (2 sts decreased).

Rounds 7-11: Sbm, K all sts.

Decrease Round 12: Repeat Decrease Round 6. (2 sts decreased).

Rounds 13-16: Sbm, K all sts.

Cable Round 17: Sbm, K3 (5) 8 (11) 4 (10) 3 (7) 7 sts, \*C6F, K6\* repeat \*-\* across until 9 (11) 14 (17) 10 (16) 9 (13) 13 sts remain, C6F, K3 (5) 8 (11) 4 (10) 3 (7) 7 sts.

Decrease Round 18: Repeat Decrease Round 6. (2 sts decreased).

Rounds 19-23: Sbm, K all sts.

Decrease Round 24: Repeat Decrease Round 6. (2 sts decreased).

Rounds 25-29: Sbm, K all sts.

Decrease Round 30: Repeat Decrease Round 6. (2 sts decreased).

Cable Round 31: Sbm, K0 (2) 5 (8) 1 (7) 0 (4) 4 sts, \*C6F, K6\* repeat \*-\* across until 6 (8) 11 (14) 7 (13) 6 (10) 10 sts remain, C6F, K0 (2) 5 (8) 1 (7) 0 (4) 4 sts.

Rounds 32-35: Sbm, K all sts.

Decrease Round 36: Repeat Decrease Round 6. (2 sts decreased).

Rounds 37-38: Sbm, K all sts.

### **Sleeve Cuffs (same for both) (video support on Page 16 for Italian bind-off)**

With US 6 (4 mm)/16" [40 cm] circular needles or magic loop method, finish your sleeve by working the cuff as follows:

\*K1, P1\* repeat \*-\* until cuff measures approx. 1" [2.5 cm].

Work two set-up rounds at the end of your ribbing using the Italian bind-off method as follows:

Round 1: \*K1, Sl 1 wyif\* repeat \*-\*.

Round 2: \*Sl 1 wyib, P1\* repeat \*-\*.

Bind off all sts using the Italian bind-off method.

## Collar (video support on Page 16 for kfb)

With US 2.5 (3 mm)/16" [40 cm] circular needles and with RS facing, beginning at right back, pick up and knit 32 (30) 34 (32) 36 (32) 40 (38) 40 sts along the back (one in each initial cast-on stitch), 31 sts along left saddle, 12 sts down the left neckline (1 st every shaping row and 1 st every 2 straight rows), 22 (20) 24 (22) 26 (22) 30 (28) 30 sts along the center front (one in each stitch you cast-on when joining the right front and left front panels), 12 sts up the right neckline (1 st every shaping row and 1 st every 2 straight rows), and 31 sts along right saddle. PM to establish BOR. 140 (136) 144 (140) 148 (140) 156 (152) 156 sts.

*Note:* The stitch counts for the collar are suggestions. You may choose to pick up fewer stitches than suggested for a closely fitting collar or more stitches than suggested for a loosely fitting collar. Just be sure to pick up an even number of stitches before moving forward, so you can maintain a correct ribbing pattern.

You will now work kfb increases to double the number of stitches for the double-knit edge. Work as follows:

Round 1: kfb to BOR. 280 (272) 288 (280) 296 (280) 312 (304) 312 sts.

Round 2: \*K1, Sl 1 wyif\* repeat \*-\*.

Round 3: \*Sl 1 wyib, P1\* repeat \*-\*.

Rounds 4-5: Repeat Rounds 2 and 3.

You will now work decreases to half the number of stitches for the ribbing. Work as follows:

Decrease Round 6: K2tog to BOR. 140 (136) 144 (140) 148 (140) 156 (152) 156 sts.

Change to US 3 (3.25 mm)/16" [40 cm] circular needles and work the ribbing as follows:

\*K1, P1\* repeat \*-\* until collar measures approx. 1½" [3.5 cm], as measured from ribbing edge.

Work two set-up rounds at the end of your ribbing using the Italian bind-off method as follows:

Round 1: \*K1, Sl 1 wyif\* repeat \*-\*.

Round 2: \*Sl 1 wyib, P1\* repeat \*-\*.

Bind off all sts using the Italian bind-off method.

## Finishing

Weave in loose ends. Block your #ShorelineTee to measurements listed in the schematic on Page 17. Wear forever.

# Video Support for the Shoreline Tee

## Back

Picking up sts along left saddle, CO in extension, picking up sts along right saddle <https://bit.ly/3CiEC2z>

Slip sts without knitting to prep for German Short Rows - <https://bit.ly/3Snxp6G>

German Short Rows and resolving the ds - <https://bit.ly/3ShcrGC>

## Cable

C6F - Cable 6 Front - <https://bit.ly/3HMz41L>

## Left Front

Picking up sts along left front - <https://bit.ly/3BRGJZE>

German Short Rows for left front - <https://bit.ly/3dQxiS4>

Neck shaping + German Short Rows for left front - <https://bit.ly/3SjBYz9>

## Right Front

M1RP - <https://bit.ly/3LBETR3>

## Join Right Front and Left Front

Backwards Loop Cast-On (used to connect right front and left front) - <https://bit.ly/3AdsCM3>

## Sleeves

K2tog-L (used on sleeve decreases) - <https://bit.ly/2S8uFAa>

## Collar

kfb Increase - <https://youtu.be/4NK7TtmpYNU?si=dLy62oXBQ2sY9-A4>

Round 1 double-knit edge - <https://youtu.be/G5mHmPwda6E?si=-AAOTKES-4osdTsh>


Round 2 double-knit edge - <https://youtu.be/89CBppki5y0?si=YB5t1rfPAJgwSZjo>

k2tog decrease double-knit edge - <https://youtu.be/kc6nWPqvWBE?si=i5QIQaOcUMCBn5AK>

## Hem, Cuffs, and Collar

Italian bindoff (used on hem, sleeve cuffs, and collar) - <https://bit.ly/3rddY5E>

# Shoreline Tee Schematic



A - Finished Bust Circumference

34½ (38½) 42¼ (46) 50 (53¾) 57¾ (61½) 65¼" [86.5 (96) 105.5 (115) 125 (135.5) 144 (153.5) 163 cm]

B - Total Length (as measured from mid back)

19 (19) 20¾ (20¾) 20¾ (22½) 22½ (24) 24" [47.5 (47.5) 52 (52) 52 (56) 56 (60) 60 cm]

C - Underarm To Hem Body Length

13¾ (13½) 14½ (14¼) 13½ (14¼) 13½ (14¼) 14¼" [34.5 (33.5) 36.5 (35.5) 33.5 (35.5) 33.5 (35.5) 35.5 cm]

D - Upper Sleeve Circumference

14 (14¾) 15¾ (16¾) 18¼ (20¼) 21¾ (23) 23" [35 (37) 39 (41.5) 45.5 (50.5) 54.5 (57.5) 57.5 cm]

E - Sleeve Opening Circumference

12¼ (13) 13¾ (14¾) 16½ (18¼) 20 (21) 21" [30.5 (32) 34.5 (37) 41 (45.5) 49.5 (53) 53 cm]

F - Sleeve Length From Underarm

5½" [13.5 cm]

Pattern + images are the property of © Ozetta. Unauthorized reproduction in whole or in part is illegal. Distribution of patterns or content is not allowed. The sale of garments from this pattern is prohibited.