



Debbie Bliss  
PIPER

# STEVIE

## MEASUREMENTS

### To Fit Bust

86	92	97	102	107	cm
34	36	38	40	42	in

### FINISHED MEASUREMENTS

#### Bust

90	95	100	105	110	cm
35½	37½	39½	41¼	43¼	in

#### Length to back neck

50	52	54	56	57	cm
19¾	20½	21¼	22	22½	in

## MATERIALS

- 4(4:5:5:5) 100g balls of Debbie Bliss Piper in Snow 01
- Pair of 3.25mm (US 3) knitting needles
- Pair of 4mm (US 6) knitting needles
- Cable needle


## TENSION

22 sts and 30 rows to 10cm/4in square over both patts using 4mm (US 6) needles.

## ABBREVIATIONS

- beg** beginning
- C4B** slip next 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle
- C4F** slip next 2 sts onto cable needle and hold to front of work, k2, then k2 from cable needle
- cm** centimetres
- cont** continue
- dec** decrease
- inc** increase
- k** knit
- p** purl
- patt** pattern
- rem** remaining
- rep** repeat
- s2togkpo** sl 2tog knitwise, k1, pass 2 slipped sts over the k1
- skpo** sl 1, k1, pass slipped st over
- sl** slip
- st(s)** stitch(es)
- st st** stocking stitch
- tbl** through back loop
- tog** together





## BACK

With 3.25mm (US 3) needles, cast on 102(108:114:120:126) sts.

**Rib row** [K1 tbl, p1] to end.

Rep the last row 11 times and inc one st at centre of last row. 103(109:115:121:127) sts.

Change to 4mm (US 6) needles.

Beg with a k row, work 70(68:66:64:62) rows in st st.

Place markers at each end of last row. \*\*

### Shape armholes

**Dec row** (right side) K2, skpo, k to last 4 sts, k2tog, k2.

Work 1 row.

Rep the last 2 rows 28(30:32:34:36) times more. 45(47:49:51:53) sts.

Leave rem 45(47:49:51:53) sts on a holder.

## FRONT

Work as given for Back to \*\*.

**Dec row** (right side) K22(23:24:25:26), skpo, k to last 24(25:26:27:28) sts, k2tog, k22(23:24:25:26).

Work 1 row.

Rep the last 2 rows 27(29:31:33:35) times. 47(49:51:53:55) sts.

**Next row** K22(23:24:25:26), sk2togkpo, k22(23:24:25:26).

**Next row** P to end.

Leave rem 45(47:49:51:53) sts on a holder.

## SLEEVES (Both alike)

### Left side cable

With 4mm (US 6) needles, cast on 12(13:14:15:16) sts.

**1st row** (right side) K to end.

**2nd row** P2(3:4:5:6), k1, p8, k1.

**3rd row** K1, C4B, C4F, k3(4:5:6:7).

**4th row** P2(3:4:5:6), k1, p8, k1.

These 4 rows **form** the cable panel.

Work a further 12(16:20:24:28) rows.

Leave these sts on a spare needle.

### Right side cable

With 4mm (US 6) needles, cast on 12(13:14:15:16) sts.

**1st row** (right side) K to end.

**2nd row** K1, p8, k1, p2(3:4:5:6).

**3rd row** K3(4:5:6:7), C4B, C4F, k1.

**4th row** K1, p8, k1, p2(3:4:5:6).

These 4 rows **form** the cable panel.

Work a further 12(16:20:24:28) rows.



### Shape for cap sleeves

**Next row** (right side) Patt

12(13:14:15:16) sts of right side cable, turn, using the two needle method cast on 71 sts, turn, patt 12(13:14:15:16) sts of left side cable. 95(97:99:101:103) sts.

**Next row** P2(3:4:5:6), k1, p8, k73, p8, k1, p2(3:4:5:6).

Now work in cable and lace patt as follows:

**1st row** Patt 12(13:14:15:16), skpo, k7, [k2tog, yf, k1, yf, skpo, k7] to last 14(15:16:17:18) sts, k2tog, patt 12(13:14:15:16).

### 2nd, 4th, 6th and 8th rows

P2(3:4:5:6), k1, p8, k1, p to last 12(13:14:15:16) sts, k1, p8, k1, p2(3:4:5:6).

**3rd row** Patt 12(13:14:15:16), skpo, k5, [k2tog, yf, k3, yf, skpo, k5] to last 14(15:16:17:18) sts, k2tog, patt 12(13:14:15:16).

**5th row** Patt 12(13:14:15:16), skpo, k3, [k2tog, yf, k5, yf, skpo, k3] to last 14(15:16:17:18) sts, k2tog, patt 12(13:14:15:16).

**7th row** Patt 12(13:14:15:16), skpo, k1, [k2tog, yf, k1, yf, skpo, k1] to last 14(15:16:17:18) sts, k2tog, patt 12(13:14:15:16).

**9th row** Patt 12(13:14:15:16), sl 1, k2tog, pssso, k3, [yf, s2togkpo, yf, k3] to last 15(16:17:18:19) sts, k3tog, patt 12(13:14:15:16).

**10th row** P2(3:4:5:6), k1, p8, k1, p to last 12(13:14:15:16) sts, k1, p8, k1, p2(3:4:5:6).

These 10 rows **form** the patt, a total of 12 sts are lost on every patt rep.

Patt a further 30 rows.

47(49:51:53:55) sts.

Leave these sts on a spare needle.

### NECKBAND

With right side facing and 3.25mm (US 3) needles, work across left sleeve as follows: decreasing 1 st over each 4-st cable, k to last 2 sts, skpo, work across front as follows: k2tog, k19(20:21:22:23), s2togkpo, k19(20:21:22:23), skpo, work across right sleeve as follows: decreasing 1 st over each 4-st cable, k2tog, k to last 2 sts, skpo, work across back as follows: k2tog, k43(45:47:49:51), 168(176:184:192:200) sts.

**1st row** P0(1:0:1:0), [k1tbl, p1] to last 0(1:0:1:0) st, k0(1 tbl:0:1 tbl:0).

This row sets the single rib.

**2nd row** Rib 61(64:67:70:73), s2togkpo, rib to end.

**3rd row** Rib to end.

**4th row** Rib 60(63:66:69:72), s2togkpo, rib to end.

**5th row** Rib to end.

Cast off in rib, decreasing at centre front as before.

### TO MAKE UP

With cast on edge of cable panels level with markers, join raglan seams. Join side seams and cast on edge of cable panels.



Photographer: Carmel King / Stylist: Mia Pejcinovic / Model: Tiger / Hair + Makeup: Kat Ali

Debbie Bliss  
Pattern No: DB194

[debbieblissnews](#) [debbieblissonline](#) [debbieblissknits](#)

Shop more at [www.loveknitting.com](http://www.loveknitting.com) & [www.lovecrochet.com](http://www.lovecrochet.com)