

Tuileries Top


by Soumine



Tuileries Top ©2024 Soumine. All Rights Reserved.

If you have any question or if you notice any mistake in the pattern, please contact knitspourmoi@gmail.com. Share on Instagram tagging me [@knits.pourmoi](https://www.instagram.com/knits.pourmoi) [#tuileriesstop](https://www.instagram.com/tuileriesstop) when posting image of your knitting. Thank you for knitting "Tuileries Top". Soumine owns the copyright of this pattern. For personal use only.

SIZE



Sample is shown in size 1 with 3 cm negative ease at the bust.

	A	B	C	D
1	77 cm / 30.3"	46 cm / 18"	31 cm / 12.2"	20 cm / 8"
2	85 cm / 33.5"	48 cm / 21"	31 cm / 12.2"	21 cm / 8.3"
3	94 cm / 37"	50 cm / 22.4"	31 cm / 12.2"	22 cm / 8.7"
4	102.5 cm / 40.4"	54 cm / 26"	31 cm / 12.2"	23 cm / 9"
5	111 cm / 43.7"	58 cm / 26"	34 cm / 13.4"	24 cm / 9.4"
6	120 cm / 47.2"	60 cm / 26"	34 cm / 13.4"	25 cm / 9.8"

PREPARATION

Size

1, 2, 3 (4, 5, 6)

Yarn

Fingering weight

Manila from Linea korea (68% wool 32% abaca, 180 meters / 50 grams)

470, 540, 630 (700, 720, 900) meters / 3, 3, 4 (4, 4, 5) balls

Needles

3.25 / 3.5 mm (US 3 / 4) a circular needle and 3.25 mm (US 3) a short tip needle (or longer if magic loop technique is used) or Double-Pointed Needles.

Gauge

28 sts x 33 rows / 10 x 10 cm in 3.5 mm needle, with pattern (after wash)

Notions

2 Stitch markers, stitch holders, waste yarn or extra cable needle, 6-8 buttons(15 mm), tapestry needle

Abbreviations

k: Knit	p(m)m : Place (main) marker
p: Purl	r(m)m : Remove (main) marker
Rnd : Round	K2tog : Knit 2 sts together
(-) rep: Repeat from (to)	P2tog : Purl 2 sts together
st(s): Stitches	ssk : slip slip knit 2 together
RS: Right Side of your work	yo : yarn over
WS: Wrong Side of your work	Sl1wyb : Slip 1 st knitwise with yarn in back
(m)m: (main) marker	Sl1wyf : Slip 1 st pulwise with yarn in front
s(m)m: Slip (main) marker	K1tbl : Knit 1 st through the back loop
	P1tbl : Purl 1 st through the back loop

Construction

Tuileries Top is a sleeveless version of Tuileries Polo. It's an airy summer tee with an all-over eyelet pattern, featuring a simple repeating motif and classic design that makes it enjoyable to knit and a go-to piece once finished.

Worked top-down with an all-over pattern. Begin with flat knitting to shape the shoulders and work the back to the underarms. Pick up stitches from each shoulder to create the neckline, then work down, incorporating button bands on both sides. Join front and back at the underarms, then continue the body in flat knitting. Finally, pick up stitches around the neckline and armholes to work ribbed edgings, then attach buttons.

Technique

Reading Charts

When working on the right side, follow the chart from right to left, and when working on the wrong side, follow the chart from left to right, making sure to understand the symbols on RS and WS

M1R : Insert left hand needle from back to front under the bar between the stitches and K this bar

M1L : Insert left hand needle from front to back under bar and K1tbl this bar

M1RP : Insert the left hand needle from front to back bar between the stitches and P1tbl this bar

M1LP : Insert the left hand needle from back to front, under the bar between the stitches and P this bar

Ruke bind off : [Click here](#)

PATTERN

BACK

"Work in pattern" means following the established 12-sts pattern repeat, while maintaining the shoulder line sts and the button band pattern.

Using 3.5 mm (US 4) needles, cast on 63 sts.

Work the back panel chart in flat knitting : Start with two set up rows. Then work from Row 1 to 14, 14, 14 (14, 18, 18).

Note: Increase 2 sts every row starting from Row 1 (1 st before and after the 6 sts of the shoulder line on each side). Work in pattern in the middle section between the shoulder line sts on both sides.

The shoulder increase rows have been completed.

You have now a total of 91, 91, 91 (91, 99, 99) sts on your needle.

Row 15, 15, 15 (15, 19, 19) RS : Cut the yarn and place 6 sts from the shoulder line onto a stitch holder, work in pattern to before last 6 sts and place next 6 sts onto a stitch holder.

You have now 79, 79, 79 (79, 87, 87) sts on the needle and 6 sts on each side (12 sts total) on stitch holders.

Continue working in pattern until Row 72, 74, 76 (76, 84, 84).

* If you want to adjust the length of the armhole, do so before starting the increases.

You have now a total of 103, 111, 127 (135, 151, 159) sts on your needle.

Transfer all sts on the needle to waste yarn and cut the yarn.

FRONT

Right Front Panel

Using 3.5 mm (US 4) needle and with the RS of the back panel facing you, pick up and knit 15, 15, 15 (15, 19, 19) sts along the right shoulder.

*To pick up sts, insert the needle between the first and second sts from the right edge (near the 6 shoulder sts set aside) and pick up and knit along the shoulder line, ensuring that 5 rows out of the 6 shoulder rows are visible.

Work the right front panel chart from Row set up to Row 72, 72, 76 (76, 80, 80). Cut the yarn.

* Buttonhole Row 63, 63, 63 (63, 71, 71) (RS) : Work in pattern to last 5 sts, yo, k2tog, p1, k2 Buttonholes are knitted every 20 rows on RS.

If you want to make the spacing between the buttonholes narrower than suggested (approximately 6 cm/ 2.4"), you need to adjust the position of the first buttonhole

Left Front Panel

Using 3.5 mm (US 4) needle and with the RS of the back panel facing you, pick up and knit 15, 15, 15 (15, 19, 19) sts along the left shoulder.

Work the left front panel chart from Row set up to Row 72, 72, 76 (76, 80, 80). Do not cut yarn.

BODY

For size 1, 3, 5 only

RS : Work in pattern for the left front panel to before last st, pm, k1, backwards loop cast on 5 sts, work in pattern for the back panel to before last st, pm, k1, backwards loop cast on 5 sts, work in pattern for the right front panel

WS : Work in pattern to 7 sts before m, p2, k1, p1, k1, p2, rm, work in pattern to 7 sts before m, p2, k1, p1, k1, p2, rm, work in pattern to end

For size 2, 4, 6 only

RS : Work in pattern for the left front panel to before last st, pm, p1, backwards loop cast on 9 sts, work in pattern for the back panel to before last st, pm, p1, backwards loop cast on 9 sts, work in pattern for the right front panel

WS : Work in pattern to 11 sts before m, k1, p3, k1, p1, k1, p3, k1, rm, work in pattern to 11 sts before m, k1, p3, k1, p1, k1, p3, k1, rm, work in pattern to end

All sizes

Work in pattern until total length measures 40, 42, 44 (48, 52, 54) cm / 15.8, 16.5, 17.3 (18.9, 20.5, 21.3)" or work 6 cm / 2.4" less than desired length.

Don't forget to make buttonholes at regular intervals!

Ribbing Switch to a 3.25 mm (US 3) needle.

Set up RS : Sl1wyb, k1, p1, k1, p1, k1, p1, k1, p2, (k1, p1, k2tog, p1, k1, p1, k1, p2tog, k1, p1) rep to before last 11 sts, k1, p2, k1, p1, k1, p1, k1, p1, k2

WS : Sl1wyf, p1, k1, p1, k1, p1, k1, p1, k2, (p1, k1) rep to before last 9 sts, k1, p1, k1, p1, k1, p1, k1, p2

RS : Sl1wyb, k1, p1, k1, p1, k1, p1, k1, p2, (k1, p1) rep to before last 9 sts, p1, k1, p1, k1, p1, k1, p1, k2

Work ribbing until it measures 6 cm / 2.4" and use the Ruke bind-off method to bind off all sts.

ARMHOLES RIBBING

Right armhole

Using 3.25 mm (US 3) needle, pick up sts along the right armhole edge with RS facing as follows : Pick up and knit 3, 5, 3 (5, 3, 5) sts from underarm CO, approximately 49, 51, 55 (57, 59, 61) sts along the back panel (odd number), transfer 6 sts from stitch holder onto needle (with yarn in back, do not cut yarn), approximately 62, 62, 68 (70, 74, 74) sts along the front panel (even number), 2, 4, 2 (4, 2, 4) sts from remaining underarm CO.

Total of approximately 122, 128, 134 (142, 144, 150) even-numbered sts on needle. Pm and begin working in the rnd.

Ribbing : (k1, p1) rep to m

Work 8 rnds of ribbing and use the Ruke bind-off method to bind off all sts.

Left armhole

Using 3.25 mm (US 3) needle, pick up sts along the left armhole edge with RS facing as follows : Pick up and knit 3, 5, 3 (5, 3, 5) sts from underarm CO, approximately 62, 62, 68 (70, 74, 74) sts along the front panel (even number), transfer 6 sts from stitch holder onto needle (with yarn in back, do not cut yarn), approximately 49, 51, 55 (57, 59, 61) sts along the back panel (odd number), 2, 4, 2 (4, 2, 4) sts from remaining underarm CO.

Total of approximately 122, 128, 134 (142, 144, 150) even-numbered sts on needle. Pm and begin working in the rnd.

Ribbing : (K1, p1) rep to m

Work 8 rnds of ribbing and use the Ruke bind-off method to bind off all sts.

NECKLINE RIBBING

Using 3.25 mm (US 3) needle, with RS facing, pick up and knit sts from the edge of the neckline, starting from the right front panel : Pick up and knit 51, 51, 51 (51, 55, 55) sts from the right front panel, 5 sts from the shoulder line, 51 sts from the back panel, 5 sts from the shoulder line, 51, 51, 51 (51, 55, 55) sts from the left front panel.

Total of 163, 163, 163 (163, 171, 171) sts on the needle.

Row 1 (WS) : P2, (k1, p1) rep to last st, p1

Row 2 (RS) : Sl1wyb, k1, (p1, k1) rep to last st, k1

Row 3 (WS) : Sl1wyf, p1, (k1, p1) rep to last st, p1

Row 4, buttonhole : Sl1wyb, k1, p1, k1, yo, k2tog, p1, (k1, p1) rep to before last 2 sts, k2


Row 5 (WS) : Sl1wyf, p1, (k1, p1) rep to last st, p1

Row 6 (RS) : Sl1wyb, k1, (p1, k1) rep to last st, k1

Row 7~8 : Work Row 5~6 and use the Ruke bind-off method to bind off all sts.

FINISHING


Weave in all ends and sew buttons after wash



 Pattern 12 sts repeated


 Motif 12 ms répétées

 반복되는 패턴 12코




BACK / DOS / 뒷판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop




 Pattern 12 sts repeated
 Motif 12 ms répétées
 반복되는 패턴 12코



BACK / DOS / 뒷판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop



 Pattern 12 sts repeated

 Motif 12 ms répétées

 반복되는 패턴 12코



BACK / DOS / 뒷판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop




 Pattern 12 sts repeated
 Motif 12 ms répétées
 반복되는 패턴 12코



BACK / DOS / 뒷판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop




 Pattern 12 sts repeated
 Motif 12 ms répétées
 반복되는 패턴 12코




BACK / DOS / 뒷판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop




Pattern 12 sts repeated
Motif 12 ms répétées
반복되는 패턴 12코




BACK / DOS / 뒷판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop




Right front / Devant Droit / 오른쪽 앞판

	(결면)안 / (안면)걸	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)걸 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop
	실 앞으로 두고 1코 걸러뜨기	Slip 1 st with yarn in front	Glisser 1 m avec le fil devant
	실 뒤로 두고 1코 걸러뜨기	Slip 1 st with yarn in back	Glisser 1 m avec le fil derrière




	(겉면)안 / (안면)겉	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(겉면)겉 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loops
	실 앞으로 두고 1코 걸러뜨기	Slip 1 st with yarn in front	Glisser 1 m avec le fil devant
	실 뒤로 두고 1코 걸러뜨기	Slip 1 st with yarn in back	Glisser 1 m avec le fil derrière

Left front / Devant Gauche / 왼쪽 앞판




Right front / Devant Droit / 오른쪽 앞판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop
	실 앞으로 두고 1코 걸러뜨기	Slip 1 st with yarn in front	Glisser 1 m avec le fil devant
	실 뒤로 두고 1코 걸러뜨기	Slip 1 st with yarn in back	Glisser 1 m avec le fil derrière




	(겉면)안 / (안면)겉	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(겉면)겉 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms end
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop
	실 앞으로 두고 1코 걸러뜨기	Slip 1 st with yarn in front	Glisser 1 m avec le fil devant
	실 뒤로 두고 1코 걸러뜨기	Slip 1 st with yarn in back	Glisser 1 m avec le fil derrière




Right front / Devant Droit / 오른쪽 앞판

- | | | | |
|--|------------------|------------------------------|----------------------------------|
| | (결면)안 / (안면)결 | (RS) P / (WS) K | (Côté end) Env / (Côté env) End |
| | (결면)결 / (안면)안 | (RS) K / (WS) P | (Côté end) End / (Côté env) Env |
| | 바늘 비우기 | yarn over | jeté |
| | K2tog | K2tog | 2ms ensend |
| | SSK | SSK | GGT |
| | M1R | M1R | AID |
| | M1RP | M1RP | AIDEnv |
| | M1L | M1L | AIG |
| | M1LP | M1LP | AIGEnv |
| | 감아코 1코 | Backwards loop cast on | Montage Backwards loop |
| | 실 앞으로 두고 1코 걸러뜨기 | Slip 1 st with yarn in front | Glisser 1 m avec le fil devant |
| | 실 뒤로 두고 1코 걸러뜨기 | Slip 1 st with yarn in back | Glisser 1 m avec le fil derrière |




Right front / Devant Droit / 오른쪽 앞판

	(결면)안 / (안면)겉	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)겉 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms en send
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop
	실 앞으로 두고 1코 걸러뜨기	Slip 1 st with yarn in front	Glisser 1 m avec le fil devant
	실 뒤로 두고 1코 걸러뜨기	Slip 1 st with yarn in back	Glisser 1 m avec le fil derrière




Left front / Devant Gauche / 왼쪽 앞판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms ensend
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop
	실 앞으로 두고 1코 걸러뜨기	Slip 1 st with yarn in front	Glisser 1 m avec le fil devant
	실 뒤로 두고 1코 걸러뜨기	Slip 1 st with yarn in back	Glisser 1 m avec le fil derrière




Right front / Devant Droit / 오른쪽 앞판

- | | | | |
|--|------------------|------------------------------|----------------------------------|
| | (결면)안 / (안면)결 | (RS) P / (WS) K | (Côté end) Env / (Côté env) End |
| | (결면)결 / (안면)안 | (RS) K / (WS) P | (Côté end) End / (Côté env) Env |
| | 바늘 비우기 | yarn over | jeté |
| | K2tog | K2tog | 2ms ensend |
| | SSK | SSK | GGT |
| | M1R | M1R | AID |
| | M1RP | M1RP | AIDEnv |
| | M1L | M1L | AIG |
| | M1LP | M1LP | AIGEnv |
| | 감아코 1코 | Backwards loop cast on | Montage Backwards loop |
| | 실 앞으로 두고 1코 걸러뜨기 | Slip 1 st with yarn in front | Glisser 1 m avec le fil devant |
| | 실 뒤로 두고 1코 걸러뜨기 | Slip 1 st with yarn in back | Glisser 1 m avec le fil derrière |



Right front / Devant Droit / 오른쪽 앞판

- | | | | |
|--|------------------|------------------------------|----------------------------------|
| | (결면)안 / (안면)결 | (RS) P / (WS) K | (Côté end) Env / (Côté env) End |
| | (결면)결 / (안면)안 | (RS) K / (WS) P | (Côté end) End / (Côté env) Env |
| | 바늘 비우기 | yarn over | jeté |
| | K2tog | K2tog | 2ms ensend |
| | SSK | SSK | GGT |
| | M1R | M1R | AID |
| | M1RP | M1RP | AIDEnv |
| | M1L | M1L | AIG |
| | M1LP | M1LP | AIGEnv |
| | 감아코 1코 | Backwards loop cast on | Montage Backwards loop |
| | 실 앞으로 두고 1코 걸러뜨기 | Slip 1 st with yarn in front | Glisser 1 m avec le fil devant |
| | 실 뒤로 두고 1코 걸러뜨기 | Slip 1 st with yarn in back | Glisser 1 m avec le fil derrière |



Left front / Devant Gauche / 왼쪽 앞판

	(결면)안 / (안면)결	(RS) P / (WS) K	(Côté end) Env / (Côté env) End
	(결면)결 / (안면)안	(RS) K / (WS) P	(Côté end) End / (Côté env) Env
	바늘 비우기	yarn over	jeté
	K2tog	K2tog	2ms endsl
	SSK	SSK	GGT
	M1R	M1R	AID
	M1RP	M1RP	AIDEnv
	M1L	M1L	AIG
	M1LP	M1LP	AIGEnv
	감아코 1코	Backwards loop cast on	Montage Backwards loop
	실 앞으로 두고 1코 걸러뜨기	Slip 1 st with yarn in front	Glisser 1 m avec le fil devant
	실 뒤로 두고 1코 걸러뜨기	Slip 1 st with yarn in back	Glisser 1 m avec le fil derrière