


# Tya



## Notes

Tya is a top-down drop shoulder tee with a customizable stripe pattern on the upper bust and an optional textured split hem. The pattern features charted and written instructions for the cable detail, short row shaped shoulders and sleeves and folded stockinette edges on the collar and cuffs.

*Use the hashtag #tyatee to share your project.*

Pattern, pictures and notes © Audrey Borrego. This pattern is for personal use only.

## Yarn :

You will need three colours of fingering weight yarn in the following amounts :

MC (lilac) : 600 (**660** / 715 / **800** / 890), **980** (1100 / **1210** / 1320 / **1420**) m

660 (**725** / 785 / **875** / 975), **1075** (1205 / **1325** / 1445 / **1555**) yds

CC1 (pink) : 20 (**25** / 30 / **35** / 40), **45** (50 / **60** / 65 / **75**) m

25 (**30** / 35 / **40** / 45), **50** (55 / **65** / 75 / **85**) yds

CC2 (gold) : 75 (**80** / 90 / **110** / 125), **145** (160 / **180** / 195 / **220**) m

85 (**90** / 100 / **120** / 140), **160** (175 / **200** / 215 / **240**) yds

The sample is knit with Knitting for Olive Cotton Merino (250 m – 273 yds / 50 g) in Blueberry Ice Cream (MC), Rhubarb Rose (CC1) and Dark Ocher (CC2).

## Needles :

*Main Fabric* : 3.25 mm (US 3) circular needles with appropriate length to knit in the round and magic loop or DPNs.

*Ribbing* : 3 mm (US 2.5) needles

*Folded edges* : 2.75 mm (US 2) circular needles with appropriate length to knit in the round.

or sizes required to get gauge

## Gauge :

26 sts x 33 rows / rnds per 10 cm – 4" with main needles in stockinette after blocking

## Notions :

Stitch markers, locking stitch markers, tapestry needle and scissors

Scrap yarn to place sts on hold

Cable needle (optional)

Row counter recommended

## Techniques used :

Top down drop shoulder tee

Upper body worked flat, body and sleeves knitted in the round

Shoulders and sleeve caps shaped with German short-rows

Neck shaped with simple increases

Simple cables

Optional long 2/2 ribbed split hem with cable detail

Picking up stitches

German Twisted Cast-on, Backwards Loop Cast-on, Basic bind-off

Folded stockinette edges (video tutorial included)

Pattern includes charted and written instructions for the cable motif


## Sizes :

1 (2 / 3 / 4 / 5), 6 (7 / 8 / 9 / 10)

All measurements are those of the finished tee.

Choose a size with 10 to 15 cm – 4 to 6" positive ease at bust.

Shown in size 3 on a 95 cm – 37 1/2" bust and a 35 cm – 13 3/4" upper arm.



Size	1	2	3	4	5	6	7	8	9	10
<b>A Bust Circ</b>	85 cm 33 1/2"	95 cm 37 1/2"	105 cm 41 1/4"	115 cm 45 1/4"	125 cm 49 1/4"	135 cm 53 1/4"	145 cm 57"	155 cm 61"	165 cm 65"	175 cm 69"
<b>B Armhole Depth</b>	18 cm 7"	19 cm 7 1/2"	19.5 cm 7 3/4"	20.5 cm 8"	21.5 cm 8 1/2"	22.5 cm 8 3/4"	23.5 cm 9 1/4"	24 cm 9 1/2"	25 cm 9 3/4"	26 cm 10 1/4"
<b>C Upper arm circ</b>	34.5 cm 13 1/2"	37.5 cm 14 3/4"	39 cm 15 1/4"	41 cm 16 1/4"	43 cm 17"	47.5 cm 18 3/4"	51 cm 20"	54 cm 21 1/4"	57 cm 22 1/2"	61.5 cm 24 1/4"
<b>D Upper Back width</b>	39 cm 15 1/4"	44 cm 17 1/4"	47 cm 18 1/2"	51.5 cm 20 1/4"	53 cm 20 3/4"	56 cm 22"	57.5 cm 22 3/4"	60 cm 23 1/2"	63 cm 24 3/4"	66 cm 26"
<b>E Shoulder width</b>	14.5 cm 5 3/4"	15.5 cm 6"	17 cm 6 3/4"	19 cm 7 1/4"	20 cm 7 3/4"	21.5 cm 8 1/2"	22 cm 8 3/4"	23 cm 9"	24.5 cm 9 3/4"	25.5 cm 10"
<b>F Back neck width</b>	8.5 cm 3 1/4"	11.5 cm 4 1/2"	11.5 cm 4 1/2"	11.5 cm 4 1/2"	11.5 cm 4 1/2"	11.5 cm 4 1/2"	11.5 cm 4 1/2"	12.5 cm 5"	12.5 cm 5"	14 cm 5 1/2"
<b>G Front neck drop</b>	6.5 cm 2 1/2"	6.5 cm 2 1/2"	9.5 cm 3 3/4"	9.5 cm 3 3/4"	10.5 cm 4 1/4"	10.5 cm 4 1/4"	10.5 cm 4 1/4"	12 cm 4 3/4"	13 cm 5"	13.5 cm 5 1/4"
<b>H Body length (adjustable)</b>	27 cm 10 1/2"	27 cm 10 1/2"	27 cm 10 1/2"	27 cm 10 1/2"	27 cm 10 1/2"	27 cm 10 1/2"	27 cm 10 1/2"	27 cm 10 1/2"	27 cm 10 1/2"	27 cm 10 1/2"
<b>I Split hem length (optional &amp; adjustable)</b>	15 cm 6"	15 cm 6"	15 cm 6"	15 cm 6"	15 cm 6"	15 cm 6"	15 cm 6"	15 cm 6"	15 cm 6"	15 cm 6"
<b>J Sleeve length (adjustable)</b>	7.5 cm 3"	7.5 cm 3"	7.5 cm 3"	7.5 cm 3"	7.5 cm 3"	7.5 cm 3"	7.5 cm 3"	7.5 cm 3"	7.5 cm 3"	7.5 cm 3"

## Abbreviations :

- CO : cast-on
- MC : main colour / CC1 (2) : contrast colour 1 (2)
- st(s) : stitch(es) / rnd(s) : round(s)
- RS : right side / WS : wrong side
- BOR : beginning of round
- m : marker / PM : place marker / sm : slip marker / rm : remove marker
- inc : increase / dec : decrease
- k : knit stitch / p : purl stitch
- m1L : make 1 left, lift the bar between the stitches onto the left needle from front to back, knit through the back loop (1 inc)
- m1R : make 1 right, lift the bar between the stitches onto the left needle from back to front, knit through the front loop (1 inc)
- k2tog : knit the next 2 sts together (1 dec)
- ssk : slip the next 2 sts knitwise separately then knit them together through their back loop (1 dec)
- 2/2 RC : 2/2 right cable, slip the next 2sts purlwise on a cable needle and hold in back, k2 from left needle then k2 from cable needle
- 2/2 LC : 2/2 left cable, slip the next 2sts purlwise on a cable needle and hold in front, k2 from left needle then k2 from cable needle
- 3/3 RC : 3/3 right cable, slip the next 3sts purlwise on a cable needle and hold in back, k3 from left needle then k3 from cable needle
- 3/3 LC : 3/3 left cable, slip the next 3sts purlwise on a cable needle and hold in front, k3 from left needle then k3 from cable needle
- 4/4 RC : 4/4 right cable, slip the next 4 sts purlwise on a cable needle and hold in back, k4 from left needle then k4 from cable needle
- 4/4 LC : 4/4 left cable, slip the next 4sts purlwise on a cable needle and hold in front, k4 from left needle then k4 from cable needle
- DS : double stitch for German short rows (counts as only 1 st)
- \*-\* : repeat instructions between asterisks

## Notes :

Left and Right parts refer to the tee when worn.

## Reading the Chart :

When knitting flat, read the Charts back and forth : RS rows from right to left and WS rows from left to right.

When knitting in the round, always read the Charts from right to left.

*You will be casting on and working each front separately.*

### **Front Left Shoulder**

*While shaping the shoulders, you will work in stockinette (knitting RS rows and purling WS rows) using MC.*

With main needles and MC, CO 40 (**42** / 46 / **52** / 54), **58** (60 / **62** / 66 / **68**) sts using the [German Twisted Cast-on](#).

*(German Twisted Cast-on tutorial by Very Pink Knits)*

**row 1 (WS) :** purl

**row 2 (RS) :** knit

Following rows 1-2, work a total of 5 rows.

### **Shoulder shaping :**

*You will shape the shoulders using short rows.*

Here is a [helpful tutorial](#) on how to make Double Stitches.

*(German short-rows tutorial by Very Pink Knits)*

**short row 1 (RS) :** knit to last 3 sts, turn

**short row 2 (WS) :** DS, purl to end

**short row 3 :** knit to 5 (**6** / 6 / 7 / 8), **8** (9 / **9** / 10 / **10**) sts before last DS, turn

Work short rows 2-3 a total of five times, then work short row 2 once more.

**next row (RS) :** knit to end, resolving the DS by knitting them normally as one st

*You will now place markers to isolate neck edge sts.*

**next row (WS) :** purl to last 3 sts, pm, p3

### **Neck shaping :**

**row 1 (RS) :** k3, sm, knit to end

**row 2 (WS) :** purl to m, sm, p3

Work rows 1-2 until the Front Left Shoulder measures 4 (**4** / 6 / **6** / 7), 7 (7 / 7 / 8 / **8**) cm – 1 1/2 (**1 1/2** / 2 1/4 / **2 1/4** / 2 3/4), **2 3/4** (2 3/4 / **2 3/4** / 3 1/4 / **3 1/4**)" from cast-on, measuring along the armhole edge and ending after a WS row.

Note down the number of rows worked to replicate them later on the other Front and adjust the length worked here if you want a higher or lower neckline.

*You will start shaping the scoop neckline, increasing along the 3 neck edge sts.*

**row 3 (RS) :** k3, sm, m1L, knit to end (*1 inc*)

**row 4 (WS) :** purl to m, sm, p3

**row 5 :** k3, sm, knit to end

**row 6 :** purl to m, sm, p3

Work rows 3 to 6 a total of 2 times.

**42** (**44** / 48 / **54** / 56), **60** (62 / **64** / 68 / **70**) sts

**row 7 (RS) :** k3, sm, m1L, knit to end (*1 inc*)

**row 8 (WS) :** purl to m, sm, p3

Work rows 7-8 a total of 4 (**4** / 4 / **4** / 4), **4** (6 / **6** / 6 / **6**) times.

**46** (**48** / 52 / **58** / 60), **64** (68 / **70** / 74 / **76**) sts

SIZES 3 to 10 ONLY :

**row 9 (RS) :** k3, sm, m1L, k1, m1L, knit to end (*2 inc*)

**row 10 (WS) :** purl to m, sm, p3

Work rows 9-10 a total of - (- / 2 / **2** / 2), **2** (1 / **2** / 2 / **3**) times.

- (- / 56 / **62** / 64), **68** (70 / **74** / 78 / **82**) sts

ALL SIZES RESUME

Cut yarns and put sts on hold.

## Front Right Shoulder

With main needles and MC, CO 40 (**42** / 46 / **52** / 54), **58** (60 / **62** / 66 / **68**) sts using the [German Twisted Cast-on](#).

**row 1 (WS)** : purl

**row 2 (RS)** : knit

Following rows 1-2, work a total of 6 rows.

### Shoulder shaping :

**short row 1 (WS)** : purl to last 3 sts, turn

**short row 2 (RS)** : DS, knit to end

**short row 3** : purl to 5 (**6** / 6 / 7 / 8), **8** (9 / **9** / 10 / **10**) sts before last DS, turn

Work short rows 2-3 a total of five times, then work short row 2 once more.

**next row (WS)** : p3, pm, purl to end, resolving the DS by purling them normally as one st

### Neck shaping :

**row 1 (RS)** : knit to m, sm, k3

**row 2 (WS)** : p3, sm, purl to end

Work rows 1-2 until the Front Right Shoulder length matches the Front Left Shoulder's before the neckline increases, ending after a WS row.

**row 3 (RS)** : knit to m, m1R, sm, k3 (*1 inc*)

**row 4 (WS)** : p3, sm, purl to end

**row 5** : knit to m, sm, k3

**row 6** : p3, sm, purl to end

Work rows 3 to 6 a total of 2 times.

**42** (**44** / 48 / **54** / 56), **60** (62 / **64** / 68 / **70**) sts

**row 7 (RS)** : knit to m, m1R, sm, k3 (*1 inc*)

**row 8 (WS)** : p3, sm, purl to end

Work rows 7-8 a total of 4 (**4** / 4 / **4** / 4), **4** (6 / **6** / 6 / **6**) times.

**46** (**48** / 52 / **58** / 60), **64** (68 / **70** / 74 / **76**) sts

SIZES 3 to 10 ONLY :

**row 9 (RS)** : knit to 1 st before m, m1R, k1, m1R, sm, k3 (*2 inc*)

**row 10 (WS)** : p3, sm, purl to end

Work rows 9-10 a total of - (- / 2 / **2** / 2), **2** (1 / **2** / 2 / **3**) times.

- (- / 56 / **62** / 64), **68** (70 / **74** / 78 / **82**) sts

ALL SIZES RESUME

## Joining Front Shoulders

*You will join the two front shoulders by casting-on extra sts for the neck.*

**next row (RS)** : knit to m, rm, k3, CO 10 (**18** / 18 / **20** / 20), **20** (22 / **22** / 22 / **26**) sts using the [backwards loop cast-on](#).

*(Backwards Loop Cast-on tutorial by Very Pink Knits)*

Place the Front Left Shoulder sts back on the left needle with RS facing, joining them to the new sts, and work them as follows :  
k3, rm, knit to end

**102** (**114** / 130 / **144** / 148), **156** (162 / **170** / 178 / **190**) sts

## Upper Front

Still using MC, work 13 rows in stockinette. Cut MC.

Adjust here if you would like a different stripe pattern.

The pattern plans for a fine CC1 stripe, a long CC2 stripe going over the upper body and lower body, then another CC1 stripe slightly longer than the first.

Note that the exact CC2 stripe length will vary for each size as it's set to the different armhole depth proportions.

To create a different pattern, arrange your colours and stripe length for your desired look.

Join CC1.

Using CC1, work 2 rows in stockinette.  
Cut CC1.

Join CC2.

Using CC2, work in stockinette until the upper front measures 18 (**19** / 19.5 / **20.5** / 21.5), **22.5** (23.5 / **24** / 25 / **26**) cm – 7 (7 1/2 / 7 3/4 / **8** / 8 1/2), 8 3/4 (9 1/4 / **9 1/2** / 9 3/4 / **10 1/4**)" from cast-on, measuring along the armhole edge and ending after a WS row.

Note down the number of rows worked to replicate them later on the upper back and on the body.

Cut yarn and put sts on hold.

*You will pick up sts from each front cast-on edge to work the back shoulders separately.*

## Back Right Shoulder

With main needles and MC, with RS facing and starting at the neck edge, pick up and knit 40 (**42** / 46 / **52** / 54), **58** (60 / **62** / 66 / **68**) sts from the Front Right Shoulder cast-on edge.

**row 1 (WS) :** purl

**row 2 (RS) :** knit

Following rows 1-2, work a total of 5 rows.

### Shoulder shaping :

**short row 1 (RS) :** knit to last 3 sts, turn

**short row 2 (WS) :** DS, purl to end

**short row 3 :** knit to 5 (**6** / 6 / 7 / 8), **8** (9 / 9 / 10 / **10**) sts before last DS, turn

Work short rows 2-3 a total of five times, then work short row 2 once more.

**next row (RS) :** knit to end, resolving the DS by knitting them normally as one st

**next row (WS) :** purl to end

Cut yarn and put sts on hold.

## Back Left Shoulder

With main needles and MC, with RS facing and starting at the armhole edge, pick up and knit 40 (**42** / 46 / **52** / 54), **58** (60 / **62** / 66 / **68**) sts from the Front Left Shoulder cast-on edge.

**row 1 (WS) :** purl

**row 2 (RS) :** knit

Following rows 1-2, work a total of 6 rows.

### Shoulder shaping :

**short row 1 (WS) :** purl to last 3 sts, turn

**short row 2 (RS) :** DS, knit to end

**short row 3 :** purl to 5 (**6** / 6 / 7 / 8), **8** (9 / 9 / 10 / **10**) sts before last DS, turn

Work short rows 2-3 a total of five times, then work short row 2 once more.

**next row (WS) :** purl to end

## Joining Back Shoulders

*Make sure that the fronts are not twisted and that everything is laying correctly when you join the back shoulders.*

**next row (RS) :** knit to end of Back Left Shoulder sts, CO 22 (**30** / 30 / **30** / 30), **30** (30 / **32** / 32 / **36**) sts using the [backwards loop cast-on](#).

Place the Back Right Shoulder sts back on the left needle with RS facing, joining them to the new sts, and knit to end.

102 (**114** / 122 / **134** / 138), **146** (150 / **156** / 164 / **172**) sts

## Upper Back

Work in stockinette until you reach the same length worked in MC on the upper front, ending after a WS row.

Cut MC.

Join CC1.

Using CC1, work 2 rows in stockinette.

Cut CC1.

Join CC2.

Using CC2, work in stockinette for the same number of rows worked in CC2 on the upper front, reaching the same total length and ending after a WS row.

## Joining Body

*You will join the back and front pieces to work the body in one piece, casting on sts for each underarm and placing markers at the sides to isolate the future 8 (8 / 8 / 8 / 12), 12 (16 / 16 / 16 / 16) cable sts.*

You are still using CC2.

**next row (RS)** : knit to end of upper back sts, CO 0 (1 / 1 / 1 / 4), **6** (8 / 11 / 14 / 15) sts, **pm**, CO 8 (8 / 8 / 8 / 12), **12** (16 / 16 / 16 / 16) sts, **pm**, CO 0 (1 / 1 / 1 / 4), **6** (8 / 11 / 14 / 15) sts

Place the Upper Front sts back on the left needle with RS facing, joining them to the new sts, and work them as follows :

knit to end of upper front sts, CO 0 (1 / 1 / 1 / 4), **6** (8 / 11 / 14 / 15) sts, **pm**, CO 8 (8 / 8 / 8 / 12), **12** (16 / 16 / 16 / 16) sts, **pm** (**BOR**), CO 0 (1 / 1 / 1 / 4), **6** (8 / 11 / 14 / 15) sts

Join to work in the round. The last marker placed is the BOR.

220 (248 / 272 / 298 / 326), 350 (376 / 402 / 430 / 454) sts

## Body

*Make sure to maintain the same gauge than previously now that you're working in the round. Adjust needle size if necessary.*

Using CC2, work in stockinette (knit every rnd) the same numbers of rnds as the number of rows worked on the upper front and back before joining.

*The CC2 stripe is essentially split in half between the upper and the lower body, with one extra middle rnd made during the joining process.*

Cut CC2.

Join CC1.

Using CC1, work 6 rows in stockinette.

Cut CC1.

Join MC. The rest of the tee will be worked in MC.

*Note : if you chose to work a different stripe pattern, work in stripes in stockinette and only start the cable pattern once you are done with the stripes.*

**Cable :**

*From now on, you will follow the Cable Chart corresponding to your size continuously between the markers on the sides. The rest of the tee is still worked in stockinette.*

**cable round** : (knit to m, sm, Cable Chart A to m, sm) x 2

You can choose between a regular hem or a split hem of any length.

## Regular Hem :

Work the cable round until the body measures about 24 cm – 9 1/2" from the underarm or 3 cm – 1 1/4" less than desired length.

End after any Chart rnd.

Switch to ribbing needles.

*Certain sizes will adjust stitch count for the ribbing.*

Sizes 1, 7 ONLY:

**set-up rnd 1** : (knit to m, sm, Cable Chart A to m, sm) x 2

Sizes 2, 3 ONLY :

**set-up rnd 1** :

*Back* : k2tog, knit to 2 sts before m, ssk, sm, Cable Chart A to m, sm,

*Front* : k2tog, knit to 2 sts before m, ssk, sm, Cable Chart A to m (4 dec)

Sizes 4, 9 ONLY :

**set-up rnd 1 :**

*Back* : k2tog, knit to 2 sts before m, ssk, sm,  
Cable Chart A to m, sm, (2 dec)

*Front* : knit to m, sm, Cable Chart A to m

Sizes 5, 6, 8, 10 ONLY :

**set-up rnd 1 :**

*Back* : knit to m, sm, Cable Chart A to m,  
sm,

*Front* : k2tog, knit to 2 sts before m, ssk,  
sm, Cable Chart A to m (2 dec)

ALL SIZES RESUME

**ribbing rnd :** (\*p2, k2\* to 2 sts before m,  
p2, sm, Cable Chart A to m, sm) x 2

Work the ribbing rnd until the hem  
measures 3 cm – 1 ¼" or desired ribbing  
length, ending after a Chart rnd 3.

Loosely bind-off all sts in pattern using a  
basic bind-off (working stitches in pattern  
and passing them over).

Move on to Sleeves on page 10.

**Split Hem :**

Work the cable round until the body  
measures about 12 cm – 4 ¾" from the  
underarm, 15 cm – 6" less than desired  
length, or until you wish to start working  
the split hem.

The sample is shown with the split starting  
at the waist.

End after a Chart round 3.

*You will set-up the split hem by working a  
cable at the side (in the middle of the  
already established cable pattern). Certain  
sizes will also adjust stitch count for the  
ribbing.*

Switch to ribbing needles.

Sizes 1, 7 ONLY:

**set-up rnd 1 :**

*Back* : knit to m, sm, k2 (...), (6 /...), 2/2  
LC, k2 (...), (6 /...), sm,

*Front* : knit to m, sm, k2 (...), (6 /...), 2/2  
RC, k2 (...), (6 /...)

Sizes 2, 3 ONLY :

**set-up rnd 1 :**

*Back* : k2tog, knit to 2 sts before m, ssk, sm,  
k2, 2/2 LC, k2, sm,

*Front* : k2tog, knit to 2 sts before m, ssk,  
sm, k2, 2/2 RC, k2 (4 dec)

Sizes 4, 9 ONLY :

**set-up rnd 1 :**

*Back* : k2tog, knit to 2 sts before m, ssk, sm,  
k- (- / - / 2 / -), (... / 6 / -), 2/2 LC, k- (- / - /  
2 / -), (... / 6 / -), sm, (2 dec)

*Front* : knit to m, sm, k- (- / - / 2 / -), (... /  
6 / -), 2/2 RC, k- (- / - / 2 / -), (... / 6 / -)

Sizes 5, 6, 8, 10 ONLY :

**set-up rnd 1 :**

*Back* : knit to m, sm, k- (... / 4), (4 / - / 6 / -  
/ 6), 2/2 LC, k- (... / 4), (4 / - / 6 / - / 6),  
sm,

*Front* : k2tog, knit to 2 sts before m, ssk,  
sm, k- (... / 4), (4 / - / 6 / - / 6), 2/2 RC, k-  
(... / 4), (4 / - / 6 / - / 6) (2 dec)

ALL SIZES RESUME

**set-up row 2 (RS) :**

*Back* : \*p2, k2\* to 2 sts before m, p2, sm, k4

You are no longer working the front sts.  
Turn work. You are at the beginning of the  
WS of the back sts.

**set-up row 3 (WS) :** p4, sm, \*k2, p2\* to 2  
sts before BOR m, k2, sm, p4

Leave the remaining 110 (122 / 138 / 154 /  
166), 178 (194 / 206 / 222 / 134) front sts  
on hold while working on the 110 (122 / 130  
/ 142 / 158), 170 (182 / 194 / 206 / 218)  
back sts

### **Back hem :**

*You will continue working half of the previous cables at the edges, and work in 2/2 ribbing in between as established.*

**ribbing row 1 (RS) :** Cable Chart B1, sm, \*p2, k2\* to 2 sts before m, p2, sm, Cable Chart B2

**ribbing row 2 (WS) :** Cable Chart B2, sm, \*k2, p2\* to 2 sts before m, k2, sm, Cable Chart B1

Work ribbing rows 1-2 until the back hem measures 15 cm – 6" or desired ribbing length, ending after a Chart rnd 1.

Note down the number of rows worked to replicate it on the front hem.

Loosely bind-off all sts in pattern using a basic bind-off (working stitches in pattern and passing them over).

### **Front hem :**

Rejoin yarn on the RS of the front hem sts.

**set-up row 2 (RS) :** k4, sm, \*p2, k2\* to 2 sts before m, p2, sm, k4

**set-up row 3 (WS) :** p4, sm, \*k2, p2\* to 2 sts before m, k2, sm, p4

**ribbing row 1 (RS) :** Cable Chart B1, sm, \*p2, k2\* to 2 sts before m, p2, sm, Cable Chart B2

**ribbing row 2 (WS) :** Cable Chart B2, sm, \*k2, p2\* to 2 sts before m, k2, sm, Cable Chart B1

Work ribbing rows 1-2 until the front hem's length matches the back's, ending after a Chart rnd 1.

Loosely bind-off all sts in pattern using a basic bind-off.

### **Sleeves**

*You will pick up sts around the armhole for the sleeves. Note that certain sizes will not pick every st from the underarm CO.*

With main needles and MC, with RS facing and starting at the center of the underarm, pick up and knit

3 (5 / 5 / 5 / 6), 8 (10 / 14 / 16 / 18) sts from the first half of the underarm,

42 (44 / 46 / 48 / 50), 54 (56 / 56 / 58 / 62) sts up to the shoulder line (about 2 out of 3 sts),

**pm** for top of sleeve,

42 (44 / 46 / 48 / 50), 54 (56 / 56 / 58 / 62) sts down from the shoulder line (about 2 out of 3 sts),

and 3 (5 / 5 / 5 / 6), 8 (10 / 14 / 16 / 18) sts from the rest of the underarm.

90 (98 / 102 / 106 / 112), 124 (132 / 140 / 148 / 160) sts

Join to work in the round and **pm** for BOR.

### **Sleeve cap shaping :**

*You will shape the top of the sleeve using short rows.*

**short row 1 (RS) :** knit to top of sleeve m, sm, k8, turn

**short row 2 (WS) :** DS, purl to top of sleeve m, sm, p8, turn

**short row 3 :** DS, knit to DS, knit DS, k6, turn

**short row 4 :** DS, purl to DS, purl DS, p6, turn

Work short rows 3-4 a total of 6 (6 / 7 / 7 / 7), 8 (9 / 9 / 10 / 11) times.

**next row (RS) :** DS, knit to BOR, resolving DS

*You will start working in the round.*

**next rnd:** knit to end, resolving remaining DS and removing top of sleeve marker

Continue working in stockinette (knitting every round), until the sleeve measures about 5 cm – 2" from the underarm or 2.5 cm – 1" less than desired length.

*Note that for longer sleeves, you may want to incorporate decreases along the BOR.*

### **Cuff :**

See this [video tutorial](https://youtu.be/tsHZXty-UU4) for the folded edge set-up and sewing.

<https://youtu.be/tsHZXty-UU4>

Here, prepare for the folding process : attach a locking st marker within the first st of the rnd and push it to the WS, then thread a piece of fine contrasting yarn through all your stitches.

Switch to folded edges (smallest) needles.

Knit for 2.5 cm – 1" (7 rnds).

Purl 1 rnd.

Knit for another 2.5 cm – 1" (7 rnds).

You will now fold the cuff on the inside (WS of the tee) and seam it down. Cut yarn, leaving a tail about two and a half times the circumference of the sleeve.

Attach the live stitches to the purl bumps of the very first cuff round.

Use the locking stitch marker you placed to see where to start seaming and follow the guiding thread.

Make sure to not overtighten the seam and to keep seaming on the same round all around.

Repeat for second sleeve.

## **Collar**

*You will pick up sts around the neckline to work the folded stockinette collar.*

With folded edges (smallest) needles and MC, RS facing and starting at the right shoulder line, pick up and knit

2 out of 3 sts from the back right neck curve,

every st from the back neck cast on,

2 out of 3 sts from the back and front left neck curve,

every st from the front neck cast on,

2 out of 3 sts from the front right neck curve.

Join to work in the round and **pm** for BOR.

See this [video tutorial](https://youtu.be/tsHZXty-UU4) for the folded edge set-up and sewing.

<https://youtu.be/tsHZXty-UU4>

Set-up for the folded edge as you did for the sleeve cuffs.

Knit for 2.5 cm – 1" (7 rnds).

Purl 1 rnd.

Knit for another 2.5 cm – 1" (7 rnds).

Fold the neckband on the inside (WS of the tee) and seam it down as you did for the sleeve cuffs.

## **Finishing**


Weave in all ends and gently block the tee.

### **Split Hem :**


Make sure to straighten the sides of the split hem and align them with the body.

# CHART A


Sizes 1 to 4 :



Sizes 5-6 :



Sizes 7 to 10 :



□ RS : knit  
WS : purl



2/2 RC



3/3 RC



4/4 RC



2/2 LC



3/3 LC




4/4 LC


Note that Charts B1 & B2 are placed according to the knitting reading direction from the RS, left to right.

### CHART B2


Sizes 1 to 4 :



Sizes 5-6 :




Sizes 7 to 10 :




### CHART B1



Sizes 1 to 4 :



Sizes 5-6 :



Sizes 7 to 10 :



# WRITTEN INSTRUCTIONS

## CHART A

Sizes 1 to 4 :

**rnds 1-2** : knit

**rnd 3** : 2/2 RC, 2/2 LC

**rnd 4** : knit

Sizes 5-6 :

**rnds 1-2** : knit

**rnd 3** : 3/3 RC, 3/3 LC

**rnd 4** : knit

Sizes 7 to 10 :

**rnds 1-2** : knit

**rnd 3** : 4/4 RC, 4/4 LC

**rnd 4** : knit

## CHART B1

Sizes 1 to 4 :

**row 1 (RS)** : 2/2 LC

**row 2 (WS)** : purl

**row 3** : knit

**row 4** : purl

Sizes 5-6 :

**row 1 (RS)** : 3/3 LC

**row 2 (WS)** : purl

**row 3** : knit

**row 4** : purl

Sizes 7 to 10 :

**row 1 (RS)** : 4/4 LC

**row 2 (WS)** : purl

**row 3** : knit

**row 4** : purl

## CHART B2

Sizes 1 to 4 :

**row 1 (RS)** : 2/2 RC

**row 2 (WS)** : purl

**row 3** : knit

**row 4** : purl

Sizes 5-6 :

**row 1 (RS)** : 3/3 RC

**row 2 (WS)** : purl

**row 3** : knit

**row 4** : purl

Sizes 7 to 10 :

**row 1 (RS)** : 4/4 RC

**row 2 (WS)** : purl

**row 3** : knit


**row 4** : purl

# Thank you

for choosing a Yarnflakes pattern !

I hope you enjoyed your project and will love the finished piece. If you have any questions or suggestions, please contact me on Ravelry (Yarnflakes).

I love to see you knit my designs. If you want to share pictures of your progress you can join me on my Ravelry group : [www.ravelry.com/discuss/yarnflakes](http://www.ravelry.com/discuss/yarnflakes) and tag me on Instagram @yarnflakes.



Find more designs :  
[www.ravelry.com/designers/audrey-borrego](http://www.ravelry.com/designers/audrey-borrego)

Patreon Yarnflakes

Instagram @yarnflakes

Ravelry @Yarnflakes