

# Cropped Cardigan

## Friday Harbor

Designed by Therese Chynoweth

Knitting Pattern W938 - Intermediate

### Sizes:

S (M, L, XL, 2XL, 3XL, 4XL) . With 2" - 4" positive ease

### Materials:

Cascade Yarns® 220 Friday Harbor – 80% Merino Wool / 20% Silk; 100 g (3.5 oz) / 219 yds (200 m)

### Colors:

- #42 Chive - 5 (5, 6, 6, 7, 7, 8) skeins

### Tools Needed:

- US 8 (5 mm) circular needles, 32" long, or size to obtain gauge
- US 8 (5 mm) straight needles or 24" long circular, or size to obtain gauge
- Stitch markers
- Tapestry needle
- Six 7/8" (21 mm) buttons

### Finished Measurements:

Chest: 36¼" (40¼", 44¼", 48¼", 52¼", 56¾", 60¼")

Length: 21½" (22", 22½", 23", 23½", 24", 24½")

### Gauges:

15 sts and 22 rows = 4" (10 cm) Blocked, in Stockinette stitch

57-st back panel = 14" (35.5 cm) wide Blocked; and 27-st front panel = 6¼" (16 cm) wide Blocked.

### Special Abbreviations:

**DS:** Double stitch; see German Short Rows below.



**M1L (make 1 left):** Insert left needle under the strand between the last st worked and the next st, from front to back, then knit through the back loop.

**M1R (make 1 right):** Insert left needle under the strand between the last st worked and the next st, from back to front, then knit through the front loop.

**S2kp:** Slip 2 sts together knitwise (as if to k2tog), k1, then lift the slipped sts over the knit st and off the needle.

### Special Stitches:

**Front Panel (panel of 27 sts):**

See also Front Panel Chart on page 5.

**Row 1 (WS):** K3, p3, k3, p9, k3, p3, k3.

**Row 2 (RS):** P1, k1, p1, sl 1, k2, pss0, p1, k1, p1, k2tog, yo, k5, yo, ssk, p1, k1, p1, sl 1, k2, pss0, p1, k1, p1.



Thank you for downloading our free pattern.  
Find us online at [www.cascadeyarns.com](http://www.cascadeyarns.com) or on social:



## Abbreviations:

BO = Bind off

CO = Cast on

K = Knit

K2tog = Knit 2 stitches together

P = Purl

Pm = Place marker

Pssso = Pass the slipped stitch over

RS = Right side

Sl = Slip

Sm = Slip marker

Ssk = Slip, slip, knit

St(s) = Stitch(es)

WS = Wrong side

Wyib = with yarn in back

Wyif = with yarn in front

Yo = yarn over

**Row 3:** K3, p1, yo, p1, k3, p9, k3, p1, yo, p1, k3.

**Row 4:** P1, k1, p1, k3, p1, k1, p1, k2, yo, ssk, k1, k2tog, yo, k2, p1, k1, p1, k3, p1, k1, p1.

**Row 5:** Repeat Row 1.

**Row 6:** P1, k1, p1, sl 1, k2, pssso, p1, k1, p1, k3, yo, s2kp, yo, k3, p1, k1, p1, sl 1, k2, pssso, p1, k1, p1.

**Row 7:** Repeat Row 3.

**Row 8:** P1, k1, p1, k3, (p1, k1) twice, k2tog, yo, k3, yo, ssk, (k1, p1) twice, k3, p1, k1, p1.

Repeat Rows 1-8 for Front Panel.

## Back Panel (panel of 57 sts):

See also Back Panel Chart on page 5.

**Row 1 (WS):** K3, p3, k3, p9, (k3, p3) 3 times, k3, p9, k3, p3, k3.

**Row 2 (RS):** P1, k1, p1, sl 1, k2, pssso, p1, k1, p1, k2tog, yo, k5, yo, ssk, (p1, k1, p1, sl 1, k2, pssso) 3 times, p1, k1, p1, k2tog, yo, k5, yo, ssk, p1, k1, p1, sl 1, k2, pssso, p1, k1, p1.

**Row 3:** K3, p1, yo, p1, k3, p9, (k3, p1, yo, p1) 3 times, k3, p9, k3, p1, yo, p1, k3.

**Row 4:** P1, k1, p1, k3, p1, k1, p1, k2, yo, ssk, k1, k2tog, yo, k2, (p1, k1, p1, k3) 3 times, p1, k1, p1, k2, yo, ssk, k1, k2tog, yo, k2, p1, k1, p1, k3, p1, k1, p1.

**Row 5:** Repeat Row 1.

**Row 6:** P1, k1, p1, sl 1, k2, pssso, p1, k1, p1, k3, yo, s2kp, yo, k3, (p1, k1, p1, sl 1, k2, pssso) 3 times, p1, k1, p1, k3, yo, s2kp, yo, k3, p1, k1, p1, sl 1, k2, pssso, p1, k1, p1.

**Row 7:** Repeat Row 3.

**Row 8:** P1, k1, p1, k3, (p1, k1) twice, k2tog, yo, k3, yo, ssk, k1, (p1, k1, p1, k3) 3 times, (p1, k1) twice, k2tog, yo, k3, yo, ssk, (k1, p1) twice, k3, p1, k1, p1.

Repeat Rows 1-8 for Back Panel.

## German Short Rows:

Work to the spot in the pattern where the work will be turned, then turn with the other side facing. Bring the yarn to the front between needles, slip the next stitch purlwise, lift the yarn up over the top of the needle to the back and pull tightly so both legs of the slipped stitch lay over the top of the needle to form the double stitch (DS), then keep the yarn in back if the next stitch is a knit, or bring the yarn under the needle and to the front if the next stitch is a purl. On subsequent rows, either knit or purl both legs of the DS together as one stitch.

## Notes:

When shaping the front neck edges, if a yarn over cannot be worked with its accompanying decrease, work that stitch in stockinette. If only one yarn over can be worked with an s2kp, work that decrease as an ssk.



## Begin Pattern:

### Back:

CO 73 (81, 89, 97, 103, 111, 119) sts.

**Row 1 (WS):** (K1, p1) to last st, k1.

**Row 2 (RS):** K1, (k1, p1) to last 2 sts, k2.

Repeat Rows 1 and 2 two more times, ending with a RS row.

**Next Row (WS):** K1, p7 (11, 15, 19, 22, 26, 30), pm, work Row 1 of Back Panel over next 57 sts, pm, p7 (11, 15, 19, 22, 26, 30), k1.

**Next Row (RS):** K8 (12, 16, 20, 23, 27, 31), sm, work next row of Back Panel to marker, sm, k8 (12, 16, 20, 23, 27, 31).

Continue in the established pattern until the piece measures 13" from the beginning. Place a removable marker at each end of the last row for the armholes.

Work even until the armholes measure about 7 (7½, 8, 8½, 9, 9½, 10)", ending with a WS row.

Place markers 22 (25, 29, 32, 35, 38, 42) sts from the beginning and end of the row, with 29 (31, 31, 33, 33, 35, 35) sts between markers for the back neck.

### Shape Neck and Shoulders:

BO 4 (5, 6, 7, 8, 8, 9) sts at the beginning of the next 2 rows, then 5 (5, 6, 7, 8, 9, 10) at the beginning of the next 2 rows – 55 (61, 65, 69, 71, 77, 81) sts remain.

**Next Row:** BO 5 (6, 7, 7, 8, 9, 10) sts, work to the neck marker, join a second ball of yarn and BO the marked 29 (31, 31, 33, 33, 35, 35) sts, then work to end of row.

**Next Row:** BO 5 (6, 7, 7, 8, 9, 10) sts, work to the neck edge; other side, BO 3 sts, then work to end of row.

**Next Row:** BO 5 (6, 7, 8, 8, 9, 10) sts; other side, BO 3 sts, then work to end of row.

**Next Row:** BO the remaining 5 (6, 7, 8, 8, 9, 10) sts.

### Right Front:

CO 37 (41, 45, 49, 53, 57, 61) sts.

**Row 1 (WS):** (K1, p1) to last st, k1.

**Row 2 (RS):** K2, (p1, k1) to last st, k1.

Repeat Rows 1 and 2 two more times, ending with a RS row, and decrease 0 (0, 0, 0, 1, 1, 1) st on the last row – 37 (41, 45, 49, 52, 56, 60) sts.

**Next Row (WS):** K1, p7 (11, 15, 19, 22, 26, 30), pm, work Row 1 of Front Panel over next 27 sts, pm, p1, k1.

**Next Row (RS):** K2, sm, work next row of Front Panel to marker, sm, k8 (12, 16, 20, 23, 27, 31).

Continue in the established pattern until the piece

measures 12½" from the beginning, ending with a WS row.

### Shape Neck:

**Decrease Row (RS):** K1, ssk, work in the established pattern to the end of the row – 1 st decreased.

Repeat the Decrease Row every RS row 13 (14, 13, 13, 12, 13, 12) more times, then every 4 rows 4 (4, 5, 6, 7, 7, 8) times. At the same time, when piece measures 13" from the beginning, place a marker at the side edge of the last row for the armhole.

Continue the front neck shaping and work until the armhole measures 7 (7½, 8, 8½, 9, 9½, 10)", ending with a RS row.

**Note:** the neck shaping may not be complete by this time.

### Shape Shoulders:

Continue any remaining neck decreases, and BO at the beginning of every WS row 4 (5, 6, 7, 8, 8, 9) sts 1 (2, 2, 3, 4, 1, 1) time(s), then 5 (6, 7, 8, 0, 9, 10) sts 3 (2, 2, 1, 0, 3, 3) time(s).

### Left Front:

CO 37 (41, 45, 49, 53, 57, 61) sts.

**Row 1 (WS):** (K1, p1) to last st, k1.

**Row 2 (RS):** K2, (p1, k1) to last st, k1.

Repeat Rows 1 and 2 two more times, ending with a RS row, and decrease 0 (0, 0, 0, 1, 1, 1) st on the last row – 37 (41, 45, 49, 52, 56, 60) sts.

**Next Row (WS):** K1, p1, pm, work Row 1 of Front Panel over next 27 sts, pm, p7 (11, 15, 19, 22, 26, 30), k1.

**Next Row (RS):** K8 (12, 16, 20, 23, 27, 31), sm, work next row of Front Panel to marker, sm, k2.

Continue in the established pattern until the piece measures 12½" from the beginning, ending with a WS row.

### Shape Neck:

**Decrease Row (RS):** Work in the established pattern to the last 3 sts, k2tog, k1 – 1 st decreased.

Repeat the Decrease Row every RS row 13 (14, 13, 13, 12, 13, 12) more times, then every 4 rows 4 (4, 5, 6, 7, 7, 8) times. At the same time, when piece measures 13" from the beginning, place a marker at the side edge of the last row for the armhole.

Continue the front neck shaping and work until the armhole measures 7 (7½, 8, 8½, 9, 9½, 10)", ending with a WS row.

**Note:** the neck shaping may not be complete by this time.

## Shape Shoulders:

Continue any remaining neck decreases, and BO at the beginning of every RS row 4 (5, 6, 7, 8, 8, 9) sts 1 (2, 2, 3, 4, 1, 1) time(s), then 5 (6, 7, 8, 0, 9, 10) sts 3 (2, 2, 1, 0, 3, 3) time(s).

Sew the fronts and back together at the shoulders.

## Sleeves:

With RS facing, pick up and knit 50 (54, 58, 64, 70, 76, 82) sts evenly spaced between armhole markers.

## Shape Cap:

Sizes S, M, L, XL only:

**Short Row 1 (WS):** P30 (33, 36, 40), turn.

**Short Row 2 (RS):** DS, k9 (11, 13, 15), turn.

**Note:** on each of the following short rows, either knit or purl together both legs of each DS when you come to them.

**Short Row 3:** DS, p13 (15, 17, 19), turn.

**Short Row 4:** DS, k17 (19, 21, 23), turn.

**Short Row 5:** DS, p21 (23, 25, 27), turn.

**Short Row 6:** DS, k25 (27, 29, 31), turn.

**Short Row 7:** DS, p29 (31, 33, 35), turn.

**Short Row 8:** DS, k33 (35, 37, 39), turn.

**Short Row 9:** DS, p37 (39, 41, 44), turn.

**Short Row 10:** DS, k41 (43, 45, 49), turn.

**Short Row 11:** DS, purl to the end of the row.

Sizes 2XL, 3XL, 4XL only:

**Short Row 1 (WS):** P44 (48, 52), turn.

**Short Row 2 (RS):** DS, k17 (19, 21), turn.

**Note:** on each of the following short rows, either knit or purl together both legs of each DS when you come to them.

**Short Row 3:** DS, p23 (25, 27), turn.

**Short Row 4:** DS, k29 (31, 33), turn.

**Short Row 5:** DS, p35 (37, 40), turn.

**Short Row 6:** DS, k41 (43, 47), turn.

**Short Row 7:** DS, p47 (50, 54), turn.

**Short Row 8:** DS, k53 (57, 61), turn.

**Short Row 9:** DS, purl to the end of the row.

All Sizes:

**Next Row:** Knit to the end of the row and knit both legs of the remaining DS together. Pm in this row for the bottom of the sleeve cap; sleeve length measurements are taken from this point.

## Sleeve:

**Next Row (WS):** K1, purl to last st, k1.

**Next Row (RS):** Knit.

Work 3 (3, 3, 1, 1, 1, 1) more row(s) even.

**Decrease Row (RS):** K1, k2tog, knit to last 3 sts, ssk, k1 – 2 sts decreased.

Repeat the Decrease Row every 8 (8, 8, 6, 6, 4, 4) rows 4 (4, 2, 6, 2, 10, 6) more times, then every 6 (6, 6, 4, 4, 2, 2) rows 2 (2, 5, 3, 9, 3, 9) times – 36 (40, 42, 44, 46, 48, 50) sts remain.

Work even until the sleeve measures 10¼ (10¼, 10¼, 10¼, 10½, 10, 9½)” from the marker, ending with a WS row.

**Next Row (RS):** K2, (p1, k1) to the end of the row.

**Next Row (WS):** K2, (p1, k1) to the end of the row.

Work 3 more rows of rib.

BO in ribbing.



## Finishing:

Weave in ends. Block to the finished measurements.

Sew the underarm and sleeves seams.

## Neckband:

With the circular needle and RS facing, pick up and knit 45 sts evenly spaced along the right front edge to the beginning of the neck shaping, pm, 33 (35, 37, 38, 40, 42, 44) sts along right front neck edge, 37 (41, 41, 43, 43, 45, 45) sts along the back neck edge, 33 (35, 37, 38, 40, 42, 44) sts along the left front neck edge, then 45 sts along the left front edge – 193 (201, 205, 209, 213, 219, 223) sts.

**Row 1 (WS):** Sl 1 wyif, (p1, k1) to the last 2 sts, p2.

**Row 2 (RS):** Sl 1 wyib, (k1, p1) to the last 2 sts, k2.

**Row 3 (buttonholes):** Work in the established ribbing to the marker, sm, \*ssk, yo, work 6 sts; repeat from \* 4 more times, ssk, yo, then work to end of row.

**Rows 4 and 5:** Work in established rib.


BO in ribbing.

Sew buttons to the left front opposite the buttonholes.




## Charts:

Front Panel Chart



- k on RS, p on WS
- p on RS, k on WS
- k2tog
- ssk
- yo
- sl 1, k2, p2
- s2kp
- repeat

Back Panel Chart



**Finished Garment Measurements:**

