


ТОЛЬКО

ТОЛЬКО

ТОЛЬКО



Wainwright

*An asymmetric cardigan whose construction takes  
traditional chevrons for a joy ride.*

Bristol Ivy

## Finished Measurements

32 1/4 (35 1/4, 39, 41 3/4, 47, 50, 53)" bust, when buttoned

Sample shown in size 39" with 2" of positive ease

## Yarn

*Masham Worsted* by Lorna's Laces (70% British Wool, 30% Masham Wool; 170 yds/100g); 7 (8, 9, 9, 10, 10, 11, 12) skeins in *Pewter*, or 1125 (1235, 1360, 1470, 1585, 1695, 1715, 1875) yards heavy worsted yarn

## Needles

One 32" or 40" circular needle (circ) in size US 8 [5 mm]\*

Set of double pointed needles (DPNs) in size US 8 [5 mm]\*\*

Set of DPNs in size US 7 [4.5 mm]\*\*

## or size needed to obtain gauge

\*cardigan is worked flat; circular needle is used to accommodate the large number of stitches and undulations in the fabric

\*\*circular needle may be used for Magic Loop Method

## Notions

Tapestry needle

Stitch markers

Waste yarn or stitch holders

9 (10, 10, 11, 12, 13, 13) 3/4" buttons

## Gauge

17 1/2 sts and 28 rows = 4" in 8-Row Garter Ridge

## Pattern Notes

Sweater is worked from the bottom up, starting with two asymmetrical base triangles. These are then joined and the fabric is manipulated with increases and decreases to create the body of the sweater. Raglans are then created by omitting increases, and the back neck and front neck of the sweater is created by adding decreases.

The sleeves are knit in the round to the sleeve cap, and then are worked back and forth for the raglan sleeve cap. Sleeves are seamed into the body, and the cowl is picked up from the top edge and knit up.

Due to the unusual construction of this sweater, multiple actions will often occur at the same time. Please make sure to read all instructions thoroughly and consult the schematic for which shaping actions happen when.

Pattern Stitches:

### Garter Stitch (flat)

Row 1 (RS): Knit.

Rep for pattern.

### Garter Stitch (round)

Rnd 1: Knit.

Rnd 2: Purl

Rep for pattern.

### Stockinette Stitch (Flat)

Row 1 (RS): Knit.

Row 2 (WS): Purl.

Rep for pattern.

### Stockinette Stitch (Round)

Rnd 1: Knit.

Rep for pattern.

### 4-Row Garter Ridge (flat)

Rows 1 (RS) -3: Work in stockinette stitch.

Row 4 (WS): Knit.

Rep for pattern.

### 8-Row Garter Ridge: (flat)

Rows 1 (RS) -7: Work in stockinette stitch.

Row 8 (WS): Knit.

Rep for pattern.

### Buttonholes

Buttonbands are worked contiguously with the body.

Buttonholes are placed as follows:

Once stitch count has been reached for Right Front and decreases have started at Right Front edge, work 14 rows in pattern as est.

Next Row (Row 7 of 8-Row Garter Ridge): K1, k2tog, k3, yo, ssk, work in pattern as est to end.

Rep this row every 16th row (every other Row 7 of 8-Row Garter Ridge in body, and every 16th row of garter stitch in cowl).

## Body

### Left Base Triangle:

Construction note: In *Section A*, you will be building a triangle with an equal number of stitches on both sides of the marker, then in *Section B*, you will continue to increase on one side for Left Back, while maintaining the number of stitches for Left Front.

\*\*CO 3 (3, 3, 3, 5, 5, 5) sts, pm, CO 3 (3, 3, 3, 5, 5, 5) sts.

Work *Section A*:

Sizes 32 1/4 (35 1/4, 39, 41 3/4, --, --, --) only:

Row 1 (RS): \*K1, m1l, k to 1 st before m, m1r, k1; rep from \* once more (4 sts inc'd)--10 sts.

Row 2 (WS): Knit.

Rep these 2 rows 3 more times (12 sts inc'd)--22 sts.

Sizes -- (--, --, --, 47, 50, 53) only:

Row 1 (RS): \*K1, m1l, k to 1 st before m, m1r, k1; rep from \* once more (4 sts inc'd)--14 sts.

Row 2 (WS): \*K1, m1l, k to last st, m1r, k1 (2 sts inc'd)--16 sts.

Rep these 2 rows 3 more times (18 sts inc'd)--34 sts.

All sizes Resume:

Next Row (RS): Rep Row 1 (4 sts inc'd)--26 (26, 26, 26, 38, 38, 38) sts.

Next Row (WS): K11, work Row 2 of 4-Row Garter Ridge to 11 sts before end, k11.

Rep these 2 rows 7 (9, 11, 13, 10, 12, 14) more times, working through 4-Row Garter Ridge as est (28 (36, 44, 52, 40, 48, 56) sts inc'd)--54 (62, 70, 78, 78, 86, 94) sts.\*\*

Next Row (RS): Rep Row 1 (4 sts inc'd)--58 (66, 74, 82, 82, 90, 98) sts.

Next Row (WS): K11, work Row 2 (2, 2, 2, 4, 4, 4) of 8-Row Garter Ridge to 11 sts before end, k11.

Rep these 2 rows 4 (4, 3, 3, 4, 4, 3) more times (16 (16, 12, 12, 16, 16, 12) sts inc'd)--74 (82, 86, 94, 98, 106, 110) sts in the following configuration: 37 (41, 43, 47, 49, 53, 55) sts on either side of center marker.

Work *Section B*:

Next Row (RS): K1, m1l, work in pattern as est to 1 st before m, m1r, k1, sm, k1, m1l, work in pattern as est to 3 sts before m, ssk, k1 (2 sts inc'd)--76 (84, 88, 96, 100, 108, 112) sts.

Next Row (WS): K11, work in pattern as est to 11 sts before end, k11.

Rep these 2 rows 10 (10, 15, 15, 18, 18, 19) more times (20 (20, 30, 30, 36, 36, 38) sts inc'd)--96 (104 (118, 126, 136, 144, 150) sts in the following configuration: 59 (63, 75, 79, 87, 91, 95) sts in right half of triangle (Left Back), 37 (41, 43, 47, 49, 53, 55) sts in left half of triangle (Left Front).

Break yarn, place sts on holder, spare circ, or waste yarn, and set aside.



### Right Base Triangle

Construction note: In *Section C*, you will be building a triangle with an equal number of stitches on either side of the marker.

Work *Section C*:

Rep *Section A* between \*\*--54 (62, 70, 78, 78, 86, 94) sts, in the following configuration: 27 (31, 35, 39, 39, 43, 47) sts on either side of center marker.

Sizes 32 1/4 (35 1/4, --, --, 47, 50, --) only:

Next Row: Rep Row 1 (4 sts inc'd)--58 (66, --, --, 82, 90, --) sts.

Next Row: K11, work Row 2 of 8-Row Garter Ridge to 11 sts before end, k11.

Rep these 2 rows twice more (8 sts inc'd)--66 (74, --, --, 90, 98, --) sts in the following configuration: 33 (37, --, --, 45, 49, --) sts in each triangle.

All Sizes Resume:

Join *B* and *C* and Work *Section D*:

Construction note: You will now work across stitches for *Section C*, then join and work across stitches for *Section B*. In *Section D*, you will be increasing for Right Front, and working Right Back, Left Back, and Left Front with balanced increases and decreases so those sections maintain their stitch counts.

With RS facing return stitches for *Section B* to left needle so that you will work *Section C* stitches, then *Section B*. Either begin or continue 8-Row Garter Ridge, according to your size.

Row 1 (RS): K1, m1l, work in pattern as est to 1 st before m, m1r, k1, sm, k1, m1l, work in pattern as est to 3 sts before end, ssk, k1, pm, k1 from Left Base Triangle, k2tog, work in pattern as est to 1 st before m, m1r, k1, sm, k1, m1l, work in pattern as est to 3 sts before end, ssk, k1 (2 sts inc'd)--164 (180, 190, 206, 228, 244, 246) sts on needle, in the following configuration, as viewed on a RS Row: Right Front 35 (39, 37, 41, 47, 51, 49) sts; Right Side Seam marker; Right Back 33 (37, 35, 39, 45, 49, 47) sts; Center Back marker; Left Back 59 (63, 75, 79, 87, 91, 95) sts; Left Side Seam marker; Left Front 37 (41, 43, 47, 49, 53, 55) sts.

Row 2 (WS): K11, work in pattern as est to 9 sts before Center Back m, k9, sm, k9, work in pattern as est to 11 sts before end, k11.

Row 3: Rep Row 1 (2 sts inc'd)--37 (41, 39, 43, 49, 53, 51) sts in Right Front.

Row 4: K11, work in pattern as est to 7 sts before Center Back m, k7, sm, k7, work in pattern as est to 11 sts before end, k11.

Row 5: Rep Row 1 (2 sts inc'd)--39 (43, 41, 45, 51, 55, 53) sts in Right Front.

Row 6: K11, work in pattern as est to 5 sts before Center Back m, k5, sm, k5, work in pattern as est to 11 sts before end, k11.

Row 7: Rep Row 1 (2 sts inc'd)--41 (45, 43, 47, 53, 57, 55) sts in Right Front.

Row 8: K11, work in pattern as est to 3 sts before Center Back m, k3, sm, k3, work in pattern as est to 11 sts before end, k11.

Row 9: Rep Row 1 (2 sts inc'd)--43 (47, 45, 49, 55, 59, 57) sts in Right Front.

Row 10: K11, work in pattern as est to 1 st before Center Back m, k1, sm, k1, work in pattern as est to 11 sts before end, k11.

Note: Please read the rest of the pattern carefully. For most sizes, new sections will begin before previous sections are complete.

Next Row: Rep Row 1 (2 sts inc'd)--45 (49, 47, 51, 57, 61, 59) sts in Right Front.

Next Row: K11, work in 8-Row Garter Ridge as est to 11 sts before end, k11.

Continue to increase Right Front while working 8-Row Garter Ridge until there are 55 (61, 73, 79, 79, 85, 97) sts in Right Front, then begin working Right Front without further increase by repeating the following 2 rows:

© Bristol Ivy 2014.

All rights reserved.

[www.blackbirdturning.blogspot.com](http://www.blackbirdturning.blogspot.com)

Next Row (RS): [K1, k2tog, work in pattern as est to 1 st before m, m1r, k1, sm, k1, m1l, work in pattern as est to 3 sts before m, ssk] twice.

Next Row (WS): K11, work in pattern as est to 11 sts before end, k11.

AT THE SAME TIME, when work measures approximately 14 (14 1/4, 15 1/2, 16, 16 3/4, 17 1/4, 17 3/4)" or desired length from hem at Left Side Seam m, ending after a Row 8 of 8-Row Garter Ridge, begin *Section E*.

*Section E*, Begin Left Back Raglan Shaping:

Construction note: At this point, you have reach desired side length on the Left Side to begin raglan shaping, but the right side still needs to be worked as established to catch up to the Left Side's depth. Continue working increases in Right Front, if necessary for your size, and begin shaping Left Raglan by omitting the increase before the Left Side seam marker. Stitches for Left Front will be held and worked later. Please note that you will start Buttonholes during this section.

\*\*Next Row (RS):

Work in pattern as est to 3 sts before Left Side seam m, k3 (1 st dec'd)--58 (62, 74, 78, 86, 90, 94) sts in Left Back. Place all Left Front sts on holder, spare circ, or waste yarn.

Next Row (WS): Work in pattern as est to end.

Rep these 2 rows 19 (21, 23, 27, 30, 34, 37) more times (19 (21, 23, 27, 30, 34, 37) sts dec'd--39 (41, 51, 51, 56, 56, 57) sts in Left Back.\*\* Yoke depth for Left Back measures approximately 7 1/4 (8, 8 3/4, 10 1/4, 11 1/4, 12 3/4, 14)" when measured straight down at center back.

Once *Section E* is complete, begin *Section F*.

*Section F*, Begin Shaping Left Back Neck:

Construction note: You have now completed the yoke on the Left Side, and will begin decreasing on the Left Edge to form the back of the neck. Once the Right Side measures the same as the Left, you will also begin working the Right Back raglan shaping.

Next Row (RS): Work in pattern as est to 3 sts before end, ssk, k1 (2 sts dec'd)--37 (39, 49, 49, 54, 54, 55) sts in Left Back.

Next Row (WS): Work in pattern as est to end.

Rep these 2 rows until 5 (5, 5, 5, 6, 6, 5) sts rem in Left Back. Place sts on holder or waste yarn.

AT THE SAME TIME, when work measures approximately 14 (14 1/4, 15 1/2, 16, 16 3/4, 17 1/4, 17 3/4)" from hem at Right Side Seam m, ending after a Row 7 of 8-Row Garter Ridge, begin *Section G*.

*Section G*, Begin Right Back Raglan Shaping:

Construction note: The Right Side is now long enough to begin Right raglan shaping. You will now set aside the Right Front stitches, shape the Right Back raglan by omitting one increase at the Right Side edge, and continue to work as established in *Sections E* and *F*.

Next Row (WS): Work in pattern as est to Right Side Seam m, turn work. Place all Right Front sts on holder, waste yarn, or spare circ.

\*\*Next Row (RS): K3, work in pattern as est to end (1 st dec'd)--32 (36, 34, 38, 44, 48, 46) sts in Right Back.

Next Row (WS): Work in pattern as est to end.

Rep these 2 rows 19 (21, 23, 27, 30, 34, 37) more times (19 (21, 23, 27, 30, 34, 37) sts dec'd--13 (15, 11, 11, 14, 14, 9) sts in Right Back.\*\* Yoke depth for Right Back measures same as for Left Back when measured straight down at center back.

Once *Section G* is complete, begin *Section H*.

*Section H*, Begin Shaping Right Back Neck:

Construction note: You have now completed the yoke on the Right Side, and will begin decreasing on the Right Edge to form the back of the neck. Once you have finished *Sections F* and *H*, the Back Neck will be complete.

Next Row (RS): K1, ssk, work in pattern as est to end (2 sts dec'd)--11 (13, 9, 9, 12, 12, 7, 8) sts in Right Back.

Next Row (WS): Work in pattern as est to end.

Rep these 2 rows until 5 (5, 5, 5, 6, 6, 5) sts rem in Right Back. Place sts on holder or waste yarn.

*Section I*, Resume Left Front:

Replace Left Front sts on needle ready to work a RS Row. Work same as for *Section G*, noting that stitch counts will be different. 17 (19, 19, 19, 18, 18, 17) sts in Left Front.

Begin Shaping Left Front Neck:

Next Row (RS): K1, ssk, work in pattern as est to end (2 sts dec'd)--15 (17, 17, 17, 16, 16, 15) sts in Left Front.

Next Row (WS): Work in pattern as est to end.

Rep these 2 rows until 11 (11, 11, 11, 12, 12, 11) sts rem in Left Front. Place sts on holder or waste yarn.

*Section J*, Resume Right Front:

Replace Right Front sts on needle ready to work a WS Row. Work Row 8 of 8-Row Garter Ridge. Work as for *Section E*, noting that stitch counts will be different. 35 (39, 49, 51, 48, 50, 59) sts in Right Front.

Next Row (RS): Work in pattern as est to 3 sts before end, ssk, k1 (2 sts dec'd)--33 (37, 47, 49, 46, 48, 57) sts in Right Front.

Next Row (WS): Work in pattern as est to end.

Rep these 2 rows until 15 (15, 15, 15, 14, 14, 15) sts in Right Front. Place sts on holder or waste yarn. Do not break yarn.

### Sleeves (make 2)

With smaller DPNs or circ if using Magic Loop, CO 28 (34, 40, 40, 40, 44, 44) sts. Join to work in the rnd, being careful not to twist your ring of sts. PM for BOR.

Next Rnd: Work in garter stitch (round).

Rep this rnd 15 more times.



With larger needle, work even in stockinette stitch (round) for 9 (9, 9, 7, 7, 5, 5) rnds.

Next rnd *inc rnd*: K1, m1l, k to 1 st before end, m1r, k1 (2 sts inc'd)--30 (36, 42, 42, 42, 46, 46) sts.

Rep this inc rnd every 10th (10th, 10th, 8th, 8th, 6th, 6th) rnd 3 (4, 4, 11, 2, 17, 13) more times, then every 8th (8th, 8th, 6th, 6th, 4th, 4th) rnd 8 (7, 7, 2, 14, 1, 7) times (22 (22, 22, 26, 32, 36, 20) sts inc'd)--52 (58, 64, 68, 74, 82, 86) sts.

### Shape Cap

Next Row *dec row* (RS): K1, ssk, k to 3 sts before BOR, k2tog, k1 (2 sts dec'd)--50 (56, 62, 66, 72, 80, 84, 90) sts. You will now work flat, and may remove BOR marker.

Next Row (WS): P1, ssp, p to 3 sts before end, p2tog, k1 (2 sts dec'd)--48 (54, 60, 64, 70, 78, 82, 88) sts.

Rep these two dec rows 3 (4, 5, 3, 3, 3, 2, 2) more times (12 (16, 20, 12, 12, 12, 8, 8) sts dec'd)--36 (38, 40, 52, 58, 66, 74, 80) sts rem.

Rep RS dec row 16 (17, 18, 24, 27, 31, 35, 38) more times (32 (34, 36, 48, 54, 62, 70, 76) sts dec'd)--4 sts rem.

Work 1 WS row even in stockinette stitch (flat).

BO all sts knitwise.

## Finishing

Starting at top of shoulder, working to underarm, and back to top of shoulder, sew sleeves into raglan of body.

## Cowl

Note: Buttonholes will continue throughout cowl as est.

With RS of sweater facing, starting at Right Front, and with working yarn still attached, replace 15 (15, 15, 15, 14, 14, 15) held sts in Right Front on left needle, k1, k2tog, k7, m1r, k1, pm, k remaining held sts, pick up and knit sts in Right Front, Sleeve, and Right Back at a rate of approximately 2 sts every 3 rows, k10 (10, 10, 10, 12, 12, 10) held sts in Center Back, pick up and knit sts in Left Back, Sleeve, and Left Front at a rate of approximately 2 sts every 3 rows, replace 11 (11, 11, 11, 12, 12, 11) held sts in Left Front on left needle, k0 (0, 0, 0, 1, 1, 0), pm, k1, m1l, k7, ssk, k1. Exact stitch count isn't necessary, but will be approximately 105 (107, 107, 108, 111, 113, 115) sts.

Next Row (WS): Knit.

Next Row: (RS): K1, k2tog, k7, m1r, k1, sm, k to m, sm, k1, m1l, k7, ssk, k1.

Rep these 2 rows until cowl measures approximately 6" from pick-up, ending after a WS row.

Next Row (RS): K1, k2tog, k5, k2tog, k1, sm, join new ball of yarn, BO all sts knitwise to m, sm, k1, ssk, k5, ssk, k1. 9 sts rem on either neckband of cowl.

## Left Neckband Edge

Next Row (WS): Knit.

Next Row (RS): K1, ssk, k to 3 sts before end, ssk, k1 (2 sts dec'd)--7 sts rem.

Rep these two rows once more (2 sts dec'd)--5 sts rem.

Next Row (WS): Knit.

Next Row (RS): K1, s2kp, k1 (2 sts dec'd)--3 sts rem.

Next Row: Knit.

Next Row: S2kp (2 sts dec'd)--1 st rem. Break working yarn and pull through.

## Right Neckband Edge

Next Row (WS): Knit.

Next Row (RS): K1, k2tog, k to 3 sts before end, k2tog, k1 (2 sts dec'd)--7 sts rem.

Rep these two rows once more (2 sts dec'd)--5 sts rem.

Next Row (WS): Knit.

Next Row (RS): K1, s2kp, k1 (2 sts dec'd)--3 sts rem.

Next Row: Knit.


Next Row: S2kp (2 sts dec'd)--1 st rem. Break working yarn and pull through.

Weave in all ends and block to measurements. Sew on buttons corresponding to buttonholes, centering them on the middle stitch of the left buttonband every 16th row, or every other 7th row of 8-Row Garter Ridge.



## Abbreviations

RS:	right side
WS:	wrong side
K:	knit
P:	purl
CO:	cast-on
Pm:	place marker
Sm:	slip marker
K2tog:	knit two together
Ssk:	slip, slip, knit
Yo:	yarn over
M1R:	make one right
M1L:	make one left
St(s):	stitch(es)
Inc'd:	increased
Dec'd:	decreased
Rep:	Rep(eat)
As est:	as established
BOR:	beginning of round
Ssp:	slip, slip, purl
P2tog:	purl two together
rem:	rem(ain)(ing)
BO:	bind-off



After Section C, sections will be worked concurrently. Please read all instructions before knitting.

cowl circumference: 20 3/4 (21 1/4, 21 1/2, 21 1/2, 22, 22 1/2, 23)"



cowl height: 6"

upper arm circumference:  
12 (13 1/4, 14 3/4, 15 1/2, 17, 18 3/4, 19 3/4)"

wrist circumference:  
6 1/2 (7 3/4, 9 1/4, 9 1/4, 9 1/4, 10, 10)"

yoke depth:  
7 1/4, (8, 8 3/4, 10 1/4, 11 1/4, 12 3/4, 14)"

body height: 14 (14 1/4, 15 1/2, 16, 16 3/4, 17 1/4, 17 3/4)"

circumference, buttoned: 32 1/4 (35 1/4, 39, 41 3/4, 47, 50, 53)"  
buttonband: 1 3/4"