

Legend

4031
PRICE CODE C

aran

81/86-102/107cm. (32/34-40/42ins.)



SHORT SLEEVED SWEATER AND LONG SLEEVED CARDIGAN in Wendy Cotton

No. 4031
Knitted in Wendy 100% Cotton
Shades
SWEATER 1105 Matte White
CARDIGAN 1106 Lavender Silk

Instructions given for 81/86 cm. (32/34 inch) Bust, larger sizes given in round brackets.

Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Bust Sizes.	81/86 32/34	91/97 36/38	102/107 40/42	cm. ins.
Actual Measurements.	94 37	104 41	113.5 44 ³ / ₄	cm. ins.
SWEATER Wendy 100% Cotton. (100g.) Wendy 100% Cotton. (400g.) or Wendy Aran with Wool. (100g.) Wendy Aran with Wool. (400g.)	7 2 6 2	7 2 6 2	8 2 7 2	Balls. Balls. Balls. Balls.
CARDIGAN Wendy 100% Cotton. (100g.) Wendy 100% Cotton. (400g.) or Wendy Aran with Wool. (100g.) Wendy Aran with Wool. (400g.)	8 2 7 2	8 2 7 2	9 3 8 2	Balls. Balls. Balls. Balls.
2 – 3 ³ / ₄ mm. (U.K. 9 – U.S.A. 5) and 2 – 4 ¹ / ₂ mm. (U.K. 7 – U.S.A. 7) Wendy Knitting Needles. Cable Needle. Stitch Holders. 3 Buttons for Sweater. 10 Buttons for Cardigan.				
Length from Shoulder. BOTH DESIGNS.	54.5 21 ¹ / ₂	56 22	57 22 ¹ / ₂	cm. ins.
Sleeve Seam. SWEATER	16.5 6 ¹ / ₂	16.5 6 ¹ / ₂	16.5 6 ¹ / ₂	cm. ins.
CARDIGAN	43 17	43 17	43 17	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Wendy yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. – Knit; **P.** – Purl; **st(s).** – stitch(es); **rept.** – repeat; **g.st.** – garter stitch (every row knit); **inc.** – increase; **dec.** – decrease; **m.1.** – make one, pick up loop before next st. and knit it t.b.l.; **y.r.n.** – yarn round needle; **tog.** – together; **y.fwd.** – yarn forward; **t.b.l.** – through back of loop; **C.4F.** – cable 4 front, sl. next 2 sts. onto a cable needle and hold at front of work, K.2, y.fwd., then K.2tog. from cable needle; **M.B.** – make bobble, pick up loop before next st. and (K.1, P.1, K.1, P.1, K.1, P.1, K.1) into it, then pass 2nd, 3rd, 4th, 5th, 6th and 7th sts. from

right hand needle over 1st st; **C.6B.** – cable 6 back, sl. next 3 sts. onto a cable needle and hold at back of work, K.3, then K.3 from cable needle; **beg.** – beginning; **alt.** – alternate; **sl.** – slip; **0** – No stitches or rows to be worked in that particular size; **patt.** – pattern; **cm.** – centimetres; **ins.** – inches.

TENSION

It is important to check your tension before commencing the garment.

25 sts. and 28 rows to 10 cm. (4 ins.) over patt. on 4¹/₂ mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

SWEATER

BACK

** Using 3³/₄ mm. Needles, cast on 90

(100, 110) sts.

Work 26 rows in g.st.

Next Row (Inc. Row) – K.7 (9, 11), m.1, * K.3, m.1, rept. from * to last 8 (10, 12) sts., K.8 (10, 12). 116 (128, 140) sts.

Change to 4¹/₂ mm. Needles.

Next Row (Foundation Row) – K.2, P.2, y.r.n., P.2tog., * K.1, P.6, K.1, P.2, y.r.n., P.2tog., rept. from * to last 2 sts., K.2.

Commence Patt.

1st Row (Right Side) – P.2, K.2, y.fwd., K.2tog.t.b.l., * P.1, K.6, P.1, K.2, y.fwd., K.2tog.t.b.l., rept. from * to last 2 sts., P.2.

2nd Row – K.2, P.2, y.r.n., P.2tog., * K.1, P.6, K.1, P.2, y.r.n., P.2tog., rept. from * to last 2 sts., K.2.

3rd Row – P.2, C.4F., * P.1, K.3, M.B. (see abbreviations), * K.3, P.1, C.4F., rept. from * to last 2 sts., P.2. 125 (138, 151) sts.

4th Row – K.2, P.2, y.r.n., P.2tog., * K.1, P.3, P.2tog., P.2, K.1, P.2, y.r.n., P.2tog., rept. from * to last 2 sts., K.2.

116 (128, 140) sts.

5th and 6th Rows — As 1st and 2nd Rows.

7th Row — P.2, K.2, y.fwd., K.2tog.t.b.l., * P.1, C.6B., P.1, K.2, y.fwd., K.2tog.t.b.l., rept. from * to last 2 sts., P.2.

8th Row — As 2nd Row.

These 8 rows form the patt.

Continue in patt. until work measures 33 cm. (13 ins.) from commencement finishing on a wrong side row.

Shape Armholes

Cast off 3 (4, 3) sts. at beg. of next 2 rows. 110 (120, 134) sts.

Dec. 1 st. at each end of the needle on the next and every following alt. row until 80 (92, 104) sts. remain. **

Continue without further shaping until armholes measure 21.5 (23, 24) cm. 8½ (9, 9½) ins. finishing on a wrong side row.

Shape Shoulders

Cast off 7 (8, 11) sts. at beg. of next 2 rows, then 7 (9, 10) sts. at beg. of following 4 rows.

Sl. remaining 38 (40, 42) sts. onto a st. holder. Break off yarn.

FRONT

Work as instructions given for Back from ** to **.

Continue without further shaping until armholes measure 14 (15, 17) cm. 5½ (6, 6½) ins. finishing on a right side row.

Shape Neck

Keeping patt. correct.

Next Row — Patt. 51 (58, 65), sl. the last 22 (24, 26) sts. just worked onto a st. holder, patt. to end.

Continue on the last set of sts. as follows:-

*** Dec. 1 st. at neck edge on every row until 21 (26, 31) sts. remain.

Continue without further shaping until armhole measures same as Back to shoulders finishing at armhole edge.

Shape Shoulder

Cast off 7 (8, 11) sts. at beg. of next row, then 7 (9, 10) sts. at beg. of following alt. row.

Work 1 row.

Cast off remaining 7 (9, 10) sts. ***

With right side facing, rejoin yarn to remaining sts. at neck edge.

Work as instructions given for other side from *** to ***.

SLEEVES (Both Alike)

Using 3¾mm. Needles, cast on 55 sts. Work 8 rows in g.st.

Next Row (Inc. Row) — K.3, m.1, * K.4, m.1, rept. from * to last 4 sts., K.4. 68 sts.

Change to 4½ mm. Needles.

Next Row (Foundation Row) — K.2, P.2, y.r.n., P.2tog., * K.1, P.6, K.1, P.2, y.r.n., P.2tog., rept. from * to last 2 sts., K.2.

Continue in patt. as given for Back and working all inc. sts. into patt., inc. 1 st. at each end of the needle on the 3rd (1st, 1st) and every following 6th (4th, 2nd) row until 80 (86, 82) sts. are on the needle.

(102/107) cm. (40/42) inch size only

Inc. 1 st. at each end of the needle on every following 4th row until 92 sts. are on the needle.

All Sizes

Continue without further inc. until Sleeve measures 16.5 cm. (6½ ins.) from commencement finishing on a wrong side row.

Shape Top

Cast off 3 (4, 3) sts. at beg. of next 2 rows. 74 (78, 86) sts.

Dec. 1 st. at each end of the needle on the next and every following 4th row until 58 (62, 70) sts., then on every row until 20 sts. remain.

Cast off.

CARDIGAN

BACK

Work as instructions given for Back of Sweater.

LEFT FRONT

Using 3¾ mm. Needles, cast on 48 (53, 58) sts.

Work 26 rows in g.st.

Next Row (Inc. Row) — K.1 (1, 4), m.1, * K.3, m.1, rept. from * to last 8 (7, 9) sts., K.8 (7, 9). 62 (69, 74) sts.

Change to 4½ mm. Needles.

Next Row (Foundation Row) — K.8, P.0 (6, 0), K.0 (1, 0), P.2, y.r.n., P.2tog., * K.1, P.6, K.1, P.2, y.r.n., P.2tog., rept. from * to last 2 sts., K.2.

Commence Patt.

1st Row (Right Side) — P.2, * K.2, y.fwd., K.2tog.t.b.l., P.1, K.6, P.1, rept. from * to last 12 (19, 12) sts., K.2, y.fwd., K.2tog.t.b.l., P.0 (1, 0), K.0 (6, 0), P.1, K.7.

2nd Row — K.8, P.0 (6, 0), K.0 (1, 0), P.2, y.r.n., P.2tog., * K.1, P.6, K.1, P.2, y.r.n., P.2tog., rept. from * to last 2 sts., K.2.

3rd Row — P.2, * C.4F., P.1, K.3, M.B., K.3, P.1, rept. from * to last 12 (19, 12) sts., C.4F., P.0 (1, 0), K.0 (6, 0), P.1, K.7. 66 (73, 79) sts.

4th Row — K.8, P.0 (6, 0), K.0 (1, 0), P.2, y.r.n., P.2tog., * K.1, P.3, P.2tog., P.2, K.1, P.2, y.r.n., P.2tog., rept. from * to last 2 sts., K.2. 62 (69, 74) sts.

5th and 6th Rows — As 1st and 2nd

Rows.

7th Row — P.2, * K.2, y.fwd., K.2tog.t.b.l., P.1, C.6B., P.1, rept. from * to last 12 (19, 12) sts., K.2, y.fwd., K.2tog.t.b.l., [P.1, C.6B.] 0 (1, 0) time, P.1, K.7.

8th Row - As 2nd Row.

These 8 rows form the patt.

**** Continue in patt. until Front measures same as Back to armholes finishing on a wrong side row. (Work 1 more row for Right Front).

Shape Armhole

Next Row — Cast off 3 (4, 3) sts., patt. to end. 59 (65, 71) sts.

Next Row — Patt. to end.

Dec. 1 st. at armhole edge on the next and every following alt. row until 44 (51, 56) sts. remain. ****

Continue without further shaping until armhole measures 14 (15, 16.5) cm. 5½ (6, 6½) ins. finishing at side edge.

Shape Neck

Keeping patt. correct.

Next Row — Patt. to last 7 sts., turn. Sl. these 7 sts. onto a st. holder. 37 (44, 49) sts.

Next Row — Cast off 8 (10, 10) sts., patt. to end. 29 (34, 39) sts.

Work as given from *** to *** on Front of Sweater.

RIGHT FRONT

Using 3¾ mm. Needles, cast on 48 (53, 58) sts.

Work 4 rows in g.st.

Next Row (Buttonhole Row) — K.3, y.fwd., K.2tog., K. to end.

Work 17 rows in g.st., work 1 Buttonhole Row, then 3 more rows in g.st.

Mark positions for buttons on Left Front as follows:-

The first two to correspond with the buttonholes just worked, the last one 4 cm. (1½ ins.) below neck shaping and 6 more evenly spaced between.

Working buttonholes as before to correspond with markers, proceed as follows:-

Next Row (Inc. Row) — K.8 (7, 9), m.1, * K.3, m.1, rept. from * to last 1 (1, 4) sts., K.1 (1, 4). 62 (69, 74) sts.

Change to 4½ mm. Needles.

Next Row (Foundation Row) — K.2, * P.2, y.r.n., P.2tog., K.1, P.6, K.1, rept. from * to last 12 (19, 12) sts., P.2, y.r.n., P.2tog., K.0 (1, 0), P.0 (6, 0), K.8.

Commence Patt.

1st Row (Right Side) — K.7, P.1, K.0 (6, 0), P.0 (1, 0), K.2, y.fwd., K.2tog.t.b.l., * P.1, K.6, P.1, K.2, y.fwd., K.2tog.t.b.l., rept. from * to last 2 sts., P.2.

2nd Row — K.2, * P.2, y.r.n., P.2tog., K.1, P.6, K.1, rept. from * to last 12 (19, 12) sts., P.2, y.r.n., P.2tog., K.0 (1, 0),

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

P.0 (6, 0), K.8.

3rd Row — K.7, P.1, [K.3, M.B., K.3] 0 (1, 0) time, P.0 (1, 0), C.4F., * P.1, K.3, M.B., K.3, P.1, C.4F., rept. from * to last 2 sts., P.2. 66 (74, 79) sts.

4th Row — K.2, * P.2, y.r.n., P.2tog., K.1, P.3, P.2tog., P.2, K.1, rept. from * to last 12 (20, 12) sts., P.2, y.r.n., P.2tog., K.0 (1, 0), [P.3, P.2tog., P.2] 0 (1, 0) time, K.8. 62 (69, 74) sts.

5th and 6th Rows — As 1st and 2nd Rows.

7th Row — K.7, P.1, [C.6B] 0 (1, 0) time, P.0 (1, 0), K.2, y.fwd., K.2tog.t.b.l., * P.1, C.6B., P.1, K.2, y.fwd., K.2tog.t.b.l., rept. from * to last 2 sts., P.2.

8th Row — As 2nd Row. These 8 rows form the patt. Work from **** to **** as given on Left Front, working buttonholes to correspond with markers. Continue without further shaping until armhole measures 14 (15, 16.5) cm. 5½ (6, 6½) ins. finishing at front edge.

Shape Neck

Keeping patt. correct. **Next Row** — K.7, sl. these sts. just worked onto a st. holder, cast off (8, 10, 10) sts., patt. to end. 29 (34, 39) sts. Work as given from *** to *** on Front of Sweater.

SLEEVES (Both Alike)

Using 3¾ mm. Needles, cast on 35 (39, 43) sts. Work 8 rows in g.st. **Next Row** (Inc. Row) — K.3 (4, 4), m.1, * K.1 (2, 1), m.1, K.2, m.1. rept. from * to last 2 (3, 3) sts., K.2 (3, 3). 56 (56, 68) sts. Change to 4½ mm. Needles. **Next Row** (Foundation Row) — K.2, P.2, y.r.n., P.2tog., * K.1, P.6, K.1, P.2, y.r.n., P.2tog., rept. from * to last 2 sts.,

K.2. Continue in patt. as given for Back, keeping patt. correct and working all inc. sts. into patt., inc. 1 st. at each end of the needle on the 3rd and every following 8 (6, 8)th row until 70 (72, 82) sts., then on every following 10 (8, 10)th row until 80 (86, 92) sts. are on the needle. Continue without further shaping until Sleeve measures 43 cm. (17 ins) from commencement finishing on a wrong side row.

Shape Top

Work exactly as instructions given for Sweater.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ballband.

MAKING UP

SWEATER

Join right shoulder seam by top sewing.

Neckband

With right side facing, using 3¾ mm. Needles, pick up and K.16 sts. down left front neck, K.22 (24, 26) sts. from front neck st. holder as follows:- K.4 (5, 6), [K.2tog., K.4] 3 times, K.0 (1, 2), pick up and K.16 sts. up right front neck and K.38 (40, 42) sts. from back neck st. holder as follows:- K.0 (1, 2), [K.2tog., K.4] 6 times, K.2tog., K.0 (1, 2). 82 (86, 90) sts. Work 6 rows in g.st. Cast off.

Buttonhole Band

With right side facing, using 3¾ mm. Needles, pick up and K.22 (24, 26) sts. across left shoulder on front. Work 1 row in g.st.

Next Row (Buttonhole Row) — K.2, K.2tog., y.fwd., [K.6 (7, 8) K.2tog., y.fwd.] twice, K.2. Work 2 rows in g.st. Cast off.

Button Band

With right side facing, using 3¾ mm. Needles, pick up and K.22 (24, 26) sts. across left shoulder on back. Work 4 rows in g.st. Cast off. Overlap Buttonhole Band over Button Band and sl.st. together at shoulder edge. Join side and sleeve seams by top sewing. Pin sleeves into position, sew in by top sewing. Sew on buttons.

CARDIGAN

Join shoulder seams by top sewing.

Neckband

With right side facing, using 3¾ mm. Needles, sl. 7 sts. from st. holder on right front onto right hand needle, rejoin yarn, pick up and K.26 sts. up right front neck, K.38 (40, 42) sts. from back neck st. holder as follows:- K.0 (1, 2), [K.2tog., K.4] 6 times, K.2tog., K.0 (1, 2), pick up and K.26 sts. down left front neck and K.7 sts. from st. holder on left front. 97 (99, 101) sts. Work 3 rows in g.st. **Next Row** (Buttonhole Row) — K.3, y.fwd., K.2tog., K. to end. Work 2 rows in g.st. Cast off. Join side and sleeve seams by top sewing. Pin sleeves into position, sew in by top sewing. Sew on buttons. Press seams



© Carter & Parker Ltd.



5 015832 440318

Our Knitting Bureau will gladly give you any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.

Prices apply only in Great Britain and Northern Ireland
Printed in England