

PURPUREA SWEATER (LIGHT)

BY [TETI LUTSAK](#)



The pattern is for private use only.
Copyright belongs to Teti Lutsak



Ever since I made the original [chunky Purpurea sweater](#) I have dreamed about its lighter version. Now its time has come and I think I have found a perfect combination of yarns for it.

Purplea is no ordinary cable sweater. With a beautifully accentuated scoop neck, a well fitting round yoke with a pattern of growing cables and a body with cute little side slits, it is a very modern yet potentially timeless garment.

Designed to be oversized, the pullover is knit top-down in the round and can be split into two halves to be worked flat for the slits. The side slits are optional. There are two sleeve options as well: straight wide (as shown above) and gathered cuff sleeve.


You can take a closer look at my sample and discover the design process [in this podcast episode](#).

SIZES

The pattern is written for eight sizes 1 (2, 3, 4, 5) (6, 7, 8) with a finished bust circumference of ca. 100 (110, 120, 133, 143) (153, 163, 173) cm // 40 (44, 48, 53, 57) (61, 65, 69) in incl. at least 25 cm (10 in) of positive ease.

The sample is shown in size 2 with straight wide sleeves on a 160 cm (5.3 ft) tall model with ca. 84-66-94 cm (33-26-39 in) body measurements.

For more of the finished garment measurements, please refer to the schematic on page 2.
For a more fitted version go one size down.



Middle of the front length neck to bottom of the hem:

47 (47, 51, 51, 51) (54, 54, 54) cm
18.75 (18.75, 20.25, 20.25, 20.25) (21.5, 21.5, 21.5) in

Middle of the back length neck to bottom of the hem:

50 (50, 54, 54, 54) (57, 57, 57) cm
20, (20, 21.5, 21.5, 21.5) (22.75, 22.75, 22.75) in

YARN

Light Fingering weight:

ca. 220 (230, 250, 270, 300) (340, 355, 380) g or
3 (3, 3, 3, 3) (4, 4, 4) skeins of No.4 from G-Uld,
75% Falkland Merino and 25% Gotland wool with
ca. 650 m (711 yds) per 100 g skein, shown in
colourway Walnut;

**held together with 1 strand of
lace weight silk-mohair:**

ca. 160 (170, 180, 195, 215) (245, 255, 275) g or
7 (7, 8, 8, 9) (10, 11, 11) skeins of Soft Silk Mohair
from Knitting for Olive, 70% Mohair and 30% Silk
with ca. 225 m (246 yds) per 25 g skein, shown in
colourway Brown Nougat;

or ca. 1430 (1495, 1625, 1755, 1950) (2210,
2308, 2470) m // 1564 (1635, 1777, 1919, 2133)
(2417, 2524, 2701) yds of any other fingering/
sport weight yarn or combination of yarns with
a matching gauge **for the wide sleeve version.**

**You will need ca. 100 m (109 yds) less yarn for the
gathered cuff sleeve version.**

NEEDLES AND NOTIONS

- 3.0 mm (US 2.5) main circular needles;
- 2.5 mm (US 1.5) circular needles for the double band;
- 3.0 mm (US 2.5) cable needle or any similar size straight needle to act as a cable needle;
- spare cables, spare circular needles or scrap yarn to keep sts on hold;
- a few stitch markers;
- a tapestry needle for tubular bind off and to weave in the ends.

GAUGE

24 sts & 30 rnds in 10 cm (4 in)
on 3.0 mm (US 2.5) needles over stockinette
st in the round after blocking;

32 sts & 32 rnds in 10 cm (4 in) on 3.0 mm (US 2.5)
needles over cable pattern of the body in the
round after blocking (3-3LC, p2, 3-3RC, p2);

GAUGE (CONTINUED)

30 sts & 36 rnds in 10 cm (4 in) on 3.0 mm (US 2.5) needles over 1x1 ribbing in the round after blocking.

Adjust the needle sizes if necessary to obtain the correct gauge.

CONSTRUCTION AND NOTES

The neck starts from a tubular cast-on, is worked with a simple 1x1 ribbing and the neckline is shaped with short rows. The double knit band accentuates the transition from the neck to the yoke. The yoke is worked in a pattern of growing cables with increases integrated into the cable pattern. At the bottom of the yoke at the point of separation for the body and sleeves, extra sts are cast on for the underarms. These will form the side panels and the side slits.

The body is A-line shaped and worked in the round till the side slits. After the desired length is reached, the body is split into two even halves and worked further down flat. You can also add extra length after the split to further adjust the length of the body.

There is also an option to skip the side split. In that case, continue working in the round twisting the sts on the side panels into cables as described before. The hem is worked with a simple 1x1 ribbing and bound off with a tubular bind-off.

There are two options for the sleeves.

For the straight wide sleeves – continue working the cables straight down to the cuffs without any additional shaping. Then finish the cuffs with simple 1x1 ribbing and tubular bind off.

For the gathered cuffed sleeves – decrease mirroring the increases at the top of the yoke and finish with either 2x1 (in sizes 1, 2, 3 and 4) or 1x1 (in sizes 5, 6, 7 and 8) ribbing on the cuffs. Bind off using tubular bind-off or any other method of your choice.

ABBREVIATIONS AND TECHNIQUES

1-1LC – slip 1 st onto a cn and hold in front, knit 1, knit 1 from cn (same logic for 2-2LC, 3-3LC and 4-4LC);
1-1RC – slip 1 st onto a cn and hold in back, knit 1, knit 1 from cn (same for 2-2RC, 3-3RC and 4-4RC);
2-1LC – slip 2 sts onto a cn and hold in front, knit 1, knit 2 from cn (same for 3-2LC and 4-3LC);
1-2RC – slip 1 sts onto a cn and hold in back, knit 2, knit 1 from cn (same for 2-3RC and 3-4RC);
or [work all cables without a cable needle](#);

BOR/EOR – beginning/end of the row/round;

ca. – circa – approximately;

cn – cable needle;

k1tbl – knit 1 st through the back loop;

k2tog – knit 2 sts together as if they were one;

kall/pall – knit/purl all sts to EOR;

kx/px – knit/purl x sts;

LH/RH – left/right hand (needle);

LLI – [left lifted increase](#) – lift the left leg of the st two rows below the st on RH needle onto LH needle and knit it through the back loop;

m1k – with RH needle from front to back lift the float between the purl sts of the previous row and make a knit st creating a tiny eyelet;

m1p – [make 1 purl st from the row below](#) – insert the RH needle from back to front into a st below the next st on LH needle and pull the yarn through the st creating a tiny eyelet;

MOF – middle of the front (marker);

p2tog – purl 2 sts together as if they were one;

R/Rnd/SR – row/round/short row;

rep – repeat;

RLI – [right lifted increase](#) – lift the right leg of the st below the next st on the LH needle onto the LH needle and knit it;

RS/WS – right/wrong side of the work;

sl1pwyib – slip 1 st purlwise with yarn behind;

sl1pwyif – slip 1 st purlwise with yarn in front;

st(s) – stitch(es);

w&t – wrap and turn in 1x1 ribbing –

- at the end of the short row before a Purl, with the yarn at the back, move next st purlwise to the RH needle, bring the yarn to the front, return the last st off the RH needle to the LH needle and turn your work, bring the yarn in front and start working the following row according to the previously established pattern;
- at the end of the short row before a Knit, keep the yarn in the front, move the next st purlwise to the RH needle, turn your work, bring the yarn to the front, move the first st to the RH needle, bring the yarn to the back and start working the following row according to the previously established pattern;
- pick up wraps in the next full rnds [as shown](#);
- the short rows could also be worked as [German short rows](#) or [Japanese short rows](#);

wx/wall – work x/all sts according to the previously established pattern;

yo – yarn over.

NECK

Using a [tubular cast-on](#) or any other not very stretchy cast-on method of your choice with 2.5 mm (US 1.5) needles cast on a total of 132 (140, 148, 156, 156) (164, 164, 164) sts.

Work the first two set up rows flat for *k1, p1* ribbing.

R 1 (RS): *k1tbl, sl1pwyif; rep from * to EOR.

R 2 (WS): *k1, sl1pwyif; rep from * to EOR.

Join to work in the round and place the BOR marker.

Rnd 3 – Rnd 6 (4 rnds): *k1, p1; rep from * to EOR.

In the last Rnd:

w66 (70, 74, 78, 78) (82, 82, 82), place a removable MOF marker on the last worked st (purl), w66 (70, 74, 78, 78) (82, 82, 82) to EOR.

SHAPING THE BACK OF THE NECK WITH SHORT ROWS

Continue working *k1, p1* ribbing through the short rows section.

SR1 (RS): from the BOR in the middle of the back, w till 12 sts to MOF, w&t (on a purl st).

SR2 (WS): wall sts as they appear to BOR, then w till 12 sts to MOF, w&t (on a knit st).

SR3 (RS): w till 6 sts to previous wrap, w&t.

SR4 (WS): w till 6 sts to previous wrap, w&t.

SR5, SR7, SR9 (RS): rep like in SR3.

SR6, SR8, SR10 (WS): rep like in SR4.

SR11 (RS): w to BOR and move to the next section.

DOUBLE BAND

Rnd 1: *k1, p1; rep from * to EOR and **at the same time** pick up short row wraps and work them together with their corresponding sts. **Remove MOF marker.**

Rnd 2: *k1, yo; rep from * to EOR (doubling the original number of sts).

Rnd 3: *sl1yb, p1; rep from * to EOR.

Rnd 4: *k1, sl1yf; rep from * to EOR.

Rnd 5: *sl1yb, p1; rep from * to EOR.

Rnd 6: *k1, sl1yf; rep from * to EOR.

Rnd 7: *sl1yb, p1; rep from * to EOR.

Rnd 8: *k1, sl1yf; rep from * to EOR.

Rnd 9: *sl1yb, p1; rep from * to EOR.

Rnd 10: switch to 3.0 mm (US 2.5) needles and p2tog (or ssp, see what works best for you) to EOR (back to the original stitch count).

SIZES 1, 2, 3 AND 4 ONLY move to the next section.

SIZES 5, 6, 7 AND 8 ONLY

Rnd 11: increase every 9 (6, 5, 3) sts until you add a total of 16 (24, 32, 48) sts as follows:
– *k9 (6, 5, 3), m1k; rep until all increases are made, then k to EOR.

You will have a total of 172 (188, 196, 212) sts.

Rnd 12: pall and move to the next section.

YOKE

Follow the Yoke Pattern chart on page 10 and/or further written instructions for your size.

Rnd 1: *k2, yo; rep from * to EOR.

You will have a total of 198 (210, 222, 234, 258,) (282, 294, 318) sts.

Rnd 2 – Rnd 4 (3 rnds): *k2, p1; rep from * to EOR.

Rnd 5: *1-1LC, p1, 1-1RC, p1; rep from * to EOR.

Rnd 6 – Rnd 8 (3 rnds): *k2, p1; rep from * to EOR.

Rnd 9: *k2, p1, m1p; rep from * to EOR.

You will have a total of 264 (280, 296, 312, 344) (376, 392, 424) sts.

Rnd 10: *1-1LC, p2, 1-1RC, p2; rep from * to EOR.

Rnd 11 – Rnd 14 (4 rnds): *k2, p2; rep from * to EOR.

Rnd 15: *1-1LC, p2, 1-1RC, p2; rep from * to EOR.

Rnd 16 – Rnd 20 (5 rnds): *k2, p2; rep from * to EOR.

Rnd 21: *1-1LC, p2, 1-1RC, p2; rep from * to EOR.

Rnd 22: *k2, p2; rep from * to EOR.

Rnd 23: *k1, LLI, k1, p2, k1, RLI, k1, p2; rep from * to EOR.

You will have a total of 330 (350, 370, 390, 430) (470, 490, 530) sts.

Rnd 24 – Rnd 29 (6 rnds): *k3, p2; rep from * to EOR.

Rnd 30: *2-1LC, p2, 1-2RC, p2; rep from * to EOR.

Rnd 31: *k3, p2; rep from * to EOR.

Rnd 32: *k2, LLI, k1, p2, k1, RLI, k2, p2; rep from * to EOR.

You will have a total of 396 (420, 444, 468, 516) (564, 588, 636) sts.

Rnd 33 – Rnd 38 (6 rnds): *k4, p2; rep from * to EOR.

YOKE (CONTINUED)

Rnd 39: *2-2LC, p2, 2-2RC, p2; rep from * to EOR.

Rnd 40: *k4, p2; rep from * to EOR.

Rnd 41: *k2, LLI, k2, p2, k2, RLI, k2, p2;
rep from * to EOR.

You will have a total of

462 (490, 518, 546, 602) (658, 686, 742) sts.

Rnd 42 – Rnd 47 (6 rnds): *k5, p2; rep from * to EOR.

Rnd 48: *3-2LC, p2, 2-3RC, p2; rep from * to EOR.

Rnd 49: *k5, p2; rep from * to EOR.

Rnd 50: *k2, LLI, k3, p2, k3, RLI, k2, p2;
rep from * to EOR.

You will have a total of

528 (560, 592, 624, 688) (752, 784, 848) sts.

SIZE 1: Rnd 51 – Rnd 52 (2 rnds);

SIZE 2: Rnd 51 – Rnd 56 (6 rnds);

– *k6, p2; rep from * to EOR and move to the next section.

SIZES - (-, 3, 4, 5) (6, 7, 8) ONLY

Rnd 51 – Rnd 58 (8 rnds): *k6, p2; rep from * to EOR.

Rnd 59: *3-3LC, p2, 3-3RC, p2; rep from * to EOR.

SIZE 3: Rnd 60 – Rnd 61 (2 rnds);

SIZE 4: Rnd 60 – Rnd 63 (4 rnds);

SIZE 5: Rnd 60 – Rnd 67 (8 rnds);

– *k6, p2; rep from * to EOR and move to the next section.

SIZES - (-, -, -, -) (6, 7, 8) ONLY

Rnd 60 – Rnd 69 (10 rnds):

*k6, p2; rep from * to EOR.

Rnd 70: *3-3LC, p2, 3-3RC, p2; rep from * to EOR.

SIZE 6: Rnd 71 – Rnd 72 (2 rnds);

SIZE 7: Rnd 71 – Rnd 74 (4 rnds);

SIZE 8: Rnd 71 – Rnd 78 (8 rnds);

– *k6, p2; rep from * to EOR and move to the next section.

Try the yoke on and see if you have enough armhole depth. If you need to add rnds, add one cable pattern repeat (a total of 11 rnds from the rnd you are on now) or as many repeats as you need.

SEPARATING BODY AND SLEEVES

Next Rnd: unravel 1 st,

move back to LH needle and move the BOR 1 st to the right (now the rnd will start from p1),

- w73 (81, 89, 97, 105) (113, 121, 129) sts of the back according to the previously established pattern,
- temporarily bind off or place on hold the next 118 (118, 118, 118, 134) (150, 150, 166) sts for the right sleeve,
- cast on 14 (14, 14, 18, 18) (18, 18, 18) sts for the underarm with any method of your choice;
- w146 (162, 178, 194, 210) (226, 242, 258) sts of the front,
- temporarily bind off or place on hold the next 118 (118, 118, 118, 134) (150, 150, 166) sts for the left sleeve,
- cast on 14 (14, 14, 18, 18) (18, 18, 18) sts for the underarm;
- and w73 (81, 89, 97, 105) (113, 121, 129) sts of the back to EOR.

You will have a total of

320 (352, 384, 424, 456) (488, 520, 552) sts for the body.

BODY

Work according to the previously established pattern for a total of total of 5 (1, 7, 5, 1) (7, 5, 1) rnds + **knit all the sts on the underarms.**

Rnd 1 (new row count from here on):

twist **small cables** according to the previously established pattern (3-3LC, 3-3RC) + **knit all sts** on the underarms.

Rnd 2 – Rnd 11 (10 rnds): wall.

Rnd 12: twist **small cables** + twist **large cables** on the underarms as follows (all sts of the underarms will form large 14 or 18-st cables, which will be twisted in every other small cable pattern repeat):

SIZES 1, 3, 5, 7 ONLY

- twist small cables till right underarm,
- then 7-7RC (7-7RC, 9-9RC, 9-9RC),
- twist small cables till left underarm,
- then 7-7LC (7-7LC, 9-9LC, 9-9LC),
- twist small cables to EOR.

SIZES 2, 4, 6, 8 ONLY

- twist small cables till right underarm,
- then 7-7LC (9-9LC, 9-9LC, 9-9LC),
- twist small cables till left underarm,
- then 7-7RC (9-9RC, 9-9RC, 9-9RC),
- twist small cables to EOR.

Rnd 13: wall.

BODY (CONTINUED)

Introducing increases for A-line shaping.

Rnd 14: p1, *k3, LLI, k3, p2, k3, RLI, k3, p2;
rep from * to underarm, kall of the underarm, p2
and rep increases from * to EOR according to
the previously established pattern.

You will have a total of
356 (392, 428, 472, 508) (544, 580, 616) sts.

Rnd 15 – Rnd 22 (8 rnds): wall.

Rnd 23: twist **small cables** (4-3LC, 3-4RC)
+ **kall** on the underarms.

Rnd 24 – Rnd 33 (10 rnds): wall.

Rnd 34: twist **small cables** + twist **large cables**.

Rnd 35: wall.

Rnd 36: p1, *k3, LLI, k4, p2, k4, RLI, k3, p2;
rep from * to underarm, kall of the underarm,
p2, then rep increases from * to EOR according
to the previously established pattern.

You will have a total of
392 (432, 472, 520, 560) (600, 640, 680) sts.

Rnd 37 – Rnd 44 (8 rnds): wall.

Rnd 45: twist **small cables** (4-4LC, 4-4RC)
+ **kall** on the underarms.

Rnd 46 – Rnd 55 (10 rnds): wall.

Rnd 56: twist **small cables** + twist **large cables**.

To adjust the length, add any number of small
cable repeats. For the version with side slits it
has to be an even number of repeats ending
with a large cable twist as described above.
If you decide to skip the side slits, continue as
before till desired length and move to the hem
section whenever you are ready.

You can also adjust the length after
the split by adding more rnds on the
front/back halves or the hem.

BACK HALF

**Setup row (RS): starting from the BOR at
the middle of the back, remove the BOR
and** w all as they appear to the underarm,
(k1, p1) 3 (3, 3, 4, 4) (4, 4, 4) times, k1 and
turn the work to WS.

Now you have worked one half of the back
98 (108, 118, 130, 140) (150, 160, 170) sts.

R2 (WS): sl1pwyif, w all as they appear to the
left underarm, (p1, k1) 3 (3, 3, 4, 4) (4, 4, 4)
times, p1 and turn the work to RS.

You will have a total of 196 (216, 236, 260, 280)
(300, 320, 340) sts for the back half and the
same amount of sts on hold for the front half.

Place the front half on hold.

R3, 5, 7, 9, 11 (RS): sl1pwyib,
(p1, k1) 3 (3, 3, 4, 4) (4, 4, 4) times, wall to underarm,
(k1, p1) 3 (3, 3, 4, 4) (4, 4, 4) times, k1.

R4, 6, 8, 10, 12 (WS): sl1pwyif,
(k1, p1) 3 (3, 3, 4, 4) (4, 4, 4) times, wall to
underarm, (p1, k1) 3 (3, 3, 4, 4) (4, 4, 4) times, p1.

R13 (RS): wall + twist **small cables** (4-4LC, 4-4RC).

R14, 16, 18, 20, 22, 24 (WS): sl1pwyif, wall.

R15, 17, 19, 21, 23 (RS): sl1pwyib, wall.

R25 (RS): wall + twist **small cables** (4-4LC, 4-4RC).

R26 (WS): sl1pwyif, wall.

Add more rows if necessary to adjust the length,
given that the hem will add another 3.5 cm (1.25 in)
and move to the next section.

FRONT HALF

Return to the sts left on hold for the front half,
join the yarn on the RS, work as follows:

R1 (RS): sl1pwyib, (p1, k1) 3 (3, 3, 4, 4) (4, 4, 4) times,
wall to underarm, (k1, p1) 3 (3, 3, 4, 4) (4, 4, 4) times,
k1 and turn the work.

R2 (WS): sl1pwyif, (k1, p1) 3 (3, 3, 4, 4) (4, 4, 4)
times, wall to underarm, (p1, k1) 3 (3, 3, 4, 4) (4, 4, 4)
times, p1 and turn the work.

From **R3 (RS)** follow the same instructions
as written for the Back half.

HEM (VERSION WITH SLITS)

R1 (RS): with the same needle size –
sl1pwyib, (p1, k1) 3 (3, 3, 4, 4) (4, 4, 4) times,
*p2tog, k1, p1, k1, p2tog, k1, p1, k1;
rep from * till 2 sts to underarm, p2tog,
(k1, p1) 3 (3, 3, 4, 4) (4, 4, 4) times, k1.
You will have a total of
159 (175, 191, 211, 227) (243, 259, 275) sts.

R2, 4, 6, 8, 10, 12 (WS): sl1pwyif, *k1, p1;
rep from * to EOR.

HEM (VERSION WITH SLITS)

R3, 5, 7, 9, 11 (RS): sl1pwyib, *p1, k1;
rep from * to EOR.

Add more rnds if necessary to adjust the length.

Next row (RS): sl1pwyib, *sl1pwyif, k1;
rep from * to EOR.

Next row (WS): *sl1pwyif, k1; rep from * to EOR.

Bind off with tapestry needle using a [tubular bind-off](#) or any other method of your choice and weave in the ends.

HEM (VERSION WITHOUT SLITS)

Rnd1: with the same needle size –

p1, *k1, p1, k1, p2tog, k1, p1, k1, p2tog; rep from * to underarm, (k1, p1) 3 (3, 3, 4, 4) (4, 4, 4) times, k2tog, (p1, k1) 3 (3, 3, 4, 4) (4, 4, 4) times, p2tog and rep from * to EOR according to previously established pattern.

You will have a total of
352 (388, 424, 468, 504) (540, 576, 612) sts.

Rnd2 – Rnd 12 (11 rnds): *p1, k1;
rep from * to EOR.

Add more rnds if necessary to adjust the length.

Next rnd: *p1, sl1pwyib; rep from * to EOR.

Next rnd: *sl1pwyif, k1; rep from * to EOR.

Bind off with tapestry needle using a [tubular bind-off](#) or any other method of your choice and weave in the ends.

STRAIGHT WIDE SLEEVES

The difference between right and left sleeves lies in: where you place the BOR marker, which (right or left) cable comes first and in which direction you twist the large cable on the underarm.

RIGHT SLEEVE

Return to the sts left on hold for the right sleeve.

Next Rnd: starting in the back of the underarm,

- w118 (118, 118, 118, 134) (150, 150, 166) sts of the sleeve,
- pick up and purl 2 extra sts to avoid a hole;
- pick up and k14 (14, 14, 18, 18) (18, 18, 18) sts of the underarm,
- pick up and purl 2 extra sts to avoid a hole.

You will have a total of
136 (136, 136, 140, 156) (172, 172, 188) sts.

Join to work in the round and place a BOR marker.

LEFT SLEEVE

Return to the sts left on hold for the left sleeve.

Rnd 1: starting in the back of the underarm,

- pick up and purl 2 extra sts to avoid a hole;
- pick up and k14 (14, 14, 18, 18) (18, 18, 18) sts of the underarm,
- pick up and purl 2 extra sts to avoid a hole;
- w118 (118, 118, 118, 134) (150, 150, 166) sts of the sleeve.

You will have a total of
136 (136, 136, 140, 156) (172, 172, 188) sts.
Join to work in the round and place a BOR marker.

BOTH SLEEVES

Work according to the previously established pattern for a total of total of 5 (1, 7, 5, 1) (7, 5, 1) rnds + **knit all the sts on the underarms.**

Rnd 1 (new row count):

twist **small cables** according to the previously established pattern + **knit all sts** on the underarms.

Rnd 2 – Rnd 11 (10 rnds): wall.

Rnd 12: twist **small cables** + twist **large cables** on the underarms as follows (large cables will twist in opposite direction to the cables on the body below):

RIGHT SLEEVE – SIZES 1, 3, 5, 7 ONLY

- twist small cables till right underarm,
- then 7-7LC (7-7LC, 9-9LC, 9-9LC).

RIGHT SLEEVE – SIZES 2, 4, 6, 8 ONLY

- twist small cables till right underarm,
- then 7-7RC (9-9RC, 9-9RC, 9-9RC).

LEFT SLEEVE – SIZES 1, 3, 5, 7 ONLY

- twist underarm sts 7-7RC (7-7RC, 9-9RC, 9-9RC);
- twist small cables to EOR.

LEFT SLEEVE – SIZES 2, 4, 6, 8 ONLY

- twist underarm sts 7-7LC (9-9LC, 9-9LC, 9-9LC);
- twist small cables to EOR.

BOTH SLEEVES

Rnd 13 – Rnd 22 (10 rnds): wall.

Rnd 23: twist **small cables** + **kall** underarms.

Rnd 24 – Rnd 33 (10 rnds): wall.

Rnd 34: twist **small cables** + twist **large cables.**

Rnd 35 – Rnd 44 (10 rnds): wall.

Rnd 45: twist **small cables** + **kall** underarms.

Rnd 46 – Rnd 55 (10 rnds): wall.

Rnd 56: twist **small cables** + twist **large cables.**

STRAIGHT WIDE SLEEVES (CONTINUED)

BOTH SLEEVES

Rnd 57 – Rnd 66 (10 rnds): wall.

Rnd 67: twist **small cables** + **kall** underarms.

Rnd 68 – Rnd 77 (10 rnds): wall.

Rnd 78: twist **small cables** + twist **large cables**.

Rnd 79 – Rnd 88 (10 rnds): wall.

Rnd 89: twist **small cables** + **kall** underarms.

Rnd 90 – Rnd 99 (10 rnds): wall.

Rnd 100: twist **small cables** + twist **large cables**.

Rnd 101 – Rnd 110 (10 rnds): wall.

Rnd 111: twist **small cables** + **kall** underarms.

Rnd 112 – Rnd 121 (10 rnds): wall.

Rnd 122: twist **small cables** + **kall** underarms.

Rnd 123: prepare for the ribbing on the cuffs as follows (the total number of sts does not change). **For a more narrow cuff option in sizes 5, 6, 7 and 8 proceed to next section.**

RIGHT SLEEVE – SIZES 1, 3, 5, 7 ONLY

- *k3, LLI, k3, p2tog, k3, RLI, k3, p2tog; rep from * to underarm, k7 (7, 9, 9), LLI, k7 (7, 9, 9), p2tog.

RIGHT SLEEVE – SIZES 2, 4, 6, 8 ONLY

- *k3, RLI, k3, p2tog, k3, LLI, k3, p2tog; rep from * to underarm, k7 (9, 9, 9), LLI, k7 (9, 9, 9), p2tog.

LEFT SLEEVE – SIZES 1, 3, 5, 7 ONLY

- p2tog, k7 (7, 9, 9), LLI, k7 (7, 9, 9), *p2tog, k3, RLI, k3, p2tog, k3, LLI, k3; rep from * to EOR.

LEFT SLEEVE – SIZES 2, 4, 6, 8 ONLY

- p2tog, k7 (9, 9, 9), LLI, k7 (9, 9, 9), *p2tog, k3, LLI, k3, p2tog, k3, RLI, k3; rep from * to EOR.

ALTERNATIVE TRANSITION TO CUFFS

FOR SIZES 5, 6, 7 AND 8

Rnd 123:

RIGHT SLEEVE – SIZES 5, 6, 7, 8 ONLY

- *k2, k2tog, k2, p2tog; rep from * to underarm, k9 (9, 9, 9), LLI, k9 (9, 9, 9), p2tog.

You will have a total of 122 (134, 134, 146) sts.

LEFT SLEEVE – SIZES 5, 6, 7, 8 ONLY

- p2tog, k9 (9, 9, 9), LLI, k9 (9, 9, 9), *p2tog, k2, k2tog, k2, p2tog; rep from * to EOR.

You will have a total of 122 (134, 134, 146) sts.

CUFFS

Rnd 1: with the same needle size wall in 1x1 ribbing (*k1, p1* for the right; *p1, k1* for the left sleeve).

Work in 1x1 ribbing pattern for at least 9 (11, 13, 15, 17) (19, 21, 23) more rnds and move to the following instructions, when you are ready to bind off.

RIGHT SLEEVE:

Next rnd: *k1, sl1pwyif; rep from * to EOR.

Next rnd: *sl1pwyib, p1; rep from * to EOR.

LEFT SLEEVE:

Next rnd: *sl1pwyif, k1; rep from * to EOR.

Next rnd: *p1, sl1pwyib; rep from * to EOR.

Bind off with tapestry needle using a [tubular bind-off](#) or any other method of your choice and weave in the end.

GATHERED CUFF SLEEVES

Follow the written instruction as for the straight wide sleeves starting on page 7 and finishing before the rnds indicated further for your size.

SIZES 1, 2, 3, 4, 5 ONLY

Rnd 99: decrease by 1 st in each of the small cable repeats by *k2tog, k4, p2*. You will have a total of 121 (121, 121, 125, 139) sts.

Rnd 100: twist **small cables** + twist **large cables**.

Rnd 101 – Rnd 107 (7 rnds): wall.

Rnd 108: decrease by 1 st in each of the small cable repeats by *k2tog, k3, p2*. You will have a total of 106 (106, 106, 110, 122) sts.

Rnd 109: twist **small cables** + **kall** underarms.

Rnd 110 – Rnd 114 (5 rnds): wall.

Rnd 115: decrease by 1 st in each of the small cable repeats by *k2tog, k2, p2*. You will have a total of 91 (91, 91, 95, 105) sts.

Rnd 116: twist **small cables** + twist **large cables**.

Rnd 117 – Rnd 119 (3 rnds): wall.

Rnd 120: decrease by 1 st in each of the small cable repeats by *k2tog, k1, p2*. You will have a total of 76 (76, 76, 80, 88) sts.

Rnd 121: twist **small cables** + **kall** underarms.

Rnd 122 – Rnd 124 (3 rnds): wall.

Rnd 125: decrease by 1 st in each of the small cable repeats by *k2, p2tog*. You will have a total of 62 (62, 62, 66, 72) sts.

GATHERED CUFF SLEEVES (CONTINUED)

SIZES 1, 2, 3, 4, 5 ONLY

Next rnd: wall in *k2, p1* to underarm, finishing with k2, then decrease 1 st (p2tog) on the underarm and work the rest of underarm sts with *k2, p1* ribbing. You will have a total of 61 (61, 61, 65, 71) sts.

Switch to a smaller size needle and work at least 16 rnds in *k2, p1*. Add more rnds if necessary. Bind off using a standard bind-off or any other method, break the yarn and weave in the end.

SIZES 6, 7, 8 ONLY

Rnd 88: decrease by 1 st in each of the small cable repeats by *k2tog, k4, p2*. You will have a total of 153 (153, 167) sts.

Rnd 89: twist **small cables** + **kall** underarms.

Rnd 90 – Rnd 98 (9 rnds): wall.

Rnd 99: decrease by 1 st in each of the small cable repeats by *k2tog, k3, p2*. You will have a total of 134 (134, 146) sts.

Rnd 100: twist **small cables** + twist **large cables**.

Rnd 101 – Rnd 107 (7 rnds): wall.

Rnd 108: decrease by 1 st in each of the small cable repeats by *k2tog, k2, p2*. You will have a total of 115 (115, 125) sts.

Rnd 109: twist **small cables** + **kall** underarms.

Rnd 110 – Rnd 114 (5 rnds): wall.

Rnd 115: decrease by 1 st in each of the small cable repeats by *k2tog, k1, p2*. You will have a total of 96 (96, 104) sts.

Rnd 116: twist **small cables** + twist **large cables**.

Rnd 117 – Rnd 119 (3 rnds): wall.

Rnd 120: decrease by 1 st in each of the small cable repeats by *k2, p2tog*. You will have a total of 78 (78, 84) sts.

Rnd 121: twist **small cables** + **kall** underarms.

Rnd 122 – Rnd 124 (3 rnds): wall.

Rnd 125: decrease by 1 st in each of the small cable repeats by *k2tog, p1*. You will have a total of 63 (63, 69) sts.

Next rnd: wall in *k1, p1* to underarm, finishing with k1, then decrease 1 st (p2tog) on the underarm and work the rest of underarm sts with *k1, p1* ribbing. You will have a total of 62 (62, 68) sts.

Switch to a smaller size needle and work at least 16 rnds in *k1, p1* ribbing. Move to the following instructions, when you are ready to bind off.

RIGHT SLEEVE:

Next rnd: *k1, sl1pwyif; rep from * to EOR.

Next rnd: *sl1pwyib, p1; rep from * to EOR.

LEFT SLEEVE:

Next rnd: *sl1pwyif, k1; rep from * to EOR.

Next rnd: *p1, sl1pwyib; rep from * to EOR.

Bind off with tapestry needle using a [tubular bind-off](#) or any other method of your choice and weave in the end.

BLOCKING

Weave in the remaining ends. Soak the garment in lukewarm water. Gently squeeze to remove most of the water and then roll in a towel to dry. Pin out to measurements or desired size/shape and leave flat to dry.

SHARING AND FEEDBACK

If you feel like sharing pictures or your thoughts about the design, please do so in your projects on [Ravelry](#) and/or under [#purpleasweater](#) and [#purpleasweaterlight](#) hashtags on Instagram.

I am always thrilled to see your projects!

If you wish to stay in touch and see what I'm up to, follow me on [Instagram](#) or support my work via [Patreon](#) to get an early access to test knit calls, exclusive discounts and videos.

You can also keep an eye on the upcoming test knit calls and new releases by signing up for [my newsletter](#).

My knitting patterns are available at

- [My website](#)
- [Ravelry](#)
- [Etsy](#)
- [Payhip](#)

I also regularly discuss my designs and work in progress on my [YouTube channel](#).


If you have questions or found a mistake, please contact me via email at tetilutsak@gmail.com and I will do my best to help you.

Happy knitting and thank you for supporting my work,
Teti

YOKE PATTERN CHART

work this rnd and return to written instructions on page 5

- k
- p
- m1p
- LLI
- RLI
- 1-1LC
- 1-1RC
- 2-1LC
- 1-2RC
- 2-2RC
- 2-2RC
- 3-2LC
- 2-3RC
- 3-3LC
- 3-3RC



- Rnd 78 size 8
- Rnd 77
- Rnd 76
- Rnd 75
- Rnd 74 size 7
- Rnd 73
- Rnd 72 size 6
- Rnd 71
- Rnd 70
- Rnd 69
- Rnd 68
- Rnd 67 size 5
- Rnd 66
- Rnd 65
- Rnd 64
- Rnd 63 size 4
- Rnd 62
- Rnd 61 size 3
- Rnd 60
- Rnd 59
- Rnd 58
- Rnd 57
- Rnd 56 size 2
- Rnd 55
- Rnd 54
- Rnd 53
- Rnd 52 size 1
- Rnd 51
- Rnd 50
- Rnd 49
- Rnd 48
- Rnd 47
- Rnd 46
- Rnd 45
- Rnd 44
- Rnd 43
- Rnd 42
- Rnd 41
- Rnd 40
- Rnd 39
- Rnd 38
- Rnd 37
- Rnd 36
- Rnd 35
- Rnd 34
- Rnd 33
- Rnd 32
- Rnd 31
- Rnd 30
- Rnd 29
- Rnd 28
- Rnd 27
- Rnd 26
- Rnd 25
- Rnd 24
- Rnd 23
- Rnd 22
- Rnd 21
- Rnd 20
- Rnd 19
- Rnd 18
- Rnd 17
- Rnd 16
- Rnd 15
- Rnd 14
- Rnd 13
- Rnd 12
- Rnd 11
- Rnd 10
- Rnd 9
- Rnd 8
- Rnd 7
- Rnd 6
- Rnd 5
- Rnd 4
- Rnd 3
- Rnd 2
- Rnd 1