

GUJO SWEATER



Designed by Karoline Skovgaard Bentsen

AEGYO $\frac{0H}{11}$ KNIT

This knitting pattern is for private use only and may not be copied, resold, or redistributed.
Finished knitted products may not be sold or used in a commercial context

GUJO SWEATER

Eye-catching details and architecture-like construction are what set the Gujo sweater apart. Constructed with a bold and upright neck, dropped shoulder, and Aegyoknit's signature half-fisherman's rib, this piece achieves a modern-minimalistic yet feminine style. The decreases on the body and sleeves provide the perfect fit for an oversized sweater. The tailored design is juxtaposed by the soft combination of airy merino yarn and silk mohair.

CONSTRUCTION

Gujo is worked top down. Begin at the neck by CO with Tubular CO, work the neck in the round in half-fisherman's rib. Then it is divided into front and back to work pieces separately. Join the pieces again after the pieces are worked for the desired length of armholes to be worked in the round again for the rest of the body. Sleeves are worked by pick up sts along the armhole and worked in the round on a smaller circular needle or using the magic loop.

LEVEL OF DIFFICULTY

medium to difficult

SIZES

1 (2)

MEASUREMENTS

Chest Circumference: 166 (176) cm

Sleeve length from underarm to hem: 36 (39) cm

Length on the back, incl. the high neck: 63 (69) cm

Width on the neck, approx.: 31 cm

FIT

Recommended ease: minimum 5.5" / 15 cm of positive ease.

It is recommended to measure yourself before choosing a size. As the sweater is very oversized, the sweater can be made with a minimum width of at least 15 cm, for a less oversized look.

The model in the picture has a chest circumference of 79 cm and is wearing a size 1, with 87 cm of positive ease.

MATERIALS

Yarn

Gepard Garn:

Woolia (100% merino, 50 g / 132 m), 12 (14) balls

Kid seta or **Kid Seta Tweed** (70% super kid mohair, 30% silk), 7 (8) balls.

Note: *mohair is optional, you can make the Gujo sweater without mohair without altering the gauge.*

Colours shown in the photos:

Woolia col.102 hvede,

Kid seta tweed col. 142 nordisk sne.

GAUGE

15 sts x 17 rows = 4" / 10 cm on 4.5mm / US 7 needle, in half-fisherman's rib* after blocking.

*The gauge is given in Half fisherman's rib, so please be aware that the rows given are double of 17 (=32 rows), as it takes two full rows to make one whole half fisherman's stitch.

NEEDLES

Circular needles 3 mm / US 2.5 (40 - 60 cm, for the neck)

Circular needles 3.5 mm / US 4 (60 or 80 cm)

Circular needles 4.5 mm / US 7 (40, 60 or 80-100 cm)

Notions: Stitch markers, stitch holders or waste yarn.



ABBREVIATIONS

K, k	knit
P, p	purl
k1-b	knit one stitch below the stitch on the knitting needle
p1-b	purl one stitch below the stitch on the knitting needle
rep	repeat
Rnd(s)	round(s)
Row(s)	row(s)
st(s)	stitch(es)
BOR	Beginning Of Round
OS	OutSide (conventional <u>WS</u> of the Half-Fisherman's Rib pattern)
IS	InSide (conventional <u>RS</u> of the Half-Fisherman's Rib pattern)
Sl wyif	Slip stitch purlwise with yarn in front
M, m	marker
Pm	place marker
Sm	slip marker
K2tog	Knit 2 stitches together, 1 st decreased
Tbl	through the back loop
LH/RH	Left Hand / Right Hand
BO	Bind Off

TECHNIQUES

Note: In the GUJO collar, **OS** is what is conventionally considered the “wrong side” of this Half-Fisherman’s Rib pattern. To avoid confusion, OS & IS are used throughout the pattern, rather than RS & WS.

Half-Fisherman’s Rib (HFR): HFR is a pattern consisting of 2 repetitive rows/rnds. These 2 rows/rnds are what is referred to as **Row/Rnd 1&2** for the rest of the pattern.

Worked in the Round: CO even number of sts.

Rnd 1: K all.

Rnd 2: *K1, p1-b; rep from * to end. Rep Rnds 1 and 2 for pattern. When purling one below (p1-b), the knitting needle will be inserted under the purl bump below the stitch on the needle.

Worked in Flat/Rows: CO odd number of sts

Row 1 (OS): K all.


Row 2 (IS): *K1-b, p1; rep from * to last 2 sts, k1, p1. Rep Rows 1 and 2 for pattern. When knitting one below (k1-b), the knitting needle will be inserted into the center of the stitch of the row below.

kyok: knit, yarn over, knit into the same st. 2 st increased.

SSSK sl 3 sts knitwise one at a time, insert the left needle into the front of the slipped stitches and knit them together, 2st decreased in left-leaning direction

K3tog: Knit 3 stitches together, 2st decreased in right-leaning direction

edge stitch: sl the first st purlwise with yarn in front, and k last st on row.



INSTRUCTIONS

NECK

With US 2.5 / 3 mm (16" / 40 cm) needle and 2 strands of yarns held together, CO 112 (112) sts using the Tubular CO method.

Work 2 set-up rows **flat** for the Tubular CO as below:

Row 1 & 2: "K1,sl1 wyif*", rep *-* to end.

Join in the round carefully without twisting the work, and place a marker (m) for BOR. Start working in half fisherman's rib:

Rnd 1: K all sts to end.

Rnd 2: *K1, p1-b; rep from * to BOR.

Rep Rnds 1 and 2 for pattern until work measures approx. 17 cm. Finish with **Rnd 1**.


Work Rnd 2 with US 5.5 / 4,5 mm needles (16" / 40 cm), before the dividing to start the shoulder increases.

SETTING UP FOR SHOULDER INCREASES

Divide the work into 4 sections: the two shoulders, front and back by placing 3 markers like this:

It may be easier to mark the places to divide without knitting: Count 47 sts from BOR (back), pm, 9 sts (right shoulder), pm, 47 sts (front), pm, 9 sts (left shoulder), BOR marker.

There's now a total of 4 m's in your work.



Begin making inc's around the 2 x 9 sts (shoulders) in each side, the inc's are made on the Rnd 1 of HFR where all the sts are worked as k's:

Rnd 1: sm, kyok (*), k until 1 st before the next m, kyok, sm, k 9 sts, sm, kyok, k until 1 sts before m, kyok, sm, k 9 sts. 8 sts increased.


Rnd 2: *K1, p1-b; rep from * to BOR. *, repeat *-* to BOR, *the newly added sts are worked as k and p the first time they are worked on the Rnd 2.*

Continue working the Rnd 1 & 2 as described above until a total of 20 (22) increase Rnds are made.

A total of 272 (288) sts on rnd. End with Rnd 2.

Now divide the body into back and front to work separately. Each of the back and front pieces will be worked separately flat.

BACK



Row 1 (OS): from BOR, slip 1 st with the yarn in the back of st, k until 1 st before the m, transfer the next 11 sts onto a scrap yarn or a st holder. Turn.

Row 2 (IS): k edge st, *p1, k1-b*, rep *-* until 1 st before BOR m, transfer the next 11 sts onto a scrap yarn or a st holder. Turn.

A total of 125 (133) sts on the needle for the back.

Note: you may transfer the 125 (133) sts for the front on a separate needle or a st holder while the back piece is worked.

Continue working flat on the back in HFR as described. Don't forget to work each row's first and last sts as the edge sts.

When there are 16 rows on the back from the dividing (8 whole half fisherman's sts), dec's are made in each side while you are working **Rnd 1:**

Row 1 (OS): 1 edg st, k 10 sts, pm, SSSK, k until 14 sts left on the needle, K3tog, pm, work as until 1 st left, k last sts on the needle. Turn the work.

Row 2 (IS): 1 edg st, *p1, k1-b*, rep *-* until 1 st left, k1 (edge st).

Continue working the dec's on every 14 Rows (OS) until the back measures approx. 18-20 cm from where the front and back are divided. End with **Row 2 (IS)**.

Break yarn, now the back can rest while working on the front. Take note of how many rows you've made from the last dec, to ensure you end on the same row on the front when you need to gather the parts again.

FRONT

With a new thread of yarn start working on the front part 125 (133) sts from RS:

Row 1 (OS): 1 edg st, k all sts. Turn.

Row 2 (IS): 1 edg st, *p1, 1 k1-b*, rep *-* until 1 st left, 1 edge st.

Continue working flat on the front in HFR as described. edge sts.

Don't forget to work each row's first and last sts as the edge sts.

When there are 16 rows on the back from the dividing (8 whole half fisherman's sts), dec's are made in each side:

Row 1 (OS): 1 edg st, k 10 sts, pm, SSSK, k until 14 sts left on the needle, K3tog, pm, work as until 1 st left, k last sts on the needle. Turn the work.


Row 2 (IS): 1 edg st, *p1, k1-b*, rep *-* until 1 st left, k1 (edge st).

Continue working the dec's on every 14 Rows (Row 1 of HFR) until the front measures approx. 18-20 cm from where the front and back are divided. End with **Row 2**.

Don't break the yarn, now the front and back pieces are to be gathered for the body.

JOIN FRONT AND BACK TO BODY

Join the front and back to start working in the round while you continue to decrease on every 14 rnds (Rnd 1 of HFR).



Rnd 1: k all the sts on the front part, CO 9 new sts with backward loop CO, k all sts from the back part, CO 9 new sts with backward loop CO, pm for BOR, and join to work in the round.

Rnd 2: now *p1-b, k1, * rep *-* until the 9 new sts (k1, p1, k1, p1, k1, p1, k1, p1, k1), *p1-b, k1* rep *-* until BOR.

Rnd 3 (Rnd 1): K all sts (including the 9 new sts right after BOR).

Rnd 4 (Rnd 2): *k1, p1-b* rep *-* to BOR.

Continue working the above Rnds 3 and 4 while working the established decrease on every 14 rnds on Rnd 1 of HFR until you have dec's 7 (8) times in total (incl. dec's before joining the front and back).

Now work 10 more rnds after the last dec and the body measures approx. 18 (23) cm from underarm. End with Rnd 1.

Work Rnd 2 with US 3 / 3.5 mm needles.

Now set up for Tubular BO:


Rnd 1: *K1, sl1 wyif*, rep *-* to end.

Rnd 2: *Sl 1 purlwise wyif, p1*, rep *-* to end.

Finish with **Tubular BO**.

SLEEVES

From the center st of the 9 CO sts in the armpit, start picking up sts with US 5.5 / 4,5 mm needles: start in the k row in the middle



1. pick up 5 sts,
2. pick up 36 (37) sts (in a manner of pick 2, skip 1) until you reach the 11 sts from the shoulder, break yarn and **transfer** the 11 sts on the needle, now add yarn again, and pick up 35 (37) sts (pick 2, skip 1 as before) alongside the other side of the sleeve,
3. pick 4 sts along the underarm CO edge, pm for BOR and join to work in the round.

There's now 90 (94) sts on the sleeve.

Rnd 1 (OS): K14 sts, pm, m1, k to 13 sts before BOR, pm, m2, k to BOR.


Rnd 2 (IS): *K1, p1-b* rep *-* to BOR.

Work Rnds 1 & 2 for 8 times in total, end with Rnd 2. Begin decreasing on every 9th rnd (Rnd 1 of HFR) in by the m1 and m2 you placed in the beginning.

Next Rnd (OS):

K14 sts, sm1, k3tog, k until 3 sts before m2, SSSK, sm2, k until BOR.

Continue doing the Rnds 1-2 rnd as described above and do dec's on every 14 Rnd (= 7 half fisherman's rib sts), until 8 dec's has been made on the sleeve.



Now work a further 10 rnds after the last dec. End with Rnd 1.

Change to US 3 / 3,5 mm needles while working Rnd 2.

Now set up for Tubular BO:

Rnd 1: *K1, sl1 wyinf*, rep *-* to end.

Rnd 2: *Sl 1 purlwise wyif, p1*, rep *-* to end.

Finish with Tubular BO: Bind off 1st and 2nd st, as well as the last 2 sts as 1 st.

FINISHING

Weave in loose ends. It is recommended to block your Gujo sweater to shape and allow the yarn to bloom. Hand wash the sweater with wool/silk soap. You can choose to spin the sweater in the washing machine in 'spin only' cycle without adding water.

Lay your sweater flat to dry, block and dry to planned measurements.

GENERAL INFORMATION

For support or additional information, please email info@aegyoknit.com. During weekends, holidays, and particularly busy periods, please allow for a delayed response. Assistance may be found in the Facebook group 'Aegyoknit – inspiration/support' where you can share your Aegyoknit projects, ask former test knitters for advice or contact other knitters. All patterns are available at www.aegyoknit.com and not via Ravelry. The designer is therefore not able to transfer patterns to individual libraries.

Please follow @aegyoknit on Instagram for news and inspiration, and we'd love it if you'd share your projects on social media using the hashtag #aegyoknit #gujosweater

THANK YOU

for supporting an independent designer.

English translation & tech. edit by
@haveuanywoolyyz