

Laker's Jacket

by Ukenn knit



Gauge: stockinette 21st 34row

Size: S, M, L

Yarn meterege: 1300m~1700m

Yarn weight: DK

Used method: slip, ktbl, german short row, cables

Cast-on(Back)

On 4mm needle, cast on 95sts (101sts) 109sts.

Work in short rows by following the body cable chart.

Short rows

Use german short row.

Work 71sts (76sts) 82sts, turn.

Make a double stitch and work 46sts (50sts) 54sts, turn.

Make a double stitch and work 5 more stitches after where you made the last double stitch, turn. ->repeat until there are 4sts (0st) 2sts left.

(Do not cross cables when you need to make double stitch in cables.)

When the short rows are done, knit the first and last stitch at both RS and WS, for edging.

By following the body cable chart, work flat for 60rows (64rows) 68rows more before the armhole shaping.

Each size would reach 17.5cm, 18.8cm, 20cm

Armhole shaping

Increase 3times (4times) 4times every RS. Follow by the description below.

First increase: k1, m1lp, work until the last stitch, m1rp, k1

Increase 2,3,4: k1, m1l, work until the last stitch, m1r, k1

Work WS and break yarn.

Front

Start from the right shoulder.

From shoulder to neck, pick up 28sts (30sts) 32sts.

Make short rows in same manner from the back. (first short row: 4sts (5sts) 5sts, turn, turn at every 5sts after the double stitch.)

L size: At the last short row, since the slip stitch should be the double stitch, turn at 1st before where you are suppose to turn.

Work the neck shaping together while making short rows following the table on the next page.

Shape neck by using m1r, m1l, m1rp, m1lp to not break the pattern.

Neck Shaping

S	M	L
increase 1st 9times every RS	increase 1st 9times every RS	increase 1st 9times every RS
increase 1st 6times every row	increase 1st 6times every row	increase 1st 8times every row
cast on 4 back-loop sts	cast on 5 back-loop sts	cast on 5 back-loop sts

After the short rows and neck shaping is done, work until the same row(the row before armhole shaping at the back).

Shape the armhole in same manner as back.

After the armhole shaping is done, work WS and break yarn, do the left.

When picking up the sts from left shoulder, pick up from neck to shoulder, work every sts at WS. Start the neck shaping and short rows from the RS.

After the left front is done, do not break yarn.

Connecting Front and Back

Starting from the left front, by working in pattern, cast on 7 back-loop sts between the front and back. Make new 7sts each side at the under arm.

While working the RS, place markers before and after the 4th sts from the new sts made. (4 markers placed.) There would be body decrease before and after these sts.

Decrease 4sts in every 16rows (16rows) 24rows, the row when you cross cables. k2tog before the marked sts, ssk after the marked sts.

Decrease 3times including the first decrease, work 4 (12) 8 more rows and change to 3.5mm needle.


Purl every sts at WS and p2tog 4 times at the same time.

(p2tog at each front and back 2 times.)

Work 4cm in 1x1 ribbed stitch, but starting with k2. The row would also end with k2.

BO.

Picture for sleeve short rows and decrease.



Short rows (Arrows inside the oval/sleeve)

Start from BOR and make short rows by following the arrows from outside to inwards. Make double stitch where the stitch should be a knit stitch.

After the last short row work in circular.

Sleeve decrease (colored section outside of the oval/sleeve)

There are three decrease section.(red, green, blue section)

Do the first decrease before and after BOR(k2tog in front, ssk after BOR) ->blue section

2nd&4th decrease: k2tog sts in the middle of the green section.

3rd&5th decrease: k2tog sts in the middle of the red section.

Repeat these 5 decreases about 2 more times.

Collar

With 3.5mm needle, pick up 26sts (28sts) 30sts from each front side, 39sts (41sts) 45sts from the back. When picking up sts, pick up from WS of your work. The WS from the body becomes the RS for the collar.

Slip every first sts at every rows. (slip as you knit at RS, slip as you purl at WS)

Follow the body cable chart for the collar. The 3rd st from the body cable chart would be the first stitch for the collar.


Increase 2sts in every 4rows. Make 1st at the edge of the stockinette section (where it is checked in red on the picture below).

Start the increase at the row where you cross cables.

If you want other kinds of collar, I recommend patterns such as seeded stitch or broken ribbes. If you changed the collar pattern, make sts next to the first and last stitch.


Work 36rows and BO loose.

Collar increase



You can increase 1st in every 8rows at where it is checked in yellow.

The samples aren't increase at here.



size/cm	A	B	C	D
S	45	43	36	46
M	48.5	44	38	46
L	52.5	47	40	49