

Vest

Rockhound



PREP PACK

Construction Notes:

Knit seamlessly from the top down. Casting on each back shoulder separately onto waste yarn using provisional cast-on, the back shoulders are joined along the back of the shaped neckline and worked flat down to the armholes incorporating armhole shaping for ease in all the right places.

The stitches for the front v-neck panels are then picked up along the back shoulders, and worked flat down to the armholes. Once all three pieces (back, front left and front right) are worked to the armholes, they are joined into one piece and worked in the round down to the hem.

Easily customize the depth of your v-neck and size of your armholes when working the twisted 1x1 ribbing to complete the neckline & armholes of your vest.

Techniques used:

**video tutorial included*

Working flat and in the round
Twisted stitches
Twisted cables*
Wrapped stitches*
Pass-over twist*
Increases and decreases
Picking up stitches

from: wool & pine

@wool.and.pine.designs @dankfiber @abbyknits

Share on instagram using #rockhoundvest and #woolandpine

for pattern support email support@woolandpine.com



Scan & join us on Discord
for live pattern support

Yarn

Blacker Yarn Folklore, Fingering- 100% British Wool 380yds/350m/100g

580 (660, 720, 800, 860)(940, 1000, 1080, 1200, 1380) yards
530 (605, 660, 735, 786)(860, 915, 1000, 1100, 1260)meters

Needles - or as needed for gauge

US 3 (3.25mm) 20-40" circular needles
US 4 (3.50mm) 20-40" circular needles

Gauge - gently blocked

24sts x 30rows = 4x4 stockinette in US 4 knit needles flat and in the rnd
Swatch chart = 4.75" wide x 4" long in US 4 knit needles flat and in the rnd

Measurements - Suggest 4-8" positive ease


- A) Bust: 34 (38, 42, 46, 50)(54, 58, 62, 66, 70)"
86 (96, 107, 117, 127)(137, 147, 157, 168, 178)cm
- B) Armhole depth before ribbing (customizable with ribbing):
9.25 (10, 10.5, 11.25, 12)(12.75, 13.5, 14.5, 15, 15.5)"
24 (25, 27, 29, 31)(32, 34, 36, 38, 39)cm
- C) Length of body - customizable: 12" - 30cm

Abbreviations

-  • 1/1 LTC - SI 1st on CN, hold to front. P1, ktbl from CN.
-  • 1/1 RTC - SI 1st onto CN, hold to back. Ktbl, p1 from CN.
-  • 1/1/1 LTC - SI 1st onto CN, hold to front. Ktbl, p1, Ktbl from CN.
-  • 1/1/1 RTC - SI 2sts onto CN, hold to back. Ktbl, from CN p1, ktbl.
- CO - cast on - unless noted, use backwards loop cast on.
- CDD - central double decrease - SI 2sts as if to work a k2tog, k1. Pass both slipped sts over the knit st.
- CN - cable needle
- DS - double stitch, counts as one stitch
- • K – knit (P on WS)
- ▧ • K2tog – knit 2 together
- M • Kfb - knit front and back - 1st increase
- ⊗ • Ktbl - knit through the back loop (ptbl on WS)
- M1L - Make one left
- M1R - Make one right
- Rep – repeat
- Rnd – round
- RS – right side
- • P – purl (K on WS)
- Pm - place marker
-  • Pass-over twist - Insert tip of RN into the 3rd st, lift it up and over the first 2sts and let it drop. K1, yo, k1.
- Pfb- purl front and back - 1st increase
- Ptbl - purl through the back loop
- St(s) - stitch(es)
- SSK – slip slip knit
- Tmds - turn and make double stitch (*German Short Row*)
- Work sts as they appear - Knit the knits and purl the purls
- WS - wrong side

-  • Wrapped stitch WS - Wrapped stitch may be worked with 5 or 7sts: *With yarn in front, slip 5/7sts from left needle to right needle purlwise, wrap yarn across the front of the sts bringing yarn to the back of the work. Slide 5/7sts from the right needle to left needle purlwise, bringing yarn around the back of the sts to the front of work* rep once more (sts wrapped twice). With yarn in front, slip 5/7sts from left needle to right needle purlwise, wrap yarn across the front of the sts and continue working sts on left needle according to chart.
-  • Wrapped stitch RS: *With yarn in back, slide next 5/7sts from left needle to right needle, purlwise. Bring yarn across the back of the slipped sts to the front, slip 5/7sts back to left needle, bring yarn across the front of the slipped sts to the back and pull snug* rep once more (sts wrapped twice), With yarn in back, slip 5/7sts from left needle to right needle purlwise, continue working sts on left needle according to chart.

Schematic




[Click here for Video Tutorials](#)

Password: TWISTEDVEST

- Yarn and construction overview
- Starting the Vneck
- Wrapped Stitch
- Twisted cables
- Pass-over Twist
- Customizing the V-neck and arm holes with ribbing

Swatch chart

Chart worked bottom to top, right to left on RS, and left to right on WS, and Right to left when worked in the round.



Wool & Pine

Click here to subscribe to our

Newsletter

Join our newsletter to be the first to know about our new releases, behind the scenes details and special deals!

Thank you for all the support, we love seeing our designs come alive on your talented needles! In addition to Ravelry you can now purchase our patterns through our website www.woolandpine.com

