



woolfolk

TOV COLLECTION

VIDJE • CARDIGAN
BY KRISTIN FORD

**SIZES**

To fit bust 29 (34, 39, 44)"

FINISHED MEASUREMENTS

35 (40, 45, 50)" bust circumference

YARN

Woolfolk Tov (100% Ovis 21 Ultimate Merino®, 173 yds / 158 m per 100 g skein)
10 (11, 13, 15) skeins in color no. T00

NEEDLES AND NOTIONS

Size 7 (4.5 mm) circulars, 24" or longer and 16" long
Set of size 7 (4.5 mm) dpns
Size 6 (4 mm) circular, any length

Stitch markers
Cable needle
Tapestry needle
Stitch holders

GAUGE

26 sts and 25 rows = 4" in Honeycomb patt on larger needles, blocked
18 sts and 29 rows = 4" in Seed St on larger needles, blocked
24 center sts of Saddle = 3" wide on larger needles, blocked

NOTES

Cardigan is worked from the top down with a traditional saddle drop shoulder construction.

The back lattice cable panel calls for cable crossings on both right and wrong side rows. Don't panic; the pattern is very regular and easier to follow than it looks at first glance, and the wrong-side crossings are all basic 2 over 2 cables.

Note that some of the other charts begin on a right side row, and some begin on a wrong side row, but only the back panel has cable crossings on the wrong side.

Copyright © 2016, Woolfolk and Kristin Ford. All rights reserved. The pattern and charts contained in this document are property of Woolfolk and Kristin Ford. This pattern is available for personal use only. Unauthorized reproduction, in whole or in part, or distribution via copier, fax or via email is prohibited. Not to be used to create garments for commercial sale. www.woolfolk yarn.com



VIDJE CARDIGAN

STITCHES AND TECHNIQUES

SEED STITCH (MULTIPLE OF 2 STS)

Row/Rnd 1: *P1, k1; rep from * to end.

Row/Rnd 2: Knit the purl sts and purl the knit sts.

Rep Row/Rnd 2 for patt.

TUBULAR BIND OFF FOR K1, P1 RIB

Cut yarn leaving a tail four times the width of the piece to be bound off. Thread on tapestry needle.

Step 1: Insert tapestry needle into first (knit) st pwise and pull through, leave st on needle.

Step 2: With the tapestry needle held behind the first knit st, insert it into first purl st kwise and pull through, leave st on needle.

Step 3: Insert tapestry needle into first knit st kwise and then into next knit st pwise and pull through, drop first st from needle.

Step 4: Insert tapestry needle into first purl st pwise and then into next purl st kwise (again with tapestry needle behind the intervening knit st) and pull through, drop first st from needle. Repeat Steps 3–4.

DIRECTIONS

SADDLES (MAKE 2)

With size 7 needle, CO 26 sts. Beg with Row 1 (WS), work Saddle patt for 43 (53, 57, 67) rows, ending with a WS row. Cut yarn and place sts on holder.

LEFT FRONT

With longer size 7 circular needle, beginning at CO end with RS facing pick up and knit 36 (44, 48, 56) sts from the long edge of one saddle.

Row 1 (WS): K1, p1, k1, work Honeycomb patt beginning with Row 1 to last st, k1.

Row 2 (RS): P1, work Honeycomb patt to last 3 sts, p2, k1. Work as set in Honeycomb patt with 3 selvedge sts at armhole edge and 1 selvedge st at neck edge for 13 more rows, ending with a WS row.

Neck inc row (RS): P1, m1L, work in patt to end. 1 st inc'd. Repeat neck inc row on every RS row 4 more times, working inc'd sts into Honeycomb patt. 41 (49, 53, 61) sts.

Next row (WS): Work in patt to end, CO 16 (16, 20, 20) sts. 57 (65, 73, 81) sts.

Band set-up row (RS): Sl 1 pwise wyib, [p1, k1 tbl] 3 times, p1, pm for band, work Honeycomb patt as established to last 3 sts, p2, k1.

Band set-up row (WS): K1, p1, k1, work in patt to m, sl m, [k1, p1 tbl] 4 times.

Continue as set by last 2 rows, with 3 selvedge sts at armhole edge and 8 sts in twisted rib for band until left front measures 8.5 (9, 9.25, 9.75)" from the pick-up row, ending with a WS row. Place sts on holder and leave yarn attached.

RIGHT FRONT

With longer size 7 circular needle and a new ball of yarn, beginning at end with held sts with RS facing pick up and knit 36 (44, 48, 56) sts from the long edge of second saddle. Row 1 (WS): K1, work Honeycomb patt beginning with Row 1 to last 3 sts, k2, p1.

Row 2 (RS): P1, k1, p1, work Honeycomb patt to last st, p1. Work as set in Honeycomb patt with 3 selvedge sts at armhole edge and 1 selvedge st at neck edge for 13 more

rows, ending with a WS row.

Neck inc row (RS): Work in patt to last st, m1R, p1. 1 st inc'd.

Repeat neck inc row on every RS row 4 more times, working inc'd sts into Honeycomb patt. 41 (49, 53, 61) sts.

Work 1 WS row even.

Next row (RS): Work in patt to end, CO 16 (16, 20, 20) sts. 57 (65, 73, 81) sts.

Band set-up row (WS): Sl 1 pwise wyif, [k1, p1 tbl] 3 times, k1, pm for band, work Honeycomb patt as established to last 3 sts, k2, p1.

Band set-up row (RS): P1, k1, p1, work in patt to m, sl m, [p1, k1 tbl] 4 times.

Continue as set by last 2 rows, with 3 selvedge sts at armhole edge and 8 sts in twisted rib for band until right front measures 8.5 (9, 9.25, 9.75)" from the pick-up row, ending with the same WS patt row as left front. Place sts on holder and cut yarn.

BACK

With longer size 7 circular needle, beginning at end with held sts with RS facing pick up and knit 36 (44, 48, 56) sts from long edge of left saddle, CO 34 (34, 42, 42) sts for back neck, pick up and knit 36 (44, 48, 56) sts from long edge of right saddle. 106 (122, 138, 154) sts.

Row 1 (WS): K1, p1, k1, work Honeycomb patt beginning with Row 1 to last 3 sts, k2, p1.

Row 2 (RS): P1, k1, p1, work Honeycomb patt to last 3 sts, p2, k1. Work as set in Honeycomb patt with 3 selvedge sts at each armhole edge until back measures 8.5 (9, 9.25, 9.75)" from pick-up row, ending with the same WS patt row as fronts. Place sts on holder and cut yarn.

LOWER BODY

Join front and back (RS): Replace left front sts on longer size 7 circular needle and using attached yarn, work across all sts in established patterns, CO 8 sts for underarm, work across back sts in established patterns, CO 8 sts for underarm, work across right front sts in established patterns. 236 (268, 300, 332) sts: 8 left front band, 49 (57, 65, 73) left front, 8 underarm, 106 (122, 138, 154) back, 8 underarm, 49 (57, 65, 73) right front, 8 right front band.

Work 3 rows even in established patterns, working the 8 CO sts at each underarm in St st.

Change to next patt blocks and begin underarm cables (RS): Work left front band sts in established rib, sl m, work Left

XO Panel beginning with Row 1 over next 46 (54, 62, 70) sts, pm, work Side Panel beginning with Row 1 over 14 sts, pm, work Back Panel beginning with Row 1 over next 100 (116, 132, 148) sts beginning and ending as indicated for your size, pm, work Side Panel beginning with Row 1 over 14 sts, pm, work Right XO Panel beginning with Row 1 over next 46 (54, 62, 70) sts, sl m, work right front band sts in established rib.

Work even in established patterns for 45 more rows, ending with Row 6 of Left and Right XO Panels and Row 46 of Back Panel.

Note on Back Panel: when the chart shows a cable crossing for which there are not enough stitches available in your size, work those stitches in St st.

Pockets:

Next row (RS): Work 8 band sts in patt, sl m, knit to underarm m, sl m, work 7 sts in patt (ending in the center of the cable), place all sts on right needle on holder. Work the next 7 underarm sts, sl m, work across back, sl underarm m, work 7 sts in patt (again ending in the center of the cable). 114 (130, 146, 162) sts on right needle. Place the unworked right front and underarm sts on a holder. CO 30 sts for right pocket lining and turn. 144 (160, 176, 192) sts on needle.

Next row (WS): P30, work in patt to end, CO 30 sts for left pocket lining and turn. 174 (190, 206, 222) sts on needle.

Next row (RS): K30, work in patt to last 30 sts, k30.

Work even with back and underarm sts in established patterns and pocket linings in St st for 28 more rows, ending with a RS row.

Next row (WS): BO 30 sts, work in patt to last 30 sts, BO 30 sts. Cut yarn. 114 (130, 146, 162) back and underarm sts rem. Place sts on holder.

Right front, change to next patt block:

Replace held right front and underarm sts on needle and join yarn at underarm edge with RS facing. 61 (69, 77, 85) sts.

Row 1 (RS): Work 7 underarm sts in patt, sl m, knit to band marker, sl m, work 8 band sts in patt.

Row 2 (WS): Work band sts in patt, sl m, work Right Wave Panel beginning with Row 1 over 46 (54, 62, 70) sts, sl m, work underarm sts in patt.

Work 30 more rows as established, ending with a WS row.

Cut yarn and place sts on holder.

Left front, change to next patt block:

Replace held left front and underarm sts on needle and join yarn at underarm edge with WS facing. 61 (69, 77, 85) sts.

Row 1 (WS): Work 7 underarm sts in patt, sl m, work Left Wave Panel beginning with Row 1 over 46 (54, 62, 70) sts, sl m, work 8 band sts in patt.

Work 30 more rows as established, ending with a WS row.

Rejoin fronts to back (RS): Work left front and underarm sts in patt, replace held back and underarm sts on needle and work across in patt, replace held right front and underarm sts on needle and work across in patt. 236 (268, 300, 332) sts.

Work even in established patterns through the last row of Back Panel chart. 1 st inc'd on final row of Back Panel; 237 (269, 301, 333) sts.

Ribbing:

Row 1 (RS): Removing all markers as you come to them, sl 1 pwise wyib, *p1, k1 tbl; rep from * to end.

Row 2 (WS): Sl 1 pwise wyif, *k1, p1 tbl; rep from * to end. Continue in twisted rib over all sts for 8 more rows.

Next row (RS): *K1 tbl, sl 1 pwise wyif; rep from * to last st, k1 tbl.

Next row (WS): *Sl 1 pwise wyif, k1; rep from * to last st, sl 1 pwise wyif.

BO all sts using the tubular method.

SLEEVES


With shorter circular needle, beginning at center underarm with RS facing pick up and knit 36 (40, 42, 46) sts from armhole to saddle, p first saddle st, pm, work next 24 saddle sts in patt, pm, p last saddle st, pick up and knit 36 (40, 42, 46) sts to center underarm, pm for beg of rnd. 98 (106, 110, 118) sts.

Rnd 1: K1, *p1, k1; rep from * to 2 sts before m, p2tog, sl m, work in patt to next m, sl m, ssp, **k1, p1; rep from ** to last st, k1. 96 (104, 108, 116) sts.

Rnd 2: K2, *p1, k1; rep from * to m, sl m, work in patt to next m, sl m, **k1, p1; rep from ** to last 2 sts, k2.

Rnd 3: K1, work in established Seed St to 2 sts before m, k2tog, sl m, work in patt to next m, sl m, ssk, work established Seed St to last st, k1. 2 sts dec'd. 94 (102, 106, 114) sts rem.

SCHEMATIC



Rnd 4: K1, work Seed St to m, sl m, work in patt to next m, sl m, work Seed St to last st, k1.

Rnd 5: K1, work Seed St to m, sl m, p2tog, sl m, work in patt to next m, sl m, ssp, work Seed St to last st, k1. 2 sts dec'd. 92 (100, 104, 112) sts rem.

Rnd 6: Rep Rnd 4.

Rnd 7: K1, k2tog, work Seed St to 2 sts before m, k2tog, sl m, work in patt to next m, sl m, ssk, work Seed St to last 3 sts, ssk, k1. 88 (96, 100, 108) sts.

Rnd 8: Rep Rnd 4.

Rnd 9: Rep Rnd 5. 86 (94, 98, 106) sts.

Rnd 10: Rep Rnd 4.

Rnd 11: Rep Rnd 3. 84 (92, 96, 104) sts.

Work 9 (3, 3, 1) rnd(s) even, maintaining 2 sts at underarm in St st.

Underarm dec rnd 1: K1, p2tog, work in patt to last 3 sts, ssp, k1. 2 sts dec'd.

Work 7 (7, 7, 5) rnds even.

Underarm dec rnd 2: K1, k2tog, work in patt to last 3 sts, ssk, k1. 2 sts dec'd.

Working underarm dec rnds 1 and 2 alternately, dec 1 st

at beg and end of every 8 (8, 8, 6)th rnd 11 (7, 4, 15) more times, then every - (6, 6, 4)th rnd - (7, 11, 3) times. 58 (60, 62, 64) sts rem.

Work even if necessary until sleeve measures 16.75", or desired length less 2".

Ribbing:

Next rnd: *K1 tbl, p1; rep from * to end.

Rep last rnd 9 more times.

Next rnd: *K1 tbl, sl 1 pwise wyif; rep from * to end.

Next rnd: *Sl 1 pwise wyib, p1; rep from * to end.

BO all sts using the tubular method.

FINISHING

COLLAR

With size 6 circular needle and RS facing, beg at right front edge pick up and knit 1 st in every st and 1 st in every 2 rows around neckline. When picking up over front bands, take care to pick up between the sts rather than in them for the most seamless appearance. Count sts and adjust if

necessary to achieve an odd number.

Row 1 (WS): Sl 1 pwise wyif, *k1, p1 tbl; rep from * to end.

Row 2 (RS): Sl 1 pwise wyib, *p1, k1 tbl; rep from * to end.

Rep the last 2 rows 3 more times, then WS row again.

Next row (RS): *K1 tbl, sl 1 pwise wyif; rep from * to last st, k1 tbl.

Next row (WS): *Sl 1 pwise wyif, k1; rep from * to last st, sl 1 pwise wyif.

BO all sts using the tubular method.

Slip stitch pocket linings in place on WS of fronts, taking care that sts do not show through on RS.

Weave in ends. Block.




ABBREVIATIONS


BO	bind off
cn	cable needle
CO	cast on
dec(s)	decrease(s)/decreased
inc(s)	increase(s)/increased
k	knit
k2tog	knit 2 together
kfb	knit into front, then back of same st
kwise	as if to knit
m	marker
m1L	make 1 left: with right needle, pick up running thread between needles from back to front and place it on left needle, then knit it through the back loop
m1R	make 1 right: with right needle, pick up running thread between needles from front to back, place on left needle, knit it through the front loop
p	purl
p2tog	purl 2 together
patt	patt
pm	place marker
pwise	as if to purl
rem	remain(s)
rep	repeat
rnd(s)	round(s)
RS	right side
sl	slip
ssk	[slip 1 as if to knit] 2 times, insert left needle into fronts of these sts and knit them together
ssp	[slip 1 as if to knit] 2 times, transfer these sts back to the left needle (st mount is reversed), p2tog tbl
St st	stockinette stitch
st(s)	stitch(es)
tbl	through the back loop
tog	together
WS	wrong side
wyib	with yarn in back
wyif	with yarn in front

CHARTS AND KEY

LEFT WAVE PANEL




RIGHT WAVE PANEL




-  RS: knit / WS: purl
-  RS: purl / WS: knit
-  pattern repeat
-  size 35" kfb / all other sizes purl
-  size 40" kfb / sizes 45" and 50" purl
-  size 45" kfb / size 50" purl
-  size 50" kfb
-  sl 1 to cn and hold to front, k1, k1 from cn
-  sl 1 to cn and hold to back, k1, k1 from cn
-  sl 2 to cn and hold to front, p1, k2 from cn
-  sl 1 to cn and hold to back, k2, p1 from cn
-  RS: sl 2 to cn and hold to front, k2, k2 from cn
WS: sl 2 to cn and and hold to front, p2, p2 from cn
-  RS: sl 2 to cn and hold to back, k2, k2 from cn
WS: sl 2 to cn and hold to back, p2, p2 from cn


LEFT XO PANEL




RIGHT XO PANEL




SIDE PANEL



SADDLE



HONEYCOMB



CHART

NOTE: A larger version of this chart can be found at <https://woolfolk yarn.com/resources/>

BACK PANEL

