



AEGYOKNIT © COPYRIGHT 2022

This knitting pattern is only intended for private use, and may therefore not be copied, resold or redistributed. In addition, finished knitted products may not be marketed for resale or used in a commercial context.

A E G Y O S W E A T E R

Aegyo sweater is a soft, comfortable cable sweater with classical details. The fit is oversized with a drop-shoulder sleeve and can be worn by men or women.

SIZES AND MEASUREMENTS

1 (2) (3) 4

MEASUREMENTS

Circumference of finished sweater is approximately: 114 cm (128 cm) 142 cm (156 cm)

Length (measured in the centre back under the neckband): 52cm (58cm) 63cm (69cm)

The sweater in the pictures is a size 2 on a size XS/S model, for a very oversized look.

YARN AND GAUGE

Puno, Gepard Garn

550g (650g) 750g (850g)

Gauge: 14 sts x 23/24 rows = 10 x 10 cm in half brioche on 6mm needles *after blocking*.

Suggested needles:

5 mm 40 cm - 80 cm circular needles

6 mm 40 cm - 80 cm circular needles

5 mm or 6 mm cable needle

COLOUR SHOWN IN PICTURE:

Puno shade 412 sart rosa

ABBREVIATIONS

Stitch marker: stm

Stitch(es): st(s)

Knit: k

Purl: p

K2tog/p2tog: knit/purl two sts together

Cable needle: cbn

Cable: cbl

Increase: inc

Yo: yarn-over

Kyok: knit - yarn over - knit increase

Sl1 purlwise: slip one purlwise

INTRODUCTION TO THE WORKFLOW

Overview:

The sweater is worked top down in half brioche stitch and cables. First, the back is worked flat in rows and afterwards stitches are picked up along the shoulders to work the front sections. The front and back sections are joined in round under the armpit. Sleeves and neckband are added later.

CHART: on page 8 and 9.

Half brioche worked flat:

Row 1. right side (RS): k all sts.

Row 2. wrong side (WS): p the purls, k the knit stitches in the stitch below (look to the previous WS row for purls and knits).

Half brioche worked in the round:

Row 1: k all, *or: k1, yo, sl1 purlwise*.

Row 2: k the knits, *or: p the purls together with the yo's*.

There are different methods for working half brioche in the round, just make sure to use the same one throughout the whole knitting process as there may be inconsistencies in the fabric.

There are 4 different cables which are called cable 1, cable 2, cable 3 and cable 4. (Note that cable 3 is twisted in opposite direction depending on whether it is left or right of the centre.)

Cable descriptions:

Cable 1:

Worked over 16 sts and 8 rows

Row 1: k 16 sts

Row 2: purl on WS, knit on RS over 16 sts.

Row 3: place 2 sts on cbn, hold behind the work, k2, k2 from cbn, place 2 sts on cbn, hold in front of the work, k2, k2 from cbn.

Repeat over the next 8 sts.

Row 4: purl on WS, knit on RS

Row 5: k all sts

Row 6: purl on WS, knit on RS

Row 7: place 2 sts on cbn, hold in front of the work, k2, k2 from cbn, place 2 sts on cbn, hold behind the work, k2, k2 from cbn.

Repeat over the next 8 sts.

Row 8: purl on WS, knit on RS

Repeat rows 1-8

Cable 2:

Place 1 st on cbn, hold behind the work, k1, k1 from cbn. Place 1 st on cbn in front of work, k1, k1 from cbn.

These cables are worked every 2nd row and can be worked without a cbn by knitting into the 2nd st through the back loop, then knitting the 1st st, then slipping both sts off the needle. For the cable 2 in the opposite direction: knit the 2nd through the front, knit the first st, then slip both off the needle.

Cable 3:

Worked across 6 sts, repeated every 4 rows, but the first cable is twisted on the same row that cable 1 is. (Row 3, cable 1)

Note: This cable is twisted in different directions on either side of the front of the sweater.

Left front section:

Row 1: k all

Row 2: purl on WS, knit on RS

Row 3: Place 3 sts on cbn in front of the work, k3, k3 from cbn.

Row 4: purl on WS, knit on RS

Right front section:

Row 1: k all

Row 2: purl on WS, knit on RS

Row 3: Place 3 sts on cbn behind the work, k3, k3 from cbn.

Row 4: purl on WS, knit on RS

Cable 4:

Worked across 8 sts, twisted every 4 rows, on the same rows as cables 1 and 3.

Row 1: k8

Row 2: purl on WS, knit on RS

Row 3: place 1 st on cbn in front of work, k3, k1 from cbn, place 3 sts on cbn behind work, k1, k3 from cbn.

Row 4: purl on WS, knit on RS

Be aware that cables are worked on the front section and are worked along the same columns of stitches throughout. Cables 1, 3 and 4 are twisted on the same rows.

*** PATTERN STARTS HERE ***

BACK SECTION

Cast-on 21 sts on 6 mm needles. The first row is a WS row and is worked *k1, p1* (repeat ** through the whole row), end with k1. The first and last st are always worked as edge-sts, and they are k on both RS and WS.

Cast-on 6 new stitches at the start and end of each row (both WS and RS rows. Do this a total of 10 (12) 14 (16) times, so 5 (6) 7 (8) times on each side. There are now 81 (93) 105 (117) sts on the needle.

The new sts are included into the half brioche as follows:

RS: K all

WS: k1, p1 over the new sts, then work half brioche across the remaining sts

Continue working flat in half brioche until the work measures 18 (18) 18 (18) cm.

You will now increase towards the underarm:

On the RS: K5, kyok, k until 6 sts remain, kyok, k5 (2 sts increased). A kyok is worked by knitting into a st, making a yo, then knitting into the st again.

The new sts are worked p, k, p on the WS.

Size 1: Work a further 3 rows, the last row is a WS row. Break the yarn. There are now 85 sts on the needle.

Size 2: Work a further 3 rows, the last row is a WS row. Break the yarn. There are now 97 sts on the needle.

Size 3: Work 1 WS row, then work a RS row with increases on either side. Work a further 3 rows, the last row is a WS row. Break the yarn. There are now 113 sts on the needle.

Size 4: Work 1 WS row, then work a RS row with increases on either side. Repeat these two rows once more. Work a further 3 rows without increases, the last row is a WS row. Break the yarn. There are now 129 sts on the needle.

LEFT FRONT SECTION

Pick up 32 (38) 44 (50) sts with the short tail of the yarn from the neck towards the shoulder.

Slip the sts to the left needle and start following the chart from the left side. Start by decreasing over the first 3 rows (decreasing by 2 sts in total). Remember edge-sts.

The first 26 sts are worked by following the chart (see page 7) and the remaining sts are worked in half brioche, as you did on the back section.

Follow the chart and at the point where you start to increase towards the neck, do this on the end of the WS rows. The last row is a WS row (row 30).

The 6 central sts will be made from the right front section. Leave the sts to rest while you work the right front section.

RIGHT FRONT SECTION

Pick up 32 (38) 44 (50) sts with the short tail of the yarn. K 6 (12) 18 (14) sts, remember edge-sts, then follow the chart for the remaining sts. (Remember to decrease 2 sts in total over the first 3 rows.) Continue until all 2 sts increases have been made (29 rows).

You will now join the left and right section. Work the right front sts as established, cast-on 6 new sts in between, and then work across the left front section. You are now on row 31 of the chart.

FRONT SECTION

Continue working as established until the work measures 22 (22) 24 (26) cm measured on the outside edge. Afterwards make increases on either side as you did in the back section as follows:

Increases towards under arm:

On the RS: k5, kyok, k until 6 sts remain (continue to work cables as established), kyok, k5.

The new sts are worked p, k, p on the WS.

Size 1: Work a further 3 rows, the last row is a WS row.

Size 2: Work a further 3 rows, the last row is a WS row.

Size 3: Work 1 WS row, then work a RS row with increases on either side. Work a further 3 rows, the last row is a WS row.

Size 4: Work 1 WS row, then work a RS row with increases on either side. Repeat these two rows once more. Work a further 3 rows without increases, the last row is a WS row.

BODY

Join the back and front sections by casting on 1 sts between the back and front sections. Work half brioche and cables in the round (See page 8 for charts in the round).

Continue until work measures 30 (30) 32 (34) cm measured from the underarm join. You will now make some short rows to create a slightly longer back.

Work to the last knit sts before the cables starts (work the knit sts as well), turn with GSR, then work back to the last half brioche st before the cables on the other side (a purl st), turn with GSR. You are now working the sts from the WS (working the half brioche flat). The sts are now worked as described: p the purls, k the knit stitches in the stitch below, when you reach your BOR be aware that the sts are now worked as only p sts - continue until 3 sts before the previous turning st, GSR, turn again. Do the same on the opposite side.

Repeat turning 3 sts before previous turning st a total of 4 (4) 5 (5) times on each side, 8 (8) 10 (10) times in total.

Change to 5 mm needle and work rib. On the first round of rib, knit the two central sts on the central cable together (k2tog).

Cast-off when the ribbing measures 6 cm.

SLEEVES

Starting at the central underarm stitch with a k st, pick up 39 (39) 41 (43) sts on 6 mm needles for half brioche along one side of the

x	x										x	x	4	
x	x	\	/	/	/	/	/	/	/	/	x	x	3	
x	x										x	x	2	
x	x										x	x	1	
1	2	1	1	1	0	9	8	7	6	5	4	3	2	1

arm hole, then place a stm, pick up 12 along the top of the shoulder to be worked in pattern (see chart below), place stm, pick up a further 36 (36) 39 (40) sts for half brioche. There are now 87 (87) 91 (95) sts on the needle.

Work 22 rounds (the next row is a row 1 in the half brioche), then make a centred decrease as follows:

K2, k3tog (or: k1, yo, sl1purlwise, k3tog...) through the back loop, continue until 4 sts remain, k3tog through the front loop.

These decreases are worked a total of 4 times, with 21 rows between each.

After the decreases you will have 71 (71) 75 (79) sts on the needle.

Work a further 3 rows in half brioche, change to a 5 mm needle, work in rib until the 2 purl sts in the chart, p2tog, then k1, p1, k1, p2tog, k1, p1, k1, p2tog.

Continue in rib for 5 cm and tubular cast-off. Work the second sleeve in the same way.

NECKBAND



Pick up 82 sts on 5 mm needles starting at the right side of the neck. Pick up 21 sts along the back of the neck, 27 sts up to the central cable on the front, 7 sts along the mid front cable, and a further 27 sts up to the shoulder.

Work in the rib in the round for 8 cm, cast-off loosely and sew the neckband down on the inside. Make sure it is not too tight.

FINISHING

Weave in ends and block your sweater by following the yarn manufacturer's recommendations. Lay the sweater to dry flat on a towel.

Share you finished Aegyo sweater on Instagram with the hashtags #aegyosweater and #aegyoknit



CHART

Chart for working cables in the round. Make a note of which row you were at when you joined the front and back.

