

Tuileries Polo

by Soumine



SIZE



Sample is shown in size 1 with 23 cm positive ease at the bust.

	A	B	C
1	103 cm / 40.5"	45 cm / 21"	38.5 cm / 15"
2	112 cm / 44"	48 cm / 21"	42.8 cm / 16.9"
3	120 cm / 47.2"	50 cm / 22.4"	42.8 cm / 16.9"
4	129 cm / 50"	54 cm / 26"	47 cm / 18.5"
5	137 cm / 54"	58 cm / 26"	47 cm / 18.5"
6	146 cm / 57.4"	60 cm / 26"	51.4 cm / 20.2"

PREPARATION

Size

1, 2, 3 (4, 5, 6)

Yarn

Sport weight

Candide from De Rerum Natura (70% wool 30% cotton, 185 meters / 50 grams)
890, 990, 1050 (1110, 1220, 1295) meters / 240, 270, 285 (300, 330, 350) grams

Needles

2.75 / 3 / 3.5 mm (US 2 / 2.5 / 4) a circular needle and 3.5 mm (US 4) a short tip needle (or longer if magic loop technique is used) or Double-Pointed Needles.

Gauge

28 sts x 34 rows / 10 x 10 cm in 3.5 mm needle, with pattern (after wash)

Notions

2 Stitch markers, stitch holders, waste yarn or extra cable needle, 3 buttons(18 mm), tapestry needle

Abbreviations

k: Knit
p: Purl
Rnd : Round
(-) rep: Repeat from (to)
st(s): Stitches
RS: Right Side of your work
WS: Wrong Side of your work
(m)m: (main) marker
s(m)m: Slip (main) marker

p(m)m : Place (main) marker
r(m)m : Remove (main) marker
K2tog : Knit 2 sts together
P2tog : Purl 2 sts together
ssk : slip slip knit 2 together
yo : yarn over
DS : Double stitch
K DS : Knit double stitch
P DS : Purl double stitch
Sl1wyb : Slip 1 st with yarn in back
Sl1wyf : Slip 1 st with yarn in front

Tuileries Polo ©2024 Soumine. All Rights Reserved.

If you have any question or if you notice any mistake in the pattern, please contact knitspourmoi@gmail.com. Share on Instagram tagging me @knits.pourmoi #tuileriespolo when posting image of your knitting. Thank you for knitting "Tuileries Polo". Soumine owns the copyright of this pattern. For personal use only.

Construction

This pattern is a written pattern including charts.

Tuileries Polo is a summer tee with an eyelet pattern design that keeps you cool even in hot weather. With its repetitive, simple pattern and classic design, it's fun to knit and will become a staple in your wardrobe, allowing you to create various outfits.

Tuileries Polo is knitted using a top-down method and features overall patterning. It forms shoulder lines and flat-knits the back panel down to the armholes. Stitches are picked up at both shoulders to create the neckline and work the front button band. The front panel is knitted down to the armholes, then joined with the back panel. The collar is worked by picking up stitches at the neckline. Sleeves are knitted down from the armholes, maintaining the pattern. Finally, after washing, sew on the buttons.

Technique

German short rows technique

(RS) Turn the work so the WS is facing /(WS) Turn the work so the RS is facing

Slip the stitch from the left needle to the right needle purlwise with yarn in front. Bring the yarn up and pull the yarn to the back of the work. It looks as if there are 2 sts (Double stitch)

Knit or purl the double stitch

K DS: Knit the double st together as if it was one

P DS: Purl the double st together as if it was one

Reading Charts

When working on the right side, follow the chart from right to left, and when working on the wrong side, follow the chart from left to right, making sure to understand the symbols on RS and WS

M1R : Insert left hand needle from back to front under the bar between the stitches and K this bar

M1L : Insert left hand needle from front to back under bar and K1tbl this bar

M1RP : Insert the left hand needle from front to back bar between the stitches and Ptbl this bar

M1LP : Insert the left hand needle from back to front, under the bar between the stitches and P this bar

Ruke bind off : [Click here](#)

Joining the button bands : [Click here](#)

Welt stitch for collar : [Click here](#)

PATTERN

BACK

"Work in pattern" means following the established 12sts pattern repeat, while maintaining the shoulder line sts and the button band pattern

Using 3.5 mm (US 4) needles, cast on 55, 55, 55 (55, 63, 63) sts

Work the back panel chart in flat knitting :

Setup Row 1 (RS) : Work Setup Row 1 of the back panel chart

Setup Row 2 (WS) : Work Setup Row 2 of the back panel chart

Row 1 (RS) : Work Row 1 of the back panel chart

Row 2 (WS) : Work Row 2 of the back panel chart

Note: Increase 2 sts every row (1 st before and after the 6 sts of the shoulder line on each side)

Work in pattern in the middle section between the shoulder line sts on both sides

Since the repeating pattern is 12 sts, the increase method repeats every 12 rows

Continue working in pattern, from Row 3 to Row 50, 54, 62 (66, 70, 74) increasing 2 sts each row

The shoulder increase rows have been completed

You have now a total of 155, 163, 179 (187, 203, 211) sts on your needle

Row 51, 55, 63 (67, 71, 75) RS : Cut the yarn and place 6 sts from the shoulder line onto a stitch holder, work in pattern to before last 6 sts and place next 6 sts onto a stitch holder

You have now 143, 151, 167 (175, 191, 199) sts on the needle and 6 sts on each side (12 sts total) on stitch holders

Continue working in pattern without increase for an additional 39, 45, 47 (51, 53, 59) rows or until the side edges (where sleeve sts will be picked up, excluding the shoulder sts) measure approximately 11.8, 13.5, 14 (15.3, 16, 17.7) cm / 4.6, 5.3, 5.5 (6, 6.3, 7) " in flat knitting, ending with a WS row

Transfer all sts on the needle to waste yarn and cut the yarn

FRONT

For sizes 1, 2 : Work the right front panel first, then cut the yarn and work the left front panel

For sizes 3 (4, 5, 6) : Work the left front panel first, then cut the yarn and work the right front panel

Right Front Panel

Using 3.5 mm (US 4) needle and with the RS of the back panel facing you, pick up and knit 51, 55, 63 (67, 71, 75) sts along the right shoulder

*To pick up sts, insert the needle between the first and second sts from the top edge, ensuring that 5 sts out of the 6 shoulder sts are visible

Setup Row (WS) : Work the setup row of the right front panel chart

Row 1 (RS) : Work Row 1 of the right front panel chart

Row 2 (WS) : Work Row 2 of the right front panel chart

Sizes 1, 2, 3 (4) only

3 Buttonholes Row 47, 65, 83 : Work in pattern to last 5 sts, yo, k2tog, p1, k2

Sizes 5, 6 only

3 Buttonholes Row 53, 71, 89 : Work in pattern to last 5 sts, yo, k2tog, p1, k2

Continue working in pattern from Row 3 to Row 84, 88, 90 (90, 96, 96)

Left Front Panel

Using 3.5 mm (US 4) needle and with the RS of the back panel facing you, pick up and knit 51, 55, 63 (67, 71, 75) sts along the left shoulder

*To pick up sts, insert the needle between the first and second sts from the top edge, ensuring that 5 sts out of the 6 shoulder sts are visible

Setup Row (WS) : Work the setup row of the left front panel chart

Row 1 (RS) : Work Row 1 of the left front panel chart

Row 2 (WS) : Work Row 2 of the left front panel chart

Continue working in pattern from Row 3 to Row 84, 88, 90 (90, 96, 96)

For sizes 1, 2 : Join the front and back panels first, then join the button bands

For sizes 3 (4, 5, 6) : Join the button bands first, then join the front and back panels

FOR SIZES 1, 2 ONLY

Row 85, 89-based on the front panel's row count, Joining front and back panels (RS) : Work in pattern for the left front panel, backwards loop cast on 1, 5 st(s), pm, work in pattern for the back panel, backwards loop cast on 1, 5 st(s), pm, work in pattern for the right front panel

For size 1 only

Row 86 (WS) : Work in pattern to m, rm, p1, work in pattern to m, rm, p1, work in pattern to end

Work in pattern from Row 87 to Row 90

PATTERN

For size 2 only

Row 90 (WS) : Work in pattern to m, rm, p1, k1, p1, k1, p1, work in pattern to m, rm, p1, k1, p1, k1, p1, work in pattern to end

For sizes 1, 2

Row 91 Button Bands Join (RS) : Cut the yarn, transfer the last 9 sts of the right front panel to a spare needle and place them in front of the first 9 sts of the left front panel on the left needle, pm, holding both layers together in your left hand, k2tog (1 st from the top needle with 1 st from the bottom needle) across, working k2tog, k2tog, p2tog, k2tog, p2tog, k2tog, k2tog, k2tog, k2tog (-9 sts), [Click on the video](#) begin knitting in the round work in pattern to m

Row 92 (RS) : sm, k3, p1, k1, p1, k3, work in pattern to m

Row 93 (RS) : sm, k2tog, yo, k1, p1, k1, p1, k1, yo, ssk, work to m

Cut the yarn

Move main marker to under the left underarm:

rm, transfer the next 76, 82 sts to the right needle and pm

Row 93 (99, 101, 105)-based on the front panel's row count, Join Front and Back Panels (RS) :

Work the front panel in pattern, pm, backwards loop cast on 1 (5, 1, 5) sts, work the back panel in pattern, pm, backwards loop cast on 1 (5, 1, 5) sts begin knitting in the round

For size 3, 5 only

Row 94, 102 : Work in pattern to m, rm, k1, work in pattern to m, sm, k1

For sizes 4, 6 only

Row 100, 106 : Work in pattern to m, rm, k1, p1, k1, p1, k1, work in pattern to m, rm, k1, p1, k1, p1, k1

Row 101, 107 : Cut the yarn, transfer the last 3 sts from the right needle to the left needle and pm (changed marker position), k1, p1, k2tog (with the first st of the front panel), yo, then work in pattern to 3 sts before m, yo, ssk, p1

FOR SIZES 3 (4, 5, 6) ONLY

Row 91 (91, 97, 97) Button Bands Join (RS) : Transfer the left front panel onto the needle, allowing it to be positioned next to the right front panel, work in pattern to before last 9 sts of the right front panel, transfer the 9 sts to a spare needle, and place them in front of the first 9 sts of the left front panel on the left needle, pm, hold both needles together in your left hand and K2tog the top st with the bottom st, then continue to k2tog, k2tog, p2tog, k2tog, p2tog, k2tog, k2tog, k2tog, k2tog (-9 sts) [Click on the video](#), then continue to work the left front panel

Front panel

Row 92 (92, 98, 98) (WS) : Work in pattern to 9 sts before m, p3, k1, p1, k1, p3, rm, work in pattern to end

Work in pattern until Row 92 (98, 100, 104) or until approximately 27 (29, 29.5, 30.5) cm / 10.6 (11.4, 11.6, 12) " from where pick up the sts

Tuileries Polo ©2024 Soumine. All Rights Reserved.

If you have any question or if you notice any mistake in the pattern, please contact knitspourmoi@gmail.com. Share on Instagram tagging me @knits.pourmoi #tuileriespolo when posting image of your knitting. Thank you for knitting "Tuileries Polo". Soumine owns the copyright of this pattern. For personal use only.

BODY

You have now 288, 312, 336 (360, 384, 408) sts on your needle

Work in pattern until total length measures 40, 43, 45 (49, 53, 55) cm or work 5 cm less than desired length

Switch to a 3 mm (US 2.5) needle

For sizes 1, 3, 5 only :

Setup Rnd : (k1, p1, ssk, p1, k1, p1, k1, p1, k2tog, p1) rep to m

Ribbing : (k1, p1) rep to m

Work 18 rnds of ribbing (5 cm / 2") and use the Ruke bind-off method to bind off all sts

For sizes 2, 4, 6 only :

Setup Rnd: (p1, k1, p1, k2tog, p1, k1, p1, ssk, p1, k1) rep to m

Ribbing : (p1, k1) rep to m

Work 18 rnds of ribbing (5 cm / 2") and use the Ruke bind-off method to bind off all sts

SLEEVES

Right Sleeve

Using 3.5 mm (US 4) needle, pick up sts along the right armhole edge with RS facing as follows : Pick up and knit 1, 3, 0 (4, 1, 4) sts from underarm CO, 33, 37, 40 (42, 45, 48) sts from back panel, transfer 6 sts from stitch holder onto needle (do not cut yarn), 68, 72, 73 (79, 80, 85) sts from front panel, 0, 2, 1 (1, 0, 1) sts from remaining underarm CO

Total of 108, 120, 120 (132, 132, 144) sts on needle

Pm and begin working in the rnd

Refer to sleeve chart and work to (6 cm / 2.4 ") from underarm or (2.5 cm / 1 ") shorter than desired length

Left Sleeve

Using 3.5 mm (US 4) needle, pick up sts along the left armhole edge with RS facing as follows : Pick up and knit 1, 3, 1 (2, 0, 2) sts from underarm CO, 68, 72, 74 (79, 81, 85) sts from front panel, transfer 6 sts from stitch holder onto needle (do not cut yarn), 33, 37, 39 (42, 44, 48) sts from back panel, 0, 2, 0 (3, 1, 3) sts from remaining underarm CO

Total of 108, 120, 120 (132, 132, 144) sts on needle

Pm and begin working in the rnd

Refer to sleeve chart and work to (6 cm / 2.4 ") from underarm or (2.5 cm / 1 ") shorter than desired length

Both sleeves

Continue with 3.5 mm (US 4) needle

Setup Rnd : (ssk, p1) rep to m

Ribbing : (k1, p1) rep to m

Work 9 rnds of ribbing (2.5 cm / 1 ") and use the Ruke bind-off method to bind off all sts

COLLAR

Using 2.75 mm (US 2) needle, with RS facing, pick up and knit sts from the edge of the neckline, starting from the 9th st of the right front panel (in purl stitch pattern) : Pick up and knit 38, 38, 38 (38, 41, 41) sts from the right front panel, 5 sts from the shoulder line, 43, 43, 43 (43, 51, 51) sts from the back panel, 5 sts from the shoulder line, 38, 38, 38 (38, 41, 41) sts from the left front panel (don't pick up in the last 8 sts of the left front panel)

Total of 129, 129, 129 (129, 143, 143) sts on the needle.

Row 1 (WS): p all sts

Row 2 (RS): Sl1wyb, k to end

Row 3 (WS): Sl1wyf, p to end

Row 4 (RS): Lift the outer leg of the sideways V-stitch at the neckline edge from the WS and knit it together with 1st st on the left needle (K2tog)-Welt stitch [Click on the video](#), -The neckline edge is neatly finished on WS as well

Change to 3 mm (US 2.5) needle

Row 1 (WS-RS of the collar) : k2, (p1, k1) rep to last st, k1

Row 2 (RS-WS of the collar) : Sl1wyf, p1, (k1, p1) rep to last st, p1

Row 3 (WS-RS of the collar) : Sl1wyb, k1, (p1, k1) rep to last st, k1

Rep Row 2 and 3 until the collar measures (7 cm / 2.8 ") and use the Ruke bind-off method to bind off all sts

FINISHING

Weave in all ends and sew buttons after wash



I hope you enjoy Tuileries Polo :-)